

TRABUCCO

CONFIDENCE, PASSION AND OPTIMISM

For over 30 years Trabucco has been a reference point in the fishing world. Its enduring success is due to its commitment to innovation, continually embracing new fishing techniques and researching the best materials for its products. This spirit of innovation has led the company to expand its interests from top level freshwater match fishing to challenging saltwater techniques. Throughout its journey, Trabucco has maintained two main objectives: to offer the best products with innovative solutions and to make them available at the best possible price. The brand's leading position in Italy and Europe is due to its loyal customers who share a passion for fishing.



FOLLOW US, ON THE WATER





If you turn your eyes towards the water, every time you cross a bridge or drive along the coast, you belong to our band. If you breathe the fresh morning air just for a while, as you are in a hurry to open the rod, we are friends even if we never met before. If you like to do something just for yourself, once so far from everything and everyone, we have a world in common. So come up and join us, the fun is guaranteed.



INDEX

HOOKS & MONO & **RODS RODS REELS BRAIDED LINE RIGS** LONG POLE 04 SURFCASTING 3 SECTIONS 76 REEL'S TECHNOLOGY 138 BRAIDED LINES 204 XPS SUPERCARBON HOOKS 250 TELEPOLE & WHIPS 11 SURFCASTING 2 SECTIONS 92 FRONT DRAG 140 XPS FLUOROCARBON 213 MATCH & FEEDER HOOKS 256 SURFCASTING TELE FLUOROCARBON & SOFT PLUS SHINKEN HOOKS BOLO RODS 18 94 MICRO 164 217 262 LIGHT SURF & BEACH SHINKEN DOUBLE & TREEBLE TELEMATCH RODS 39 FEEDER 165 T-FORCE XPS 218 269 101 LEGERING H00KS BOLENTINO TELESCOPIC RODS MATCH RODS CARP RUNNER XPS MATCH & FEEDER 45 173 222 108 HISASHI HOOKS 271 **BOLENTINO SEPARATE** FEEDER RODS 51 SURFCASTING & BIG PIT 175 DIAMOND 224 HISASHI SNELLED HOOKS 276 117 SECTIONS SPECIALIST FEEDER 66 SW POWER GAME WINTER ICE 225 193 AKURA HOOKS 279 SQUID, EGING & SABIKI 124 LAKE TROUT RODS **TROLLING & JIGGING** SUPER ELITE 68 198 226 AKURA NYLON HOOKS 287 TROLLING RODS 127 73 RIVER TROUT RODS T-FORCE SPECIALIST 228 SABIKI HOOKS 289 HOBBY RODS 134 74 CARP & SPECIMEN T-FORCE 230 234 S-FORCE SURFCASTING 236 SPECIAL SALTWATER 241

FLOATS	FLOATS ACCESSORIES, NETS & GROUNDBAITS SEATBOXES & CHAIRS			ACCESSORIE			
MATCH PRO & BOLO RHC	293	GROUNDBAITS	322	GNT X36 MATCH SEATBOXES	342	ROLLERS & ROD RESTS	370
GNT FLOATS	294	GROUNDBAITS ACCESSORIES	325	GNT X36 MATCH ACCESSORIES	344	UMBRELLAS	375
FLAT FLOATS	300	FEEDING ACCESSORIES	326	GNT X36 SEATBOXES	346	PRO PLIER	378
CARP MATCH RHC	302	CATAPULT	329	GNT X-CONNECT ACCESSORIES	350	POLE ELASTICS	379
NT RHC	304	NET HANDLE	331	GNT X-ACCESSORIES	356	COMPETITION ACCESSORIES	382
CARP BLUE HT	307	NET HEADS	335	TITTAN XR5 SERIES	359	TACKLE BOX & HOOKLENGTH BOX	385
LOADED SEA FLOATS	311	LANDING NETS	339	GENIUS X36 LITE	362	MATCH & SHOT SINKERS	388
SLIDING SEA FLOATS	313	KEEPNETS	340	FEEDER CHAIRS & ACCESSORIES	366	FEEDERS	392
SEA & SPECIAL LAKE TROUT	315			CLAMP 36	368	FEEDER ACCESSORIES	400
WAGGLERS	316						

MAX PLUS

244

LUGGAGE & BAGS		SWIVELS & SURF ACCESSORIES		ARTIFICIAL BAITS		CLOTHING	
HITDA DDV HADD CACEC	101	CURE DOD	410	VIIIABAV DAIT	400	CNT CLOTHING	4.4.4
ULTRA DRY HARD CASES	404	SURF POD	418	YUMMY BAIT	436	GNT CLOTHING	444
GNT MATCH TEAM	405	PRO SURF ACCESSORIES	424	SLURP BAIT	438	XTR SERIES	449
GNT MATCH EVA	408	SEA RIG TACKLE	428	SEA ARTIFICIAL BAITS	441	T-SHIRT	450
ULTRA DRY EVA	410	SWIVELS	429	FIERCE SQUID JIG	442	HATS	452
XTR SURFCASTING	412						
XTR EVA WHITE PREMIUM	416						
COMPETITION PRO LUGGAGE	421						

RODS TECHNOLOGIES

In the today's global market, the raw materials and components for rod's production are available to everybody, but is the technology that makes a difference. In other words, the way to handle the materials varies from company to company, leading to different results. Our core technologies are here illustrated and identified by icons that are used within the catalogue pages.



It's well known that all joints connecting rod's sections are weak points, both from strength and action's point of view, as they cause those "dead spots" which are risky in term of breakage, beyond the bad looking. The solution is hidden in the X-JOINT technology, which means that - on joints area - carbon cloths are laid by 45° angle instead of 90°.

- Perfect curve, without dead spots.
- Unique coexistence of flexibility and stiffness.
- · Less oscillations at the end of casting, which means quicker re-alianment of auides
- Higher structural strength, because stress is dispersed through the blank, instead of being concentrated on joint's ends.

Within X-Joint by Trabucco, the carbon cloth is wound by two directions, and such construction is visible on top end of each section.



In the rods produced with the computer assistance, the joint's precision is so high that, when they are wet, it is possible to form the vacuum, resulting in very tight section's locking. The problem is prevented by creating thin air chambers through cross bands milled on the male side of each joint.



It's an extreme material, characterized by an incomparable compactness, due to a very high ratio between the ultrafine High Modulus carbon sheets and the resins that cement the multiple layers. The nanometric resins are the only ones capable of penetrating into infinitesimal spaces, optimizing the cohesion between the fibers to obtain an extremely precise elastic response and an exceptional resistance.



The high end technology is not purely concentrated on top of the range products, but also gives the best in case of intermediate ones, where price counts. Made from a blend of carbon and fibreglass, it finds place in all branches of sport fishing.



A special finish of blank's surface repels water droplets which inevitably wet the rod, both during rainy or sunny days. This prevents line from sticking to the blank, an inconvenience which heavily affects casting distances, specially with light rigs.



It's the most sophisticated material

employed in the production of Trabuc-co rods: a super high modulus carbon,

whose layers are carefully assembled

resins to obtain extremely light, com-

pact, resistant sheets which are able

to provide a sharp reaction in front of

any sort of strain. Its proven strength

enables our engineers to even use it in

When the rod has to be able to cope

with the strong pulls and withstand the accidents of hard life at sea side,

a special armor is needed for the

carbon blank. Here come into play

filaments or carbon bands, to form a

highly protective wrapping

the most advanced surf casting rods.

exclusive nano-technological

Carbon fibers are the active core of any rod, but nothing would be possible without the contribution of the resins that cement its layers. The finest the resins are, the better they fill the spaces; in case of nanometer resins, the level is maximum.



On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So all the rod with Twist Free technology perform like a knife, rather than - in a mess - like a whin



On the recent surfcasting rods shines the new Trabucco section's alignment system, which is based on three lines instead of two, exactly as in the most advanced tracking devices and in high precision optics. The concept starts from the physical characteristics of the human eye, which has a higher bisection capacity rather than alignment. Only laser can do the job better!



High modulus carbon material, located very close to the fantastic LRC-CX2 in the list of high grade materials. Since the resin distribution is less dramatic, it's possible to combine it with lower modulus materials, to generate light and strong rods with size by size programmed action to face the most various fishing conditions.



It is the most widely used material for medium range rods, because it's perfect to solve at the same time all problems linked to costs and performances. The final products are nice to handle and quite durable, even if called to face hard life on the water.

Carbon fibers oriented according to an innovative concept are able to contrast torsional stresses, which are the worst enemy for any rod's blank. In fact, in addition to putting its integrity at risk, they negatively affect casting accuracy and distance.



Slick Surface treatment allows smooth han-

dling and reduces friction, providing a more

The best rods for saltwater boat fishing feature a special solution

around the solid tip, which is a part subject to breakages, not only

because it is intended to be dramatically curved under heavy loads. STS is a spiral winding which protects it from any risk, but such reinforcement doesn't affect the sensitivity of the tip, because the

spiral follows the bend elastically, actually distributing the stress

user-friendly experience.

along the entire structure.

Before getting through the curing process, the carbon blanks are wound by a special tape, which is free from any elasticity to contrast the expansion of the metallic mandrel. In such way, the resins are well distributed within carbon layers. The narrower the tape's pitch, the lower the resin content, and consequently the rod's blank will be lighter and reactive, thus perfect to create high grade fishing rods.



A special fibreglass material, able to develop outstanding strength in front of extreme stress, but also to bear the inevitable abuse due to inexperienced handling. This is the perfect material for rods destined to occasional or novice anglers.



me stress and maybe some shocks, its joints need to be adequately protected to last long time. We solve this problem with High Resistance carbon bands, applied orthogonally to longitudinal fibers.



The super sharp actioned rods aren't needed in all fishing styles: for example, bolognese or telescopic poles differ from carp fishing or boat rods, where reaction times are slower and the stress is heavier and longer. That's why CX1 is so important, with its special balance between strength and lightness which, compared to Micro Pitch version, gives the rod a lower reactivity both during cast and strike.




Based on fiberglass, this material shows layers linked by an advanced system of epoxy resins. As a consequence, its structure is extremely compact, and generate tubular blanks which are particularly strong and durable



Within any telescopic rods, the joint's precision is quite important to grant absence of play, not only to avoid noise, but mainly for a complete power transfer. For this reason, Trabucco rods are produced under the computer assistance.



































In the river trout telescopic rods, as well as in some sea boat rods, the length is adjustable thanks to special rubber collars, which are fixed on top of sections to lock them to the below one. This is a careful job, done with hand craft precision



The taper of the blank provides balance and the right power to cast and drive the fighting fish to the landing net. Some special Trabucco rods show faster taper than the average, in order to develop a certain behaviour while in action



The great sensitivity and the resistance to traction of the interchangeable tips are important assets to influence boat rod's performance. The small single leg guides are well aligned and then carefully wrapped



In all sort of fishing rods, both telescopic and put over, joints are the most critical areas. Our own joints sweetly follow the rod's action, avoiding those "flat spots" which cause bend imperfections and seriously prejudice rod's strength.



In the segment of sea boat rods, this icon marks the models which aren't supplied with interchangeable tips, but only have a solid fiberglass telescopic tip. No difference regarding sensitivity and durability



This technology gives strength to the rod's joints, but without exceeding in weight. This is possible because it takes advantage from high modulus carbon used to create crossed reinforcements. which bear the stress peaks in those areas



A fantastic sensation of smoothness and a greater control of the rod comes from the special finish of carbon rod handles. Apart from improving the fishing pleasure, this finish helps rod's cleaning after each fishing session.



The advanced high modulus carbon sheet, which gives enormous power to the rod's blank, sweetly blends into softer materials to provide the right sensitivity to detect fish bites. But the conversion is gradual, within the tubular top section, and this requires high class technology to avoid weak points and curve imperfections, which would cause poor looking but also a bad power transfer, with some risks of sudden breakage for the structure. All over the world, this concept is well known as "multi-action tip", but it's not equally common the process of layer's overlapping and fusion which bring to a perfect result, inch by inch. The technology which leads to the perfection of final product can give the best only in case the engineering and design process are assisted by computer, which can evaluate the stress point by point and realistically simulate the reaction of the material according to the fixed specifications.



The concept behind the Hybrid Tip arises from the need to obtain a good tip action on all models in our surf casting range, in order to compare the performance between the lower and the higher level rods. We then managed to get the unsurpassed sensitivity of a solid carbon tip design matching perfectly with the power of a tubular carbon blank, whatever the modulus of the carbon used to build the rod itself. With this hybrid solution, the blank takes care of the part inherent to the casting action, charging power before releasing it during the lash, while the tip takes care of directionality, of the accuracy and, obviously, of the identification of even the lightest fish bites at very long range. The crucial part is obviously the transition between the tubular carbon blank and the solid tip, subject where we have applied all our famous design capabilities.



Some Big Game rods differ from all the other by a peculiar guide's configuration, which is known worldwide as "Acid" or "Spiral Wrapping". Instead of being in line, they follow a spiral which surrounds the blank, getting aligned only in the top area, with the last guides and the top guide oriented downward. So the line never touches the blank, when the power of a big fish bends it to the limit, without inducing abnormal twists and reducing fatigue with the user

LONG POLE

	NEW	COMPETITION	5
ULTRA RCX	NEW	PERFORMANCE	6
	NEW	MATCH CARP	7
ULTRA NTX	NEW	CARP MARGIN POWER	8
GNT 775 XTR		MATCH CARP	8

SUPREME NTX NEW	NEXTGEN MATCH CARP	9
SUPREME STX	MATCH CARP	9
SUPREME CRX	CARP MATCH	9
	EDGE CARP	10
DREAM TEAM	POWER CARP	10

ICONES LIST



需TRABUCCO

NEW ULTRA RCX JOINT SYSTEM

All sections of new ULTRA RCX poles are prepared to cooperate each other in the best way, as if the pole was made from a single section, thanks to the Trabucco Joint System concept. On top and bottom ends of the sections there are arrows which have been placed along the spine, a visible line which corresponds to the back bone of the carbon tubolar structure. Those arrows must be aligned by the angler every time that two elements are being joined.

For 7 sections out of 8, such alignment is done only once in a match, when the pole is assembled in full length. So - during the match - only the butt section of the top kit in use needs to be aligned with the below section. Once the alignment has been achieved, the pole should be used with all arrows on top (looking at the sky). In such way, stiffness and strength of the pole will be maximised. Since the spine looks like a neat line, but actually works as a band, any small imperfection in the arrow's print or in the alignment done while fishing is not causing a reduced effect.

NEW ULTRA RCX SHORT SECTION SET 4-5-6



When the kit's length is not long enough for a certain rig, or the pole's length must be tailored to fish at a particular distance, dictated by swim's features or bottom's profile, the short sections come into play, also improving the general sharpness. When fishing at short range with one of these sections on hand, in case a big fish has been hooked, the rest of the pole can be quickly inserted to follow the first run. Made from High Modulus Nanolith Carbon with superfast taper. Designed to replace the standard sections with a shorter length. Sold in set of 3 sizes: SH4, SH5 and SH6, included in Competition and Performance full optional. Can be applied to all GNT Ultra 2024, 2023, 2022, 2021, 2020 edition poles.

SH4 75cm (68cm), SH5 81cm (74cm), SH6 90cm (80cm). Above lengths between brackets result from total section's lengths less the joint's depths.



139-64-222 GNT ULTRA RCX * SH SECTION SET 4-5-6 3

NEW ULTRA RCX SAFETY SECTION SET 5-6-7

Safety Sections are a special kit of three sections, the nr. 5, 6 and 7, designed for short range fishing, which is more and more frequent in many venues, deliver improved strength yet a great handling. Ideal solution in combination with the Short Sections, thus, to avoid the use of heavyweight short extensions, and to tailor the fishing distance to requires and retaining the compatibility with the main pole when a bonus fish can get in the game. Provided as a standard in the packs of the Ultra RCX Competition and Ultra RCX Performance.

		77
139-64-220	GNT ULTRA RCX * SF SECTION SET (5/6/7)	3





NEW ULTRA RCX COMPETITION

MADE IN ITALY

Top of the range pole for World class competition fishing, offering lighter weight than previous edition ULTRA LCX and a remarkable stiffness improvement in the larger sections, which are home of the strike response

TRABUCCO

- Structure made by 8 sections of High Modulus carbon
- Parallel butt sections nr. 8 and 7
- AB Tip 150 cm long, with Ø 2,2 mm top bore

			[mmØ]	<u>cm</u>	91 -
139-64-300	Ultra LTX Competition Full Package	13.00	-	-	-
139-64-310	Ultra LTX Competition 13.00m & Mini	13.00	43	185	8

POLE PACK

- 1x Ultra RCX Competition, 13m
- 1x Mini Extension, section 9
- 2x Top Kit 4 Competition
- 1x Top Kit 5 Competition
- 1x Cupping Kit 2 + Multi Sect. 4
- 1x Set 3 Bait Cups
- 1x Short Sections 4-5-6
- 1x Safety Sections 5-6-7
- 1x Set of 3 EVA caps for sections 3-4-5
- 1x "Ultra Shield Pole Hardcase"

LILT-ZIFIEL TRABI

1* Pole (13m), cod. 139-64-310

1* Mini Ext. Section 9, cod. 139-64-244

2* Top 4 Kit Competition cod. 139-64-201

1* Top 5 Kit Competition cod. 139-64-21

1* Cupping Kit 2 + Sec. 4, cod. 139-64-236/238

1* Bait Cup Set cod. 106-15-550

Short Sections Set 4°-5°-6°, cod. 139-64-22

Safety Sections Set 5°-6°-7°, cod. 139-64-220

1* Utra Shield Pole Hardcase, cod. 048-37-910

(POLESHIELS) > STRABUGGO ((LILIT-SIFI)

ULTRA RCX PERFORMANCE

- MADE IN ITALY Quality pole with a total length of 13m
- Lightness and sharpness have sensibly grown, with a stunning balance feeling
- Structure made by 8 sections of High Modulus carbon
- Parallel butt sections nr. 8 and 7
- AB Tip 150 cm long, with Ø 2,2 mm top bore

		m	mmØ	cm	□
139-64-320	Ultra LTX Performance Full Package	13.00	-	-	-
139-64-330	Ultra LTX Performance 13.00m & Mini	13.00	43	185	8

POLE PACK

- 1x Ultra RCX Performance, 13m
- 1x Mini Extension, section 9
- 2x Top Kit 4 Performance
- 1x Top Kit 5 Performance
- 1x Cupping Kit 2 + Multi Sect. 4
- 1x Set 3 Bait Cups
- 1x Short Sections 4-5-6
- 1x Safety Sections 5-6-7
- 1x Set of 3 EVA caps for sections 3-4-5
- 1x "Ultra Shield Pole Hardcase"



素 TRABUCCO

需TRABUCCO

SUPER FAST AB







NEW ULTRA RCX MATCH CARP



- · Quality pole for match anglers who also like carp competitions in private lakes
- · Re-engineered with a new, lighter weight and even more responsiveness
- Structure made by 8 sections of High Modulus carbon
- Parallel butt sections nr. 8 and 7
- AB Tip 150 cm long, with Ø 4 mm top bore

POLE PACK

- 1x Ultra RCX Match Carp, 13m
- 1x Mini Extension, section 9
- 2x Top Kit 4 Match Carp
- 1x Top Kit 5 Match Carp
- 1x Cupping Kit 2 + Multi Sect. 4
- 1x Set 3 Bait Cups
 - 1x Mini Extension, section 6/7
- 1x Set of 3 EVA caps for sections 3-4-5
- 1x "Ultra Shield Pole Hardcase"

		لستسا	mm⊘	<u>cm</u>	-
139-64-340	Ultra LTX Match Carp Full Package	13.00	-	-	-
139-64-350	Ultra LTX Match Carp 13.00m & Mini	13.00	43	185	8



TRABUCCO 13

TRABUCCO 13 1

STRIPPA SYSTEM

All GNT-X pole generation kits (Match and Strong) feature a reinforced woven carbon segment. It is located at the base of the third section, and is intended to house



the Strippa System bush, whose application must be carried out by the user. It is advisable to start by making a very small hole (1 mm), to be gradually widened with an abrasive tip with a conical profile. In this way it will be easier to obtain a hole of the desired diameter, fractures will be avoided and the margin of the round window will be perfectly smooth.

ULTRA RCX COMPATIBLE SECTIONS

139-64-211 GNT ULTR/	A RCX * TOP KIT 4 COMPETITION A RCX * TOP KIT 5 COMPETITION RCX * TOP KIT 4 PERFORMANCE	3 4	4,20 5,80
		4	5.80
	DCV * TOD KIT 4 DEDEODMANCE		5,00
139-64-202 GNT ULTRA	NUX TUF KIT 4 FENFUNIWANCE	3	4,20
139-64-212 GNT ULTRA	RCX * TOP KIT 5 PERFORMANCE	4	5,80
139-64-203 GNT ULTR	A RCX * TOP KIT 4 MATCH CARP	3	4,20
139-64-213 GNT ULTR	A RCX * TOP KIT 5 MATCH CARP	4	5,80
139-64-222 GNT ULTRA	RCX * SH SECTION SET (SH4/5/6)	3	-
139-64-220 GNT ULTRA	A RCX * SL SECTION SET (5/6/7)	3	-
139-64-236 GN	T ULTRA RCX * CUP KIT 2	2	-
139-64-238 GNT UL	TRA RCX * MULTI SECTION 4	1	-
139-64-234 GNT	ULTRA RCX * SUPER FAST	1	1,75
139-64-240 GNT UL	TRA RCX * MINI EXT.4/5 REV	1	-
139-64-242 GNT ULT	TRA RCX * MINI EXT. 6/7 REV	1	-
139-64-244 GNT ULTRA F	RCX * MINI EXTENSION 13 (Butt 9)	1	-
139-64-246 GNT ULTRA F	ICX * HALF EXTENSION 13 (Butt 9)) 1	-
139-64-248 GNT ULTRA R	CX * POLE PROTECTOR 13 (Butt 9) 1	-
139-59-748 ULTRA	XTR * POLE PROTECTOR 13	1	-

NEW ULTRA NTX CARP MARGIN POWER

STRIPPA SYSTEM

- Designed for the extreme carp battles
- Made from NTC Nano Tek Carbon, with superfast taper on section 3
- · All joints put-over
- Long configuration of top section (AB style)
- Able to handle elastics up to the diameter of 2,8 mm
- · ASEF slide finish for smooth handling
- Conical EVA caps on top of all sections
- The SiC lined Strippa hole on section 2 is fitted on a nice and strong segment of Woven Carbon
- · Spare kits also available separately, with protective tube

POLE PACK

- 1x Ultra NTX Carp Margin Power 10 m (all sections stored inside the butt)
- 1x Mini Extension 90 cm for the butt section
- 1x Kit Power Carp 3 sections (AB+3+4 = 4,25 m)
- 1x Cupping Kit 2 sections (AB+3 = 2,70 m)



The best cooperation between sections can be achieved if they are aligned according to printed marks.



			لستتسا	[mmØ]		[<u>\D</u>]\D\9]	
131-92-500	8 054393 188830	ULTRA NTX Carp Margin Power Full Optional	10.00	42	172	670	6
131-92-510	8 054393 188847	ULTRA NTX Carp Margin Power Top Kit 2	2.70	-	143	55	2
131-92-520	8 054393 188854	ULTRA NTX Carp Margin Power Top Kit 3	4.25	-	164	135	3
131-92-530		ULTRA NTX Carp Margin Power Cup Kit 3	2.70	-	143	65	3

GNT 775 XTR MATCH CARP

- High quality pole 12,75 m long, designed as Match & Carp model
- Structure made by 8 sections of NTC Nano Tek Carbon
- AB tip 150 cm long, with Ø 2,2 mm top bore
- Parallel butts (sections nr. 8 and 7)
- ASEF finish on sections from 5 to 8
- Interchangeable sections with those of GNT XTR 975

POLE PACK

- GNT 775XTR Match Carp 13 m
- 3x Kit 4 Carp
- 1x Mini Extension for 13 m butt
- 1x Mini Extension for sections 6 & 7
- 1x Cupping Kit
- 1x Set di Pole Pots
- Protective tubes & GNT Holdall

			TV	m
139-49-010	8 054393 119827	GNT XTR X75 Competition Top Kit 4	4	4,35
139-49-020	8 054393 119834	GNT XTR X75 Competition Top Kit 5	5	5,95
139-49-030	8 054393 119896	GNT XTR X75 Carp Top Kit 3 (PW Kit+4)	3	4,35
139-49-040	8 054393 119902	GNT XTR X75 Carp Top Kit 4 (PW Kit+4+5)	4	5,95
139-49-050	8 054393 119933	GNT XTR X75 Power Kit 2	2	2,95
139-49-055	8 054393 119964	GNT XTR X75 * Cup Kit 2	2	2,95
139-49-060	8 054393 119971	GNT XTR X75 * Safety Section Set (5/6/7)	3	-
139-49-070	8 054393 119988	GNT XTR X75 * Mini Extension 13	1	-
139-49-080	8 054393 119995	GNT XTR X75 * Mini Extension 6/7	1	-

JOINT & SECTION ALIGNMENT



All pole's sections are produced by rolling the carbon sheet around a mandrel. Such operation leaves an external trace along the section, just where the carbon sheet has been cut. That visible line is known as "spine", because it's a stiffer area, playing same role of the human's backbone. Fishing with those indicators facing upwards makes the pole far more sharp and definitely stronger.

STRIPPA SYSTEM



In order to be competitive in carp commercials and waters that hold extra large fish, it's worth to install the elastic under Strippa mode, with the chance to adjust its tension during the fight. The elastic gets through the top sections of the pole and get off the side hole, located at the base of the section 3. The tension of the elastic is adjusted instant by instant, by pulling it out from the hole with the free hand or releasing it when the fish reacts with a sudden run.

			mimi	mm⊘	cm	Δ 1 Δ 9	
139-49-200	8 054393 120069	GNT 775 XTR Match Carp Full Pack	13.00	-	-	-	-
139-49-210	8 054393 120076	GNT 775 XTR Match Carp 13.00 m	13.00	45	185	970	8



SUPREME NTX NEXTGEN MATCH CARP

STRIPPA SYSTEM

- Specially developed for commercial carp job
- Put over blank made from NFT carbon
- All joints put-over
- Long configuration of top section (AB style) with 5 mm top bore
- Able to handle elastics up to the diameter of 2,8 mm
- · ASEF slide finish for smooth handling
- Conical EVA caps on top of all sections
- The SiC lined Strippa hole on section 2 is fitted on a nice and strong segment of Woven Carbon
- Spare kits also available separately, with protective tube

POLE PACK

- 1x Supreme NTX Nextgen Match Carp 11 m (all sections stored inside the butt)
- 1x Mini Extension 70 cm for the butt section
- 1x Kit Match Carp 3 sections (AB+3+4 = 3,60 m)

The Cupping Kit (3,60 m) is available as optional.

Top section of pole and spare kits is pre-fitted with quality PTFE internal bush.



			للسلسلا			5 12 a	
131-92-400	8 054393 189929	SUPREME NTX Nextgen Match Carp Full Optional	11.00	42	172	730	7
131-92-410	8 054393 189936	SUPREME NTX Nextgen Match Carp Top Kit 2	2.20	-	125	50	2
131-92-420	8 054393 189943	SUPREME NTX Nextgen Match Carp Top Kit 3	3.60	-	145	100	3
131-92-430	8 054393 188823	SUPREME NTX/STX Cup Kit 3	3.60	-	145	110	3

SUPREME STX MATCH CARP

- Specially developed for commercial carp job
- Put over blank made from NFT carbon
- ASEF satin finish for a smooth handling
- Conical EVA caps on top of all sections
- Top section with Ø 4,5 mm top bore, supplied with Cluster bushes

POLE PACK

- 1x SUPREME STX Match Carp 9.00 m
- 1x Kit 2 Match Carp with Strippa System
- 1 Cupping Kit of 2 sections, 2,20 m long (AB tip+3)

- SiC lined Strippa hole on bottom area of 2nd section
- All optional kits have the Strippa System and are protected by a clear plastic tube



			m m	mmØ	cm	∆1 ∆ 9	₩.
131-92-300	8 054393 181992	SUPREME STX Carp Plus Full Optional	9.00	41	170	580	6
131-92-310	8 054393 182005	SUPREME STX Carp Plus Top Kit 2	2.20	-	125	50	2
131-92-320	8 054393 182012	SUPREME STX Carp Plus Top Kit 3	3.60	-	145	110	3

SUPREME CRX CARP MATCH

- Specially developed for commercial carp job
- Put over blank made from NFT carbon
- ASEF satin finish for a smooth handling
- Conical EVA caps on top of all sections

POLE PACK

- 1x SUPREME CRX Carp Match 8.00 m
- 1x Kit 2 Carp Match with Strippa System





				mmØ	cm	∆1∆ 9	TT-
131-92-100	8 054393 166586	SUPREME CRX Carp Match Full Optional	8.00	40	140	820	6
131-92-010	8 054393 166562	SUPREME CRX Carp Match Top Kit 2	2.60	-	128	70	2
131-92-020	8 054393 166579	SUPREME CRX Carp Match Top Kit 3	3.80	-	135	155	3

STRIPPA SYSTEM

STRIPPA SYSTEM

- Top section with Ø 4,5 mm top bore, supplied with Cluster bushes
- SiC lined Strippa hole on bottom area of 2nd section
- All optional kits have the Strippa System and are protected by a clear plastic tube





DREAM TEAM EDGE CARP

- · Pole specially designed for commercial carp margin fishing.
- High Resistance Carbon structure, with all joints put-over
- Slide Easy finish on butt section for smooth handling
- Water repellent Slick Surface finish on inner sections
- Long top section with top bore Ø 4 mm (pre-bushed)
- · SiC lined strippa hole on second section
- The pole package is made as follows:
- Spare kits also available separately (with Strippa System)
- This model shares the spare kits with Dream Team Power Carp

	لستنسا		
131-86-010 BUSH 393 177551 Dream Team Edge Carp 5504 & TK2	5,5	160	4
131-86-001 BURNER	-	135	2
131-86-002	-	135	3

POLE PACK

- 1x Dream Team Edge Carp 5,50 m
- 1x Kit Extra di 2 sezioni (2,50 m)

DREAM TEAM POWER CARP

- Pole dedicated to commercial carp competition.
- · High Resistance Carbon structure, with all joints put-over
- Slide Easy finish on butt section for smooth handling
- Water repellent Slick Surface finish on inner sections
- Long top section with top bore Ø 4 mm (pre-bushed)
- · SiC lined strippa hole on second section
- Spare kits also available separately (with Strippa System)
- . This model shares the spare kits with Dream Team Edge Carp

			чиний		
131-86-020	8 054393 177568	Dream Team Power Carp 7806 & TK2	7,8	160	6
131-86-001	8 054393 177537	Dream Team Edge & Power Carp * TOP 2	-	135	2
131-86-002	8 054393 177544	Dream Team Edge & Power Carp * TOP 3	-	135	3

POLE PACK

- 1x Dream Team Power Carp 7,80 m
- 1x Kit Extra di 2 sezioni (2,50 m)

HOLLOW ELASTIC HI-LAYER MATCH & POWER

Find out more on page 378

cm

m











TELESCOPIC WHIPS

ENERGHIA RTX	LIGHT-POLE	12
ATOMIC XR	POWER LITE	13
ASTORE	NRG POLE	13
ASTORE	TX POLE	13
SPECTRUM	ALBORELLA	14
DREAM TEAM NEW	SPX ALBORELLA	15
ASTORE	X ST-POLE	15
SELENIA TLX	SLIM POLE	16
VIXIA	TLS XTREME	16
HEAVEN	TLS MASTER	16
HYDRUS NXT	ENERGY POLE	17
HIDNOS INXI	MASTER POLE	17

ICONS LIST









ENERGHIA RTX LIGHT-POLE

- Ultralight blanks made from low resin content CX-2 Nano-Tek carbon
- Sharp and soft action at the same time
- Hi-tech joints for a perfect action curve and low oscillation (X-Joint)
- Spliced top section with solid carbon tip and spare tubular top section, supplied with each rod
- Anti Grip sections to avoid joint's sticking in wet conditions
- Special tangle-free line connector (to be glued)
- Inner screw butt cap with removable EVA overcap and rubberized, ribbed handle for nice control and comfort
- Velcro band to fix the rig's winder during transport



CNX Carbon Nano Tubes it is an extreme material, characterized by an incomparable compactness, due to a very high ratio between the ultrafine High Modulus carbon sheets and the resins that cement the multiple layers. The nanometric resins are the only ones capable of penetrating into infinitesimal spaces, optimizing the cohesion between the fibers to obtain an extremely precise elastic response and an exceptional resistance.

X-JOINT TECHNOLOGY



Thanks to the use of multi-axial carbon sheets, the X-Joint allow to obtain perfect action curves, absorbing all the torsions to which the blank is subjected, increasing the structural resistance and the response to stresses. X-Joint is therefore able not only to improve the section's links, but rather assist the whole structure for maximum performance. Definitely the best joints ever made!

45° REINFORCEMENT (X-JOINT)





Stress is dispersed along the blank

Perfect curve, no breakage risk

- Stress is concentrated at both ends
- Dead spots, risk of breakage


TRADITIONAL REINFORCEMENT

- Perfect curve, without dead spots.
- Unique coexistence of flexibility and stiffness
- Higher structural strength, because stress is dispersed through the blank, instead of being concentrated on joint's ends.
- Less oscillations at the end of casting, which means quicker re-alignment of guides.

Within X-Joint by Trabucco, the carbon cloth is wound by two directions, and such construction is visible on top end of each section.

90° SCRIM

$X-JOINT + 45^{\circ}$ CARBON TECHNOLOGY



The carbon fibers oriented along the longitudinal rod's axis (0° unidirectional carbon) provide great resistance to linear traction

0° UNI-DIRECTIONAL

The carbon fibers oriented at 90° to longitudinal rod's axis enable the cross section to resist the compression caused by strong flexion.

The X-Joint carbon fibers, oriented at ±45° to rod's axis, are able to absorb and disperse the torque, improving the joint's performance and saving the rest of the section.

TWIN TOP!

In addition to the classic spliced top section, with the solid carbon tip and the tangle free line connector, the Energhia XR is equipped with a second tubular top, suitable for sea fishing or to create a super-light bolo

		(minini)	<u>cm</u>	∆j ∆ 9	<u> </u>
134-36-160	8 054393 001610	6.00	129	150	6
134-36-170	8 054393 001627	7.00	129	210	7
134-36-180	8 054393 001634	8.00	129	270	8
134-36-190	8 054393 001641	9.00	129	360	9



In the rods produced with the computer assistance, the joint's precision is so high that, when they are wet, it is possible to form the vacuum, resulting in very tight section's locking. The problem is prevented by creating thin air chambers through cross bands milled on the male side of each joint.


THE FANTASTIC ROLLING CONNECTOR

Each Energhia XR Master-T rod comes with a special line connector, to be glued on top tip, that eliminates line tangles thanks to a rotating device, similar to a microscopic swivel, which is connected to a string that ends with a slight head. The weight of such connector is absolutely irrelevant, but its benefits can be immediately seen.



HOW TO CONNECT THE RIG LINE

- 1. Make two loops on top of the rig line; one large, the other fairly small.
- 2. Wrap the main loop around the tip string and tighten it.
- 3. To remove the rig, simply pull the small loop and it will be released











- Telescopic rod with lightweight and powerful blank
- Ideal for use in both fresh and salt water with medium lightweight rigs and lines with a maximum diameter of 0,25 mm
- Tubular top section, lightweight and strong
- Each rod include a wonderful rotating connector to be glued at the top end of the tip, preventing the line from tangling around it




The Atomic XR Power Lite belongs to the hi-tech whips, thanks to the X-Joint technology applied on the joints. The special 45° carbon weaving is visible on the top of the butt section, while in the other joints it is hidden below the X-Cross Wrap carbon filament.

		m	cm	∆† ∆ g	
134-24-170	8 054393 174000	7.00	124	330	6
134-24-180	8 054393 174017	8.00	124	400	7
134-24-190		9.00	124	520	8



The Atomic offers the same fantastic line connector that enriches the top of the range Energhia XR series. Its body is made from stainless steel and includes a sort of super-swivel. On top side, it ends with a soft segment of braided line that allows you to connect the line, zeroing

ASTORE NRG POLE



- Super Slim and reactive blank made from high modulus CX2 Nanotek Carbon
- Optimal weight distribution for a perfect balance
- Handle coated with Sensi Touch material for a comfortable grip and easy cleaning at the end of the fishing session
- Tubular top section allowing maximum strike speed and precision
- Ultralight butt cap with inner screw



			cm	Δ 1 Δ g	17
134-23-800	8 054393 045683	8.00	140	400	8

ASTORE TX POLE









- Telescopic whip with fast action, ideal for use with rigs up to 6/8 g and lines with a maximum diameter of 0,20 mm
- Section joints are further reinforced by special carbon bands (Cross Winding)
- Optimal weight distribution for a perfect balance
- Handle coated with Sensi Touch material for a comfortable grip and easy cleaning at the end of the fishing session

490

9

- Spliced top section allowing maximum strike speed and precision
- Ultralight butt cap with inner screw

134-21-900



9.00



A strong High Resistance carbon filament protects the Atomic FR blank from sudden shocks and excessive ovalization under stress, which could drastically compromise its career.





SPECTRUM ALBORELLA



- Telescopic whips with fast action for speedy catch of small fish
- Tapered blanks made from CX-2 Nano-Tek carbon with low resin content
- Telescopic solid carbon tip
- Comfortable grip handle, covered by a thin rubber film (Slick Surface)
- Aluminium butt cap with rubber insert


		m	cm	$\Delta \!$	<u> </u>
134-48-200	8 054393 161475	2.00	95	50	3
134-48-250	8 054393 161482	2.50	104	60	4
134-48-300	8 054393 161499	3.00	104	70	4
134-48-350	8 054393 161505	3.50	104	90	5
134-48-400	8 054393 161512	4.00	104	105	5
134-48-450	8 054393 161529	4.50	107	115	6



Slick Surface treatment allows smooth handling and reduces friction, providing a more user-friendly experience.


XPS HOOKS & FLOATS

- · It eases the baiting and fast unhooking operations
- It offers long lever to ensure an excellent penetration even in the absence of a true strike
- With the cooperation of the angled curve, it keeps the maggot or pinkie in place to ensure multiple catches without replacing it
- It is reinforced by high carbon content steel and a chemically sharpened point



GNT SPEED





- Specific for bleak fishing and for margin scratch when small fish are the day's target.
- T2 001-28-030/.....
- Classic "Tesse" shaped float, suitable for all the fishing situations both in rivers and in the lake due to its high water penetration. GNT SPEED 001-24-300/...
- Stable and sensitive, it cocks very quickly due to its fairly short overall length.

Find out more on page 299








DREAM TEAM SPX ALBORELLA











- Super slim blanks made from CX-1 Micro Pitch carbon
- Spliced top section with solid carbon tip
- Full set of 5 rods available, including a tailored holdall



Slick Surface treatment allows smooth handling and reduces friction, providing a more user-friendly experience.





Ultralight solution with the butt cap directly screwed in the butt section's wall.


The bag supplied with the full series has 5 spare rooms and Velcro bands to host a second set of rods.

		(IIIIIII)	cm	∆1 ∆ 9	TO
134-47-510	8 054393 187208	2.00	86	40	3
134-47-520	8 054393 187215	2.50	112	55	3
134-47-530	8 054393 187222	3.00	112	80	4
134-47-540	8 054393 187239	3.50	112	95	4
134-47-550	8 054393 187246	4.00	112	120	5
			MOI	DEL	



The EVA cap has a groove which lets the rig line pass through during transport.







ASTORE X ST-POLE



- Medium light action telescopic whip designed for fresh and saltwater fishing
- Slim and reactive blank made from high modulus CX1 Micro Pitch carbon
- Joints reinforced by carbon crossed bands
- Tubular top section, great for use with rigs up to 6/8 grams and hooklinks with maximum diameter 0,20 mm
- Comfortable handle area dressed with rubber and ribbed for nice and firm grip
- Light and safe internal aluminium butt cap, directly screwed into the carbon wall and sealed by a rubber o-ring
- Ultralight EVA removable overcap, perfect to protect the butt end in case of use on sandy and rocky grounds

		m	cm	$\Delta \Delta g$	11,
134-30-160	8 054393 182838	6.00	130	250	6
134-30-170	8 054393 182845	7.00	132	360	7
134-30-180	8 054393 182852	8.00	135	440	7



SELENIA TLX SLIM POLE



- Medium power action telescopic whip designed for fresh and saltwater fishing with big fish target
- . Slim and reactive blank made from high modulus CX1 Micro Pitch carbon, wound by carbon bands to increase overall strength
- Joints reinforced by carbon crossed bands
- Tubular top section, great for use with rigs up to 8/10 grams and hooklinks with maximum diameter 0,22 mm
- Comfortable handle area dressed with rubber and ribbed for nice and firm grip
- Light and safe internal aluminium butt cap, directly screwed into the carbon wall and sealed by a rubber o-ring; a nice EVA overcap protects it from scratches

		m	cm	$\Delta \Delta g$	77
134-29-060	8 054393 182807	6.00	130	260	6
134-29-070	8 054393 182814	7.00	132	330	7
134-29-080	8 054393 182821	8.00	140	430	7

VIXIA TLS XTREME



- Blanks made from CX-1 Micro Pitch carbon material
- Sharp action and nice balance feeling
- Joints reinforced by carbon crossed bands
- Tubular top section
- Rubberized, ribbed handle grip for nice control and comfort
- Aluminium butt cap with rubber shock absorber insert
- Sister series Vixia Bolo Master also available with same sizes 50-60-70

		m	cm	∆† ∆ 9	- To -
134-41-250	8 054393 182944	5.00	120	185	5
134-41-260	8 054393 182951	6.00	120	255	6
134-41-270	8 054393 182968	7.00	120	310	7

HEAVEN TLS MASTER









- Blanks made from S.H.M.R. High Resistance carbon material
- Compact closed length allows easy transport in any car
- Sharp action with maximum hooklink diameter 0,20 mm
- Joints reinforced by carbon crossed bands
- Tubular top section
- Rubberized, ribbed handle grip for nice control and comfort
- Aluminium butt cap with rubber shock absorber insert

			cm	∆1 ∆ 9	
134-41-150	8 054393 177964	5.00	113	180	5
134-41-160	8 054393 177971	6.00	113	260	6
134-41-170	8 054393 177988	7.00	113	310	7



All Heaven joints are reinforced by carbon crossed bands, which are designed to protect those critical areas when the stress is particularly high.

ENERGY POLE 60



HYDRUS NXT ENERGY POLE

- Blanks made from S.H.M.R. High Resistance carbon material
- · Powerful action to also face the stress of sea fishing
- Maximum recommended hooklink's diameter 0,20 mm
- Joints reinforced by carbon crossed bands
- Tubular top section
- Rubberized, ribbed handle grip for nice control and comfort

			<u>cm</u>	∆1 ∆ 9	π₩
134-40-240	8 054393 182906	4.00	120	140	4
134-40-250	8 054393 182913	5.00	120	210	5
134-40-260	8 054393 182920	6.00	120	270	6
134-40-270	8 054393 182937	7.00	120	360	7

- S.H.M.R. CROSED LANGE PRESIDENT CARBON REINFORCED CONTROL TOUCH HYDRUS NXT MASTER POLE
- Blanks made from S.H.M.R. High Resistance carbon material
- Fast action to also face the stress of sea fishing
- Maximum recommended hooklink's diameter 0,18 mm
- Joints reinforced by carbon crossed bands
- Tubular top section
- Rubberized, ribbed handle grip for nice control and comfort

			cm	$\left[\Delta \mathbf{j} \Delta \mathbf{g}\right]$	11
134-40-140	8 054393 182869	4.00	120	150	4
134-40-150	8 054393 182876	5.00	120	220	5
134-40-160	8 054393 182883	6.00	120	310	6
134-40-170	8 054393 182890	7.00	120	420	7





BOLO RODS

	NEW	EVOLUZIONE LIGHT	20
ENERGHIA XRS	NEW	EVOLUZIONE MEDIUM	20
	NEW	EVOLUZIONE ALLROUND	20
	NEW	PRO LIGHT	22
ULTRA BLX	NEW	MASTER	22
	NEW	ALLROUND	22
		XLT LIGHT	24
ENERGHIA		XLT ENERGY	24
		XLT FORCE	24
		LIGHT BOLO	25
SIRENIA		MEDIUM BOLO	25
		POWER BOLO	25
		BLS ACCURATE	26
SUPREME		BLS PROLITE	26
		BLS MASTER	26
SPECTRUM		PRO BOLO	27
JE LOTHOW		PWR BOLO	27
SCOGLIERA		BLX K-FORCE	28
JOOGLILHA		BLX POWERLITE	28
		X-MASTER BOLO	29
FRANGENTE		BOLO X-TREME	29
		X-LIGHT BOLO	29
		NRG-LITE	30
ASTORE X		MASTER	30
		POWER	30

IKONIC		LTX BOLO	31
IKONIC		RCX BOLO	31
		BLX FORCE	32
SELENIA		BLX MASTER	32
		BLX POWER	32
	NEW	SLIM POWER BOLO	33
VIXIA	NEW	CROSS-X POWER BOLO	33
		MASTER-B	33
HEAVEN		BLS MASTER	34
		BLS EXTREME	34
ACTIVA		POWER BOLO	34
VIGOR		HYPER-X	35
HYDRUS	NEW	NTX BOLO MASTER	35
	NEW	NTX BOLO ENERGY	35
		COMPETITION	36
		ENERGY MASTER	36
ATOMIC XR		MASTER POWER	37
		POWER PLUS	37
		FOUR FIGHT	37
PRESTIGE	NEW	MINI BOLO	38
SLIVER		SH BOLO	38
HYDRUS		TRT	38

ICONS LIST







ENERGHIA XRS EVOLUZIONE

From the early fifties to present times, the bolognese has brought around the world the image of Italy as a country with a strong sport fishing vocation. Everyone talks about it, everyone knows the technique, everyone appreciates the quality of Trabucco rods. From today, such certainty turns into astonishment, because Energhia bolo perform a substantial leap in the scale of quality, thanks to some interesting innovations that link tradition to the future.



CNX Carbon Nano Tubes it is an extreme material, characterized by an incomparable compactness, due to a very high ratio between the ultrafine High Modulus carbon sheets and the resins that cement the multiple layers. The nanometric resins are the only ones capable of penetrating into infinitesimal spaces, optimizing the cohesion between the fibers to obtain an extremely precise elastic response and an exceptional resistance.



Thanks to the use of multi-axial carbon sheets, the X-Joint allow to obtain perfect action curves, absorbing all the torsions to which the blank is subjected, increasing the structural resistance and the response to stresses. X-Joint is therefore able not only to improve the section's links, but rather assist the whole structure for maximum performance.



With the special smoothness of its locking hood, the absolute reliability and the stainless steel structure, the Fuji LS plate reel seat is quite simply the best in the world











- · Ultra lightweight competition rods, perfectly balanced
- Ultra Slim Blank made from super high modulus CX-Nano carbon, with low resin content (LRC)
- Joints reinforced by bias carbon sheet for a perfect curve (X-Joint)
- Slick Surface treatment allows smooth handling and reduces friction
- Seaguide single leg SiC guides with Y frame (corrosion free PVD protection)
- Velcro band to fix the rig's winder during transport



Rods produced in limited edition and numbered one by one in the special window on the handle.



Twist Free is the special carbon technology which arranges the outer layers at 45° and 135°. Its function is to contrast the torque occurring in the cast, raising blank's resistance while improving both casting accuracy and distance



In addition to the internal butt cap, the Energhia XRS are equipped with a lightweight EVA cap to protect it from impacts and scratches.



SiC guides with "Y" frame, protected by PVD treatment to be corrosion free. Sliding guide on second section, wrapped on carbon pipe



A light Velcro band, supplied with the rod, enables to fix the rig's winder to the butt, when it's stored in the holdall with the rig on.







_T LIGHT

Energhia XRS Lite embodies the utmost in lightweight performance, adept at overcoming the toughest challenges with the use of delicate hooklinks. Furthermore, it is a vital asset in close-range fishing or when employing lightweight float rigs, creating one of the most thrilling scenarios as the fish makes its move with a swift start. Ideal for freshwater and saltwater fishing with rigs up to 12 g and hooklinks 0.10/0.14 mm.

MEDIUM

The red colour gives an immediate sense of sporting challenge, which the rod interprets with a balanced mix of strength and sweetness, to give and to ask in the right moments, carrying out prolonged fights with important fish. And when it is vertical, with the landing net doing its duty, it calls the third section to help. Suggested for fresh and saltwater fishing with rigs up to 12 g and hooklinks 0,10/0,14 mm

AR ALLROUND

Series characterized by extremely reactive blanks, able to contrast Barbel and Carp runs, but even the strongest sea fish. At first check, these rods immediately give a feeling of great power, but under stress they display a round curve, due to the X-Joint technology which has completely changed the parameters of quality with an unexpectedly sweet action.



	MODEL	mimi	cm	Δ j δ g		
121-14-160	LITE	6.00	149	238	0-8	6
121-14-170	LITE	7.00	151	318	0-8	7
121-14-260	MEDIUM	6.00	149	255	0-12	6
121-14-270	MEDIUM	7.00	151	323	0-12	7
121-14-280	MEDIUM	8.00	153	335	0-12	8
121-14-360	ALLROUND	6.00	149	260	0-16	6
121-14-370	ALLROUND	7.00	151	323	0-16	7
121-14-380	ALLROUND	8.00	153	340	0-16	8



ULTRA BLX











Energhia and Ultra are Bolognese sisters, not twins! They just share the surname Trabucco and the most updated technologies, but display different personality, different dressing code and different curves! Choosing one of the two can be difficult and embarrassing. We have designed them to catch fish and to make eyes turning along the banks, not to be antagonist, so ask your favorite tackle shop to let you check both, and decide according to your taste.



Fuji KLAG-H Alconite guides with tangle free K fra-me and high leg offer the best combination of lightness and stiffness. Sliding guide on second section, wrapped on carbon pipe to facilitate curving.



CNX Carbon Nano Tubes it is an extreme material, characterized by an incomparable compactness, due to a very high ratio between the ultrafine High Modulus carbon sheets and the resins that cement the multiple layers. The nanometric resins are the only ones capable of penetrating into infinitesimal spaces, optimizing the cohesion between the fibers to obtain an extremely precise elastic response and an exceptional resistance.



Special handle area, dressed with rubberized, ribbed grip for high comfort and control during fishing



Thanks to the use of multi-axial carbon sheets, the X-Joint allow to obtain perfect action curves, absorbing all the torsions to which the blank is subjected, increasing the structural resistance and the response to stresses. X-Joint is therefore able not only to improve the section's links, but rather assist the whole structure for maximum performance.



Fuji NS stainless steel plate reel seat size 6.



The rod length and action mark L - M - H are shown at the end of the grip.





ULTRA BLX PRO LIGHT

It's the lightest action, capable of solving the most difficult days allowing the use of thin hooklinks. In addition, it is essential in the short range fishing or with light weight float rigs, one of the most exciting situations because fish plays its cards with a fast start. Recommended rig's weight within 12/15 grams and maximum hooklink's diameter 0,10/0,14 mm.

	MODEL	m	cm	∆† ∆ g	- To -	
121-25-060	PRO LIGHT	6.00	149	250	6	0-10
121-25-070	PRO LIGHT	7.00	150	330	7	0-10



NEW ULTRA BLX MASTER

Born for competitions, it is dedicated to all anglers who demand nothing but the best from their equipment. Thanks to the construction with one less section than tradition, the weight has been significantly reduced, but the CX-Nanotubes carbon technology has kept the speed unchanged. Recommended for rigs up to 12/15 grams and terminals with a maximum diameter of 0.10/0.14 mm.

	(MODEL)	(minimi)	cm	[∆1 ∆ 9]	00	
121-25-150	MASTER	5.00	147	190	5	0-15
121-25-160	MASTER	6.00	149	250	6	0-15
121-25-170	MASTER	7.00	151	330	7	0-15
121-25-180	MASTER	8.00	153	410	8	0-15



NEW ULTRA BLX ALLROUND

Versatile like a complete angler, capable of handling mixed-distance fishing but also adapting quickly to the sudden pull of a fish you can't afford to lose. The presence of the eight meters in the series is crucial for fishing in deep rivers, such as the Mincio. Recommended rigs are within 15/20 grams with terminals of a maximum diameter of 0.18/0.20 mm.

	MODEL	m	cm	∆† ∆ g		
121-25-250	ALLROUND	5.00	147	200	5	0-20
121-25-260	ALLROUND	6.00	149	250	6	0-20
121-25-270	ALLROUND	7.00	151	330	7	0-20
121-25-280	ALLROUND	8.00	153	420	8	0-20



ENERGHIA XLT BOLO







The extreme lightness without forgetting resistance: an achievable task only if you have access to the nanotechnological resins that weld ultra-fine carbon fabrics, giving life to extraordinary cohesive structures, which X-Joint technology can coordinate at the best. This is the cold technical content of our Energhia XLT, but are the emotions that make them unique: the sense of something exclusive, the feeling given by the action, balance, precision of response and the very modern cosmetics.

- · Ultra lightweight competition rods, perfectly balanced
- Ultra Slim Blank made from CX-2 Nano-Tek carbon, with low resin content (LRC)
- Joints reinforced by bias carbon sheet for a perfect curve (X-Joint)
- Velcro band to fix the rig's winder during transport
- Smooth and comfortable handle grip, made by a special rubber finish





The Energhia XLT are available just as blanks, thus without quides and reel seat, in order to allow their customization.



A screen-printed line on the handle area makes it easy to wrap the plate reel seat at exactly 180° to the Energhia logo.

It's the lightest action, capable of solving the most difficult days allowing the use of thin hooklinks. In addition, it is essential in the short range fishing or with light weight float rigs, one of the most exciting situations because fish plays its cards with a fast start. Recommended rig's weight within 12/15 grams and maximum hooklink's diameter 0,16 / 0,18 mm.

The red colour gives an immediate sense of sporting challenge, which the rod interprets with a balanced mix of strength and sweetness, to give and to ask in the right moments, carrying out prolonged fights with important fish. And when it is vertical, with the landing net doing its duty, it calls the third section to help. Suggested hooklinks up to 0,18 mm.

ORCE

When you need some "body" to cast a 20 grams float, when it urges authority to change direction to a fish that wants to reach an underwater snag or gain the current of the river, then the green becomes indispensable, with its great strength that however does not exclude a certain finesse in the head. Suggested hooklinks up to 0,20 mm.



In addition to the internal butt cap, the Energhia XLT are equipped with a lightweight EVA cap to protect it from impacts and

		MODEL	mmini	cm	∆1 ∆ 9	TO
121-15-600	8 054393 151797	LITE	6.00	140	185	6
121-15-700	8 054393 151803	LITE	7.00	140	245	7
121-16-600	8 054393 151810	ENERGY	6.00	140	190	6
121-16-700	8 054393 151827	ENERGY	7.00	140	250	7
121-16-800	8 054393 157799	ENERGY	8.00	140	315	8
121-17-600	8 054393 151834	FORCE	6.00	140	200	6
121-17-700	8 054393 151841	FORCE	7.00	140	255	7
121-17-800	8 054393 157805	FORCE	8.00	140	340	8



Since the Energhia XLT are only available in the naked version, it is possible to buy separately an assembly set, prepared for rods of 5 to 8 meters length. The set consists of Sea Guide long-leg guides and top guide with SiC ring and stainless steel frame protected against corrosion by PVD process (Physical Vapor Deposition). The size 6 reel seat is an ALPS stainless steel model with rubber hoods and shock absorber.

	MODEL
121-15-005	ENERGHIA XLT BOLO 5,00 ASS. SET
121-15-006	ENERGHIA XLT BOLO 6,00 ASS. SET
121-15-007	ENERGHIA XLT BOLO 7,00 ASS. SET
121-15-008	ENERGHIA XLT BOLO 8,00 ASS. SET





ned from one of the best carbon fabrics available: CNX Nanotubes. So the Sirenia were born, brilliant bolognese for the fine fishing of difficult fish.











- High grade series designed for fresh and saltwater fishing with rigs up to 12 grams and hooklinks with diameter range 0,08/0,14 mm
- Superslim blank made from super high modulus CX-Nano carbon, with light action
- Sliding guide on second section, wrapped on carbon pipe
- Stainless steel plate reel seat size 6, finely wrapped
- Internal aluminium butt cap with protective, superlight EVA overcap

	m	cm	∆† ∆ 9		
121-24-050	5.00	135	190	5	0-12
121-24-060	6.00	137	230	6	0-12
121-24-070	7.00	139	310	7	0-12





SIRENIA MEDIUM BOLO

- · High grade series designed for fresh and saltwater fishing with rigs up to 16 grams and hooklinks with diameter range 0,10/0,16 mm
- Blank made from super high modulus CX-Nano carbon, with allround action
- Slick Surface treatment allows smooth handling and reduces friction
- Sliding guide on second section, wrapped on carbon pipe
- Stainless steel plate reel seat size 6, finely wrapped
- Internal aluminium butt cap with protective, superlight EVA overcap

	m	cm	∆1 ∆ 9	TT -	
121-24-160	6.00	137	230	6	0-16
121-24-170	7.00	139	310	7	0-16



CARREN LOW RESIN SLICK CONTENT SUPPRE





SIRENIA POWER BOLO

- · High grade series designed for fresh and saltwater fishing with rigs up to 20 grams and hooklinks with diameter range 0,12/0,20 mm
- Blank made from super high modulus CX-Nano carbon, with powerful action
- Slick Surface treatment allows smooth handling and reduces friction
- Seaguide medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe
- Stainless steel plate reel seat size 6, finely wrapped
- Internal aluminium butt cap with protective, superlight EVA overcap

		m m	<u>cm</u>	∆† ∆ g	T	
121-24-260	8 054393 179241	6.00	137	270	6	0-20
121-24-270		7.00	139	330	7	0-20







An important project, with relevant impact on rod's performance, has generated these great Bolognese series very well designed and hand crafted. The Supreme BLS are optimally balanced to deal with any fishing condition in fresh water or



sea.



CNX Carbon Nano Tubes it is an extreme material, characterized by an incomparable compactness. due to a very high ratio between the ultrafine High Modulus carbon sheets and the resins that cement the multiple layers. The nanometric resins are the only ones capable

of penetrating into infinitesimal spaces, optimizing the cohesion between the fibers to obtain an extremely precise elastic response and an exceptional resistance.



Steel and rubber size 6 plate reel seat. The handle is covered by a soft rubber sleeve, finely knurled according to an elegant design. High leg Sea Guide SiC guides with PVD protection against rust (Physical Vapor

SUPREME BLS ACCURATE







- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- Recommended rig's weight within 6/12 grams and maximum hooklink's diameter 0,14/0,16 mm
- High leg Sea Guide SiC guides with PVD protection against rust (Physical Vapor Deposition)
- Internal EVA tower for guide's spacing
- Comfortable grip handle, covered by a thin rubber film (Slick Surface)
- · Internal butt cap with removable protective EVA cap

		m	cm	∆† ∆ 9	TT -
121-23-070	8 054393 003324	7.00	140	320	6





SUPREME BLS PROLITE



- Super slim blank design, recommended rig's weight within 12/18 grams and maximum hooklink's diameter 0.14/0.18 mm
- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- High leg Sea Guide SiC guides with PVD protection against rust (Physical Vapor Deposition)
- Comfortable grip handle, covered by a thin rubber film (Slick Surface)


		m	cm	$\Delta \Delta \Delta B$	11
121-22-060	8 054393 173010	6.00	140	240	6
121-22-070	8 054393 173027	7.00	140	320	7



SUPREME BLS MASTER







- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- Recommended rig's weight within 15/20 grams and maximum hooklink's diameter 0,16/0,20 mm
- High leg Sea Guide SiC guides with PVD protection against rust (Physical Vapor Deposition)
- Second section's sliding guide wrapped on to a carbon pipe
- Comfortable grip handle, covered by a thin rubber film (Slick Surface)

		[mim]	cm	₫ ҈ 2 g	T-
121-21-060	8 054393 172990	6.00	138	240	6
121-21-070	8 054393 173003	7.00	140	320	7










SPECTRUM PRO BOLO



- Recommended rig's weight within 15/20 grams and maximum hooklink's diameter 0,16 / 0,20 mm
- SiC guides with vibration free "Y" frame
- Second section's sliding guide wrapped on to a carbon pipe
- Plate reel seat size 6 made from stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Internal butt cap with removable protective EVA cap

		mini	<u>cm</u>	∆1 ∆ 9	TT.
121-04-060	8 054393 161383	6.00	145	265	6
121-04-070	8 054393 161390	7.00	147	340	7
121-04-080	8 054393 161406	8.00	147	380	7





In addition to the internal butt cap, the Spectrum Bolo are equipped with a lightweight EVA cap to protect it from impacts and scratches

SPECTRUM PWR BOLO



- Reliable bolo with powerful and progressive action
- Recommended rig's weight within 15/22 grams and maximum hooklink's diameter 0,16 / 0,20 mm
- SiC guides with vibration free "Y" frame
- Second section's sliding guide wrapped on to a carbon pipe
- Plate reel seat size 6 made from stainless steel with rubber profiles
- · Internal EVA tower for guide's spacing
- Internal butt cap with removable protective EVA cap

		لستنسا		∆j ∆ 9	10-
121-04-150	8 054393 000019	5.00	140	200	5
121-04-160	8 054393 172952	6.00	140	260	6
121-04-170	8 054393 172969	7.00	140	340	7



PVD FRAME CORROSION FREE

CX2 LRC



Steel and rubber size 6 plate reel seat. The handle is covered by a soft rubber sleeve, finely knurled according to an elegant design.

T-FORCE SUPER CAST & SUPER SOFT

Find out more on page 232





052-40-... / 052-45-... / 052-47-...

- · This monofilament has been developed for the reel fishing
- Great softness and very high linear strength
- Special smooth running through rod's guides
- Parallel spooling (TPS)

Available Diameter: 0,128 mm - 0,500 mm



052-55-... / 052-57-...

- Super soft monofilament designed for bolognese
- Very long casts and perfect bait presentation
- Good visibility for the angler
- Parallel spooling (TPS)

Available Diameter: 0,148 mm - 0,400 mm






SCOGLIERA BLX K-FORCE



- Powerful rod designed for saltwater fishing, but also perfect for hard fighting river fish like Barbel and Carp
- Blank made from high modulus CX2 Nano-Tek carbon, with fast action
- Carbon crossed bands protect the blank from side impacts and stress
- Medium leg Sea Guide SiC guides, with rust free "K" shape frame
- Stainless steel Pacific Bay black plate reel seat size 6, finely wrapped
- Handle area around reel seat reinforced by carbon crossed bands
- Aluminium butt cap with removable, lightweight EVA overcap







Blank wrapped by crossed carbon bands

	استسا	CIII	△1△ 9	•
121-08-160	6.00	138	290	6
121-08-170	7.00	141	390	7
121-08-180	8.00	143	470	7



SCOGLIERA BLX POWERLITE







- · Very fast action rods, developed for sea fishing
- · Handle reinforced by crossed carbon bands
- Size 7 stainless steel wrapped plate reel seat
- EVA tower to correctly space guides during transport
- Ultralight butt cap directly screwed into the butt's wall



Reinforced handle made from crossed carbon strips that make it



The plate wrapped reel seat of Scogliera is made from stainless steel, with anti-corrosion treatment. Rubber for the hood's lips and shock ab-




The Scogliera fits the fantastic Sea Guide SiC with stainless steel frame, protected against corrosion by a special process called PVD (Physical Vapor Deposition).

		mini	cm	△†∆ 9	
121-08-060	8 054393 172976	6.00	145	290	6
121-08-070	8 054393 172983	7.00	145	340	7



Find out more on page 333

SCOGLIERA COMPACT NET



Sensi Touch handle finish for a comfortable handling

The top screw bush is protected by an EVA sleeve, forming a cap to lock the section during transport

 Butt cap made from aluminium and rubber

Ideal for freshwater fishing and street fishing, as well as for sea fishing from piers and rocks



28













- Balanced and reliable rod with semi-parabolic action, designed for sea fishing from piers and rocks
- Recommended rig's weight within 20 grams and maximum hooklink's diameter 0,20 / 0,25 mm
- Reinforced handle made from crossed carbon strips that make it stiffer and reliable
- Second section's sliding guide wrapped on to a carbon pipe
- Pacific Bay plate reel seat size 6 in stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Lower aluminum cap with rubber insert

		m	cm	∆1∆ 9	
121-06-060	8 054393 157690	6.00	131	275	6
121-06-070	8 054393 157706	7.00	131	340	7





Reinforced handle made from crossed carbon strips that make it stiffer and





FREE



S sea•guide



FRANGENTE BOLO X-TREME

- Balanced and reliable rod with progressive action, designed for sea fishing from piers and rocks
- Recommended rig's weight within 20 grams and maximum hooklink's diameter 0,20 / 0,25 mm
- Reinforced handle made from crossed carbon strips that make it stiffer and reliable
- Second section's sliding guide wrapped on to a carbon pipe
- Pacific Bay plate reel seat size 6 in stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Lower aluminum cap with rubber insert

		m	cm	ΔįΔg	=
121-07-600	8 054393 153371	6.00	131	270	6
121-07-700		7.00	131	340	7

FRANGENTE x-LIGHT BOLO

- Balanced and reliable rod with light action, designed for sea fishing from piers and rocks
- Recommended rig's weight within 15 grams and maximum hooklink's diameter 0,16 / 0,20 mm
- Reinforced handle made from crossed carbon strips that make it stiffer and reliable
- Second section's sliding guide wrapped on to a carbon pipe
- Pacific Bay plate reel seat size 6 in stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Lower aluminum cap with rubber insert

		m	cm	∆ T ∆ g	
121-07-060	8 054393 153357	6.00	131	250	6
121-07-070	8 054393 153364	7.00	131	310	7









Special guides are wrapped on Frangente rods; they are able to resist saltwater corrosion much longer than any other quide in the market. The stainless steel frame is protected by the PVD coating, and fits SiC ring for top performance.



Pacific Bay plate reel seat size 6 in stainless steel with rubber profiles



Lower aluminum cap with rubber insert.



Wonderful from the aesthetic point of view, the interweaving of crossed carbon bands that wraps the handle plays the important role of making it indestructible.

Great Bolognese series very well designed and hand crafted. The Astore X are optimally balanced to deal with any fishing condition in fresh water or sea fishing.

ASTORE X NRG-LITE





- Rod designed for fresh and saltwater fishing with rigs up to 12/16 grams and hooklinks with diameter range 0,10/0,14 mm
- Carbon crossed yarns protect the blank from side impacts and stress loads
- Blank made from high modulus CX1 Micro Pitch carbon, with light action

	m	cm	<u>∆</u> †∆ g	11
120-49-350	5.00	137	210	5
120-49-360	6.00	138	300	6
120-49-370	7.00	139	350	7
120-49-380	8.00	148	420	7



The whole blank af Astore X NRG-Lite is wound by an high modulus carbon yarn protects it from accidental shocks. In addition, it contrasts the blank's deformation under heavy load.

ASTORE X MASTER





- Blank made from high modulus CX1 Micro Pitch carbon, with allround action
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe

second !	SiC
Medium leg SiC guides with anti-vib	ration "Y" sha

ape frame.





Sliding guide on second section, wrapped on carbon pipe



Black plate reel seat size 6, finely wrapped.

ASTORE X POWER



- Rod with rigs up to 16/20 grams and hooklinks with diameter range 0,14/0,20 mm
- Blank made from high modulus CX1 Micro Pitch carbon, with powerful action
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe

		m	cm	∆† ∆ g	
120-49-250	8 054393 179128	5.00	137	240	5
120-49-260	8 054393 179135	6.00	138	340	6
120-49-270	8 054393 179142	7.00	139	430	7



Special handle area, dressed with rubberized, ribbed grip for high comfort and control



aluminium Internal butt cap, with ultralight EVA removable







IKONIC LTX BOLO









- Rod designed for fresh and saltwater fishing with rigs up to 12/16 grams and hooklinks with max diameter 0,14/0,18 mm Blank made from high modulus CX1 Micro Pitch carbon, with light action
- Slick Surface treatment allows smooth handling and reduces friction, providing a more user-friendly experience
- Sliding guide on second section, wrapped on carbon pipe
- Aluminium butt cap with rubber shock absorbing insert



SiC

		m	cm	∆1 ∆ g	T
120-57-160	8 054393 180872	6.00	144	250	6
120-57-170	8 054393 180889	7.00	144	330	7



Black plate reel seat size 6, finely wrappe.







Special handle area, dressed with rubberized, ribbed grip for high comfort

Medium leg SiC guides, with stainless steel "Y" shape

luminium butt cap with rubber shock absorbing insert

IKONIC RCX BOLO





- Rod designed for fresh and saltwater fishing with rigs up to 14/18 grams and hooklinks with max diameter 0,18/0,20 mm
- Blank made from high modulus CX1 Micro Pitch carbon, with allround action
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Black plate reel seat size 6, finely wrapped
- Aluminium butt cap with rubber shock absorbing insert



Sliding guide on second section, wrapped on carbon pipe.

		m	cm	∆1 ∆ g	11
120-57-060	8 054393 177360	6.00	140	290	6
120-57-070	8 054393 177377	7.00	142	400	7

Slick Surface treatment allows smooth handling and reduces friction, providing a more user-friendly experience.



Find out more on page 328

XPS MAGGOT NET BOX

Reticular containers for the maintenance of maggots (moving or glued) in ideal temperature and breathing conditions. For transport, they can be inserted into each other concentrically, matrioska style.





















SELENIA BLX FORCE





- Reliable rod designed for fresh and saltwater fishing with rigs up to 15/20 grams and hooklinks with max diameter 0,18/0,22 mm
- Blank made from high modulus CX1 Micro Pitch carbon, with powerful action
- Carbon yarn crossed wrapping on all sections, except top and second
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe
- Black plate reel seat size 6, finely wrapped
- · Aluminium butt cap with rubber shock absorbing insert

	m	cm	∆1∆ 9	10
120-53-150	5.00	138	220	5
120-53-160	6.00	140	290	6
120-53-170	7.00	142	400	7





Reinforced handle made from crossed carbon strips that make it stiffer and reliable.

SELENIA BLX MASTER





- Reliable rod designed for fresh and saltwater fishing with rigs up to 12/16 grams and hooklinks with max diameter 0,14/0,18 mm
- Blank made from high modulus CX1 Micro Pitch carbon, with powerful action
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe
- Black plate reel seat size 6, finely wrapped
- Aluminium butt cap with rubber shock absorbing insert

	m	cm	₫ & 9	TT-
120-53-250	5.00	138	220	5
120-53-260	6.00	140	290	6
120-53-270	7.00	142	400	7
120-53-280	8.00	144	500	7





SELENIA BLX POWER











- · Rod with fast and powerful action, great for both freshwater and sea fishing
- Recommended rig weights within 15-20 grams and maximum hooklink's diameter 0,18-0,22 mm
- Steel and rubber size 6 plate reel seat
- Comfortable Sensi Touch handle grip with fine embossed ribs
- Aluminium butt cap with rubber insert

		m	cm	∆12 g	10
120-53-050	8 054393 162403	5.00	136	190	5
120-53-060	8 054393 162410	6.00	138	300	6
120-53-070	8 054393 162427	7.00	141	390	7



The handle is covered by a soft rubber sleeve, finely knurled according to an elegant design.

NEW VIXIA SLIM POWER BOLO





- Series designed for fresh and saltwater fishing with rigs up to 12/16 grams and hooklinks with max diameter 0,14/0,18 mm
- Thanks to the fine art involved in its cosmetic design, the VIXIA name can be equally read from both sides
- Steel and rubber plate reel seat
- Innovative Sensi Touch handle grip with special embossed ribs
- · Aluminum butt cap with rubber insert





		m	cm	∆1∆ 9	00 0
120-46-810	8 054393 186140	5.00	126	205	5
120-46-820	8 054393 186157	6.00	128	275	6
120-46-830	8 054393 186164	7.00	131	360	7



VIXIA CROSS-X POWER BOLO






- Series designed for fresh and saltwater fishing with rigs up to 18/20 grams and hooklinks with max diameter 0,16/0,20 mm
- Blank made from High Resistance carbon, with powerful action, fully protected by a carbon yarn against sudden shocks and strong pulls (XCW Cross Wrap)
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe
- Black plate reel seat size 6, finely wrapped
- · Aluminium butt cap with rubber shock absorbing insert









Thanks to the fine art involved in its cosmetic design, the VIXIA name can be equally read from both sides!

VIXIA MASTER-B



SiC



- Modern bolognese designed for fresh and saltwater fishing with rigs up to 12/16 grams and hooklinks with max diameter 0,14/0,18 mm
- Blank made from high modulus CX1 Micro Pitch carbon, with progressive action
- Slick Surface finish repels water, allowing faster recovery after casting
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe
- Black plate reel seat size 6, finely wrapped
- · Aluminium butt cap with rubber shock absorbing insert

		m	cm	∆† ∆ g	11
120-56-050	8 054393 177339	5.00	126	210	5
120-56-060	8 054393 177346	6.00	127	260	6



Thanks to the fine art involved in its cosmetic design, the VIXIA name can be equally read from both sides!

HEAVEN BLS MASTER



SiC



- Special series featuring unusually compact closed length, designed for fresh and saltwater fishing with rigs up to 12/16
 grams and hooklinks with max diameter 0.14/0.18 mm
- Blank made from High Resistance carbon, with progressive action
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe
- Black plate reel seat size 6, finely wrapped
- Aluminium butt cap with rubber shock absorbing insert

	m	cm	△1△ 9	TO
120-50-050	5.00	121	220	5
120-50-060	6.00	123	280	6
120-50-070	7.00	125	360	7



Thanks to the fine art involved in its cosmetic design, the HEAVEN name can be equally read from both sides!

HEAVEN BLS EXTREME





SiC

- Rod with tip action, balanced and small footprint, great for both freshwater and sea fishing
- Recommended rig weights within 15 grams and maximum hooklink's diameter 0,20 mm
- Steel and rubber plate reel seat
- Innovative Sensi Touch handle grip with special embossed ribs
- Aluminum butt cap with rubber insert

	m	cm	∆1∆ 9	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
120-46-050	5.00	126	205	5
120-46-060	6.00	128	275	6
120-46-070	7.00	131	360	7



ACTIVA POWER BOLO





- Allround bolognese designed for fresh and saltwater fishing with rigs up to 14/18 grams and hooklinks with max diameter 0,16/0,20 mm
- Blank made from High Resistance carbon carbon, with progressive action
- Slick Surface treatment allows smooth handling and reduces friction, providing a more user-friendly experience
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe
- Black plate reel seat size 6, finely wrapped
- · Aluminium butt cap with rubber shock absorbing insert

		m I	cm	ΔįΔg	
120-51-040	8 054393 177308	4.00	125	160	4
120-51-050	8 054393 177315	5.00	125	220	5
120-51-060	8 054393 177322	6.00	125	300	6





₹TRABUCCO

S.H.M.R. pigh SENSI CROSS WRAP TOUCH

VIGOR HYPER-X



- Fast actioned rod, excellent for both sea and fresh water
- Recommended rig weights within 20/25 grams and maximum hooklink's diameter 0,22 / 0,25 mm
- Stainless steel and rubber plate reel seat size 6
- Aluminum butt cap with rubber insert

		m m	cm	∆1∆ g	77 -
120-49-050	8 054393 172907	5.00	126	240	5
120-49-060	8 054393 172914	6.00	128	330	6
120-49-070	8 054393 172921	7.00	130	470	7

Extremely pleasant and firm grip, thanks to the elegant 3D design that characterizes the soft rubber which wraps the handle area.







NEW HYDRUS NTX BOLO MASTER





- Series designed for fresh and saltwater fishing with rigs up to 20 grams and hooklinks with max diameter 0,12/0,16 mm
- Blank made from High Resistance carbon, with progressive
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe
- Comfortable handle area, rubberized and ribbed
- Black plate reel seat size 6, finely wrapped
- Aluminium butt cap with rubber shock absorbing insert











		m	cm	∆1∆ 9	
120-47-140	8 054393 187871	4.00	126	165	4
120-47-150	8 054393 187888	5.00	128	255	5
120-47-160	8 054393 187895	6.00	128	375	6

HYDRUS NTX BOLO ENERGY



SiC



- · Series designed for fresh and saltwater fishing with rigs up to 30 grams and hooklinks with max diameter 0,16/0,20 mm
- Blank made from High Resistance carbon, with progressive action
- Medium leg SiC guides, with stainless steel "Y" shape frame
- Sliding guide on second section, wrapped on carbon pipe
- Comfortable handle area, rubberized and ribbed
- Black plate reel seat size 6, finely wrapped
- · Aluminium butt cap with rubber shock absorbing insert





		m	cm	₫ ₫ 9	00 0
120-48-140	8 054393 187901	4.00	124	160	4
120-48-150	8 054393 187918	5.00	126	240	5
120-48-160	8 054393 187925	6.00	128	330	6
120-48-170	8 054393 187932	7.00	130	460	7







ATOMIC XR COMPETITION





- Medium strong action; max lifting weight 1,5+ kg
- Plate reel seat size 7 (Pacific Bay)

			cm	₫ ҈	T	
122-48-150	8 054393 174734	5.00	130	240	5	0-25
122-48-160	8 054393 174741	6.00	132	310	6	0-25
122-48-170	8 054393 174758	7.00	134	390	7	0-25



ATOMIC XR ENERGY MASTER






- Medium strong action; max lifting weight 2,0+ kg
- · Plate reel seat size 7 (Pacific Bay)


TO Y FOR MEDIEN 500

₹TRABUCCO

ATOMIC XR MASTER POWER









ATOMIC XR POWER PLUS





Medium leg Sea Guide SiC guides, with tangle-free stainless steel K frame

		(minimi)	cm	∆† ∆ g	<u>11 - 1</u>	
122-48-450	8 054393 173959	5.00	140	300	5	0-60
122-48-460	8 054393 173966	6.00	142	430	6	0-60
122-48-470	8 054393 173973	7.00	144	520	7	0-60





ATOMIC XR FOUR FIGHT





- Stiff action rods, max lifting weight 4,0+ kg
- · Medium leg Sea Guide SiC guides, with tangle-free stainless steel K frame

		m	<u>cm</u>	∆1 ∆ 9	TT -	
122-48-550	8 054393 173980	5.00	140	330	5	0-80
122-48-560	8 054393 173997	6.00	142	450	6	0-80





- Blanks made from CX-2 Nano Tek
- Joints with X-Joint technology for an impeccable curve
- Medium leg SiC guides, with "Y" shape stainless steel frame
- Plate reel seat size 7 (Pacific Bay)
- Ultra smooth Sensi Touch finish on handle
- EVA tower for correct guide's spacing during transport
- · Aluminium butt cap with rubber insert

Carbon fibers are the active core of any rod, but nothing would be possible without the contribution of the resins that cement its

layers. The finest the resins are, the better

they fill the spaces; in case of nanometer


resins, the level is maximum.



Anti-grip joint's finish. The male side of all joints has been finely sanded with computer aided machine to obtain maximum precision. This prevents sticking when joints are wet, while at the same time it grants complete contact, avoiding any vibration.



X-Cross Wrap carbon braiding. The whole blank af Atomic bolos, except top section, is wound by an high modulus carbon yarn protects it from accidental shocks. In addition, it contrasts the blank's deformation under heavy load, actually stiffening it.



from aluminium to provide lightness and strength. In order to correctly space the guides when the rod is closed, an ultralight EVA tower has been added in the rod's butt.



Pacific Bay reel seat. The plate reel seat is made from stainless steel, featuring protections for reel's foot and rubber base. Size 7 to accept big sized reels

PRESTIGE MINI BOLO







- Fast action rods, also suitable for river trout fishing
- · Very short closed length, ideal for traveller anglers
- Size 6 plate reel seat, wrapped

	m	<u>cm</u>	∆j ∆ 9	17
124-82-640	4.00	70	160	8
124-82-645	4.50	71	200	9
124-82-650	5.00	72	250	10



SLIVER SH BOLO







- Blanks made from CX-1 Micro Pitch
- Very short closed length, ideal for traveller anglers
- Size 6 plate reel seat, wrapped
- Ultra smooth Sensi Touch finish on handle



HYDRUS TRT














- Size 6 plate reel seat, wrapped
- EVA tower to correctly space guides during transport
- Aluminium butt cap with rubber insert

		m	cm	∆1 ∆ 9	10
124-81-130	8 054393 173034	3.00	72	145	5
124-81-135	8 054393 173041	3.50	74	195	6
124-81-140		4.00	77	245	7



HYDRUS FD

- Long Cast Superlight Spool
- Balanced Handle with Soft Ergonomic Knob
- Anti Twist line roller
- Micro-adjusting front drag
- Max Plus line already loaded on the reel






















TELEMATCH

X FORCE MATCH	40
TELEMATCH	40
T-MATCH	40
XT-MATCH	41
SLIM MATCH	41
T-MATCH	41
TELE MATCH	42
TELEMATCH ALLROUND	42
STX MATCH	43
MATCH ALLROUND	43
MATCH ALLROUNDER	43
ENERGY T-MATCH	44
NEO T-MATCH	44
XTS ALLROUND FLOAT	44
	TELEMATCH T-MATCH XT-MATCH SLIM MATCH T-MATCH TELE MATCH TELEMATCH ALLROUND STX MATCH MATCH ALLROUND MATCH ALLROUNDER ENERGY T-MATCH NEO T-MATCH

ICONS LIST

Length	Closed Length	MODEL Model
∆ †∆9 Weight	Sections Nr	
(3) Casting Weight	ACT Action	

FRANGENTE X FORCE MATCH







- Telescopic rods designed for saltwater fishing with heavy floats or bombardas
- Ultra fast action for long range casting
- Natural cork handle, with aluminium and rubber screw butt cap
- Medium leg SS SiC guides, with stainless steel frame
- Stainless steel screw reel seat with rubber lined hoods







Stainless steel frame guides help Frangente to succeed in saltwater fishing with heavy bombardas or floats; sliding guides wrapped on carbon pipe on all intermediate sections.

ATOMIC TELEMATCH









- Rod with fast progressive action, ideal for fresh and salt water
- Extremely quick and sensitive tapered tubular tip, able to cast heavy floats or bombardas
- Medium leg S-SiC guides with sliding guides on each section, wrapped on to carbon pipes
- Wrapped plate reel seat, with rubber shock absorber
- Aluminum internal screw cap, with removable EVA overcap for extra protection

		m	<u>cm</u>	∆† ∆ 9	TO	<u> </u>
150-37-420	8 054393 161826	4.20	125	240	4	20-100
150-37-450		4.50	130	280	5	30-120















- Telescopic rod series with four combinations of length and power to face all fresh and saltwater uses with wagglers and bombardas
- High Torque resistant blanks made from CX-1 Micro Pitch carbon
- Medium leg SiC guides with anti-tangle K frame
- Sliding guides on top section, wrapped on carbon pipes
- Wrapped plate reel seat, with rubber lined stainless steel hoods (# 7)
- Comfortable rubber shrink tube on handle area and butt grip

		mini	cm	∆1 ∆ 9	To part of	
151-81-110	8 054393 188915	4.20	125	265	6	80
151-81-120	8 054393 188922	4.50	125	270	6	80
151-81-130	8 054393 188939	4.20	130	280	6	120
151-81-140	8 054393 188946	4.50	130	290	6	120





₹TRABUCCO

VANADIA xT-MATCH





- Rods with allround action for fresh and saltwater fishing
- Tubolar top section
- Carbon yarn reinforcement wrapping.
- Plate reel seat size 6
- Aluminium butt cap with rubber insert

		m	<u>cm</u>	∆† ∆ 9	11 m	
150-34-450	8 054393 052254	4.50	130	202	7	10-60
150-34-455	8 05/393 052261	4.50	130	208	7	20-80

Blanks made from Micro Pitch Carbon CX-1 (Super Slim). Carbon yarn reinforcement wrapping.





PRESTIGE SLIM MATCH





- Telematch rods with fast action, ideal for floats or bombardas in fresh and salt water
- Handle coated with a transparent matt film allowing comfortable grip, also easing cleaning at the end of fishing session
- Medium leg HD SiC guides for fast heat dispersion
- Steel plate reel seat with rubber shock absorbers
- Aluminium butt cap with rubber insert

		MODEL	m	cm	$\Delta \Delta g$	71	
150-30-400	8 054393 173430		4.50	130	195	7	10-30
150-30-500	8 054393 173447		4.50	130	202	7	20-50
150-30-600	8 054393 173454		4.50	130	210	7	30-80

X-Cross Wrap carbon braiding. The whole blank af Prestige, except top section, is wound by an high modulus carbon yarn protects it from ac-cidental shocks. In addition, it contrasts the blank's deformation under heavy load, actually stiffening it.



VIGOR T-MATCH







- Telescopic rod series with four different actions to face all fresh and saltwater uses with wagglers and bombardas
- Medium leg S-SiC guides with stainless steel frame
- Sliding guides on top section, wrapped on carbon pipes
- Wrapped plate reel seat, with rubber lined stainless steel hoods (# 7)
- Rubber coating on handle area for high comfort and control
- Superlight internal butt cap

		m	cm	Δ T Δg	TO	
151-81-210	8 054393 188953	4.20	125	215	6	50
151-81-220	8 054393 188960	4.50	130	225	6	50
151-81-230	8 054393 188977	4.20	125	235	6	80
151-81-240	8 054393 188984	4.50	130	245	6	80







NEW TITAN TELE MATCH









- · Telescopic rod series with four combinations of length and power to face all fresh and saltwater uses with wagglers and bombardas
- High Torque resistant blanks made from CX-1 Micro Pitch carbon Medium leg SiC guides with anti-tangle K frame
- Sliding guides on all section, wrapped on carbon pipes
- Screw reel seat, with rubber lined stainless steel hoods
- Hybrid handle made from cork and EVA





	m m	cm	$\Delta \dot{f} \Delta g$	11 	
151-82-010	4.20	130	315	4	45
151-82-020	4.20	130	350	4	60
151-82-030	4.50	135	345	4	45
151-82-040	4.50	135	365	4	60



FLARE TELEMATCH ALLROUND





- Telescopic rods with progressive parabolic action, perfect for use in both fresh and salt water
- Extremely fast and sensitive tubular tip, capable of casting heavy weights
- S-SiC guides, with sliding guides on each section, wrapped on to carbon pipes
- Natural cork handle, with anti-slip EVA inserts for excellent grip and easy cleaning after use
- · Graphite screw reel seat

Ġ	
max 15	KHA CAN
max 20	
max 30	





₹TRABUCCO

SELENIA STX MATCH



SiC





- Rods with allround action, suitable both for fresh and saltwater fishing
- Tubular top section with sliding guides wrapped on carbon pipes
- Medium leg SiC guides with stainless steel frame
- Innovative handle grip, rubberized and ribbed according to a fine design





Wrapped plate reel seat size 6, made from steel and rubber

m $\Delta \dot{j} \Delta g$ TO 150-38-420 4.20 5 185 max 30 4.50 5 150-38-450 120 215 max 30

ACTIVA MATCH ALLROUND



me and sliding guides on all sections.





- Telescopic rod with medium fast action, excellent for fresh and saltwater use with wagglers and bombardas
- Super Slim blank made from CX-1 carbon
- Medium leg S-SiC guides, with sliders on all sections
- Plate reel seat size 6 with rubber lined steel hoods
- Handle grip made from soft rubber skin
- Aluminum butt cap, with internal screw





Ultralight guides featuring stainless steel

SiC

Plate reel seat size 6 with rubber lined steel hoods. Handle grip made from soft frame and sliding guirubber skin. des on all sections.



PULSE MATCH ALLROUNDER



SiC



- Rods with allround action, suitable both for fresh and saltwater fishing
- Tubular top section with sliding guides wrapped on carbon pipes
- Innovative handle grip, rubberized and ribbed according to a fine design Wrapped plate reel seat size 6, made from steel and rubber

	MODEL	m	cm	<u>Δ</u> [Δ g]	70	
124-19-050		4.00	130	135	4	15
124-19-060		4.00	130	145	4	20
124-19-070		4.00	130	155	4	25
124-19-080		4.00	130	175	4	30







Ultralight guides featuring stainless steel frame and sliding guides on all sections.

PULSE ENERGY T-MATCH








- Telematch rod series with three different actions to face all fresh and saltwater uses with wagglers and bombardas
- Blanks made from S.H.M.R. High Resistance carbon
- Wrapped S-SiC guides, with sliding guides wrapped on to carbon pipes
- Graphite screw reel seat with rubber lined stainless steel hoods for a complete reel's feet protection
- Hybrid cork and EVA handle with laser engraved Trabucco logo
- Rounded rubber butt cap with aluminium collar





















- · Telematch rods with perfect parabolic action, suitable for use in both fresh and salt water
- Blanks made from S.H.M.R. High Resistance carbon
- Extremely sensitive tubular tip, able of holding weights up to
- Wrapped S-SiC guides, with sliding guides wrapped on to carbon pipes
- Cork handle with graphite and steel screw reel seat
- · Aluminum butt cap with rubber insert









HYDRUS XTS ALLROUND FLOAT











- Telematch rods with perfect parabolic action, suitable for use in both fresh and salt water
- Blanks made from S.H.M.R. High Resistance carbon
- Extremely sensitive tubular tip
- Wrapped S-SiC guides, with sliding guides wrapped on to carbon pipes

		m	cm	∆ j∆g	₹ 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1	
150-01-010	8 054393 173102	4.00	128	180	4	3-15
150-01-020	8 054393 173119	4.00	128	180	4	5-20
150-01-030	8 054393 173126	4.00	128	180	4	5-30











MATCH RODS

	SUPREME MATCH	46
ENERGHIA XR	DYNAMIC MATCH	46
ENERGRIA AR	ENERGY MATCH	47
	POWER MATCH	47
ENERGHIA 2K	MATCH EXTREME	47
SPECTRUM NEW	XTM DYNAMIC MATCH	48
KOMPASS NEW	XR CARP WAGGLER	48
ERION XT	SPECIALIST	48
	CARP WAGGLER	49
SYGNUM XS	PRO WAGGLER	49
STGINOW AS	PRO ENERGY	49
	PRO DISTANCE	49
	MATCH PLUS	50
PRECISION	MATCH CARP	50
RPL	CARP PLUS	50
	ALLROUNDER	50

ICONS LIST




VIERGIII

Despite the Energhia Match rods already occupied the highest step of the quality podium, today they rise to an even higher level, thanks to the Twist Free and X-Joint technologies, capable of

transfiguring the blank's reactivity to any load and stress. In action, their compliance to user's impulses is incomparable, while an explosive force starts from the heart of butt section to drive the





power to the middle section.

All Energhia XR fit match SiC guides offering exceptional properties of friction reduction and heat dispersion. The butt ring is a double leg model, while all the others are single legs, with



The Fuji original screw reel seat is nicely set between the hiah-density EVA front grip and natural cork handle. The butt grip of Energhia XR is made from EVA, and ends with an excellent





and saving the rest of the section.

X-JOINT ± 45° CARBON TECHNOLOGY

> Twist Free is the special carbon technology which arranges the outer layers at 45° and 135°. Its function is to contrast the torque occurring in the cast, raising blank's resistance while improving both casting accuracy and

ENERGHIA XR SUPREME MATCH

DINNED RECOMMENSA











- · Fast action rods, perfect for medium range canal fishing or with the slider
- Blanks made from High Modulus carbon, with Twist Free technology to contrast torque generated during the cast
- High precision spigot joints made by X-Joint technology for a perfect action curve
- Light and strong Match SiC guides, able to reduce line friction and dissipate heat
- Natural high grade cork handle with high density EVA grips and rubber butt fighting cap



ENERGHIA XR DYNAMIC MATCH











- · Fast action rods, perfect for long range match fishing with extreme accuracy Blanks made from High Modulus carbon, with Twist Free technology to contrast torque generated during the cast
- High precision spigot joints made by X-Joint technology for a perfect action curve
- Light and strong Match SiC guides, able to reduce line friction and dissipate heat
- Fuji IPS graphite screw reel seat, with stainless steel hood

		mini	cm	∆1 ∆ g		
153-32-420	8 054393 153005	4.20	144	190	3	8-22
153-32-450	8 054393 153012	4.50	155	200	3	8-22













ENERGHIA XR ENERGY MATCH











- Powerful action rods, designed for extreme range match fishing without missing the top section's sweeteness
- Blanks made from High Modulus carbon, with Twist Free technology to contrast torque generated during the cast
- High precision spigot joints made by X-Joint technology for a perfect action curve
- Light and strong Match SiC guides, able to reduce line friction and dissipate heat
- · Natural high grade cork handle with high density EVA grips
- · Fuji IPS graphite screw reel seat, with stainless steel hood

		m m	cm	△† ∆ g	T	
153-33-450	8 054393 153029	4.50	155	200	3	8-25

ENERGHIA XR POWER MATCH







SiC

SiC





- Powerful action rods, designed for extreme range match fishing without missing the top section's sweeteness
- Blanks made from High Modulus carbon, with Twist Free technology to contrast torque generated during the cast
- High precision spigot joints made by X-Joint technology for a perfect action curve
- Light and strong Match SiC guides, able to reduce line friction and dissipate heat
- Natural high grade cork handle with high density EVA grips
- · Fuji IPS graphite screw reel seat, with stainless steel hood


	m	cm	∆j ∆ 9	11 m	
153-34-450	4.50	155	210	3	10-30
153-34-480	4.80	165	240	3	10-30

ENERGHIA 2K MATCH EXTREME



Alconite





- Fuji Match Alconite BMYAG single leg guides on top and middle section, to limit weight and allow the blank to fully display its power, without oscillations after the cast
- Fuji Match Alconite BNMVAG double leg guide on butt section
- Fuji IPS graphite screw reel seat, with stainless steel hood





SPECTRUM XTM DYNAMIC MATCH





- $\label{progressive} \mbox{ Progressive action to absorb strong pulls and protect relatively thin hooklinks}$
- Slick Surface treatment allows smooth handling and reduces friction
- Hybrid handle made from cork and high density EVA, with nicely tapered butt grip for high control
- Single leg ultralight Minima guides throughout



CONTRACTOR STATE		all results and	1	Sales Sales		
		MODEL	m	cm	11 T	9
157-75-010	8 054393 187284	Dynamic	4.20	144	3	5-20
157-75-020	8 054393 187291	Dynamic	4.50	155	3	5-20
157-75-030	8 054393 187307	Energy	4.50	155	3	8-25
157-75-040	8 054393 187314	Distance	4.50	155	3	10-30









NEW KOMPASS XR CARP WAGGLER





- Progressive action to absorb strong pulls and protect relatively thin hooklinks
- Slick Surface treatment allows smooth handling and reduces friction
- Hybrid handle made from cork and high density EVA, with nicely tapered butt grip for high control
- Single leg ultralight Minima guides throughout
- Stable graphite screw reel seat with EVA fore grip





	The second secon				
		m	cm		
153-70-310	8 054393 189196	3.00	152	2	3-25
153-70-320	8 05/393 189202	3.30	170	2	3-25





ERION XT SPECIALIST





		m	cm	<u>Δİ</u> Δ g	- T-	
151-48-360	8 054393 112095	3.60	127	240	3	10-45
151-48-390	8 054393 112101	3.90	137	270	3	10-45

- Natural cork handle and hybrid cork fighting butt cap · Graphite screw reel seat with rubber lined steel hoods







YGNI





SYGNUM XS CARP WAGGLER





- Rods with classic waggler action (wagglers up to 20 g)
 SiC Match single leg guides (double leg on butt section)

Tubular top section

			<u>cm</u>	∆1 ∆ 9		
157-71-030	8 054393 176370	3.00	152	129	2	5-20
157-71-033	8 054393 176387	3.30	167	144	2	5-20
157-71-036	8 054393 176394	3.60	182	158	2	5-20

SiC

SYGNUM XS PRO WAGGLER






- Rods with classic waggler action (wagglers up to 25 g)
- SiC Match single leg guides (double leg on butt section)
- Tubular top section

			cm	∆j ∆ 9		
157-71-450	8 054393 110145	4.50	155	210	3	8-25



SYGNUM XS PRO ENERGY





SYGNUM XS PRO DISTANCE





- SiC Match single leg guides (double leg on butt section)

Tubular to	p section	m	cm	∆ †∆ 9	11 0	
157-73-450	8 054393 111654	4.50	155	230	3	15-40




PRECISION RPL MATCH PLUS



PRECISION







• Screw reel seat with rubber lined satin steel hoods

PRECISION R

Ribbed Precision EVA handle grip for high control

		mini	cm	∆† ∆ g	17	
152-33-390	8 054393 125552	3.90	137	186	3	8-25
152-33-420	8 054393 125569	4.20	145	220	3	8-25
152-33-450	8 054393 125576	4.50	155	249	3	10-30





PRECISION RPL MATCH CARP



SiC



- Three section put over match rod, with parabolic action
- Screw reel seat with rubber lined satin steel hoods
- Ribbed Precision EVA handle grip for high control

		(mim)	cm	₫ 2 9	T,	
152-34-360	8 054393 125583	3.60	126	182	3	5-20
152-34-390	8 054393 125590	3.90	137	210	3	5-20
152-34-420	8 054393 125606	4.20	145	235	3	5-20



PRECISION RPL CARP PLUS



SiC



- Two section put over match rod, with progressive action
- The right tool for shallow lakes and canals, or for topwater with pellet wagglers up to 20 g weight
- Folding metal hook retainer

			<u>cm</u>	<u>Δ</u> † Δ g	T-	
152-26-300	8 054393 136862	3.00	155	163	2	5-20
152-26-330	8 054393 136879	3.30	168	176	2	5-20
152-26-360	8 054393 136886	3.60	183	222	2	5-20



PRECISION RPL ALLROUNDER



SiC



- Three section put over match rod, with progressive action
- Ribbed Precision EVA handle grip for high control
- · Folding metal hook retainer

			<u>cm</u>	<u>Δ1</u> Δ g	•	
152-27-330	8 054393 136893	3.30	115	260	3	15-40
152-27-360	8 054393 136909	3.60	125	295	3	15-40
152-27-365	8 054393 136916	3.60	125	300	3	20-60
152-27-395	8 054393 136923	3.90	135	335	3	20-60






FEEDER RODS

	DYNAMIC FEEDER	52
SPECTRUM XT	STILLWATER FEEDER	52
	COMPETITION FEEDER	53
PERFECTA GX NEV	COMPETITION FEEDER	54
NEV	COMPETITION FEEDER	55
TRINIS GX	ADVANCED FEEDER	55
NEV	LONG DISTANCE	55
SYGNUM XS	MINI FEEDER	56
ULTIMATE	PRO MASTER FEDEER	56
INSPIRON FD	COMPETITION MULTI	57
INSPIRON FD	ADVANCED MASTER	57
	ACTIVE FEEDER	58
	POWER FEEDER	58
PROXIMA XP	SW MASTER FEEDER	58
NEV	CARP MASTER FEEDER	59
	METHOD FEEDER	59
NEV	RIVER FEEDER	59
SELEKTOR XS	DISTANCE METHOD	60
NEW YOMBASS YE	ALLROUND FEEDER	61
KOMPASS XR	CONTINENTAL POWER	61


		PICKER PLUS	62
		BOMB PLUS	62
		QUIVER PLUS	62
		FEEDER PLUS	63
		SPECIMEN & SPOD	63
		EXTREME DISTANCE	63
		DISTANCE POWER	63
PRECISION RPL		BARBEL & CARP FEEDER	64
		CARP FEEDER	64
	METHOD FEEDER	64	
		FEEDER EVO	64
		EXTREME RIVER	65
		RIVER FEEDER	65
		SSW ACCURATE FEEDER	65
		SSW CONCEPT FEEDER	65
SYGNUM XS	NEW	BIG RIVER SPECIALIST	66
ULTIMATE		SPECIALIST MULTI-TIP	66
PRECISION RPL		COMBI TIP	66
FLARE		CARP TELE FEEDER	67
HYDRUS		TELE FEEDER	67





SPECTRUM XTD DYNAMIC FEEDER





- . Blanks made from CX1 Micro Pitch Carbon, with remarkable casting capacity
- Parabolic action to absorbe high stress due to strong fighting fish
- Natural cork handle with EVA fore and butt grips
- 3 very long carbon quiver tips (72 cm Ø 2,6 mm)
- Double leg SeaGuide SiC guides (single leg on top area)
- Screw reel seat made from steel and rubber



		m	cm	<u>₹</u>	ACT
150-83-300	8 054393 181084	10'0" (3,00)	138	2+3	ML 45 g
150-83-330	8 054393 001849	11'0" (3,30)	143	2+3	M 60 g
150-83-360	8 054393 001856	12'0" (3,60)	127	3+3	M 60 g
150-83-390	8 054393 001863	13'0" (3,90)	139	3+3	MP 90 g



	ACT	cm ludud
150-83-001	XTD N1	70
150-83-002	XTD N2	70
150-83-003	XTD N3	70
CARBON SPARE	TIPS - mm (2	2.6



SPECTRUM XTS STILLWATER FEEDER



- · Series designed for competition feeder, with four rods offering different actions and
 - Supplied with 3 spineless solid carbon quiver tips with different actions, contained in a protective tube to prevent breakages during transport.
- · Screw reel seat with matt rubber finish
- · Hook keeper made of reclining ring, allowing easy hook fit without creating any obstacles during the cast
- · Special padded bag, with zipper



			cm	<u> </u>	ACT
150-82-300	8 054393 152183	10'0" (3,00)	128	2+3	ML 45 g
150-82-330	8 054393 152190	11'0" (3,30)	143	2+3	M 60 g
150-82-360	8 054393 152206	12'0" (3,60)	127	3+3	M 60 g
150-82-390	8 054393 152213	13'0" (3,90)	139	3+3	MP 80 g



	ACT	cm		
150-82-001	XTS N1	54		
150-82-002	XTS N2	54		
150-82-003	XTS N3	54		
CARBON SPARE TIPS - mm Ø 2.2				





SPECTRUM XTC COMPETITION FEEDER





- Two rods with hyper parabolic progressive ML action, ideal for fine hooklinks and casting within 50 m range
- Supplied with 3 spineless solid carbon quiver tips with different actions
- Screw reel seat with matt rubber finish
- Hook keeper made of reclining ring, allowing easy hook fit without creating any obstacles during the cast
- Special padded bag, with zipper

							ACT	cm
			cm	-	<u></u>	150-81-001	XTC N1 L	62
		m			ACT	150-81-002	XTC N2 L	57
150-81-200		11'8"	152	2+3	ML	150-81-003	XTC N3 L	52
150-61-200	8 054393 151995	(3,55)	132	2+3	+3 40 g CARBON S		RE TIPS - mm \varnothing	2.0

- Three rods with parabolic progressive MP and PW action, ideal for casting within 80-90 m range
- Supplied with 3 spineless solid carbon quiver tips with different actions
- Screw reel seat with matt rubber finish

		استسا	cm	73 -	ACT
150-81-300	8 054393 152008	11'8" (3,55)	148	2+3	MP 60 g
150-81-400	8 054393 152015	12'8" (3,85)	134	3+3	MP 60 g
150-81-500	8 054393 152176	12'8" (3,85)	134	3+3	PW 80 g

	AUT	لسلسا			
150-81-001	XTC N1 L	62			
150-81-002	XTC N2 L	57			
150-81-003	XTC N3 L	52			
CARBON SPARE TIPS - mm Ø 2.0					



	ACT	cm lindind		
150-81-011	XTC N1	70		
150-81-012	XTC N2	70		
150-81-013	XTC N3	70		
CARBON SPARE TIPS - mm Ø 2.6				



VIRTUS FEEDER REELS

Find out more on page 166





PERFECTA GX COMPETITION FEEDER













- X-Joint technology
- Extreme casting accuracy due to Twist Free technology
- Special Lock Grip handle made from cork and high-density EVA, providing best control while casting and fish playing
- 3 interchangeable quiver tips, particularly long
- Double & single leg SiC guides with tangle free K frame
 Seaguide graphite screw reel seat with EVA fore grip

		m	cm	<u> </u>	ACT
150-60-010	8 054393 187727	12' (3.60)	127	3+3	ML / 60 g
150-60-020	8 054393 187734	13' (3.90)	136	3+3	ML / 60 g
150-60-110	8 054393 187741	12' (3.60)	127	3+3	M / 75 g
150-60-120	8 054393 187758	13' (3.90)	136	3+3	M / 75 g
150-60-130	8 054393 187765	14' (4.20)	147	3+3	M / 75 g
150-60-210	8 054393 187772	12' (3.60)	127	3+3	MP / 90 g
150-60-220	8 054393 187789	13' (3.90)	136	3+3	MP / 90 g
150-60-230	8 054393 187796	14' (4.20)	147	3+3	MP / 90 g
150-60-310	8 054393 187802	13' (3.90)	136	3+3	PW / 110 g
150-60-320	8 054393 187819	14' (4.20)	147	3+3	PW / 110 g












	ACT	cm	MODEL	
150-60-001	GX 1 A	72	Fiberglass	
150-60-002	GX 1 P	72	Carbon	
150-60-003	GX 2 P	72	Carbon	
150-60-004	GX 3 P	72	Carbon	
SPARE TIPS - mm Ø 3.3				









- Twist Free technology to improve casting accuracy
- · Special Lock Grip handle made from cork and high density EVA, providing best control while casting and fish playing
- 3 interchangeable carbon quiver tips
- Double leg SeaGuide SiC guides with tangle free K frame
- · Ergonomic screw reel seat with EVA fore grip



TRINIS GX COMPETITION FEEDER









- technology
- Twist Free technology to improve casting accuracy
- Medium Power action to control the fight with big fish

			cm	17	ACT
150-76-110	8 054393 188694	12' (3.60)	127	3+3	MP / 120 g
150-76-120	8 054393 188700	13' (3.90)	136	3+3	MP / 120 g



	ACT	لستنسا			
150-76-001	GX 1	53			
150-76-002	GX 2	53			
150-76-003	GX3	53			
CARBON SOLID SPARE TIPS - mm Ø 2.6					




TRINIS GX ADVANCED POWER











- Naked handle configuration with ergonomic screw reel seat plus short EVA fore grip and soft rubber rear
- Tapered EVA butt grip with laser engraved Trabucco logo
- 3 interchangeable carbon quiver tips

		m	cm	□	ACT
150-76-210	8 054393 188717	13' (3.90)	137	3+3	HH / 160 g
150-76-220		14' (4.20)	145	3+3	HH / 160 g



	ACT	cm		
150-76-002	GX2	53		
150-76-003	GX3	53		
150-76-004	GX4	53		
CARRON COLID CRARE TIRE mm (X 2 C				



TRINIS GX LONG DISTANCE











- Twist Free technology to improve casting accuracy
- High Power action to cast bullet feeders to the horizon
- 3 interchangeable carbon quiver tips
- Double leg SeaGuide SiC guides with tangle free K frame

		m	cm	11-	ACT
150-76-310	8 054393 188731	13' (3.90)	137	3+3	HH / 130 g
150-76-320	8 054393 188748	14' (4.20)	145	3+3	HH / 130 g

			-6-
	:NIS	EXTENSION OF	
TR	113		
	ACT	cm	

	ACT	rminn)
150-76-001	GX1	53
150-76-002	GX2	53
150-76-003	GX3	53
CARBON SPARE TH	PS - mm Ø 2.6	3



SYGNUM XS MINI FEEDER







- Progressive fast action designed to fish short and medium distance, both for silverfish and bonus fish.
- Blanks made from High Modulus CX1 Micro Pitch Carbon
- Long leg guides with SiC inserts to enhance casting accuracy both with braided and mono.
- Special handle made from cork and high density EVA, engineered to provide high control while casting
- 2 fiberglass quiver tips and 1 carbon quiver

		استسا	<u>cm</u>	₩.	ACT
151-01-100	8 054393 183453	9' (2,70)	139	2+3	MP (60 g)
151-01-110	8 054393 183460	10' (3,00)	154	2+3	MP (60 g)
151-01-120	8 054393 183477	11' (3,30)	169	2+3	MP (60 g)

	ACT	cm			
151-01-001	1G	60			
151-01-002	2G	60			
151-01-003	3C	60			
SPARE TIPS - mm	SPARE TIPS - mm Ø 3.4				









ULTIMATE PROFESSIONAL MASTER FEEDER







- Semi-parabolic action with rapid and progressive output, specially designed for competition
- New high visibility coloring system for the final part of the tips
- Screw reel seat with matt rubber finish and carbon inserts

		(mlm)	cm	T.	ACT
150-86-010	8 054393 137425	11' 8" (3,55)	114	3+4	M / 60 g
150-86-020	8 054393 137432	12' 8" (3,85)	125	3+4	M / 60 g
150-86-030	8 054393 137449	12' 8" (3,85)	125	3+4	MP / 80 g

	ACT	cm
150-86-001	ULT-PM 1	71
150-86-002	ULT-PM 2	71
150-86-003	ULT-PM 3	71
150-86-004	ULT-PM 4	71
CADDON CDADE TO	DC mm (A)	6





INSPIRON FD FEEDER REELS

Find out more on page 168



≅TRABUCCO∑

Designed with a package of very important quality features, it shows a really wide choice between five series with precise destination of use: the fine blanks develop modern "round" actions to range from the canal's silver fish catches to the control of the lake's shy carp.





Here aside, the top end of the tips with the new coloring system that increases their visibility.



INSPIRON FD COMPETITION MULTI







- Perfect parabolic and progressive action to face canals, lakes or rivers with slow current, ideal for thin line's fishing
- Provided with a 30 cm extension to be fitted on top of butt section, allowing to modify the length from 3,30 to 3,60 m and from 3,60 to 3,90 m
- Tape Grip is applied around the joints to facilitate the assembling and dismantling
- New hook keeper made of reclining round ring, allowing easy hook fit

		m m	cm	1	ACT
153-02-360	8 054393 137265	12' (3,60)	127	3+1+3	M / 75 g
153-02-390	8 054393 137272	13' (3,90)	128	3+1+3	M / 75 g
153-02-395	8 054393 140425	13' (3,90)	128	3+1+3	MH / 90 g

The mini extension supplied with each rod adds 30 cm to its length

	ACT	cm		
153-02-001	LIGHT	47		
153-02-002	MEDIUM	47		
153-02-003	HEAVY	47		
CARRON SPARE TIPS - mm Ø 2 0				



INSPIRON FD ADVANCED MASTER





- Powerful and progressive action able to handle feeders within the 75/90 g, great in large lakes, ideal for canals or rivers with medium current
- Supplied with 3 Full Carbon HQ spineless tips, stored in a protective tube that protects them and eases their transport
- Tape Grip is applied around the joints for assembling and dismantling
- Screw reel seat with matt rubber finish for a comfortable grip
- New hook keeper made of reclining round ring

		m	cm	10 1	ACT
153-04-360	8 054393 137333	12' (3,60)	127	3+3	M / 75 g
153-04-390	8 054393 137357	13' (3,90)	136	3+3	MH / 90 g

	ACT	cm		
153-04-360-R01L	LIGHT	55		
153-04-360-R01M	MEDIUM	54		
153-04-360-R01H	MED. HEAVY	52		
CARBON SPARE TIPS - mm Ø 2.0				
153-04-390-R01L	LIGHT	55		
153-04-390-R01M	MEDIUM	54		
153-04-390-R01H	MED. HEAVY	52		
CARBON SPARE TIPS - mm Ø 2.4				






PROXIMA XP ACTIVE FEEDER





- Allround action to fish at medum range distance
- 3 carbon quiver tips (Ø 2,8mm)

	لستسا	<u>cm</u>	•	ACT
153-75-110	11' (3,30)	117	3+3	M (60 g)
153-75-120	12' (3,60)	127	3+3	MP (90 g)
153-75-130	13' (3,90)	137	3+3	MP (90 g)



53

53

53

[ACT]

2A

ЗА

153-75-101

153-75-102

153-75-103

CARBON SPARE TIPS - mm \varnothing 2.8





PROXIMA XP power feeder



- Powerful action to fish at long range or in running water
- 3 carbon quiver tips (Ø 3,4 mm)
- The super stable screw reel seat is trapped between the EVA fore grip and the below cork handle area

	m	<u>cm</u>	11 	ACT
153-75-210	12' (3,60)	127	3+3	PW (120 g)
153-75-220	13' (3,90)	137	3+3	PW (120 g)
153-75-230	13' (3,90)	137	3+3	XP (150 g)
153-75-240	14' (4,20)	145	3+3	XP (150 g)




	ACT	cm		
153-75-201	1P	64		
153-75-202	2P	64		
153-75-203	3P	64		
CARBON SPARE TIPS - mm Ø 3.4				



PROXIMA XP SW MASTER FEEDER





- Power and X-Power actions to master fresh and saltwater feeder job, with high reel seat position for easy casting
- Screw reel seat with side windows and EVA fore grip
- Double leg SiC guides with tangle free K frame



			cm	□	ACT
153-75-510	8 054393 187826	12' (3.60)	127	3+3	PW / 110 g
153-75-520	8 054393 187833	13' (3.90)	137	3+3	XP / 130 g
153-75-530	8 054393 187840	14' (4.20)	145	3+3	XP / 130 g









	ACT	cm		
153-75-501	XP 1P	62		
153-75-502	XP 2P	62		
153-75-503	XP 3P	62		
CARBON SPARE TIPS - mm Ø 3.3				



58










PROXIMA XP CARP MASTER FEEDER





- Medium Power action to control the runs of big carp
 Special Lock Grip handle made from cork and high density EVA, engineered to provide high control while casting and playing big fish
- 3 interchangeable carbon quiver tips
- Double leg SiC guides with tangle free K frame

			cm		ACT
153-75-410	8 054393 187581	9'6" (2.90)	150	2+3	MP / 60 g
153-75-420	8 054393 187598	10'3" (3.10)	160	2+3	MP / 60 g
153-75-430	8 054393 187604	11'3" (3.40)	175	2+3	MP / 60 g



	[ACT]	(milini)		
153-75-401	XP 1M	60		
153-75-402	XP 2M	60		
153-75-403	XP 3M	60		
CARBON SPARE TIPS - mm Ø 2.9				



PROXIMA XP METHOD FEEDER





- Double leg SiC guides with tangle free K shaped frame
- Parabolic action to fish at short and medium distance
- 3 fibreglass quiver tips

			cm		ACT
153-75-310	8 054393 182418	9' (2,70)	142	2+3	M (80 g)
153-75-320	8 054393 182425	10' (3,00)	105	2+3	M (80 g)
153-75-330	8 05 (3 9 3 1 1 8 2 (3 2	11' (3,30)	116	2+3	M (80 g)



	ACT	cm		
153-75-301	1M	54		
153-75-302	2M	54		
153-75-303	3M	54		
FIRERGI ASS SPARE TIPS				



PROXIMA XP RIVER FEEDER





- Blanks made from High Modulus CX1 Micro Pitch Carbon
- 2x Extra Power action to easily cast large feeders packed with heavy food at river's main stream
- Special Lock Grip handle made from cork and high density EVA, engineered to provide high control while casting and playing big fish
- Double leg SiC guides with tangle free K frame
- Screw reel seat with EVA fore grip

		m	cm		ACT
153-75-610	8 054393 187857	14' (4.20)	147	3+3	XXP / 200 g
153-75-620	8 054393 187864	15' (4.50)	155	3+3	XXP / 200 g





	ACT	cm		
153-75-601	1R	62		
153-75-602	2R	62		
153-75-603	3R	62		
CARBON SPARE TIPS - mm Ø 3.3				





SELEKTOR XS DISTANCE METHOD





- Progressive parabolic action able to handle feeders up to 100 g weight
 Grip Line to helps assembling and dismantling of the sections
- Natural cork handle with EVA grip for a good control and screw reel seat with EVA fore grip

		m	cm		ACT
152-64-360	8 054393 151452	12' (3,60)	128	3+3	PW / 100 g
152-64-390	8 054393 151469	13' (3,90)	135	3+3	PW / 100 g

	ACT	cm		
152-64-001	LIGHT	56		
152-64-002	MED. LIGHT	56		
152-64-003	HEAVY	56		
CARBON SPARE TIPS - mm Ø 2.6				



AIRTEK CARBON FEEDER TIPS



- Universal Quiver tips for feeder rods
- High Modulus Carbon blanks
- Single leg micro guides with SiC ring
 Technical data (diameter, length, action, power) printed on each quiver
 Individual packing with Euro slot

		cm	[mmØ]	ACT	PWR	XXX
101-00-010	8 054393 148087	55	2.2	0	UL	5
101-00-020	8 054393 148094	50	2.2	1	L	5
101-00-030	8 054393 148100	50	2.2	2	ML	5
101-00-110	8 054393 148117	70	2.85	0	UL	5
101-00-120	8 054393 148124	70	2.85	1	L	5
101-00-130	8 054393 148131	60	2.85	2	ML	5
101-00-140	8 054393 148148	60	2.85	3	М	5
101-00-210	8 054393 148155	60	3.2	1	L	5
101-00-220	8 054393 148162	60	3.2	2	ML	5
101-00-230	8 054393 148179	60	3.2	3	М	5







KOMPASS XR ALLROUND FEEDER









- Blanks made from High Modulus CX1 Micro Pitch Carbon Medium Light and Medium action to make the short and medium distance job effective and pleasant
- Hybrid handle made from cork and high density EVA, with nicely tapered butt grip for high control
- Double and single leg ultralight Minima guides
- 3 interchangeable quiver tips
- Double and single leg ultralight Minima guides allow the blank to develop faster recovery

			<u>cm</u>	10	[ACT]
153-70-110	8 054393 189080	9' (2.70)	142	2+3	ML / 40 g
153-70-120	8 054393 189097	10' (3.00)	157	2+3	ML / 50 g
153-70-130	8 054393 189103	11' (3.30)	116	3+3	ML / 60 g
153-70-140	8 054393 189110	12' (3.60)	127	3+3	M / 75 g
153-70-150	8 054393 189127	13' (3.90)	136	3+3	M / 75 g





	ACT	cm	MODEL		
153-70-101	XR AF 1G	54	Fiberglass		
153-70-102	XR AF 2C	54	Carbon		
153-70-103	XR AF 3C	54	Carbon		
SPARE TIPS - mm Ø 2.4					



KOMPASS XR CONTINENTAL POWER FEEDER











- Blanks made from High Modulus CX1 Micro Pitch Carbon
- Hybrid handle made from cork and high density EVA, with nicely tapered butt grip for high control
- Double and single leg ultralight Minima guides
- 3 interchangeable quiver tips

			<u>cm</u>	TO	ACT
153-70-210	8 054393 189134	12' (3.60)	127	3+3	MP / 100 g
153-70-220	8 054393 189141	13' (3.90)	136	3+3	MP / 100 g
153-70-230	8 054393 189158	12' (3.60)	127	3+3	PW / 120 g
153-70-240	8 054393 189165	13' (3.90)	136	3+3	PW / 120 g
153-70-250	8 054393 189172	12' (3.60)	127	3+3	XP / 150 g
153-70-260	8 054393 189189	13' (3.90)	136	3+3	XP / 150 g







	ACT	cm
153-70-201	XR CP 1C	63
153-70-202	XR CP 2C	63
153-70-203	XR CP 3C	63
CARBON SPARE TI	PS - mm Ø 3.4	ļ



SPOOL

NEW KOMPASS FEEDER REELS

- 5 Double-Shielded Stainless Steel Ball Bearings
- One Way Clutch with Instant Anti-Reverse Bearing
- High Strength Engineered Xtra-Tough Body
- Computer Balanced Anti Vibro System
- S-Curve Oscillation System
- Double Strength Stainless Steel Main Shaft
- Superlight Aluminium V-Spool for Increased Casting Distance
- Micro-Adjusting Power Drag with Oversized Washers
- Large Diameter Aluminium Bail Wire Anti-Twist Line Roller with Titanium Nitride Coating
- Double Line Clip for Precise Distance Control and
- Casting Accuracy
- Aluminium CNC Fighting Handle with Rubber Power T-Knob





Find out more on page 169

































- Progressive, super parabolic action, able to handle extremely combative fish, perfect for marginal fishing
- Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		m m	cm	₩.	ACT
152-35-270	8 054393 125613	9' (2,70)	142	2+2	M / 35 g

	ACT	MATERIAL	(m)	
152-35-270-R01	LIGHT	FIBREGLASS	50	
152-55-270-001	MEDIUM	CARBON	50	
SPARE TIPS - mm Ø 2.0				



PRECISION RPL BOMB PLUS







- Progressive parabolic action, able to cast feeders or leads up to 70 g beyond 50 m range and fight extremely powerful fish; perfect for margin fishing
- Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		m	cm	π <u>.</u>	ACT
152-35-300	8 054393 125620	10' (3,00)	105	3+3	M / 70 g

	ACT	MATERIAL	السلسا		
	LIGHT	FIBREGLASS	53		
152-35-300-R01	MEDIUM	FIBREGLASS	53		
	HEAVY	CARBON	53		
SPARE TIPS - mm Ø 3.0					



PRECISION RPL QUIVER PLUS





- Progressive parabolic action for commercial fishing with feeders up to 70 g and casts over 60 m, perfect for margin fishing
- Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		m	cm		ACT
152-35-330	8 054393 126122	11' (3,30)	116	3+3	M / 70 g

	ACT	MATERIAL	cm		
	LIGHT	FIBREGLASS	53		
152-35-330-R01	MEDIUM	FIBREGLASS	53		
	HEAVY	CARBON	53		
SPARE TIPS - mm Ø 3.0					





PRECISION RPL FEEDER PLUS





- Fast and progressive action, ideal for fishing in rivers or lakes with weights up to 100 g
- Natural cork handle with EVA grip for good control and easy cleaning
- Steel and rubber screw reel seat, integrated into the handle

		لستنسا	CIII	₩ -	[ACT]
152-35-360	8 054393 126139	12' (3,60)	125	3+3	MH / 90 g
152-35-365	8 054393 126146	12' (3,60)	125	3+3	H / 100 g
152-35-390	8 054393 126153	13' (3,90)	137	3+3	MH / 90 g
152-35-395		13' (3,90)	137	3+3	H / 100 g

	ACT	MATERIAL	cm	
	LIGHT	FIBREGLASS	60	
152-35-360-R01	MED.LIGHT	FIBREGLASS	60	
	HEAVY	CARBON	60	
SPARE TIPS - mm Ø 3.0				



PRECISION RPL specimen & spod





- Super-powerful action, perfect for fast river fishing for Barbel, Carp and Catfish
- Designed for heavy pre-baiting with large size feeders (5x7 cm), even at great distance
- Precise and reinforced joints with crossed carbon bands that absorb stress and protect them during cast or traction
- Steel and rubber screw reel seat, integrated into the handle

			<u>cm</u>	11-3	[ACT]
152-23-360	8 054393 161598	12' (3,60)	125	3+2	HH / 150 g
152-23-390	8 054393 161604	13' (3,90)	135	3+2	HH / 150 g
152-23-395	8 054393 161611	13' (3,90)	135	3+2	XH / 200 g
152-23-395	8 054393 161611	13' (3,90)	135	3+2	XH / 20





PRECISION RPL extreme distance







- Extremely powerful action designed for extreme distance fishing with feeders up to 230 g, keeping high bitesensitivity
- Naked handle with shaped EVA butt grip that allows great casting control
- Precise and reinforced joints with crossed carbon bands that absorb stress and protect them during cast or traction
- Steel and rubber screw reel seat, integrated into the handle

		m	cm		ACT
152-22-395	8 054393 161581	13' (3,90)	135	3+3	XH / 230 g

	ACT	[cm	
	LIGHT	54	
152-22-390-R01	MEDIUM	55	
	HEAVY	56	
CARBON SPARE TIPS - mm Ø 3.4			




PRECISION RPL DISTANCE POWER



PRECISION







- Natural cork handle with EVA grip for good control and easy cleaning
- Steel and rubber screw reel seat, integrated into the handle

		m	cm		ACT
152-17-390	8 054393 136732	13' (3,90)	135	3+3	HH / 180 g
152-17-395	8 054393 136749	13' (3,90)	135	3+3	HH / 230 g

	ACT	cm	
	LIGHT	54	
152-17-390-R01	MEDIUM	54	
	HEAVY	54	
CARBON SPARE TIPS - mm Ø 3.4			



PRECISION RPL BARBEL & CARP FEEDER





- Extremely powerful action designed for long distance fishing with feeders up to 150/200 g, keeping high sensitivity
- Naked handle with EVA butt grip
- · Steel and rubber screw reel seat, integrated into the handle

		m	cm	TT	ACT
152-19-360	8 054393 137067	12' (3,60)	125	3+2	HH / 150 g
152-19-390	8 054393 137074	13' (3,90)	125	3+2	HH / 150 g
152-19-395	8 054393 137081	13' (3,90)	135	3+2	XH / 200 g






PRECISION RPL CARP FEEDER





- Powerful and progressive action, ideal for driving carp in river, canals or large lakes with feeders up to 120 g
- · Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

			<u>cm</u>	 	(ACT)
152-36-360	8 054393 126252	12' (3,60)	125	3+2	H / 120 g
152-36-390	8 054393 126269	13' (3,90)	135	3+2	H / 120 g





PRECISION RPL METHOD FEEDER









- Fast and progressive action, designed for short and medium range fishing with weights up to 75 gr, perfect for method and pellet feeders
- Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		m	<u>cm</u>	T-	ACT
152-18-300	8 054393 136756	10' (3,00)	155	2+3	M / 75 g
152-18-330		11' (3,30)	170	2+3	M / 75 g

	ACT	MATERIAL	cm	
	LIGHT	FIBREGLASS	52	
152-18-330-R01	MEDIUM	FIBREGLASS	52	
	HEAVY	CARBON	52	
SPARF TIPS - mm Ø 3.2				













- Powerful and progressive action designed for feeders up to 90-120 g weights, great for use both in fresh and sea water
- Full EVA handle with ribbed butt grip for a secure grip
- Steel and rubber screw reel seat, integrated into the handle

		استسا	<u>cm</u>	11-	[ACT]
152-38-360	8 054393 126290	12' (3,60)	125	3+2	MH / 90 g
152-38-365	8 054393 126306	12' (3,60)	125	3+2	H / 120 g

	ACT	cm		
152-38-360-R01	MEDIUM	60		
102-30-300-001	HEAVY	60		
FIBREGLASS SPARE TIPS - mm Ø 3.0				





PRECISION RPL extreme river





- Extremely powerful action designed for fast river fishing with feeders up to 200/250 g, keeping high bite sensitivity
- Precise and reinforced joints with crossed carbon bands that absorb stress and protect them during cast or traction
- Steel and rubber screw reel seat, integrated into the handle

			<u>cm</u>	10	[ACT]
152-21-390	8 054393 161550	13' (3,90)	135	3+2	HH / 200 g
152-21-395	8 054393 161567	13' (3,90)	135	3+2	XH / 250 g

	ACT	cm
152-21-390-R01	HEAVY	54
102-21-390-001	X-HEAVY	54
CARBON SPARE TI	PS - mm Ø 3.4	ı



PRECISION RPL RIVER FEEDER








- Powerful action designed to face fast running rivers or canals with feeders up to 150 g, also ideal for sea feeder fishing
- Natural cork handle with EVA grip non-slip ribs
- Steel and rubber screw reel seat, integrated into the handle

		mini	cm	- T-	ACT
152-37-360	8 054393 126276	12' (3,60)	125	3+2	HH / 150 g
152-37-390		13' (3,90)	135	3+2	HH / 150 g





PRECISION RPL ssw accurate feeder









- Progressive parabolic action, designed for sea fishing both from shore and from boat, with feeders up to 75 g
- Naked handle with EVA butt gri
- Steel and rubber screw reel seat, integrated into the handle

			<u>cm</u>	TT.	ACT
152-24-275	8 054393 002600	9' (2,70)	140	2+2	M / 75 g
			cm	<u> </u>	ACT
152-24-300	8 054393 002617	10' (3,00)	105	3+2	M / 75 g
152-24-330	8 054393 002624	11' (3,30)	116	3+2	M / 75 g

	[ACT]					
152-20-275-R01	LIGHT	52				
132-20-273-NU1	MEDIUM	52				
FIBREGLASS SPARE TIPS - mm Ø 3.0						

	ACT	cm
152-24-360-R01	LIGHT HEAVY	59 59
FIBREGLASS SPAR	E TIPS - mm	Ø 3.0



PRECISION RPL ssw concept feeder









- Progressive, powerful action designed for fishing both at sea and in freshwater with feeders up to 90/120 g
- Naked handle with EVA butt grip

		m	<u>cm</u>	TT.	ACT
152-24-360	8 054393 002631	12' (3,60)	125	3+2	MH / 90 g
152-24-365	8 054393 002648	12' (3,60)	125	3+2	H / 120 g
152-24-390	8 054393 002655	13' (3,90)	135	3+2	H / 120 g
152-24-395	8 054393 002662	13' (3,90)	135	3+2	HH / 150 g





	ACT	cm		
152-24-360-R01	LIGHT	59		
152-24-360-RUT	HEAVY	59		
FIBREGLASS SPARE TIPS - mm Ø 3.0				



SPECIALIST



SYGNUM XS BIG RIVER SPECIALIST





- Blank made from High Modulus CX1 Micro Pitch Carbon, with butt section fully wrapped by Woven Carbon cloth
- 2x Extra Power action to present large swimfeeders stuffed with food at Barbel and Carp
- Naked handle with high position reel seat
- 2 interchangeable long top sections: Tubolar, painted in White and Solid, painted in Orange
- Double leg SeaGuide SiC guides with MN style frame
- Screw reel seat with high density EVA grips





MODEL 150-85-110-R01H Tubolar Avon Carbon Tip 150-85-110-R01S Solid + Tubolar Carbon Tip



ULTIMATE SPECIALIST MULTI-TIP







151-43-100

- · Powerful and progressive action, specially designed for specialist fishing for barbel, tench or carp in canals, rivers or large lakes
- Avon tubular top section, with 2.25 lbs test curve
- Multi-quiver top section of 1.75 lbs with two interchangeable Full Carbon tips of 2 and 5 ounces, contained in a protective tube

₽

1,75-2,25

1+2

- Natural cork handle with rubber cork butt grip
- · DPS screw reel seat with hybrid cork fore grip

mini

12' (3,60)

	ACT	MATERIAL
151-43-100-H01	AVON TIP 2,25 lb	TUBULAR CARBON
151-43-100-R02S	CARRIER SECTION 1,75 lb	TUBULAR CARBON
151-43-100-R01S	ULT-SMT SOLID TIP 3 oz	SOLID CARBON
101-40-100-6015	LILT CMT COLID TID F a-	COLID CADDON



PRECISION RPL COMBITIP



- · Match and feeder fishing rods in three put-over sections, with progressive action
- Two fiberglass feeder tips with Medium and Heavy action
- Tubular top section for match fishing

- Steel folding hook retainer
- · Cork handle with EVA anti-slip inserts and satin steel screw reel seat

		m	cm	10	ACT
152-28-360	8 054393 136930	12' (3,60)	125	3+1+2	MH / 90 g

	ACT	cm		
152-28-360-R01S	MEDIUM	60		
132-20-300-N013	HEAVY	60		
FIBREGLASS SPARE TIPS - mm Ø 3.0				







FLARE CARP TELE FEEDER







152-70-360 3.60 116 3+2 Heavy 100 g

- Allround action rod, designed to fish with feeders up to 100 g weight
- Telescopic carbon structure
- Joints reinforced by carbon crossed bands
- Two interchangeable carbon quiver tips, with protective tube
- Naked handle, with rubber butt grip and screw reel seat
- Medium leg SiC wrapped guides
- Aluminium butt cap with rubber insert



	ACT	cm					
152-70-360-R01	LIGHT	61					
152-70-360-NU1	HEAVY	61					
CARRON SPARE TIPS - mm Ø 3 1							



HYDRUS TELE FEEDER





- Allround action rods, suitable for fresh and saltwater fishing with feeders up to 60 g weight
- Telescopic carbon structure
- Joints reinforced by carbon crossed bands
- Two interchangeable fibreglass quiver tips, with protective tube
- Rubber dressed handle, with ergonomic reel seat
- Single leg SiC guides with incorporated rubber o-ring
- Aluminium butt cap with rubber insert

		<u>cm</u>		[ACT]
152-66-030	3.00	99	4+2	Allround 10-60 g
152-66-033	3.30	99	5+2	Allround 10-60 g
152-66-036	3.60	99	5+2	Allround 10-60 g




	ACT	cm				
152-66-030-R01	MEDIUM	52				
132-00-030-n01	HEAVY	52				
EIRRECI ACC CRARE TIRC - mm (7 2 1						



LAKE & RIVER TROUT

0.4/1701.1	SLIM LAKE TROUT	69
SWITCH	TROUT FLOAT SENSE & POWER	70
PLATINUM	MATCH LAKE TROUT	70
ASTORE	LAKE TROUT SS	70
WARDEN NE	XS LAKE TROUT	71
HYDRUS	NEO LAKE TROUT	72
	XTS LAKE BOMB	72
SLIVER	TRL STRONG	73
ANTRAX	BLS STREAM	73
HYDRUS	TRT	73
FLARE	COREGONE	73

ICONS LIST



☐ ☐ ☐ @TrabuccoFishing



≅ TRABUCCO

SWITCH SLIM LAKE TROUT









SWITCH TREMARELLA & BOMBARDA. The series is made of two families of rods, according to the use they have been designed for. The letter "T" and the red colour identify the models for short-range fishing with normal leads or glass sinkers. The letter "B" and the orange colour distinguish the rods specific to the fishing with bombardas at relevant distances and depths.



Each Switch is equipped with an assembly kit, which allows an excellent level of customization of the rod. The set of Sea Guide SiC guides, with single leg K-profile anti-tangle frame, includes a stripper guide which is relatively wider than the others, to accommodate the large line's coils coming from the reel and convey them in a smoothened way towards the smaller guides. The kit includes three custom-made carbon pipes to wrap sliding guides, as well as an excellent low-profile size 6 plate reel seat for an exceptional stability.



BAI ANCER WEIGHT. The butt cap includes a cylindrical weight, adjustable or removable at will, which neatly improves the rod's balance.



SOFT TOUCH. The handle area of butt section is coated with a fine layer of rubber, which makes it particularly comfortable.



- Parabolic and super-parabolic actions, designed for modern Lake Trout fishing style
- Super slim telescopic blanks made from High Modulus CX2 Nano-Tek Carbon with low resin
- Spliced top section with carbon solid tip inserted from top
- Spliced top section with telescopic carbon solid tip on models B5, B6, B7 and B8
- Plastic guide cover included



REEL SEAT POSITION. A line mark on the handle makes it easier to fix the plate reel seat exactly at 180-degree to the Switch logo.

		mini	cm	Δ1 Δ g	77
124-43-000	T0 (ULLS) 1-3	4.00	114	105	7
124-43-010	T1 (ULL) 1-3	4.00	114	110	7
124-43-020	T2 (UL) 1-4	4.00	114	110	7
124-43-030	T3 (LLS) 2-5	4.00	114	115	7
124-43-040	T4 (LL) 2-6	4.00	114	115	7
124-43-050	T5 (L) 3-8	4.00	114	115	7
124-43-100	B0 (LLS) 5-10	4,40	114	125	7
124-43-110	B1 (ML) 6-12	4.20	114	100	7
124-43-120	B2 (L) 5-15	4.30	114	130	7
124-43-130	B3 (LH) 8-20	4.30	114	140	7
124-43-140	B4 (ML) 10-20	4.50	114	145	7
124-43-150	B5 (L) 12-20	4.50	114	170	8
124-43-160	B6 (ML) 15-25	4.50	119	170	8
124-43-170	B7 (LD) 20-35	4.80	121	230	8
124-43-180	B8 (LLD) 25-40	5.00	121	235	8

Rod's weights include balancer weights.

TROUT SNELLED HOOKS

Green colour card for the trout range of hooks snelled with XPS Fluorocarbon 100%, born from competition fishing experiences on the lakes and rivers as well. The twin length option, with 170 and 270 cm of line, solves all the problems of speedy as well as scratching fishing, while the twisted loop, paired with a PVC tube, accelerates and simplifies the fast connection to the specific hooked swivels.

Here aside, the special knot ending with a baitholding barb; below, the 10 cm twisted line loop and PVC tube for quick hooklink interchange on snap swivels.

100% FLUOROCARBON





SWITCH TROUT FLOAT SENSE & POWER

















- Spliced top section with carbon solid tip inserted from top and wrapped
- Adjustable length thanks to a special device fitted on the section above butt
- Medium leg SiC guides, with "Y" anti-vibration frame made from stainless steel
- Stainless steel plate reel seat with rubber inserts (size 6)
- Innovative handle grip, rubberized and ribbed according to a fine design
- Ultralight butt cap with internal screw









FLOAT SENSE		m	cm	∆j∆ g	π <u>π</u>
124-44-150	8 054393 174697	4,00-5,00	128	185	5
124-44-160	8 054393 174703	5,00-6,00	130	240	6

FLOAT POWER		m	cm	∆1 ∆ g	
124-44-250	8 054393 174710	4,00-5,00	128	185	5
124-44-260		5,00-6,00	130	240	6

PLATINUM MATCH LAKE TROUT

PLEATHURIDING COMPOSED







- Three section's structure with spigot joints, accurate parabolic actions
- Blanks made from CX2 Nano-Tek carbon with low resin content, featuring tapered butt section
- Spliced top section with hi-sensitive solid carbon tip, inserted from top and wrapped
- Steel and rubber plate reel seat (size 6)
- Info window to take note of rig's specifications

	MODE	L	لستنسا		∆ <u>i</u> ∆ 9	00	<u></u>
124-40-010	L		4.20	148	230	3	6-12
124-40-020	LH		4.20	148	230	3	8-15
124-40-030	ML		4.20	148	230	3	10-20
124-40-040	L		4.50	156	245	3	8-20
124-40-050	ML		4.50	156	260	3	10-20

Integral single-leg SiC guide's configuration, with light and rigid Y-shaanti-vibration ned frames. Coloured bands for action's identification







ASTORE LAKE TROUT SS




AS I URLE SELECTION









- Spliced top section with hi-sensitive solid carbon tip
- Medium leg SiC guides with"Y" shape frame
- Steel and rubber plate reel seat (size 6)
- Info window to take note of rig's specifications
- Folding metal hook retainer on left side of the handle



128

128

180

		MODEL	لستسا ل
124-34-050	8 054393 120823	ML	4.20
124-34-060	8 054393 120830	М	4.20



10-15

12-20





PRESENTATION CONT.









THE SPECIAL GUIDE'S CONFIGURATION

All Tremarella rods, identified by "T" letter, are fitted with a hybrid guide's set. On the rod's main sections there are guides with tangle free "K" frame, which are a bit oversized to allow the line flow freely, in particular when light sinkers are being used. On the top section we have opted for ultralight single leg MK guides, to avoid affecting the

top section's reactivity and sensitivity when it's shaked to let the hookbait swim by attractive steps. Definitely a nice quality merit of Warden XS project.





All rods designed for Bombarda use - identified by "B" letter - are fitted with an integral Sea Guide set with tangle free "K" frame and SiC ring, to allow very long casting and to protect the line during those long and stressful retrieves from big distance or high depths with heavy sinkers.

SUPER SLICK SURFACE

The Slick Surface coating reduces friction and repels moisture and water droplets, preventing the line from sticking to the rod. This technology also eases the use of thin lines and light sinkers





Unrivalled casting accuracy and oscillation's damping thanks to Twist Free technology.



Low profile stainless steel plate reel seat, provided with rubber support to ensure the maximum stability with no harm for the rod's blank.



BALANCER WEIGHT

The butt cap, with internal thread, includes metal cylinder weights for perfect balancing of the rod. They can be removed or reassembled differently, according to the personal needs.

SUGGESTED USE

The optimal conditions to get the best out of each rod of the series are indicated on butt section.

Code	鱼	SUGGESTED USE					
124-42-210	T1 1-3	X-SENSITIVE	1-3	X-SENSITIVE	1-3		
124-42-220	T2 1-4	SENSITIVE	2-3	SENSITIVE	2-3		
124-42-230	T3 2-5	ALLROUND	2-4	ALLROUND	2-4		
124-42-240	T4 2-6	POWER	3-5	POWER	3-5		
124-42-250	T5 3-8	X-POWER	4-6	X-POWER	4-6		
124-42-260	B1 8-12	DEEP WATER	8-12	DEEP WATER	8-12		
124-42-270	B2 5-10	TOP WATER	5-10	TOP WATER	5-10		
124-42-280	B3 6-12	DEEP WATER	6-8	TOP WATER	8-12		
124-42-290	B4 8-15	DEEP WATER	8-10	TOP WATER	10-15		
124-42-300	B5 10-20	DEEP WATER	10-12	TOP WATER	15-20		
124-42-310	B6 12-20	DEEP WATER	12-15	DEEP WATER	12-15		
124-42-320	B7 15-25	DEEP WATER	20	DEEP WATER	20		
124-42-330	B7 20-35	DEEP WATER	20-30	DEEP WATER	20-30		

- Parabolic actions for short range job (T) and for distance/depth with Bombardas (B)
- Super Slim blanks made from High Modulus CX2 Nano Tek carbon + Twist Free technology
- Sensitive yet strong solid carbon tip, glued and wrapped (telescopic on B6-B7-B8 rods) Sea Guide medium leg guides with K frame and sliding guides fitting into each other
- Low profile, highly stable plate reel seat size 6, with rubber lined hoods
- Ultralight internal butt cap, with balancer weight and rubber o-ring for a perfect hold



		m m	cm	<u>Δ</u> T Δ g	TO	
124-42-210	T1 (UL)	4.00	118	150	7	1-3
124-42-220	T2 (UL)	4.00	118	152	7	1-4
124-42-230	T3 (LL)	4.00	118	156	7	2-5
124-42-240	T4 (L)	4.00	118	162	7	2-6
124-42-250	T5 (ML)	4.00	118	168	7	3-8
124-42-260	B1 (M)	4.20	123	192	7	8-12
124-42-270	B2 (MH)	4.40	124	192	7	5-10
124-42-280	B3 (H)	4.40	123	200	7	6-12
124-42-290	B4 (M)	4.40	123	210	7	8-15
124-42-300	B5 (MH)	4.50	123	243	7	10-20
124-42-310	B6 (H)	4.50	127	255	8	12-20
124-42-320	B7 (MH)	4.50	127	275	8	15-25
124-42-330	B8 (H)	4.80	142	355	8	20-35

Rod's weights include balancers

MEW HYDRUS NEO LAKE TROUT

S.H.M.R. SS SUPER SENSI LOSSED PRÉCISION PRÉCISION PRÉCISION DE CONTROL DE CO









- Parabolic and super-parabolic actions
- Ultra Slim blanks with remarkably thin handles
- Spliced top section with carbon solid tip inserted from top and wrapped
- Medium leg wrapped SiC guides. Guide's set extremely compact and perfect in every detail
- Colour band for immediate action/length identification
- Stainless steel plate reel seat with rubber inserts (size 6)
- · Ultralight butt cap with internal screw



		MODEL	m	cm	$\Delta \Delta Q$	10 m	
124-38-010	8 054393 184917	ULL	3.90	128	130	6	1-5
124-38-020	8 054393 184924	UL	3.90	128	130	6	2-8
124-38-030	8 054393 184931	ш	3.90	128	135	6	3-10
124-38-040	8 054393 184948	L	4.10	128	135	6	4-12
124-38-050	8 054393 184955	ML	4.10	128	160	6	6-15
124-38-060	8 054393 184962	M	4.20	128	160	6	10-20
124-38-070	8 054393 184979	МН	4.20	128	175	6	15-30
124-38-080	8 054393 184986	н	4.20	128	180	6	20-40









HYDRUS XTS LAKE BOMB











- · Lake trout rods with perfect parabolic action, blanks made from S.H.M.R. High Resistance
- Wrapped S-SiC guides, with sliding guides wrapped on to carbon pipes
 - Extremely sensitive tubular tip



- Long Cast Superlight Spool
- Balanced Handle with Soft Ergonomic Knob
- Anti Twist line roller
- Micro-adjusting front drag
- Max Plus line already loaded on the reel

















72



SLIVER TRL STRONG





SiC





- Lightweight rod with fast action and nice balance
- Metric scale on the butt section to help fish measurement
- Adjustable length system allowing to fish at different lengths (Multi Length System)
- Ultra lightweight, stainless steel medium leg guides, with incorporated ring
- Stainless steel plate reel seat with rubber profiles
- Internal screw cap with removable EVA overcap for additional protection

		m	cm	∆† ∆ 9	
124-44-050	8 054393 161536	4.00-5.00	136	275	5
124-44-060	8 054393 161543	4.00-5.00 6.00	138	325	6





In addition to the internal butt cap, the Prestige Bolo are equipped with a lightweight EVA cap to protect it from impacts and scratches

ANTRAX BLS STREAM



ALVILLA TRABUCCO ENGINEERED









- · Strong and fast polyvalent rod, also good for river trout fishing
- Plate reel seat size 6
- · Butt cap directly screwed into the wall



HYDRUS TRT











- length
- Size 6 plate reel seat, wrapped
- EVA tower to correctly space guides during transport



FLARE COREGONE







- Hybrid structure, with telescopic top section, applied by spigot joint on top of butt section
- Super sensitive solid carbon tip, with sliding guides wrapped on carbon pipes
- Natural cork handle, long enough to fit it into the armpit while fishing
- Reel seat made by sliding graphite hoods, also perfect for multiplier reels

mill (a) **₹** 126-91-340 3.10-3.40 2+3 120 25

The butt section has the adjustable device to modify the rod's length, according to fishing conditions.







MAXXIS STORIONE







- Special telescopic rod designed for Sturgeon fishing, with no limits casting weight
- Tubular carbon top section with sliding guides wrapped on carbon pipe
- Metal collar reinforcement on top of butt section to provide greater reliability
- O-ring inserted on each guide's wrapping to protect it during transport
- DPS style screw reel seat steel and rubber hoods, able to accommodate large size reels
- · Butt cap directly screwed into the rod's wall, with removable EVA cap











Special telescopic rod designed for Sturgeon fishing

ATOMIC X-POWER STURGEON

- New High Torque Resistant carbon fiber distribution system that contrasts torque
- Double-layer tubular carbon top section for maximum reliability and to handle weights up to 400 g
- Reinforcement wrapping on top of butt section to provide greater reliability
- O-ring inserted on each guide's wrapping to protect it during transport
- DPS style screw reel seat steel and rubber hoods
- Butt grip made of rubber material, with inner screw cap
- Round rubber removable cap, useful to support the groin during the fish retrieve

			cm	11	₾
156-43-420	8 054393 136701	4.20	145	4	400















INFINIUM X2 S.H.M.R. CARBON



- DPS graphite screw reel seat with steel and rubber hoods
- Smart Line clip fixed to the right side of the handle
 Super-slim lower rubber grip and metal cap with Trabucco logo

		mm	cm	=	
156-31-036	8 054393 176264	3.60	188	2	3.00

INFINIUM X3 S.H.M.R. CARBON



- Reinforcement wrapping at the base of the top section
- DPS graphite screw reel seat with steel and rubber hoods
- Smart Line clip fixed to the right side of the handle
- Super-slim lower rubber grip and metal cap with Trabucco logo

			cm	11	(b)
156-32-036	8 054393 176271	3.60	125	3	3.00

INSOLENCE S.H.M.R. CARBON



- Seven sections blank for compact closed length
- Tubular top section without sliding guides
- Rubber grips located just below the reel seat and at the butt lower end

		mm m	<u>cm</u>	77	
156-29-360	8 054393 053909	3.60	84	7	3.00
156-29-365	8 054393 053916	3.60	84	7	3.50



SURFCASTING

3 SECTIONS

CASSIOPEA		NXT SURF	77
HIDROGEN	NEW	COMPETIZIONE	78
SUPERNOVA	NEW	NT EVOLUZIONE	79
NEMESEA	NEW	XT SURF	80
KRIPTERIA	NEW	SX SURF	81
HYPNOTICA		SURF	81
KHAMSHIN		NGX SURF	82
OLYMPEA		RST-SURF	82
HURACAN	NEW	FRX SURF	83
HUNACAN		RSX SURF	83
SERENITY	NEW	X-CAST SURF	84
		HR SURF	85
VIRGO		TK SURF	85
		LD SURF	85
		SEA MASTER	86
EXTREMA		OVER CAST	86
		LONG CAST	96

	RACING SURF	87
NASHIRA	XTREME SURF	87
	EXTREME CAST	87
FIREBIRD	K-SURF	88
FINEBIND	L-SURF	88
	SURF RIDER	89
SHEDIR	WAVE RIDER	89
	LONG RANGE	89
	MASTER CAST	90
KRONOS	POWER CAST	90
	TEKNO CAST	90
OCEANIC	MASTER SURF	91
SONIC NEW	XT SURFCASTING	91
2 SECTIONS		
HIDROGEN NEW	ORIZZONTE	92
CASSIOPEA NEW	NXS SURF	93
ATHENA	EVOLUTION GT	93

ICONS LIST





CASSIOPEA NXT SURF


















- Blanks made from CX Nano Carbon with very low resin content
- Fuji Alconite guides with tangle free, stainless steel K frame design, fixed by double wrapping to seal the feet against saltwater intrusion
- Improved Twist Free technology with tighter pitch structure 45° carbon sheets on joints to achieve a perfect action curve (X-Joint)
- Tubular carbon top section with glowing finish (FH Rip Tip)
- Exclusive, ribbed rubber butt grip for total casting control











Slick Surface treatment allows smooth handling and reduces friction, providing a more user-friendly experience



New Cassiopea NXT takes advantage from latest
generation Twist Free. It counteracts torsion in
the blank, protecting it from breakage but mainly
increasing casting distance and accuracy, because
the longitudinal carbon fibers and rod's guides keep
their alignment during the cast



Fuji KWAG guides with Alconite ring and tangle free stainless steel K frame, all fixed by double wrapping to seal their feet.






Strength, accuracy and reliability are at the highest level, with the original Fuji Long Nose DNPS graphite







- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Fine and ultralight metal ring reinforcing the top end of lower sections
- · Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- · A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations



Fuji LS7 plate reel seat with rubber lining to also accommodate large size reels. With the special smoothness of its locking hood, the absolute reliability and the stainless steel structure, the Fuji plate reel seat is quite simply the best in the world.









Slick Surface treatment allows smooth handling and reduces friction, providing a more user-friendly experience.

		m	cm	10	
171-86-800	8 054393 190840	4.20	145	3	250
171-86-810		4.35	154	3	235



PVR SERSTING

PVD

FRAME

CORROSION

FREE

K-Guide Titanium

S sea guide

develop its whole reactivity.

≅TRABUCCO

SUPERNOVA NT EVOLUZIONE















- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Fine and ultralight metal ring reinforcing the top end of lower sections
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations
- · Ultralight Sea Guide SiC guides with Titanium tangle free K profile frame; single leg guides on solid tip









The solid carbon tip, inserted from top, glued and wrapped, offers an extraordinary bite sensitivity. It is glowing in the dark to be clearly visible.



the Fuji plate reel seat is quite simply the best in the world.





The SiC guides encourage the use of braided lines, while their super lightweight Titanium frame frees the blanks to develop its whole reactivity. Quality is Sea Guide, of course.



The guides are fixed by double wrappings to allow the lacquer to completely seal the narrow rooms running on both sides of their feet, preventing saltwater from entering.



On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So Hidrogen performs like a knife, rather than - in a mess - like a whip.

(A)



The exclusive ribbed rubber lower grip ensures excellent control of the rod, while the rounded knob relieves the load on the groin, when the support is necessary.





		لسلسا			[7.3.7]
172-06-310	8 054393 190918	470	163	3	130
172-06-320	8 054393 190925	430	149	3	160
172-06-330	8 054393 190932	470	163	3	160
172-06-340	8 054393 190949	430	149	3	200
172-06-350	8 054393 190956	470	163	3	200









- Twist Free technology raises casting distance and accuracy
- 45° carbon sheets on joints to achieve a perfect action curve (X-Joint)
- Solid carbon tip inserted and glued on tubular part (Hybrid Tip)
 Slick Surface blank finish repels water drops, avoiding line's sticking
- Seaguide SiC guides with tangle free, stainless steel K frame design, fixed by double wrapping to seal the feet against saltwater intrusion
- Ergonomic Fuji Long Nose DNPS graphite reel seat
- Exclusive, ribbed rubber butt grip for total casting control













		m	cm	10	
172-17-160	8 054393 181794	4.20	145	3	160
172-17-165	8 054393 181800	4.50	157	3	160
172-17-200	8 054393 181817	4.20	145	3	200
172-17-205	8 054393 181824	4.50	157	3	200
172-17-250	8 054393 183927	4.20	145	3	250 NEW
172-17-255	8 054393 183934	4.50	157	3	250 NEW





₹TRABUCCO

KRYPTERIA sx surf















- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- Twist Free technology applied on butt and middle section to contrast torsion, increasing casting accuracy and distance
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Fine and ultralight metal ring reinforcing the top end of lower sections
- Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Fuji NS size 7 plate reel seat with rubber lining to also accommodate large size reels
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast








With the special smoothness of its locking hood, the absolute reliability and the stainless steel structure, the Fuji NS plate reel seat is quite simply the best in the world

		m	cm	17	
172-07-310	8 054393 190888	4.30	149	3	130
172-07-320	8 054393 190895	4.30	149	3	160
172-07-330	8 054393 190901	4.30	149	3	200







Ultralight Sea Guide SiC guides with Titanium tangle free K profile frame; single leg guides on solid tip.

HYPNOTICA surf

HUDINOTICA SUR













- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast









Fuji NS size 7 plate reel seat with rubber lining to also accommodate large size reels. The absolute relia-



Special 45° warping of the outer carbon layers contrasts the torsion in the butt section, increasing distance and precision of casting, as well as protecting the blank from breakage.



Ultralight Sea Guide SiC guides with Titanium tangle free K profile frame; single leg guides on solid tip.

		m m	<u>cm</u>	T-	9
172-09-130	8 054393 173522	4.45	154	3	130
172-09-160	8 054393 173539	4.45	154	3	160
172-09-200	8 054393 173546	4.45	154	3	200



KHAMSHIN NGX SURF





- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Fine and ultralight metal ring reinforcing the top end of lower sections
- Rod supplied with 2 top sections: HY Hybrid Tip with solid carbon tip; NG Nage Japan Style with tubular profile
- The final part of the tip is coloured with hi-viz paint
- A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations
- Exclusive butt grip made from shaped rubber to ensure a good casting control



ASTREACTION BLANK





Ultralight Sea Guide SiC guides with Titanium tangle free K profile frame; corrosion free thanks to PVD treatment.



The guides are fixed by double wrappings to allow the lacquer to completely seal the narrow rooms running on both sides of their feet, preventing saltwater from enterina





Rod supplied with 2 top sections: HY Hybrid Tip with solid carbon tip; NG Nage Japan tubular profile



The plate reel seat is the best you can actually ask for, the tried and tested PacBay. Made entirely of stainless steel with protective rubber profiles, it is resistant to wear and external agents, and is ergonomic and stylish at the same time.

OLYMPEA RST SURF

172-15-200















PVR SASTING



- · Butt section made with new Twist Free technology to contrast torsion, avoiding power loss and protecting blank's integrity
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Fuji DPS screw reel seat with rubber lining to also accommodate large size reels
- Exclusive butt grip made from shaped rubber







Thanks to a dramatically angled ring, Fuji solved the line tangle problem forever. A common problem which normally causes time loss, sometimes line breakage and, in worst cases, even rod breakage.



JST. The new Trabucco section's alignment system is based on three lines instead of two, exactly as in the high precision optics. The concept starts from the physical characteristics of the human eye, which has a higher bisection capacity rather than alignment.







HURACAN FRX SURF













- Blanks made from High Modulus CX-2 Nano Tek Carbon with low resin content
- Super sensitive solid carbon tip finished in white paint (Hybrid Tip)
- Zero Friction blank's finish repels moisture for a faster line's flow
- Fine metal collar on top end of butt and middle sections
- Rough painted areas near joints, to ease section's dismantling with wet hands
- Trabucco alignment system marks on all sections
- Double leg Sea Guide SiC guides, with rust free frame, double wrapped
- Graphite and stainless steel screw reel seat
- High density EVA butt grip with rounded rubber butt cap





		cm	TT.	Ī
172-04-310	4.20	145	3	200
172-04-320		157	3	200
172-04-330 8 054393 18612	4.20	145	3	250
172-04-340	4.50	157	3	250







HURACAN RSX SURF











- Slick Surface outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- A special Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- DPS screw reel seat with rubber lining to also accommodate large size reels
- Exclusive butt grip made from shaped rubber to ensure a good casting control


		لستسا	<u>cm</u>	10-	
172-14-160	8 054393 161840	4.20	145	3	160
172-14-165	8 054393 161857	4.50	157	3	160
172-14-200	8 054393 161864	4.20	145	3	200
172-14-205	8 054393 161871	4.50	157	3	200











- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly
- Exclusive butt grip made from shaped rubber to ensure a good casting control









SURF FP FLUORO POWER Find out more on page 237 ∅0.307 300m / 600m **TRABUCCO** · Exclusive monofilament for surf casting, with three layer's structure Highly compact Nano-Tech core for extreme strength Super soft intermediate layer Smooth and durable Fluorocarbon outer skin Reduced stretch for a superior sensitivity Total absence of memory Colour: pink TOURNAMENT CLASS FORCE 052-04-... / 052-05-...

Available Diameter: 0.165 mm - 0.355 mm

≅TR ΔBUCCO

VIRGO HR SURF





- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Fuji MN guides, fixed by double wrappings to seal their feet against saltwater
- Fuji DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control





			cm		
171-99-300	8 054393 173478	4.20	145	3	160
171-99-400	8 054393 173485	4.50	155	3	160

VIRGO TK SURF





- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Fuji MN guides, fixed by double wrappings to seal their feet against saltwater
- Fuji DPS screw reel seat with rubber lining, able to also accommodate large size reels
- · Non-slip rubber butt grip to ensure a good casting control





		m	cm		
171-99-500	8 054393 173492	4.20	145	3	200
171-99-600	8 054393 173508	4.50	155	3	200

VIRGO LD SURF











- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Fuji LC guides, fixed by double wrappings to seal their feet against saltwater
- Fuji DPS screw reel seat with rubber lining, able to also accommodate large size reels
- · Non-slip rubber butt grip to ensure a good casting control





		mini	<u>cm</u>	10 P	
171-99-700	8 054393 173515	4.20	145	3	200

EXTREMA SEA MASTER MN





- Structure made from High Modulus CX1 carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- · Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- · Double leg Sic MN guides, fixed by double wrappings to seal their feet against saltwater
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control





		m	cm	TO	(g)
172-02-300	8 054393 163653	4.20	145	3	160
172-02-400	8 054393 163660	4.50	155	3	160

EXTREMA OVER CAST MN





- Structure made from High Modulus CX1 carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Double leg Sic MN guides, fixed by double wrappings to seal their feet against saltwater
- · DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control





		m	cm	77	9
172-02-500	8 054393 163677	4.20	145	3	200
172-02-600	8 054393 163684	4.50	155	3	200

EXTREMA LONG CAST LC





- Structure made from High Modulus CX1 carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Double leg Sic LC guides, fixed by double wrappings to seal their feet against saltwater
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control





		m	cm	T	9
172-02-700	8 054393 163691	4.20	145	3	200
172-02-800	8 054393 163707	4.50	155	3	200

TRABUCCO

NASHIRA RACING SURF





- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful blank (Fast reaction blank)
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with highly visible and reflective paint
- Double leg Sic MN frame guides, protected from corrosion
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber shaped butt grip to ensure a good casting control





		m	cm	TO .	
172-16-050	8 054393 183491	4.20	145	3	160
172-16-055	8 054393 183507	4.50	155	3	160



NASHIRA XTREME SURF









- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful blank (Fast reaction blank)
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section

cm

145

155

10

3

- The final part of the tip is coloured with highly visible and reflective paint
- Double leg Sic MN frame guides, protected from corrosion
- DPS screw reel seat with rubber lining, able to also accommodate large size reels

4.20

4.50

Non-slip rubber shaped butt grip to ensure a good casting control

SiC K-Guide







NASHIRA EXTREME CAST

172-16-100

172-16-150









- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful blank (Fast reaction blank)
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with highly visible and reflective paint
- Double leg Sic LD frame guides, protected from corrosion
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber shaped butt grip to ensure a good casting control







		m	<u>cm</u>	TO	
172-16-500	8 054393 173461	4.20	145	3	200



FIREBIRD K-SURF











- Blanks made from High Modulus CX-1 Micropitch Carbon
- Super sensitive solid carbon tip finished in white paint (Hybrid Tip)
- Metal collar on top end of butt section
- Trabucco alignment system marks on all sections
- Double leg SiC guides, with rust free K frame, double wrapped
- Graphite and stainless steel screw reel seat
- Ergonomically shaped rubber butt grip for high casting control
- Aluminium and rubber butt cap









FIREBIRD L-SURF









- Powerful rod designed to handle up to 250 g lead weights
- Blanks made from High Modulus CX-1 Micropitch Carbon
- Super sensitive solid carbon tip finished in white paint (Hybrid Tip)
- Metal collar on top end of butt section
- Trabucco alignment system marks on all sections
- Double leg SiC guides, with rust free LC frame, double wrapped
- Graphite and stainless steel screw reel seat
- Ergonomically shaped rubber butt grip for high casting control
- Aluminium and rubber butt cap









88



- Highly responsive blank (Power Casting Performance)
- Sensitive top section with solid carbon tip (Hybrid Top)
- Double leg SiC guides with lightweight, corrosion free MN frame
- DPS type screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt shaped grip to ensure a good casting control







SHEDIR WAVE RIDER MN



- Structure made from S.H.M.R. High Resistance Carbon
- Highly responsive blank (Power Casting Performance)
- Sensitive top section with solid carbon tip (Hybrid Top)
- Double leg SiC guides with lightweight, corrosion free MN frame
- DPS type screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt shaped grip to ensure a good casting control





SHEDIR LONG RANGE LC



- Structure made from S.H.M.R. High Resistance Carbon
- Highly responsive blank (Power Casting Performance)
- Sensitive top section with solid carbon tip (Hybrid Top)
- Double leg SiC guides with lightweight, corrosion free LC frame
- DPS type screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt shaped grip to ensure a good casting control





KRONOS MASTER CAST MN









- Highly responsive blank allowing long and precise casting (Fast Reaction Blank)
- Joints reinforced by crossed carbon bands
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- Two-line alignment system, always guaranteeing perfect assembly of sections
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control








KRONOS POWER CAST MN











- Joints reinforced by crossed carbon bands
- Sensitive and powerful tubular top section (TB)
- Two-line alignment system, always guaranteeing perfect assembly of sections
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control









KRONOS TEKNO CAST LC









- Highly responsive blank allowing long and precise casting (Fast Reaction Blank)
- Joints reinforced by crossed carbon bands
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- Two-line alignment system, always guaranteeing perfect assembly of sections
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- · Non-slip rubber butt grip to ensure a good casting control

		m	cm	TO	
171-90-800	8 05/383 003/61	4.20	145	3	200









₹TRABUCCO

OCEANIC MASTER SURF









- Joints reinforced by crossed carbon bands (Cross Reinforced)
- Sensitive and powerful tubular top section
- DPS screw reel seat with anti-corrosion treatment
- Non-slip grip that allows a good casting control

SiC	Ø

PUR SERSTING

		mmin	<u>cm</u>	TO	
170-54-930	8 054393 000750	4.20	145	3	250
170-54-940	8 054393 000767	4.50	157	3	250

SONIC XT SURFCASTING









- Reliable structure in H.R.C. High Resistant Composite Carbon
- Sensitive and powerful tubular top section
- Double leg S-SiC guides with corrosion proof frame
- DPS screw reel seat with anti-corrosion treatment
- · Non-slip grip that allows a good casting control






























HIDROGEN PRIZZENTE

- Spigot joint for a perfect action curve
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The top end of the tip is colored with highly visible and reflective paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Exclusive bottom grip with round rubber knob to ensure the best casting control




Strength, accuracy and reliability are at the highest level, with the original Fuji screw reel seat made from graphite and stainless steel. Rubber lined hoods protect the reel's foot from any abrasion.

The butt end cap is a feature that many don't consider. But in fact it helps all the operations during the casts or when fishing and additionally it has the function to protect the butt end. We've designed also special rubber caps also for the inner sections to prevent any damage during the transport.



		m	<u>cm</u>	11	9
172-19-400	8 054393 190864	4.05	207	2	235
172-19-410		4.05	207	2	250







The Sea Guide SiC guides with K frame are fixed by double wrappings to completely seal the sides of their feet, preventing saltwater to get in. The guides fitted on Hidrogen rods take advantage from a special production process, referred to as PVD, English acronym of "Physical Vapor Deposition", which allows to obtain a very high resistance to corrosion and aggressive agents. All this takes place through the deposition of a protective film on the frame, which seals and protects the steel without changing its structure, weight and technical specifications. All accompanied by SiC rings. A further step forward for rods with very high performance and more reliable in every part!





The Hybrid Tip has been designed to meet the need for a tip that is sensitive enough to detect bites at a distance, yet capable of maintaining the correct action at all times. We have then managed to combine the unsurpassed sensitivity of a solid carbon tip design with the power of a tubular carbon blank to create a perfect match. With this solution, the blank does the actual casting, absorbing all the energy before releasing it at the end of the cast, while the solid tip takes care of accuracy and, of course, bite detection.

92





≅TR ΔBUCCO

CASSIOPEA NXS SURF

















- CXN Nano Teck carbon structure with a low resin content Low Resin Contenet (LRC) with reinforced graft
- Improved Twist Free technology with a tighter winding structure (finer pitch), positioned on the base and tip, which counteracts any torsion caused during casting, resulting in greater accuracy and distance
- Reinforcement on the joints with 45° carbon strips to achieve a perfect curvature (X-Joint) cancels out any oscillations of the shaft
- Tubular carbon tip with last section split by fusion of several materials (FH Rip Tip), end section coloured with high visibility paint and wrapped with reflective tape
- Slick Surface outer finish repels water droplets, preventing the line from sticking to the shaft











Fuji LS7 reel holder plate with removable central support, ideal for comfortably housing big reels.



The high modulus carbon sheet, which gives power to these rods blank, sweetly blends into softer materials to provide the right sensitivity to detect fish bites. But the conversion is gradual, within the tubular top section, and this requires high class technology to avoid weak points and curve imperfections, which would cause a bad power transfer. All over the world, this concept is well known as "multi-action tip", but it's not equally common the process of layer's overlapping and fusion which bring to a perfect result, inch by inch.

		mini)	cm	□	9
172-19-250	8 054393 181725	4.05	210	2	250





On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So Hidrogen performs like a knife, rather than - in a mess - like a whip.

Fuji Alconite KWAG double shank rings, with a K-profile frame, which prevents the creation of tangles when casting; secured by means of a double binding that seals the feet against the intrusion of salt water, a reflective band is inserted between the ring bindings for better night-time localisation





The exclusive ribbed rubber lower grip ensures excellent control of the rod, while the rounded knob relieves the load on the groin, when the support is necessary.

ATHENA EVOLUTION GT





K-Guide

S sea•guide



PVD


FRAME

CORROSION

FREE

PVR SERSETING





- Spigot joint for a perfect action curve
- FH RIP Tip made by fusion of different materials to obtain a spineless and extremely sensitive top section The top end of the tip is colored with highly visible and reflective paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections Genuine Fuji DPS screw reel seat with steel hoods, able to host large size reels
- Exclusive bottom grip with round rubber knob to ensure the best casting control





The Sea Guide SiC guides with K frame are fixed by double wrappings to completely seal the sides of their feet, preventing saltwater to get in. The guides fitted on Athena rods take advantage from a special production process, referred to as PVD, English acronym of "Physical Vapor Deposition", which allows to obtain a very high resistance to corrosion and aggressive agents. All this takes place through the deposition of a protective film on the frame, which seals and protects the steel without changing its structure weight and technical specifications. All accompanied by SiC rings. A further step forward for rods with very high performance and more reliable in every part!




SURFCASTING TELE

CASSANDRA	GTR	95
XANDRIA NEW	SUN SEEKER	96
SCARLET NEW	FIRE WAVE	96
ORACLE NEW	REVOLUTION	96
SEATALISMAN NEW	DYNAMIC SURF	97
AEGEAN	SURF MASTER	97
AEGEAN	CAST MASTER	97
ANDROMEDA	XTREME SURF 150	98
ANDROMEDA	XTREME CAST 200	98
AVALON NEW	SURFCASTING	99
OCEANIC	POWER SURF	99
VEKTOR NEW	PRO SURFCASTING	100
SONIC NEW	XT SURFCASTING-T	100



ICONS LIST







CASSANDRA GTR















- Telescopic rod with tip action, very fast in the body and sensitive on top
- 7 sections with Ultra Slim profile and nice balance
- Blanks made from CX-2 Nano-Tek carbon with low resin content (LRC)
- · Butt section built with Twist Free technology to contrast torsion and increase casting distance and accuracy
- Joints made through X-Joint technology for perfect curve and less oscillations
- Hyper sensitive solid carbon tip, painted in white
- SiC Sea Guide guides with tangle free K frame and PVD protection against rust
- Stainless steel plate reel seat with rubber lining, wrapped on a soft rubber grip











Built in CX-2 Nano Carbon.

Aluminium and rubber butt cap.

		m m	cm	TT.	9
170-89-200	8 054393 162649	4.20	147	7	100
170-89-230	8 054393 162656	4.20	147	7	130
170-89-250	8 054393 162663	4.20	147	7	150



It's well known that all joints connecting rod's sections are weak points, both from strength and action's point of view, as they cause those "dead spots" which are risky in term of breakage, beyond the bad looking. The solution is hidden in the X-JOINT technology, which means that - on joints area - carbon cloths are laid by 45° angle instead of 90°

TRADITIONAL REINFORCEMENT



- · Stress is concentrated at both ends
- · Dead spots, risk of breakage

45° REINFORCEMENT (X-JOINT)



- · Stress is dispersed along the blank
- Perfect curve, no breakage risk



- Perfect curve, without dead spots
- Unique coexistence of flexibility and stiffness
- Higher structural strength, because stress is dispersed through the blank, instead of being concentrated on joint's ends.
- Less oscillations at the end of casting, which means quicker realignment of guides.

Within X-Joint by Trabucco, the carbon cloth is wound by two directions, and such construction is visible on top end of each section.

XANDRIA SUN SEEKER









- 6 section telescopic rod with stiff and powerful action
- Blank made from CX1 High Modulus Micro Pitch carbon
- Special Slick Surface outer finish to prevent the line from sticking to wet blank
- Extremely sensitive solid carbon tip, painted in white
- Double leg Sea Guide SiC guides with saltwater protection
- Corrosion free size 7 Pac Bay plate reel seat, wrapped
- Exclusive lower grip with round aluminium and rubber knob to ensure good casting control











SCARLET FIRE WAVE









- Telescopic rod with progressive parabolic action, great for beach or pier fishing
- Zero Friction finishing to prevent the line from sticking to the rod when it's wet
- Reinforcements on the joints by crossed carbon bands
- Extremely sensitive solid carbon tip, painted in white
- Double leg S-SiC guides with corrosion free light frame
- Graphite screw reel seat with corrosion proof steel hood
- Exclusive rubber butt grip with bottom round cap

		m m	cm		
172-10-910	8 054393 186447	4.20	160	5	150
172-10-920	8 054393 186454	4.20	160	5	180
172-10-930	8 054393 186461	4.20	160	5	200



















- Telescopic rod with a progressive tip action, ideal for striped bream fishing
- 6-section telescopic structure with extremely slim profile and short closed length
- Zero Friction finishing to prevent the monofilament from sticking to the rod when it's wet
- Extremely sensitive solid carbon tip, painted in white
- Double leg SiC guides
- Graphite screw reel seat with corrosion free steel hood
- Exclusive rubber butt grip with bottom round cap

		mini	cm	TO	
172-11-500	8 054393 188595	4.20	165	6	150
172-11-510	8 054393 188601	4.50	165	6	150
172-11-520	8 054393 188618	4.20	165	6	200
172-11-530	8 054393 188625	4.50	165	6	200







96





NEW SEATALISMAN DYNAMIC SURF









DYNAMIC SURI

- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- Two different colors to identify the actions: red (150 g), blue (200 g)
- Reinforcements on the joints by crossed carbon bands
- Extremely sensitive solid carbon tip with hi-viz paint finish
- Graphite screw reel seat with no corrosion steel hood
- · Lower grip made of non-slip material for a good casting grip

			m	cm	00 0
171-85-810	8 054393 186423	150	4.20	152	6
171-85-820	8 054393 186430	200	4.20	152	6







AEGEAN SURF MASTER







- · Telescopic structure made of 5 sections with fast and powerful action curve
- Blanks made from S.H.M.R. High Resistance Carbon
- Zero Friction Blank gets rid of water droplets for faster casting action
- Sensitive solid carbon tip, painted in white
- Double leg S-Sic guides with corrosion proof MN frame and protective o-rings
- Ergonomic graphite screw reel seat with stainless steel rubber lined hood
- Aluminium butt cap with rubber insert

			<u>cm</u>	•	
169-27-410	8 054393 176745	3.90	134	5	150
169-27-420	8 054393 176752	4.20	142	5	150





AEGEAN CAST MASTER







- Telescopic structure made of 5 sections with fast and powerful action curve
- Blanks made from S.H.M.R. High Resistance Carbon
- Zero Friction Blank gets rid of water droplets for faster casting action
- Strong tubolar carbon tip, painted in white
- Double leg S-Sic guides with corrosion proof MN frame and protective o-rings
- Ergonomic graphite screw reel seat with stainless steel rubber lined hood
- Aluminium butt cap with rubber insert

		mmin	cm		(g)
169-26-410	8 054393 176721	3.90	134	5	200
169-26-420	8 054393 176738	4.20	142	5	200





ANDROMEDA XTREME SURF 150











- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- Reinforcements on the joints by crossed carbon bands
- Extremely sensitive solid carbon tip with hi-viz paint finish
- Graphite screw reel seat with no corrosion steel hood
- Lower grip made of non-slip material for a good casting grip

		mm	cm	<u> </u>	
169-27-010	8 054393 003416	3.60	121	5	150
169-27-020	8 054393 003423	3.90	134	5	150
169-27-030	8 054393 003430	4.20	142	5	150















- Telescopic rod with progressive parabolic action, great for beach or pier fishing
- Reinforcements on the joints by crossed carbon bands
- Extremely sensitive and powerful carbon tubular top section, coloured with hi-viz paint
- Graphite screw integratedreel seat with corrosion resistant steel
- Lower grip made of non-slip material to provide good casting grip

		لستنسا		10-	
169-26-010	8 054393 003386	3.60	121	4	200
169-26-020	8 054393 003393	3.90	134	4	200
169-26-030	8 054393 003409	4.20	142	4	200





ANDROMEDA XT SURF & AVALON SURFCAST

Find out more on pages 189-191









NEW AVALON SURFCASTING





- Slim blanks made from High Resistance Carbon
- Light and strong tubolar top section, painted for better visibility
- Double leg guides with corrosion proof frame and S.SiC inner ring
- Two sliding guides on top section, wrapped on to a carbon pipe
- · Graphite screw reel seat with stainless steel hoods
- Aluminium butt cap with rubber insert

				cm	71 -
170-53-600	8 054393 183682	130	4.00	142	4
170-53-650	8 054393 183699	150	4.00	142	4





OCEANIC POWER SURF





- Powerful telescopic in 4 sections rod with parabolic action, good for both beach fishing and rocks or piers
- Reinforcements on the joints by crossed carbon bands
- Sensitive carbon tubular tip with hi-viz coloured end
- Graphite screw reel seat with no corrosion steel hood
- Lower grip made of non-slip material for a good casting grip



	m	<u>cm</u>		
170-52-020	4.00	128	4	150

NEW VEKTOR PRO SURFCASTING





- Telescopic rod with parabolic action, ideal for fishing from the beach as well as rocks or piers
- Joints reinforced by crossed carbon bands
- Tubular carbon top section with highly visible paint
- Graphite screw reel seat with anti-corrosion steel hood
- Lower grip made of non-slip material to ensure a good casting grip



		(mmm)	cm	TO	
170-52-210	8 054393 188458	4.00	146	5	150
170-52-220	8 054393 188465	4.20	146	5	150

SONIC XT SURFCASTING-T








- Powerful telescopic in 4 sections rod with parabolic action, good for both beach fishing and rocks or piers
- Reinforcements on the joints by crossed carbon bands
- Sensitive carbon tubular tip with hi-viz coloured end
- Graphite screw reel seat with no corrosion steel hood
- · Lower grip made of non-slip material for a good casting grip









LIGHT SURF & BEACH LEGERING

SUPERNOVA	GR PROLITE	102
CATTURA	XC BEACH	103
IMPERA	F-1 BEACH	103
ATHENA NEW	EVO BEACH	104
ORACLE	PROGRESS BEACH	104
PERSEIDE	ACCURATE BEACH	105
FOLGORE	MASTER BEACH	105
	SENSE BEACH	105
FLAME	MORMORA	106
	TEKNO BEACH	106
KRONOS	PROGRESS BEACH	107
SONIC	XS MORMORA	107
JOINIO	XS STARTER BEACH	107

ICONS LIST





SUPERNOVA GR PROLITE

















- · Long rods designed for competition beach legering with medium-light rigs
- Slim structure made of 3 sections with fast and sensitive action curve
- Blank made from Super High Modulus CX-Nanotube carbon with Low Resin Content for lightness and fast reaction
- Twist Free technology on butt and lower area of middle section for high casting accuracy and longer distance
- Joints made with 45° crossed carbon sheets to achieve a perfect action curve (X-Joint)
- Slick Surface finish repels water droplets, preventing line's sticking to the blank
- Rough paint around joints helps gripping with wet hands, when the rod must be dismantled
- Two long and sensitive, interchangeable solid carbon tips: Soft and Stiff, painted in white with glowing tape for high visibility in the darkness
- Sea Guide SiC guides with ultralight, corrosion proof K shaped Titanium frame; single leg guides on tips
- Guides fixed by double wrappings to seal guide's feet against salt water intrusion
- Size 7 Fuji NS stainless steel plate reel seat with rubber lined hoods
- Rubber butt grip with round rubber butt cap

		m	<u>cm</u>	TT.	
172-06-110	8 054393 174185	4.60	150	3+2	110
172-06-115	8 054393 174192	5.00	164	3+2	100

A House Man





Fuji NS size 7 plate reel seat with rubber lining to also accommodate large size reels. With the special smoothness of its locking hood, the absolute reliability and the stainless steel structure, the Fuji plate reel seat is quite simply the best in the world.



The SiC guides encourage the use of braided lines, while their super lightweight Titanium frame frees the blanks to develop its whole reactivity. Quality is Sea Guide, of course.



ACT

Soft

Stiff

172-06-110-R01A

172-06-110-R01B

MATERIAL

CARRON

CARBON

The guides are fixed by double wrappings to allow the lacquer to completely seal the narrow rooms running on both sides of their feet, preventing saltwater from entering.











On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So Supernova performs like a knife, rather than - in a mess - like a whip.





₹TRABUCCO

CATTURA XC BEACH















- · Extremely slim yet responsive and powerful blank (Fast reaction blank)
- Butt section and part of second section made with Twist Free technology to contrast torsion, improving casting distance and accuracy



- 45° carbon sheet on joints to achieve a perfect action curve (X Joint), with Woven Carbon protective layer
- Slick Surface Blank outer finish that repels moisture and water drops, thus avoiding line
- Interchangeable solid carbon tips to adapt sensitivity to fishing conditions, with high visibility tape
- A special rough finish has been applied to the joints to provide grip during the assembly and dismantling operations
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Stainless steel Fuji NS7 plate reel seat, wrapped on to a segment of soft rubber grip
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast

	ACT				
172-08-401	SOFT				
172-08-402	MEDIUM		= V	VD CF	STING
172-08-403	STIFF	_			
SPARE TIPS CA	RBON	-	-05	REACTIC	N BLANK
		m	cm		
172-08-420		4.20	142	3+3	100

		لسلسا		U:-	[191]
172-08-420	8 054393 162045	4.20	142	3+3	100
172-08-450	8 054393 162052	4.50	152	3+3	100
172-08-500	8 054393 162533	5.00	167	3+3	120

IMPERA F-1 BEACH















- Extremely slim yet responsive and powerful blank (Fast reaction blank)
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint), with Woven Carbon protective layer
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Interchangeable solid carbon tips to adapt sensitivity to fishing conditions
- A special Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Stainless steel Fuji NS7 plate reel seat, with removable central cover host large size reels
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast





WR CASTING



	ACT			
172-05-001	LIGHT			
172-05-002	MEDIUM			
172-05-003	HEAHY			
SPARE TIPS CARBON				



Special rubber butt grip with rounded rubber cap, it helps all the operations during the casts or when fishing and additionally it has the function to protect the butt end.



Special 45° warping of the outer carbon layers contrasts the torsion in the butt section, increasing distance and precision of casting, as well as protecting the blank from breakage.



Anti-tangle K-profile frame, protected against corrosion by PVD treatment; SiC ring: the best for the use of braided lines. Double wrappings to perfectly seal the sides of the feet



















- Rod designed for light beach fishing, as well as from rocks or piers
- Slim blank made from High Modulus CX-1 Micro Pitch carbon with low resin and semi-parabolic action;
- Joints made with 45° crossed carbon sheets to achieve a perfect action curve (X-Joint)
- Twist Free technology on butt and lower area of middle section for high casting accuracy and longer distance
- Supplied with 2 interchangeable solid carbon tips: 60 g (Light), 100 g (Heavy)
- Final part of tips coloured with reflective tape
- Slick Surface Blank outer finish rejecting moisture and water drops to avoid the line sticking to the rod









Strength, accuracy and reliability are at the highest level, with the original Fuji screw reel seat made from graphite and stainless steel. Rubber lined hoods protect the reel's foot from any abrasion.



Special rubber butt grip with rounded rubber cap, it helps all the operations during the casts or when fishing and additionally it has the function to protect the butt end.



Double leg Sea Guide SiC guides with PVD protected tangle free K profile frame.



	[ACT]	
171-92-100-R01A	LIGHT	
171-92-100-R01C	HEAVY	
SPARE SOLID CARBO	N TIPS	
OI FILL COLID OAIIDO	0	1

ORACLE progress beach











- Three section super slim blank made from High Modulus CX1 Micro Pitch carbon, with semi-parabolic action
- Supplied with interchangeable solid carbon tips: Light (White and Yellow), Heavy (White and Orange)
- Final part of tips coloured with highly visible and reflective paint
- Slick Surface Blank outer finish rejecting moisture and water drops to avoid the line sticking to the rod
- Guides fixed by double wrappings to seal their feet against saltwater intrusion
- Double leg Sea Guide SiC guides with corrosion free PVD frame
- PacBay plate reel seat made from stainless steel with rubber profiles
- Exclusive rubber shaped butt grip to provide total casting control



	ACT
171-91-100-R01	LIGHT
171-91-100-NU1	HEAVY
SPARE TIPS CARE	BON





₹TRABUCCO

PERSEIDE ACCURATE BEACH









- Rod designed for medium light beach fishing to striped bream, also good for rock or pier fishing
- · Blank made from High Modulus CX1 Micro Pitch carbon material with inner carbon reinforcement bands and Zero Friction surface finish on inner sections
- Supplied with 2 spineless solid carbon tips: Light Action 50 g, Heavy Action 100 g
- · Final part of the tips coloured with highly visible and reflective paint
- Stainless steel reel seat with rubber profiles, able to accommodate large reels
- Exclusive butt grip to provide total casting control





		m	cm	11	
171-80-042	8 054393 174031	4.20	128	4+2	100
171-80-045	8 054393 174048	4.50	145	4+2	100

Spare tips	ACT
171 00 040 D01	Stiff HEAVY
171-80-042-R01 —	Soft LIGHT



NEW FOLGORE MASTER BEACH











- Rod designed for light beach fishing, also good for rock and pier fishing with semi parabolic action
- Two interchangeable solid carbon tips, painted in fluo colours for high visibility: Light (Yellow, 20-50 g) and Heavy (Orange, 60-110 g)
- Final part of the tips coloured with highly visible and reflective paint
- Ergonomic DNPS screw reel seat made of graphite and stainless steel slider, very stable and able to accommodate even large reels
- Exclusive butt grip to provide total casting control





PWR SEBSTING

		m m	<u>cm</u>		
170-83-500	8 054393 186393	4.20	159	4+2	110
170-83-510	8 054393 186409	4.50	169	4+2	110



FOLGORE SENSE BEACH









- Rod designed for medium light beach fishing, also good for rock and pier fishing with semi parabolic action
- Telescopic solid carbon tip, coloured with high visibility paint
- Double leg S-SiC guides, with lightweight and corrosion free frame
- Graphite ergonomic reel seat, which can accommodate large reels
- Exclusive butt grip to provide total casting control









		m	cm	<u> </u>	
170-83-600	8 054393 186416	4.20	169	5	100



NEW FLAME MORMORA









- · Slim telescopic structure made of 5 sections with fast and sensitive action
- Blank made from S.H.M.R. High Resistance Carbon
- · Sensitive solid carbon tip, painted in white, with wrapped sliding guide
- Double leg S-SiC guides with corrosion proof frame and protective o-rings incorporated in all wrappings
- Very stable and comfortable ergonomic graphite screw reel seat, with stainless steel rubber lined hood
- Aluminium butt cap with rubber insert















NEW FLAME TEKNO BEACH









- Slim telescopic structure made of 5 sections with fast and sensitive action
- Blank made from S.H.M.R. High Resistance Carbon
- Sensitive solid carbon tip, painted in white, with wrapped sliding guide
- Double leg S-SiC guides with corrosion proof frame and protective o-rings incorporated in all wrappings
- Very stable and comfortable ergonomic graphite screw reel seat, with stainless steel rubber lined hood
- Aluminium butt cap with rubber insert



		m	cm	TO	
169-25-220	8 054393 184313	4.00	126	5	120



PVR SERSTING

FASTREACTION BLANK



KRONOS progress beach











- · Telescopic rod with parabolic action, great for beach, rocks and piers fishing
- Two interchangeable carbon tips: Light> 20-50 g and Heavy> 50-100 g
- Ergonomic graphite screw reel seat with steel hood
- Exclusive butt grip to provide total casting control







SONIC XS MORMORA

169-28-200



- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- 3 section blanks made from High Resistance Composite HRC
- · S-SiC HD double leg guides with corrosion proof frame
- Graphite screw reel seat with no corrosion steel hood

170-49-010			m	cm	TT	
8"054393"000835"	170-49-010	8 054393 000835		155	5	100



SONIC XS STARTER BEACH



- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- 3 section blanks made from High Resistance Composite HRC
- S-SiC HD double leg guides with corrosion proof frame
- Graphite screw reel seat with no corrosion steel hood





TELEBOAT RODS

ANTILIA	SEA FORCE	109
ANTILIA	OVERDEEP	109
ASTORE	X T-BOAT	110
ASTONE	DEEP GAME	110
PERSEIDE	TEKNO BOAT	111
VANADIA	LT DRIFT	111
QUASAR	TELE BOAT	112
	OVER DEEP	112
	MASTER ISO	112
IRIDIUM	TEKNO SEA	113
INIDIOW	LITE SENSE	113
	POWER ISO	113
	TELEBOAT	113

	XTREME TEKNIC	114
SCUBA	XTREME MASTER	114
	XTREME POWER	114
SOLARIS	XT TEKNO BOAT	115
SOLANIS	XT HYPER BOAT	115
SONIC	XS MASTER BOAT	115
SONIC	XS POWER BOAT	115
ACHAB N	IEW XP TELEBOAT	116
VEKTOR	MASTER BOAT	116
VEKTOR	BOLENTINO SPECIALE SGOMBRO	116




ICONS LIST











- Telescopic blanks made from CX-2 Nano Tek High Modulus carbon
- On top of butt section, an adjustable system allows to fish both at 4 and 5 metres length
- Two high sensitive interchangeable solid fibreglass tips
- Stainless steel size 7 plate reel seat, fitted upside down to resist extreme pulls



		[ACT]	ımını	<u>cm</u>	
162-19-100	8 054393 151599	LIGHT	4,00-5,00	143	6+2
162-19-200	8 054393 151605	MEDIUM	4,00-5,00	143	6+2
162-19-300	8 054393 151612	STRONG	4,00-5,00	143	6+2





Spare tips	ACT	
162-19-100-R01	Set LIGHT	
162-19-200-R01	Set MEDIUM	
162-19-300-R01	Set STRONG	

ANTILIA OVERDEEP










- Telescopic blanks made from CX-2 Nano Tek High Modulus carbon
- On top of butt section, an adjustable system allows to fish both at 4 and 5 metres length
- Three high sensitive interchangeable solid fibreglass tips
- Double leg Sea Guide SiC guides with PVD corrosion proof K shape frame
- Stainless steel size 7 plate reel seat, fitted upside down to resist extreme pulls









		m	cm		ACT
162-19-400	8 054393 152435	4,00-5,00	132	6+3	Heavy

Spare tips	ACT
162-19-400-R01	Complete Set


















- Telescopic blanks made from CX-1 Micro Pitch High Modulus carbon
- On top of butt section, an adjustable system allows to fish bothat 3.2 and 4 metres length
- Double leg S-SiC Seaguides, with lightweight and corrosion free frame
- Two high sensitive interchangeable solid fibreglass tips
- Stainless steel and graphite screw reel seat size 7, with rubber support
- Exclusive butt grip to provide total control
- Aluminium screw butt cap with rubber insert











		ACT		cm	TT.
162-21-500	8 054393 188403	LIGHT	3.20-4.00	140	5+2
162-21-600	8 054393 188410	MEDIUM	3.20-4.00	140	5+2
162-21-700	8 05/.393 188/.27	STRONG	3.20-4.00	140	5+2

ACT
LIGHT
HEAVY
LIGHT
HEAVY
LIGHT
HEAVY



ASTORE DEEP GAME









- On top of butt section, an adjustable system allows to fish both at 3 and 4 metres length
- Two high sensitive interchangeable solid fibreglass tips
- Double leg Sea Guide SiC guides with PVD corrosion proof K shape frame
- Stainless steel size 7 plate reel seat, fitted upside down to resist extreme pulls
- Internal screw butt cap with removable protective rubber knob







PER	
Spare tips	ACT
162-21-400-R01	Complete Set





162-21-400







PERSEIDE TEKNO BOAT







SiC





- Telescopic blank made from CX-1 Micro Pitch High Modulus carbon
- Internal sections with water repellent Slick Surface finish
- Adjustable system allows to fish one section less (3,60 or 4,30 m)
- Two high sensitive interchangeable solid glass tips (different on each rod)
- SiC guides with corrosion proof frame
- Stainless steel plate reel seat, wrapped
- Internal screw butt cap with removable EVA overcap

		ACT	m	cm	17
162-22-010	8 054393 176691	100g LIGHT	3,60-4,30	136	5+2
162-22-020	8 054393 176707	150g MEDIUM	3,60-4,30	136	5+2
162-22-030	8 054393 176714	200g STRONG	3,60-4,30	136	5+2





VANADIA LT DRIFT











PVD

FRAME

CORROSION

FREE



- Adjustable length system between butt and next section
 Supplied with two interchangeable fibreglass tips (Light, Heavy)
- Double leg Sea Guide SiC guides with corrosion free PVD frame
- PacBay stainless steel plate reel seat, fitted upside down to resist extreme pulls
- Easy to clean satin finish handle (Sensi Touch)
- Internal butt cap, with removable rubber overcap for extra protection

			cm	11	<u>g</u>
162-26-350	8 054393 162625	3.00-3.50	112	5+2	0-120
162-26-400	8 054393 162632	3.50-4.00	120	6+2	0-120



Spare tips	ACT
162-26-350-R01	Complete Set



SiC

S sea·guide

QUASAR TELE BOAT





- Telescopic blank made from High Modulus CX1 Micro Pitch carbon, reinforced by carbon crossed filaments
- Two interchangeable solid glass tip
- Strong double leg S-SiC guides, with single legs on solid tips
- Guide's wrappings include rubber o-rings for safe transport
- Stable Long Nose style graphite screw reel seat
- Stiff plastic guide's cover
- Aluminium butt cap with rubber shock absorbing insert

		m	cm	11	9
162-72-010	8 054393 181640	3.00	116	4+2	150
162-72-020	8 054393 181657	3.50	125	5+2	150









IRIDIUM OVER DEEP





- Short closed length boat rod with rigid action for medium depth bolentino
- Reinforced joints with crossed carbon bands that make it more reliable under strong pulls
- Two interchangeable solid fiberglass tips with action Light and Heavy, with red and yellow coloured finish by highly visible paint
- Graphite screw reel seat with anti-corrosion steel hood



Spare tips	ACT				
162-68-300-R01	Complete Set				
		m	cm		
162-68-300		3.00	115	4+2	400



IRIDIUM MASTER ISO









- · Short closed length boat rod with rigid action for medium depth fishing
- Reinforced joints with crossed carbon bands that make it more reliable under extreme pulls
- Two interchangeable fiberglass tips with action Light and Heavy, with red and yellow colored finish with highly visible
- Graphite screw reel seat with anti-corrosion steel hood



Spare tips	ACT				
162-67-300-R01	Complete Set				
		m	cm	TO	9
162-67-300	3 054393 137500	3.00	110	4+2	250
162-67-340		3.40	110	4+2	250





≅ TRABUCCO

IRIDIUM TEKNO SEA









- Short closed length boat rod with rigid body and powerful action
- Reinforced joints with crossed carbon bands that make them more reliable
- Two interchangeable fiberglass tips with action Light and Medium, having red and yellow colored top end by hi visibility paint
- Graphite screw reel seat with anti-corrosion steel hoods ACT



162-66-280-R	01 Complete Set				
		m	cm		9
162-66-280	8 054393 139597	2.80	105	4+2	150
162-66-320	8 054393 139603	3.20	115	5+2	150



IRIDIUM LITE SENSE

Spare tips











- Short closed length boat rod with rigid action for medium depth bolentino
- Internal sections reinforced by crossed carbon bands (XCW Cross Wrap)
- Telescopic fibreglass sensitive tip, with orange and yellow finish
- Pac Bay size 7 plate reel seat, fitted upside down to resist extreme pulls
- Internal butt cap, with rubber overcap for extra protection

SiC	
Ssea	a•guide*

			<u>cm</u>		
162-27-100	8 054393 162540	2.70	110	4	150
162-27-200	8 054393 162557	3.00	112	4	150

IRIDIUM power iso







- A rigid and powerful boat rod, perfect for medium depth bolentino
- Reinforced joints with cross carbon bands that make them more reliable under extreme pulls
- Solid fiberglass tip with end coloured in red and yellow by highly visible paint
- Graphite screw reel seat with corrosion free steel hood



			cm		
162-64-300	8 054393 139740	3.00	115	5	400

IRIDIUM TELEBOAT

TELEBORT 240







		m	cm	00	
162-65-210	8 054393 138385	2.10	100	3	200
162-65-240	8 054393 138392	2.40	106	4	200
162-65-270	8 054393 138408	2.70	106	4	200

- Telescopic solid fiberglass tip
- Ergonomic graphite screw reel seat with steel moving hood
- Stiff plastic guide cover
- Aluminium butt cap







SCUBA XTREME TEKNIC BOAT





- Telescopic solid fiberglass tip
- Double leg guides with SiC ring
- Ergonomic graphite screw reel seat with steel moving hood
- Aluminium butt cap with rubber insert



SCUBA XTREME MASTER BOAT





- Telescopic solid fiberglass tip
- Ergonomic graphite screw reel seat with steel moving hood
- Butt cap directly screwed into the wall









- Telescopic solid fiberglass tip
- Ergonomic graphite screw reel seat with steel moving hood
 - Butt cap directly screwed into the wall





SOLARIS XT TEKNO BOAT





	m	cm	77	9
168-21-219	1.90	91	3	120
168-21-221	2.10	100	3	120
168-21-224	2.40	100	4	120
168-21-227	2.70	108	4	120

- Telescopic blank made from High Volume Fiberglass
- Telescopic solid glass tip, painted in orange/yellow, with two sliding guides
- Double leg SiC guides, with corrosion proof MN frame
- Decorated wrappings, including rubber o-rings for safe transport



SOLARIS XT HYPER BOAT





	mini	cm	□	
168-21-320	2.00	100	3	150
168-21-323	2.30	100	4	150
168-21-326	2.60	108	4	150

- Telescopic blank made from High Volume Fiberglass
- Telescopic solid glass tip, painted in orange/yellow, with two sliding guides
- Double leg SiC guides, with corrosion proof MN frame
- Decorated wrappings, including rubber o-rings for safe transport
- · Graphite screw reel seat with rubber lined steel hoods



SONIC XS MASTER BOAT





		لسننسا		·-	<u>[191</u>]
168-21-019	8 054393 002709	1.90	91	3	150
168-21-021	8 054393 002716	2.10	101	3	150
168-21-024	8 054393 002723	2.40	101	4	150
168-21-027	8 054393 002730	2.70	107	4	150

2.60

107

- Plastic butt cap



SONIC XS POWER BOAT

168-21-126





200

4

NEW ACHAB XP TELEBOAT









		m	cm	₹	9
168-22-021	8 054393 188632	2.10	101	3	150
168-22-024	8 054393 188649	2.40	101	4	150
168-22-027	8 054393 188656	2.70	105	4	150
168-22-030	8 054393 188663	3.00	107	4	150

- Telescopic blank made from High Volume Fiberglass
- Telescopic solid glass tip, painted in orange/yellow, with two sliding guides
- Double leg SiC guides, with corrosion proof MN frame
- Decorated wrappings, including rubber o-rings for safe
 - Graphite screw reel seat, with open windows to allow direct contact with the blank



VEKTOR MASTER BOAT



		m m	<u>cm</u>		
168-25-210	8 054393 138545	2.10	100	3	150
168-25-240	8 054393 138552	2.40	100	3	150
168-25-270	8 054393 138569	2.70	105	3	150
168-25-300	8 054393 138576	3.00	105	4	150

- Telescopic fibreglass solid tip
- Graphite screw reel seat with steel hoods
- Plastic butt cap





HRC

7特/5

VEKTOR BOLENTINO SPECIALE SGOMBRO





		<u>cm</u>	₹	
168-26-210	2.10	90	3	100
168-26-240	2.40	90	4	100
168-26-270	2.70	100	4	100

- · Telescopic blank made from High Volume Fiberglass
- Telescopic solid glass tip, painted in orange/yellow, with two sliding guides
- Double leg SiC guides, with corrosion proof MN frame
- Decorated wrappings, including rubber o-rings for safe transport
- · Graphite screw reel seat with steel hoods



Find out more on page 163

VEKTOR power sw

- Graphite composite body and rotor
- 1 Long Life Ball Bearing
- Multi Stop anti reverse system
- Micro-adjusting Front Drag with oversized Drag Washers
- Long Cast Superlight Graphite Spool
- Pre-spooled with Max Plus line quality
- Anti Twist Line Roller
- Balanced handle with ergonomic knob









BOLENTINO & LIGHT DRIFTING SEPARATE SECTIONS RODS



ANTILIA		TEKNIC MASTER	118
		LIGHT DRIFTING	119
ASTORE		POWER BOAT	119
VANADIA		ISO HUNTER	120
		ATLANTICA	120
VANADIA		SPARIDE	120
HERAKLION	NEW	X DEEP 500 & 750	121
SEASTEEL	NEW	QUIVER BOAT	121
EPICA		XTREME PRO	122
EFIOA		XTREME	122
PULSE		MAX DEEP	122
ACHAB		PRO BOAT	123
SEARIDER		BOLENTINO	123
JLANIDEN		XP BOAT	123

ICONS LIST

Length	Closed Length	MODEL Model
Δį̇̃∆g Weight	Sections Nr	
Casting Weight	ACT Action	



ANTILIA TEKNIC MASTER











- Series designed for Bolentino (max 400 g) and Light Drifting (max 250 g)
- Three section's blank made from CX-2 High Modulus carbon, with low resin content (LRC)
- 2x interchangeable carrier sections with different actions
 Single and double leg Sea Guide guides, with PVD corrosion free Titanium frame and SiC ring
- HandLe reinforced by a special carbon band crossing pattern
- Wrapped Pac Bay plate reel seat, size 7, fitted upside down to resist extreme pulls
- Fighting butt rubber knob
- Provided in a padded and zipped cordura bag



Two interchangeable solid fiberglass tips (Light and Power)









		m m	cm		Ī
162-01-390	8 054393 151575	3.90	133	3+1+2	200-400
162-01-440	8 054393 151582	4.40	149	3+1+2	200-400

E xTî?		
Spare tips	ACT	
162-01-390-R01A	Ligth	
162-01-390-R01B	Heavy	







ANTILIA LIGHT DRIFTING



- Series designed for Bolentino and Light Drifting
- Three section's blank made from CX-2 High Modulus carbon, with low resin content and with
- Single and double leg Sea Guide guides, with PVD corrosion free Titanium frame and SiC ring
- EVA split handle reinforced by a special carbon band crossing pattern
- Long nose graphite reel seat









Two interchangeable solid fiberglass tips (Light e Medium)

		[ACT]	لستتسا		
162-00-390	8 054393 151551	LIGHT	3.90	106	3+2
162-00-395	8 054393 151568	MEDIUM	3.90	106	3+2





ASTORE POWER BOAT



Spare tips

161-40-100-R01A


161-40-100-R01B











- Two section's super slim blank made from CX-2 High Modulus carbon, with low resin content (LRC) and with spigot joint
- Butt section with adjustable length by 50 cm (Multi-Length System)
- Two interchangeable solid fiberglass tips (Light and Power)
- Single and double leg Fuji MN Alconite guides, with stainless steel frame
- Handle reinforced by a special carbon band crossing pattern
- Wrapped ALPS plate reel seat, size 7, fitted upside down to resist extreme pulls
- Fighting butt rubber knob











Ligth

ACT

ASTORE ISO HUNTER










- Blanks made from CX-2 Nano Tek Carbon
- Two sections equal length

161-67-240

161-67-270

- Three interchangeable fibreglass solid tips, with flexible reinforcement STS (Spiral Tip System)
- Double leg Sea Guide SiC guides, with PVD protection against rust
- Ergonomic Sea Guide graphite reel seat with windows for direct contact with the blank
- High density EVA handle grip, with laser engraved Astore logo
- Rubber fighting cap with gimbal butt

SUPER PROGRESSIVE JOINT







Spare tips	ACT
161-67-240-R01A	Ligth
161-67-240-R01B	Medium
161-67-240-R01C	Heavy

VANADIA ATLANTICA









- Series designed for Bolentino and Light Drifting
- Two sections super slim blank made from CX-1 High Modulus carbon, with put-in joint
- Two interchangeable solid fiberglass tips (Light and Power)
- Rubberized handle grip
- Long nose graphite reel seat
- Fighting butt rubber knob
- Delivered with a semi-padded sheath to protect the elements

		<u> </u>	linimi m	cm	₩
161-64-270	8 054393 152039	250	2.70	140	2+2
161-64-300	8 054393 152046	250	3.00	156	2+2
161-64-350	8 054393 152053	250	3.50	157	2+2
161-65-270	8 054393 152060	400	2,70	140	2+2
161-65-300	8 054393 152077	400	3.00	156	2+2
161-65-350	8 054393 152084	400	3.50	157	2+2






Vanadia Atlantica - Ac	tion 250g	Vanadia Atlantica - Act	tion 400g
Spare tips	ACT	Spare tips	ACT
161-64-270-R01A	Ligth	161-65-270-R01A	Ligth
161-64-270-R01B	Power	161-65-270-R01B	Power

VANADIA SPARIDE









- Two sections super slim blank made from CX-1 High Modulus carbon, with spigot joint
- Two interchangeable solid carbon tips (5-15 g and 10-30 g)
 Single leg HD guides, with corrosion free "Y" frame and SiC ring
- Rubberized handle grip
- Wrapped plate reel seat, fitted upside down to resist extreme pulls

		m	<u>cm</u>	17	
161-66-240	8 054393 152404	2.40	123	2+2	5-30
161-66-270	8 054393 152411	2.70	138	2+2	5-30
161-66-300	8 054393 152428	3.00	153	2+2	5-30





Spare tips	ACT
161-66-240-R01A	Ligth
161-66-240-R01B	Power









NEW HERAKLION X DEEP 500 & 750











- Special rods for deep sea fishing, designed to handle specific load according to depth (from 500 to 1300g)
- Blanks in 2 equal length sections, made from CX-1 Micro Pitch High Modulus carbon, with Super Progressive Joint and Twist Free technology to contrast torque
- Special reinforcement wrapping on tip area (Spiral Tip System)
- EVA handle grip with long fore grip for safe handling during fish fight
- Stainless steel Heavy Duty screw reel seat
















Corrosion free SiC guides, wrapped all around the blank according to Acid concept. Double wrappings avoid contact between guide's feet and rod's blank.

		mmin	<u>cm</u>	00 B	
161-38-240	8 054393 189042	2.40	130	2	500-750
161-38-300	8 054393 189059	3.00	160	2	500-750- 1000
161-39-240	8 054393 189066	2.40	130	2	750-1000- 1300
161-39-300	8 054393 189073	3.00	160	2	750-1000- 1300



Strong screw reel seat and gimbal butt with removable rubber cap

SEASTEEL QUIVER BOAT







- Blanks in 2 sections, made from CX-1 High Modulus carbon, with put-in joint
- Two interchangeable solid fibreglass tips allowing the user to adapt the rod's sensitivity to fishing conditions such as depth, flow, etc.
- SiC guides with corrosion proof K-frame, able to prevent line tangles
- Nice and comfortable handle, fully wrapped by rubber shrink tube for high control and easy cleaning after the fishing session
- Graphite screw reel seat with rubber lined aluminium hoods
- Rounded rubber butt cap for a comfortable control during hard fights

		m	<u>cm</u>	TT.	<u> </u>
161-60-110	8 054393 189219	2.60	133	2+2	50-250
161-60-120	8 054393 189226	2.90	148	2+2	50-250
161-60-130	8 054393 189233	3.20	162	2+2	50-250








NEW EPICA XTREME PRO









- Sensitive solid carbon tip protected by flexible STS Spiral Tip System and painted in fluo orange for high visibility
- SiC guides wrapped according to Acid concept to drop stress on line, on blank and on angler's back during prolonged battles
- Hi-density EVA handle grip with long fore grip for safe control
- Graphite screw reel seat with rubber lined aluminium hoods





		m	<u>cm</u>	11,	
161-42-310	8 054393 184382	2.40	130	2	100-400
161-42-320	8 054393 184399	2.70	145	2	100-400
161-42-330	8 054393 184405	3.00	160	2	100-400





EPICA XTREME





Trabucco designed this rod for all the no-limits fishing lovers, a powerful and reliable tool with two spigot jointed sections. It can be used to fish at any depth and is able to face every fish dwelling down there. Perfect for fishing on deep reefs and wrecks, where big congers, groupers and rocklings grow at bigger sizes. It can be used in combination with electric reels as well. SiC salt water protected guides have been chosen for this rod, since heavy fishing is usually combined with braided lines.



		m	cm		
		لسلسا		<u> </u>	[191]
161-41-240	8 054393 056122	2.40	124	2	Max 400
161-41-270	8 05/383 056 139	2.70	140	2	Max 400





PULSE MAX DEEP



SiC



- Series designed for heavy bolentino and medium trolling
- Strong yet sensitive E-Glass tip, inserted from top and glued
- EVA split handle for perfect control and easy cleaning
- · Ergonomic graphite screw reel seat, with steel hood

					- XTIP
		9	m	cm	₹
161-70-300	8 054393 137029	400	2.70	140	2+2
161-70-400	8 054393 137036	400	3.00	160	2+2



₹TRABUCCO

ACHAB PRO BOAT





2

2

2



200

250

250

250

2.70

2.10

2.40

2.70

2.70


146


140

110

130

140





Graphite screw reel seat, with open windows to allow direct contact with the blank







SEARIDER BOLENTINO

161-11-430


161-11-510

161-11-520

161-11-530







SEARIDER XP BOAT

161-14-540





2

- 160-88-110 150 1.20 120 1 160-88-120 1.50 150 1 160-88-130 200 1.20 120 1 150 1 160-88-140 1.50
- Double leg S-SiC guides throughout
- Full high density EVA handle, with laser engraved Searider logo
- Strong graphite screw reel seat, with stainless steel hoods
- · Stainless steel hook keeper

SQUID, EGING & SABIKI

	NEW	VERTICAL MASTER	124
CODEAID	NEW	SQUID SPECIALIST	125
CORSAIR	NEW	SPECIALIST IKA	125
	NEW	SHORE EGI	125
PULSE		SPECIAL EGI	126
CEADIDED		SENSE SQUID	126
SEARIDER		TEKNO SQUID	126

TRABUCCO FISHING RANGE 2024

ICONS LIST









- Two sections blanks, made from CX-1 High Modulus carbon, with spigot joint
- Double and single leg SiC guides with corrosion proof frame
- Two interchangeable solid carbon tips allowing the user to adapt the rod's sensitivity to fishing conditions such as depth, flow, etc
- Graphite screw reel seat with rubber lined aluminium hood
- Split handle with high density EVA grips, shaped to provide the best control











NEW CORSAIR SQUID SPECIALIST





- Two sections blanks, made from CX-1 High Modulus carbon, with spigot joint
- Tubolar top section with programmed sensitivity for the given fishing style
- Double and single leg SiC guides with corrosion proof K frame
- · Graphite screw reel seat with rubber lined aluminium hood
- Split handle with high density EVA grips, shaped to provide the best control
- Convenient rubber gimbal butt cap

	mini	cm	T	
8 054393 184351	2.20	113	2	150
8 054393 184368	2.50	128	2	150
		2.20	8 0 5 4 3 9 3 1 1 2 4 3 5 1 2 2 2 1 1 3	2.20 113 2







NEW CORSAIR SPECIALIST IKA





- Tubolar top section with programmed sensitivity for the given fishing style
- Double and single leg SiC guides with corrosion proof K frame
- The critical blank's portion just above reel seat is wrapped by crossed carbon bands. They
 increase the reactivity and enhance the sensitivity of the blank
- · Graphite screw reel seat with rubber lined aluminium hood
- · Split handle with high density EVA grips, shaped to provide the best control
- Convenient rubber gimbal butt cap

		m	cm	T		EGI
161-49-310	8 054393 186492	2.30	113	2	120	#2.5~3.5
161-49-320	8 054393 186508	2.50	128	2	120	#2.5~3.5







CORSAIR SHORE EGI





- Spinning rod designed to handle Eqi lures from the shore
- Two sections blanks, made from CX-1 High Modulus carbon, with spigot joint
- Tubolar top section with fast action, painted in white on top 20 cm
- Single leg SiC guides with corrosion proof anti tangle K frame
- Graphite screw reel seat with rubber lined aluminium hood
- Split handle with high density EVA grips, shaped to provide the best control







161-49-210 EGI PE 2.50 128 2 #2.0-3.5 #0.5-1.5

FIERCE squid jig

Find out more on page 442



PULSE SPECIAL EGI





- Spinning rod series designed for inshore spinning to squid and cuttlefish
- Splitted EVA handle grip to provide optimal grip and powerful lever during fish fight
- Graphite screw reel seat with rubber lined steel hoods









· Blanks made from High Volume FNC-Fibers in two equal length sections

- Solid fiberglass tip, glued and wrapped on to tubolar top
- Double leg S-SiC guides (single leg on top)
- EVA split handle, with laser engraved Searider logo
- Butt grip flattened on each side, to allow the user to lock it within the armpit
- Ergonomic screw reel seat, integrated in the handle, with Contact Point window on top side, for direct touch on the blank
- Stainless steel hook keeper

		m	<u>cm</u>	77	
161-14-310	8 054393 176509	1.60	95	2	150
161-14-320	8 054393 176516	1.80	100	2	150
161-14-330	8 054393 176523	2.10	110	2	150







SEARIDER TEKNO SQUID





- Long top for a perfect action curve and total strength
- Offset handle for a convenient transport
- Double leg S-SiC guides (single leg on top area)
- EVA split handle, with laser engraved Searider logo
- Butt grip flattened to allow the user to lock it within the armpit
- Screw reel seat, fitted upside down to bear extreme pulls

			m	cm	TO
160-88-010	8 054393 176400	100	1.65	115	1+1
160-88-020	8 054393 176417	100	1.80	131	1+1
160-88-030	8 054393 176424	120	1.65	115	1+1
160-88-040	8 054393 176431	120	1.80	131	1+1
160-88-050	8 054393 176448	150	1.65	115	1+1
160-88-060	8 054393 176455	150	1.80	131	1+1















TROLLING

	ZARATAN	ACID PLUS	128
ZOLOTON	LIVE ACID	129	
	WINDROSE	ACID PLUS	130
WINDROSE	ACID	130	
	BOREAS	LIVE TROLLING ACID	131
	SKIPJACK	LIVE TROLLING	131
	MERIDIAN	LIVE TROLLING	132
	TRIDENT	LIVE TROLLING	133
INIDENT	XT TROLLING	133	
	NEPTUNE	XT TROLLING	133

ICONS LIST





ZARATAN ACID PLUS





• Series designed for Tuna drifting

167-21-100


167-21-200

167-21-300


- Genuine Pacific Bay heavy duty aluminium screw reel seat with twin locking nut
- Slick Butt handle, with EVA fore grip to provide safe handling and total control
- · Aluminium gimbal butt with rubber protective cap















SPYRAL GUIDE SYSTEM

The Acid rods differ from all the other trolling rods by a peculiar guide's configuration, which is known worldwide as "Acid" or "Spiral Wrapped". Instead of being in line, they follow a spiral which surrounds the blank, getting aligned only in the top area, with the last guides and the top guide oriented downward. So the line never touches the blank, when the power of a big fish bends it to the limit, without inducing abnormal twists in the rod and reducing fatigue with the user.



128



₹TRABUCCO

ZARATAN LIVE ACID









- Specific models for live bait trolling with downriggers
- Genuine Pacific Bay heavy duty aluminium screw reel seat with twin locking nut
- Slick Butt handle, with EVA fore grip to provide safe handling and total control
- Aluminium gimbal butt with rubber protective cap






		m	cm	11	
167-21-010	8 054393 137524	7' (2,13)	213	1	12
167-21-020	8 054393 137531	7' (2,13)	213	1	20



SEAEAGLE

Find out more on page 199

www.trabucco.it 129







WINDROSE ACID PLUS












- Detachable Slick Butt
- Heavy duty ALPS™ aluminium screw reel seat with double locking nut
 EVA fore grip designed to provide safe handling and total control
 Aluminium gimbal butt with rubber protective cap

		m	cm	77	f
167-28-010	8 054393 138170	6'6" (2,00)	164	1+1	8
167-28-020	8 054393 138187	7' (2,15)	179	1+1	8







WINDROSE ACID








- Detachable Slick Butt
- Heavy duty ALPS™ aluminium screw reel seat with double locking nut EVA fore grip designed to provide safe handling and total control
- · Aluminium gimbal butt with rubber protective cap

		m	cm	<u> </u>	
167-28-100	8 054393 124609	6'6" (2,00)	164	1+1	12
167-28-200	8 054393 124616	6'6" (2,00)	164	1+1	20
167-28-300	8 054393 124623	6'6" (2,00)	164	1+1	30
167-28-400	8 054393 124630	7' (2,15)	179	1+1	12
167-28-500	8 054393 124647	7' (2,15)	179	1+1	20
167-28-600	8 054393 124654	7' (2,15)	179	1+1	30





















BOREAS LIVE TROLLING ACID







- Model designed specifically for Live Bait trolling
- Ultrafine blanks made from Nano Fiber Carbon to obtain an extreme slimness/sharpness ratio
- Sea Guide double leg guides with stainless steel frame and SiC ring, fitted by double wrappings all around the blank
- Fuji Heavy Duty graphite screw reel seat
- Comfortable handle grip made from high density EVA
- Aluminium gimbal butt with rubber protective cap
- Long and slim EVA fore grip designed to provide safe handling and total control

		m	cm	11	
167-29-100	8 054393 153135	6'6" (2,00)	200	1	8
167-29-200	8 054393 153142	6'6" (2,00)	200	1	12
167-29-300	8 054393 153159	6'6" (2,00)	200	1	20
167-29-400	8 054393 153166	7' (2,15)	215	1	8
167-29-500	8 054393 153173	7' (2,15)	215	1	12
167-29-600	8 054393 153180	7' (2,15)	215	1	20



Profile







HRC

SKIPJACK LIVE TROLLING







- New Concept Fuji double leg guides with Deep Pressed frame, Slim "O" ring and Corrosion Control matt finish
- Spiral Guide System reduces stress on blank and angler's back
- Double wrappings on all guides to avoid contact of the metal frame with blank during extreme bends
- Graphite screw reel seat with rubber lined steel hoods
- Offset handle with high density EVA grips, designed to offer best control and powerful lever (laser engraved Trabucco logo)
- Aluminum gimbal butt, with removable EVA overcap

			<u>cm</u>	11 7	<u></u>
167-33-512	8 054393 000477	7'3" (2.20)	152	1+1	6-12
167-33-520	8 054393 000484	7'3" (2.20)	152	1+1	12-20
167-33-530	8 054393 000491	7'3" (2.20)	152	1+1	20-30



XTREME ACTION



THOR LD

Find out more on page 203



- · Shielded stainless steel ball bearings
- Instant anti-reverse stainless steel bearing
- Stainless Steel frame rings for extra rigidity
- Forged, machined and anodized aluminium spool
- Smooth and consistent multidisc lever drag system
- Heavy duty precision stainless steel gearing
- Precision machined stainless steel pinion
- Stainless steel power handle with oversized knob
- Heavy duty clicker
- Corrosion proof stainless steel reel foot







- New Concept Fuji double leg guides with Deep Pressed frame, Slim "0" ring and Corrosion Control matt finish
- Spiral Guide System reduces stress on blank and angler's back
- Double wrappings on all guides to avoid contact of the metal frame with blank during extreme bends
- Graphite screw reel seat with rubber lined steel hoods
- High density EVA handle with long fore grip and laser engraved Trabucco logo
- Aluminum gimbal butt, with removable EVA overcap

		لستنسا			<u>[lb]</u>
167-33-412	8 054393 000507	6' (1.80)	180	1	6-12
167-33-420	8 054393 000514	6' (1.80)	180	1	12-20
167-33-430	8 054393 000521	6' (1.80)	180	1	20-30
	8 054393 000521				



MERIDIAN GT & NEPTUNE SR

Find out more on pages 202-203







- Tubolar blank with progressive action, made from a blend of E-Glass and carbon to resist any sudden pulls and stress
- Strong double leg guides, with corrosion proof frame and hard wearing SiC ring, fixed all around the blank according to the Spiral Guide configuration (also known as Acid Guide)
- Double wrappings on all guides to avoid contact of the metal frame with blank during extreme bends
- Graphite screw reel seat with rubber lined steel hoods
- Offset high density EVA handle with long fore grip and laser engraved Trabucco logo
- ABS gimbal butt, with removable rubber overcap

		m	cm	₹	
167-33-612	8 054393 181053	6'6" (2,00)	135	1+1	6-12
167-33-620	8 054393 181060	6'6" (2,00)	135	1+1	12-20
167-33-630	8 054393 181077	6'6" (2,00)	135	1+1	20-30







- Tubolar blank with progressive action, made from E-Glass to resist any sudden pulls and injuries (blank throug handle)
- Heavy Duty double leg guides, with corrosion proof frame and hard wearing SiC ring
- Double wrappings on all guides to avoid contact of the metal frame with blank during extreme bends
- Graphite screw reel seat with rubber lined steel hoods, fitted upside down for extreme bending resistance
- Offset high density EVA handle with long fore grip and laser engraved Trabucco logo
- ABS gimbal butt, with removable rubber overcap

		m	cm	11	
167-33-312	8 054393 000378	6' (180)	144	1+1	6-12
167-33-330	8 05 6 3 9 3 0 0 0 3 9 2	6' (180)	144	1+1	20-30





SiC Heavy



- Tubolar blank with progressive action, made from E-Glass to resist any sudden pulls and injuries (blank through handle)
- Heavy Duty double leg guides, with corrosion proof frame and hard wearing SiC ring
- Double wrappings on all guides to avoid contact of the metal frame with blank during extreme bends
- Graphite screw reel seat with rubber lined steel hoods, fitted upside down for extreme bending resistance
- Offset high density EVA handle with long fore grip and laser engraved Trabucco logo
- · ABS gimbal butt, with removable rubber overcap

		m	cm		
167-33-212	8 054393 000347	6' (180)	180	1	6-12
167-33-220	8 054393 000354	6' (180)	180	1	12-20
167-33-230	8 054393 000361	6' (180)	180	1	20-30







HOBBY

PULSE SPIN MASTER 134 **WIZARD** SPIN 134 **FEEDER DAYTON** 135 **WIZARD RIVER & LAKE** 135

ICONS LIST



Closed Length

MODEL Model





PULSE SPIN MASTER





cm

2.10

2.70

2.40

40-80

108

140

123



m Imimi

125-40-010 2,10 2 2 125-40-020 2.30 125-40-030 2,40 2 125-40-040 2,60 2

HRC

WIZARD SPIN



2

2

15-40

135

· EVA handle for comfortable control and easy cleaning



163-46-215

163-46-275

163-46-248









DAYTON FEEDER





3+2

3+2

НН

150 g НН

150 g

- · EVA split handle for comfortable control and easy cleaning
- S-SiC

WIZARD RIVER & LAKE

163-24-360

163-24-390





POWER

POWER

3.60

3.90

126

136

- · Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- 4 section blanks made from High Resistance Carbon

VER LAKE 150

- · Extremely sensitive solid carbon tip with hi-viz paint finish
- S-SiC HD double leg guides with corrosion proof frame
- Graphite screw reel seat with no corrosion steel hood



MAX PLUS SERIES

Find out more on page 244



REELS

Explore the excellence of fishing with Trabucco reels, synonymous with a wide range of top-quality products. Each reel is the result of meticulous research and development, tested in the field to ensure exceptional performance. Regardless of your fishing preference, you will find a reliable companion that adapts to your specific needs. Welcome to the world of fishing with Trabucco, where quality and versatility come together to provide you with an unforgettable experience.


















After so many years from the date we started to sell our first models, we are still engaged into design and development like it was the very first day. The many innovations that you will find in the new models are the result of assiduous research done on the main characteristics that must have a perfect reel. Our aim is to offer you products that stand out from the crowd for their reliability and performance.

GEARS



GEAR RATIO. The Gear Ratio defines the number of rotor's turns for each complete revolution of the handle, therefore the number of turns of mainline that are

wrapped in a spool at each turn of the handle. Higher is the first number, faster the reel will turn and consequently greater is the amount of lines recovered for each complete revolution of the handle. We recommend fast reels for long-casting fishing techniques where you need to cast and retrieve more often, while slower models come into play when you need high recovery power.

LONG LIFE GEAR.

We have to talk about raw materials and in particular metals, because these are at the heart of all the gears. Durability and performance of derive mainly from the quality of the materials involved in the construction of pinions, gears and bearings... for these mechanical parts Trabucco uses only the best quality materials such as bronze and steel... we don't use other materials because only these can provide the reliability standard and resistance that our customers deserve.

PG (PRECISION GEAR).

Are the basis of the mechanical function of our reels. The fluidity and smoothness of rotation that Precision Gears provide is responsible for the speed and above all of the power of the reel. The rotors and the gears of our reels featuring the PG technology are designed using the latest 3D softwater, thus to guarantee the perfect assembly of every single part to improve efficiency and reduce friction.



BALL BEARING SYSTEM.

A well designed mechanic uses only high quality ball bearings to improve the gears motion. The BBS indication on each prod-

uct, provides the number of the bearings used on the reel. The first figure is the quantity of the ball bearings used, whilst the second is the number of the roller bearing. The roller bearing is one-way only, and it's positioned on the central pinion to force the rotation and prevents the reels from the even the smallest back turn, also known as the "One way clutch". The ball bearings reduce friction of moving parts and the more there are, the better the mechanics work.

BODY

The stiffer the body of the reel and the better it will work. A soft graphite body will blend under effort and avoid the correct functioning of the gears, dramatically decreasing performance. All our reels are made of stiff graphite, solid and efficient, (for budget models) while the top production bodies are made of aluminium alloys, light, durable and stiff and the medium range in metallic alloys, stiff and reliable. Dependability, light weight and real value for money are specs of all our products. A totally new mix of emotions, able to change the fishing pleasure and confirm Trabucco brand as one of the most attractive in the world.



Body and rotor fully made of premium quality metal alloys, built to withstand the most challenging situations and to last in time. This technology belongs to top range reels only.



With a specific gravity 20% lower than aluminium and an even higher stiffness, the Magnesium alloy is definitely the most advanced material to produce reel's bodies.

Great fashion, but also great performances.



Innovative material added of uni directional Carbon micro fibres. This technology is the ideal combination between light weight and stiffness. It is naturally corrosion free and we

use this material for high performance reels only.



Innovative technology that allowed us to produce fully Carbon Body and rotor, the top you can get in terms of lightness and still able to grant a great resistance to mechanical

stress. As per the Metal Body this technology has been used for top range reel only.



Hybrid Body means a body made of aluminium and graphite. The aluminium has the task to withstand the mechanical stress. while the graphite helps to keep the weight

as light as possible. Hybrid Body reels can grant you to fish safely and with light equipment.



It is the more common material used in the fishing tackle industry for reel building: light weight and reliable. It is anyway a very important step to add an appropriate structural

development to get outstanding performance from it.

LINE MANAGEMENT SYSTEM



WORM SHAFT GEAR. The worm gear is a double groove engraved into a pinion. In this way the traction is carried with uniformity, reducing friction and giving a smoother retrieve. The Worm Shaft Gear is also reducing line tension, responsible of the oscillations of the spool and so the line winding is perfect.



SLOW OSCILLATION SYSTEM. It is the most evolved line laying system. During the retrieve action the SOS slow down the speed coefficient system. retrieve action the SOS slow down the spool oscillation movement in regard to rotor speed, allowing a more accurate and compact line lay. Looking carefully at the spool you

will notice a different speed going from bottom to top and vice versa. This technology, applied on top range reels, always grant a perfect line lay and avoid line wigs when castings.



CROSS WINDER. To those fishermen who do not have a complete experience of the art of fishing, which use either mono or braided lines, we recommend to buy a reel with the "cross winder" line spooling system, instead of a reel with the most performing WSG. The spooling is very tidy with Cross Winder, provides good casting distances and reduces the possibility of tangles. The "X" spooling in fact compact lines and allows a best spooling even with lower tensioned mainline.

POWERBAIL TUBOLAR BAIL. In several models, we introduced a aluminum tubolar bail that is larger than traditional ones. Although larger, these new bails are lighter and more durable than traditional. Due to their special shape and the innovative conical joint, they drive automatically monofilament inside the line roller even when the nylon is not perfectly under tension.



ANTITWIST SYSTEM. Traditional line rollers force tension on to the line at every turn of the handle and this can cause line tangles. All our reels nowadays are fitted with the new Anti twist line roller together with WSG and SOS systems to avoid this problem and also

extending the life of even the lightest of the monofilaments.

ROTOR STOP SYSTEM. Even in the highest quality reels sometimes during the cast the bail arm can accidentally close. With this new locking system, fitted onto the rotor, this risk has been almost completely eliminated. The angler is advised by an audible click that the bail arm is locked correctly.

VIBRATION DAMPER



ANTI VIBRO SYSTEM. We asked our designers the challenge to minimize or even cancel the vibrations emitted by reels during the recovery phase. Thanks to the new 3D software, they have been able to design well balanced rotors (Super Balance System) but for top range reels we wanted

something more. We focused on the stabilization of the gears and the subsequent cancellation of the games that swing the spool. The result is excellent, the pinion holds the spool firmly on its axis and this does not oscillate even when drag is in traction. We are particularly pleased with the results... You just have to try.



SUPER BALANCE SYSTEM. This new technology is obtained just using the latest computers 3D softwares, which allows the designing and later the construction of perfectly balanced rotors without the addition of external weights. The resulting balance reduces any vibrations of the reel during the recovery. All our reels are designed using these softwares and deeply tested before the production.











LINE MAINTENANCE



CNC MACHINE CUT ALUMINIUM SPOOL. Top range reels feature spools tooled "bleed" from one piece of solid aluminum. The CNC machine lathe ensures a complete perfection of shape, the maximum smoothness of the line during casting, exceptional tensile strength, pressure and any other

force exerted. CNC aluminum spool are extremely lightweight but yet offer the highest structural resistance to impact and abrasion.



V-SPOOL DESIGN. The V-Spool Design spools reduce the fiction between the line and the lip during the cast, reducing the number and the diameter of the coming out coils and thus reducing dramatically the risks of tangles when using braided lines. The lower friction make your casts longer and more ac-

curate too, improving your fishing experience and extending the life of your spooled line.



SUPERLIGHT SPOOLS. On medium range reels, just to contain the final cost, we preferred to fit graphite spool instead of the metal. The graphite is a ruuged and lightweight material, it is often used for the construction of the reels bodies and thanks for his technical / structural well-suited features is perfect for the

construction of the spools. The reels have been equipped with a graphite spool are marked on the box with Superlight logo.

DRAG SYSTEM

MICROMETRIC DRAG. The drag is a device whose operation depends from the friction generated by mechanical rubbing between the brake washers that make up the brake system. The drag power is determined by the number of the washers, their diameter and the material they are made. Its power is directly proportional to the number of washers and their diameter. The most used washers on our range are made PTFE coated (felt discs in PTFE based oil bath), while the more expensive reels feature carbon cloth washers, that provides even higher performance. The drag quality is primarily determined by its smoothness, drag must operate smoothly even under high pressure. Another point is the micro adjusting, which means that to each click of the knob must be corresponding into a micro increase or decrease of the power. The Trabucco reels stand out because of the high drag power and the excellent progression of the drag.

FAST PLAY DRAG. Brand new drag system featuring a dual-presetting mode that incorporates in one single device all the free runner drag facilities. It acts directly into the spool, allowing to have a more direct, progressive and fine tuning drag system. The free spool setting is regulated by the inner knob, while to switch to the combat drag is enough to half turning the main drag knob.

FREE RUNNER. When this device entered carp fishing with such force it revolutionised the sport to such an extent it became essential. It is now also much favoured in other freshwater and saltwater applications. The free runner lever situated on the back of the body allows the angler to switch from the pre-tensioned drag for fish playing to the "free" position, and back again easily. On our reels all the Free Runner reels features oversized washers to always guarantee a good control and smoothness.

MAX DRAG (POTENZA FRIZIONE). Only in the Top Range reels, the most expensive and mainly dedicated to the sea fishing, which shows the MAX DRAG power. Carefully measured and expressed in kgs, the real drag power is calculated during the traction with disks fully engaged. Warning, drag must operate during the calculation of the Max Drag, if the disks are blocked the Max Drag increases, but the drag is not working properly and the measurement is invalid. For Trabucco Max Drag means real drag braking power.



SPARE SPOOLS. Many of our models have one or more spare spools in order to give the buyer the opportunity to load lines of different diameters, or braided or nylon. By doing so you can fish with a single reel in many ways or with different techniques. The number shown in the logo indicates the number of

spare spools the reel comes with.



OVERSIZE SPOOL DESIGN. Spire di lenza più ampie, con miglior scorrimento del filo nel lancio e minor rischio di garbugli. Superiore quantità di filo recuperata per ciascun giro di manovella: in ultima analisi, come una velocità più alta. Migliori prestazioni della frizione, soprattutto nello spunto iniziale, dovute alla maggior distanza fra il punto di partenza del filo e l'asse dei dischi. Spazio per dischi frizione più larghi: freno più efficiente, migliore dispersione del calore. Minore distanza fra il bordo della bobina e il calcio della canna, che agevola il controllo con il dito della mano. Grazie alla rastremazione della gonnellina, la bobina colma tutto lo spazio disponibile fra i bracci del rotore.

SEA FISHING TECHNOLOGIES



SWT (SALT WATER TREATED). The SWT (Salt Water Treated) is a recent manufacturing process, less efficient if compared to the SWR but still allowing using the reel in salt water for a long time without any corrosion risk. Under strong loads and in tough conditions, typical of salt water game, the SWT does not add any

weight to the whole reel. This new manufacturing process is using special hi tech varnishes and it used on all the parts sensible to salt, making them even harder. In a nut shell this procedure will not only make your reel salt water resistant but just more resistant to all solicitations.



SWR (SALT WATER RESISTENCE). A construction technology applied to the reels dedicated to saltater fishing and who affects all the metal parts (making them unassailable by salt, UV and temperature), all the seals (to prevent the sea water comes into contact with the mechanics, with special O-ring were sealed all

possible splits), and even the mechanical parts (suitably enhanced depending on the type of prey that you want to capture and type of technique fishing must be adopted).

ANTIREVERSE SYSTEM



ONE WAY CLUTCH (INFINITE ANTI-RE-VERSE). By operating a small lever, usually positioned under the body of the reel, the operation of the unidirectional roller bearing that blocks the rotor is switched on or off.



MULTI STOP SYSTEM (ANTI-REVERSE). On reels that don't have a roller bearing. we have designed a valid rotor locking system that sequentially brakes the rotor when it rotates in the opposite direction to that of line winding.

FRONT DRAG

INVICTUS	NEW	хт	141
VIRTUS			142
FIRECORE			143
XENIAL		SW	144
INVICTUS			144
XSENSE			145
SHARP			145
ZERO		FA	146
XPLORE		СХ	146
HELIUM		FA	147
XPLORE		LTX	147
KERES		СХ	148
KENES		LTX	148
XPLORE	NEW	FX	149
APLONE		MTC	149
MANIAC		FD	150
LANCER		HS	150
RAZAR			151
LTX	NEW	FA	151
KRIUS	NEW	FB	152
Knius		SW	152
BRAVE		FA	153
DRAVE		LITE	153
VEXIL		FA	154
ZEPHYR			154
VIDAR			155
МІТО		XLT	155

VENGER	NEW	FD	156
BLAZE		ХТ	156
MARVEL		хтс	157
ARROW		XTC	157
KRONOS		SFX	158
REIZ		SR	159
PROX		FD	159
MANTIS	NEW	STX	160
IVIAINTIS		FDX	160
PRECISION	NEW	XS	161
XANTHOS		STC	161
SONIC		FD	162
HYDRUS		FD	162
VEKTOR		FD	163
VERTOR		POWER SW	163
ACHAB		SW	163

MICRO

ARROW	MICRO	164
HYDRUS	MICRO	164
SONIC	MICRO	164

REAR DRAG

KRONOS	SRX	158
HYDRUS	RD	162

ICONS LIST





NEW INVICTUS XT

- Precise 10 Double-Shielded Stainles Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Hybrid Ultra Light Body
- Spare Aluminium Medium Spool
- Micro-Adjusting Front Drag With Stainless Steel & Carbon Textile Drag Washers
- Fully sealed Drag (100% Water & Dust Proof)
- Positive-Screw-Lock CNC Handle & Fighting Knob
- Aluminium V-Spool Design For Increased Casting Distance
- Large Diameter Aluminium Powerbail
- AS Titanium Line roller (Anti-Twist)
- Twin Ball Bearing Spool

The high capacity spool has parallel grooves in the throat, which are intended to give a correct start to line's spooling. That's why the spool's label must always be removed!

All ball bearings are sealed on both sides to keep grease inside and avoid water, sand and salt getting in and possibly affecting their rotation.

























On right, the Invictus XT rotor is made from high modulus carbon, the stiffest and lightest among the materials which can bear enormous load and stress. Its essential design is not only a fantastic fashion detail, but plays an important role on balance and rotation smoothness points of view. As a matter of fact, its lightness pushes back the reel's barycentre, while reducing the energy needed to cause the rotation. The computer drew it asymmetric in order to counterbalance the bail's weight, thus optimizing the rotation's smoothness of the whole reel.



The carbon and stainless steel disks drag is able to develop a tremendous power, and, at the same time, dissipate the heat generated under heavy



The line roller is designed to avoid line torque at each handle's turn, so that line will flow smoothly and last longer (Anti Twist System).



In order to ease the control of the operations during the fight with powerful fish, the Invictus 5000 has been designed with a rubber "T" shape



On each side of the body there are two steel plates, which are destined to raise stiffness along handle axis. The positive effect is easily felt during a fish fight.

The handle is directly screwed onto the Drive Gear, preventing oscillations and loss of power.



The reel's structure is an hi-tech "full metal", as both body and side cover are made from aluminium to offer the best possible stiffness and durability.

This model features a system that allows the handle to be reversed for perfect use by both right and left handed anglers.

		SIZE	Δ 1 Δ 9	***	M			
034-15-250	8 054393 189738	2500	250	5.2:1 76 cm	Ø 0.26 200 m	7.3	1	10+1
034-15-400	8 054393 189769	4000	285	5.2:1 84 cm	Ø 0.28 260 m	10	1	10+1
034-15-500	8 054393 189790	5000	305	5.2:1 88 cm	Ø 0.31 250 m	10	1	10+1

SPARE SPOOL		SIZE	TYPE	
034-15-251	8 054393 189745	2500	Alu	Ø 0.26 200 m
034-15-401	8 054393 189776	4000	Alu	Ø 0.28 260 m
034-15-501	8 054393 189806	5000	Alu	Ø 0.31 250 m

VIRTUS

- 9 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
 Stainless Steel Main Shaft & Main Gear Shaft
- · Full Metal Body
- · Aluminium Match Spool with rubber band to avoid braided line's slipping under strong pull
- Front Drag with Stainless Steel & Carbon Textile Washers
- Fully sealed Drag (100% Water & Dust Proof)
 Positive-Screw-Lock CNC Handle & Fighting Knob
- Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- Twin Ball Bearing Spool















SPOOL **DESIGN**















The handle operates directly on to drive gear, avoiding any power loss. The handle can be fold down in order to limit the reel's volume during transport.



Two stylish plates made of carbon and steel, stiffen the body on both sides.



A soft rubber band prevents braided lines from slipping under strong pulls, while the two line clips, round shaped and spring loaded, are vital for feeder fishing.

		SIZE	∆1 ∆ 9	₩		(kg)	
034-16-200	8 054393 116581	2000	250	5.2:1 68 cm	Ø 0.20 100 m	7.3	9+1
034-16-250	8 054393 116604	2500	290	5.2:1 76 cm	Ø 0.20 120 m	7.3	9+1
034-16-400	8 054393 116628	4000	320	5.2:1 84 cm	Ø 0.20 150 m	10	9+1
034-16-500	8 054393 116642	5000	345	5.2:1 88 cm	Ø 0.20 180 m	10	9+1

SPARE SPOOL		SIZE	TYPE	
034-16-201	8 054393 116598	2000	Alu	Ø 0.26 200 m
034-16-251	8 054393 116611	2500	Alu	Ø 0.20 100 m
034-16-401	8 054393 116635	4000	Alu	Ø 0.28 260 m
034-16-501	8 054393 116659	5000	Alu	Ø 0.20 150 m







≅TRABUCCO

VERSIZED

SPOOL

DESIGN

FIRECORE

- Designed without anti-reverse for endless contact with lure
- Full Metal body and hyper-balance rotor
- 9 Precise Double-Shielded stainless steel ball bearings
- Stainless Steel One Way Clutch Instant anti-reverse bearing
- Stainless Steel main shaft & main gear shaft
- Aluminium V-Spool Design for increased casting distance and stunning superlight skirt
- · Hyer Precision Power Drag with stainless steel ball bearing for impressive start performance and smoothness

 • Fully sealed drag (100% Water & Dust Proof)
- Large diameter aluminium Powerbail





		SIZE	$\Delta \dot{I} \Delta a$	**		RO	
034-53-250	8 054393 157348	2000	250	5.2:1 79 cm	Ø 0.260 200 m	7.3	9+1
034-53-350	8 054393 157355	3000	260	5.2:1 84 cm	Ø 0.285 210 m	7.3	9+1
034-53-450	8 054393 157362	4000	300	5.2:1 89 cm	Ø 0.285 280 m	7.3	9+1
034-53-550	8 054393 157379	5000	315	5.2:1 94 cm	Ø 0.310 270 m	7.3	9+1

SPARE SPOOL		(SIZE)	[TYPE]	
034-53-925	8 054393 157386	2000	Alu	Ø 0.260 200 m
034-53-935	8 054393 157393	3000	Alu	Ø 0.285 210 m
034-53-945	8 054393 157409	4000	Alu	Ø 0.285 280 m
034-53-955	8 054393 157461	5000	Alu	Ø 0.310 270 m



The Firecore drag box include a set of high technology disks, with same style of big game multipliers. The alternation of steel and carbon elements provides power, smoothness and heat dispersion for safe and comfortable control of the fish run.



The handle operates directly on to the drive gear. This solution is the best one for integral power transmission, because energy generated during retrieve is not dispersed through plays and vibrations. For transport, the handle can be fold down to reduce the volume of the reel.



Extra spool exactly same as the main one.









The carbon and stainless steel disks drag is able to develop a tremendous power, and, at the same time, dissipate the heat generated under heavy load.

XENIAL sw

- Full metal body
- Double-shielded stainless steel ball bearings
- Stainless steel one way clutch instant anti-reverse bearing
- Stainless steel main shaft & main gear shaft
- Aluminium V-Spool design for increased casting distance
- Front drag with stainless steel & carbon textile washers
- Fully sealed drag (100% water & dust proof)
- Positive screw-lock CNC handle & fighting knob
- Large diameter aluminium Powerbail, with Anti-Twist titanium line roller
- Twin ball bearing spool
































SPARE SPOOL		SIZE	TYPE	
034-50-925	8 054393 151209	2000	Alu	Ø 0.260 200 m
034-50-935	8 054393 151216	2500	Alu	Ø 0.285 210 m
034-50-945	8 054393 151223	4000	Alu	Ø 0.285 280 m
034-50-955	8 054393 151230	5000	Alu	Ø 0.310 270 m

INVICTUS

- Super stiff aluminium body
- Aluminium side cover
- Ultralight carbon rotor
- Aluminium hollow bail Anti-twist Titanium line roller
- Main deep aluminium spool (on twin BB)
- Spare match aluminium spool, featuring a rubber band to avoid braided lines slipping



The high capacity spool has parallel grooves in the throat, which are intended to give a correct start to line's spooling. That's why the spool's label must always be removed!

under extreme tension

- Sealed drag to avoid water, salt and dust getting inside
- Stainless steel main shaft
- Double-shielded stainless steel ball bearings
- CNC handle, machine cut from a single piece of solid aluminium



The spare spool has a reduced capacity to ease thin line's loading. The central rubber band is there to avoid braided line's slipping under ex-





		SIZE	<u>Δ</u> 1 Δ9	₽₽	Deep	Match	<u>kg</u>		
033-98-500	8 054393 012418	5000	330	5.2:1 88 cm	Ø 0.31 250 m	Ø 0.26 130 m	10	1	9+1



054393 012425

033-98-501

033-98-502

Ø 0.31

250 m

130 m

Deep

Match





≅ TRABUCCOÌ


XSENSE

- 9 Precise Double-Shielded Stainless Steel Ball Bearings
- · Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- · Full Metal Body
- · Aluminium Match Spool with rubber band to avoid braided line's slipping under strong pull
- Front Drag with Stainless Steel & Carbon Textile Washers
- Fully sealed Drag (100% Water & Dust Proof)
- Positive-Screw-Lock CNC Handle & Fighting Knob
- · Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- · Twin Ball Bearing Spool



The carbon and stainless steel disks drag is able to develop a tremendous power, and, at the same time, dissipate the heat generated under heavy load.







Designed for heavy spinning, with "T" shaped handle knob for total control in case of hi speed



OVERSIZED SPOOL DESIGN
XSENSE GOOD
METAL BODY VSP300 GEAR RATIO STEEM SYSTEM
POWERBAIL OR ANTITHIST SYSTEM

		SIZE	$\Delta j \Delta g$	₩	H	[kg]	
034-17-500	8 054393 116727	5000	340	5.2:1 88 cm	Ø 0.20 180 m	10	9+1

SPARE SPOOL		SIZE	TYPE	
034-17-501	8 054393 116734	5000	Alu	Ø 0.20 180 m

SHARP

- 9 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Full Metal Body
- · Aluminium Match Spool with rubber band to avoid braided line's slipping under strong pull
- Front Drag with Stainless Steel & Carbon Textile Washers
- Fully sealed Drag (100% Water & Dust Proof)
- Positive-Screw-Lock CNC Handle & Fighting Knob
- Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- · Twin Ball Bearing Spool



















034-18-250 034-18-250 300 5.2:1 0 0.20 7.3 034-18-400 330 5.2:1 0 0.20 150 m 10 150 m 10			₩	∆1 ∆ 9	SIZE		
	34-18-250	7.3 9+1		300	2500	8 054393 116741	034-18-250
5.2:1 0 0.20	34-18-400	0 9+1		330	4000	8 054393 116765	034-18-400
034-18-500	34-18-500	0 9+1		350	5000	8 054393 116789	034-18-500



SPARE SPOOL		SIZE	TYPE	
034-18-251	8 054393 116758	2500	Alu	Ø 0.20 120 m
034-18-401	8 054393 116772	4000	Alu	Ø 0.20 150 m
034-18-501	8 054393 116796	5000	Alu	Ø 0.20 180 m

ZERO FA

- High strength X-Tra light pure CX Carbon body & rotor
- Double-shielded stainless steel ball bearings
- Stainless steel one way clutch instant anti-reverse bearing
- Stainless steel main shaft & main gear shaft
- Aluminium V-Spool design for increased casting distance
- Front drag with stainless steel & carbon textile washers
- Fully sealed drag (100% water & dust proof)
- Positive screw-lock CNC handle & lightweight EVA knob
- Large diameter aluminium Powerbail, with Anti-Twist titanium line roller






























		OIZL	(111 L)	
034-51-925	8 054393 151285	2500	Alu	Ø 0.165 120 m
034-51-935	8 054393 151292	3500	Alu	Ø 0.165 150 m
034-51-945	8 054393 151308	4500	Alu	Ø 0.205 150 m
034-51-955	8 054393 151315	5500	Alu	Ø 0.205 180 m

XPLORE cx

- X-Tra light pure CX Carbon body & rotor
- Double-shielded stainless steel ball bearings
- Stainless steel one way clutch instant anti-reverse bearing
- Stainless steel main shaft & main gear shaft
- Aluminium V-Spool design for increased casting distance
- Front drag with stainless steel & hi strength fiber washers
- Positive screw-lock CNC handle with soft touch knob
- Large diameter aluminium Powerbail, with Anti-Twist titanium line roller























		SIZE	Δ† Δ 9	F		(kg)	
034-52-250	8 054393 157201	2500	235	5.2:1 79 cm	Ø 0.16 150 m	6.0	7+1
034-52-350	8 054393 157218	3500	245	5.2:1 84 cm	Ø 0.20 150 m	7.3	7+1
034-52-450	8 054393 157225	4500	280	5.2:1 89 cm	Ø 0.20 180 m	10	7+1
034-52-550	8 054393 157232	5500	290	5.2:1 94 cm	Ø 0.20 200 m	10	7+1



SPARE SPOOL		SIZE	TYPE	
034-52-925	8 054393 157300	2500	Alu	Ø 0.16 150 m
034-52-935	8 054393 157317	3500	Alu	Ø 0.20 150 m
034-52-945	8 054393 157324	4500	Alu	Ø 0.20 180 m
034-52-955	8 054393 157331	5500	Alu	Ø 0.20 200 m









≋TRABUCCOÌ

HELIUM FA

- Special model without anti-reverse system
- Extra light body and rotor made from CX pure carbon
- . 10 stainless steel shielded ball bearings; two of them assist the spool rotation
- 1 s.s. roller bearing for one-way rotation
- · Stainless steel main shaft and pinion gear
- Oversized Aluminum Powerbail adn Titanium plated Anti-Twist line roller
- CNC machined aluminum match spool with thin lip (V-Spool)
- Front drag system with high strength fibre and stainless steel disks
- CNC machined aluminum handle arm, with CX carbon knob
- · Protective EVA bag







034-29-150

034-29-250
























SPARE SPOOL		SIZE	TYPE	
034-29-101	8 054393 135544	1000	Alu	PE 0.6 (Ø 0.128) 100 m
034-29-151	8 054393 139887	1500	Alu	PE 0.8 (Ø 0.148) 200 m
034-29-251	8 054393 139894	2500	Alu	PE 1.0 (Ø 0.165) 180 m

XPLORE LTX

- · Special model without antireverse system for an endless contact with the lure
- Extra light body and rotor made from CX pure carbon
- 7 stainless steel shielded ball bearings
- 1 s.s. roller bearing for one-way rotation
- Stainless steel main shaft and drive gear
- Sealed front drag with high strength fibre and stainless steel disks
- CNC machined aluminum match spool with thin lip (V-Spool)
- Oversized Aluminum Powerbail
- Titanium plated Anti-Twist line roller
- CNC machined aluminum handle arm, with CX carbon knob

























	SIZE	∆† ∆ 9	17		[kg]	
034-55-100	1000	165	5.2:1 65 cm	PE 0.4 (Ø 0.105) 100 m	4.0	7+1

SPARE SPOOL		SIZE	TYPE	
034-55-910	8 054393 157560	1000	Alu	PE 0.4 (Ø 0.105) 100 m

KERES cx

- 6 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Ultra Light pure CX Carbon body & rotor
- Micro-Adjusting Front Drag With Stainless Steel And Carbon Textile Drag Washers
- Fully sealed Drag (100% Water & Dust Proof)
- CNC handle, machine cut from a single piece of solid aluminium
- V-shaped aluminium spool
- Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- · Anti-twist Titanium line roller

























		SIZE	∆† ∆ g	17			
034-56-250	8 054393 174994	2500	240	5.2:1 79 cm	Ø 0.20 120 m	7.3	6+1
034-56-350	8 054393 175007	3500	250	5.2:1 84 cm	Ø 0.20 150 m	7.3	6+1
034-56-450	8 054393 175014	4500	280	5.2:1 89 cm	Ø 0.20 180 m	10	6+1
034-56-550		5500	290	5.2:1 95 cm	Ø 0.20 200 m	10	6+1



SPANE SPUUL		SIZE	TYPE	
034-56-925	8 054393 175038	2500	Alu	Ø 0.20 120 m
034-56-935	8 054393 175045	3500	Alu	Ø 0.20 150 m
034-56-945	8 054393 175052	4500	Alu	Ø 0.20 180 m
034-56-955	8 054393 175069	5500	Alu	Ø 0.20 200 m

KERES LTX

- Special model without anti-reverse system
- Ultra Light pure CX Carbon body & rotor
- Stainless steel shielded ball bearings
- Stainless steel roller bearing for one-way rotation
- Stainless steel main shaft and pinion gear
- Oversized Aluminum Powerbail
- Titanium plated Anti-Twist line roller
- Aluminum spool with thin lip (V-Spool)
- Sealed front drag with high strength fibre and stainless steel disks
- CNC machined aluminum handle arm, with CX carbon knob























SPARE SPOOL SIZE TYPE 034-57-910 1000 Alu 0.105) 100 m



₹TRABUCCO

OVERSIZED

Rea

Deep

5500

150 m

Ø 0.31

250 m

SPOOL

XPLORE FX

- Body and Rotor made from hardened graphite, with new side plates
- Provided with an ultralight aluminium deep spool and a medium depth spool. Both of them can be purchased separately.
- Both spool types provide two line clips to please feeder experts
- 7 Long Life double shielded Stainless Steel ball bearings
- 1 Roller Bearing (Infinite Anti-reverse)
- New front drag system with smoother and powerful functions
- Large diameter Power Bail with Anti Twist Line Roller
- Power Fight Aluminium Handle with Soft Touch Knob
- No power loss, nor oscillations, thanks to the handle directly screwed onto Drive Gear





Xplore FX is provided with 2 spools. Optional spools are available in two different depths.





















		SIZE	∆1 ∆ 9	₩	Regular	Deep [kg		6
034-59-250	8 054393 189530	2500	235	5.2:1 79 cm	Ø 0.16 150 m	Ø 0.20 150 m	7.3	1	7+1
034-59-350	8 054393 189547	3500	245	5.2:1 84 cm	Ø 0.20 150 m	Ø 0.26 200 m	7.3	1	7+1
034-59-450	8 054393 189554	4500	280	5.2:1 89 cm	Ø 0.20 180 m	Ø 0.26 290 m	10	1	7+1
034-59-550	8 054393 189561	5500	300	5.2:1 95 cm	Ø 0.26 150 m	Ø 0.31 250 m	10	1	7+1



034-59-955

034-59-956

XPLORE MTC

- 9 ball bearings stainless steel, sealed on both sides
- 1 stainless steel roller bearing (infinite antireverse)
- · Extra tough body and rotor
- V-shaped aluminium spool
- Aluminium hollow bail
- Sealed drag
- Double shielded stainless steel ball bearings
- Infinite anti-reverse
- CNC machine cut handle made from a solid piece of aluminium























		SIZE	∆† ∆ 9	**		kg	
034-58-250	8 054393 174895	2500	260	5.2:1 74 cm	Ø 0.20 120 m	7.3	9+1
034-58-350	8 054393 174901	3500	270	5.2:1 76 cm	Ø 0.20 150 m	7.3	9+1
034-58-450	8 054393 174918	4500	280	5.2:1 84 cm	Ø 0.20 180 m	10	9+1
034-58-550	8 054393 174925	5500	290	5.2:1 88 cm	Ø 0.20 200 m	10	9+1




SPARE SPOOL		SIZE	TYPE	
034-58-925	8 054393 174932	2500	Alu	Ø 0.20 120 m
034-58-935	8 054393 174949	3500	Alu	Ø 0.20 150 m
034-58-945	8 054393 174956	4500	Alu	Ø 0.20 180 m
034-58-955	8 054393 174963	5500	Alu	Ø 0.20 200 m

MANIAC FD

- Hi-Tech metal body
- CNC carved aluminium spool (shallow match type)
- Hollow Power Bail with Anti Twist line roller
- Carbon and steel disks drag
- Sealed drag
- Sealed stainless steel ball bearings
- Infinite Anti-reverse







LANCER HS

- · Advanced design oversized aluminium spool
- Ultra Light CX Carbon Body
- Double Shielded Stainless Steel Long Life Ball Bearings
- Titanium Line Roller
- Carbon Cover Drag Knob
- Aluminium handle
- Eva ergonomic handle knob



		SIZE	$\Delta \Delta g$	₩\$	H	
033-88-450	8 054393 012067	4500	295	5.0:1 86 cm	Ø 0.30 195 m	9+1
033-88-550	8 054393 012081	5500	320	5.0:1 95 cm	Ø 0.35 200 m	9+1









₹TRABUCCO

VERSIZED

SPOOL

DESIGN

RAZAR

- Body and Rotor made from hardened graphite
- Aluminium spool with slim front lip (V-Spool), CNC machined and oversized for better casting performance
- 7 Long Life double shielded ball bearings
- 1 Roller Bearing (Infinite Anti-reverse)
- Micro-adjusting Front Drag With Oversized Washers
- · Large diameter Power Bail with Anti Twist Line Roller
- Power Fight Aluminium Handle with Soft Touch Knob



























SPARE SPOOL		SIZE	TYPE	
034-61-125	8 054393 181152	2500	Alu	Ø 0.14 150 m
034-61-135	8 054393 181169	3500	Alu	Ø 0.16 150 m
034-61-145	8 054393 181176	4500	Alu	Ø 0.16 170 m

NEW LTX FA

- 5 precise double-shielded Stainless Steel ball bearings
- Stainless Steel One Way Clutch instant Anti-Reverse bearing
- Stainless Steel main shaft & main gear shaft
- · Extra tough body & rotor
- Micro-adjusting front drag with Stainless Steel & Textile drag washers
- Fully sealed drag (100% Water & Dust Proof)
- CNC handle & Rubber ergonomic knob
- Aluminium V-spool design for increased casting distance
- Large diameter Aluminium Powerbail
- AS Titanium line roller (Anti-Twist)





















		SIZE	∆1∆ 9	₩		kg	
034-48-200	8 054393 190710	2000	218	5.2:1 75 cm	Ø 0.20 120 m	8	5+1
034-48-300	8 054393 190727	3000	226	5.2:1 80 cm	Ø 0.20 145 m	8	5+1



034-48-920

034-48-930

Alu

3000

Ø 0.20

120 m

Ø 0.20

145 m

OVERSIZED

SPOOL

DESIGN

KRIUS FB

- Feather weight combined to higher power
- New body and rotor made from hardened graphite
- New ultralight aluminium spool with slim front lip (V-Spool)
- Stainless steel main shaft and main gear shaft
- 6 Long Life double shielded stainless steel ball bearings to prevent salt and dust from getting inside
- 1 stainless steel roller bearing (Infinite Anti-reverse)
- Fully sealed micro-adjusting front drag with oversized washers
- Large diameter Power Bail with Anti Twist Titanium line roller
- CNC aluminium handle with soft touch knob
- Main spool and optional one have same line's capacity





















034-60-955

KRIUS sw

- · Extra tough body and rotor
- 6 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Power Drive Handle directly operating on Drive Gear
- Micro-Adjusting Front Drag With Stainless Steel And Carbon Textile Drag Washers
- Fully sealed Drag (100% Water & Dust Proof)
- V-shaped aluminium spool with oversized design
- Large diameter aluminium Powerbail
- Anti-twist Titanium line roller























		SIZE	∆j ∆ g	17		<u>Fig</u>	
034-54-250	8 054393 157478	2500	255	5.2:1 79 cm	Ø 0.23 150 m	7.3	6+1
034-54-350	8 054393 157485	3500	265	5.2:1 84 cm	Ø 0.26 160 m	7.3	6+1
034-54-450	8 054393 157492	4500	295	5.2:1 89 cm	Ø 0.31 150 m	10	6+1
034-54-550	8 054393 157508	5500	305	5.2:1 95 cm	Ø 0.33 150 m	10	6+1



034-54-925

034-54-935

034-54-945

034-54-955

5500

SIZE

2500

3500

4500

5500

TYPE

Alu

Alu

Alu

Alu

Ø 0.26

200 m Ø 0.20

100 m Ø 0.28

260 m Ø 0.20

150 m

Alu

200 m

™TRABUCCO

BRAVE FA

- 6 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Extra tough body and rotor
- Micro-Adjusting Front Drag With Stainless Steel And Carbon Textile Drag Washers
- Fully sealed Drag (100% Water & Dust Proof)
 CNC handle, machine cut from a single piece of solid aluminium
- V-shaped aluminium spool
- · Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- · Anti-twist Titanium line roller




























SPARE SPOOL		SIZE	TYPE	
034-19-925	8 054393 121561	2500	Alu	Ø 0.20 120 m
034-19-935	8 054393 121578	3500	Alu	Ø 0.20 150 m
034-19-945	8 054393 121585	4500	Alu	Ø 0.20 180 m
034-19-955	8 054393 121592	5500	Alu	Ø 0.20 200 m

BRAVE LITE

034-19-250

034-19-450

034-19-550

- Special model without anti-reverse system
- Extra Tough body and rotor made from hardened graphite
- Stainless steel shielded ball bearings
- Stainless steel roller bearing for one-way rotation
- Stainless steel main shaft and pinion gear
- Oversized Aluminum Powerbail
- Titanium plated Anti-Twist line roller
- Aluminum spool with thin lip (V-Spool)
- Sealed front drag with high strength fibre and stainless steel disks
- CNC machined aluminum handle arm, with CX carbon knob







034-37-100













200 m

SIZE	Δ1Δ 9	₩		[kg]	
1000	175	5.2:1	PE 0.4 (Ø	7.3	6+1

SPARE SPOOL		SIZE	TYPE	
034-37-910	8 054393 135681	1000	Alu	PE 0.4 (Ø 0.105) 100 m

VEXIL FA

- Aluminium body with Graphite side cover (Hybrid Body)
- Rotor made from hardened graphite
- · Aluminium spool with slim front lip (V-Spool), CNC machined and oversized for better casting performance
- 5 Long Life double shielded ball bearings

- 1 Roller Bearing (Infinite Anti-reverse)
 Micro-adjusting Front Drag With Oversized Washers
 Large diameter Power Bail with Anti Twist Line Roller
- · Power Fight Aluminium Handle with Soft Touch Knob







		SIZE	₹ \$ 9	₩\$	M	
034-49-250	8 054393 182036	2500	260	4.9:1 76cm	Ø 0.20 220 m	5+1
034-49-450	8 054393 182043	4500	270	4.9:1 85cm	Ø 0.25 200 m	5+1



SPARE SPOOL		SIZE	TYPE	
034-49-925	8 054393 182050	2500	Alu	Ø 0.20 220 m
034-49-945	8 054393 182067	4500	Alu	Ø 0.25 200 m

ZEPHYR

- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- Long Cast Superlight Aluminium Spool with grip band for braided lines
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Rubber Handle Knob







		SIZE	₫ ҈	**	M		
034-42-300	8 054393 154903	3000	275	5.1:1 76cm	Ø 0.25 140 m	1	5+1
034-42-400	8 054393 154910	4000	295	5.1:1 83cm	Ø 0.30 120 m	1	5+1









OVERSIZED

SPOOL

DESIGN

VIDAR

- 5 Long Life Ball Bearing System
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob
- Graphite Spare Spool






















MITO XLT

- 5 Long Life Ball Bearings
- 1 Roller Bearing
- · One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- · Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob



























		SIZE	$\Delta \mathbf{I} \Delta \mathbf{g}$	**			
034-41-100	8 054393 171405	1000	245	5.1:1 70 cm	Ø 0.18 185 m	1	5+1
034-41-200	8 054393 171412	2000	265	5.1:1 72 cm	Ø 0.20 165 m	1	5+1
034-41-300	8 054393 171429	3000	290	5.1:1 75 cm	Ø 0.25 155 m	1	5+1
034-41-400	8 054393 171436	4000	315	5.1:1 81 cm	Ø 0.30 160 m	1	5+1
034-41-600	8 054393 171443	6000	420	5.1:1 91 cm	Ø 0.35 180 m	1	5+1



VENGER FD

- 5 Long Life Ball Bearing System
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Superlight Aluminium Spool
- AS Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob
- Aluminium Spare Spool
































SPARE SPOOL		SIZE	TYPE	
034-47-930	8 054393 190611	3000	Alu	Ø 0.20 280 m
034-47-940	8 054393 190628	4000	Alu	Ø 0.25 190 m
034-47-950	8 054393 190635	5000	Alu	Ø 0.25 360 m
034-47-960	8 054393 190642	6000	Alu	Ø 0.30 300 m

BLAZE XT

- · Graphite body
- 5 Long Life Ball Bearings and 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob



















	SIZE	$\Delta \Delta g$	17	M		
034-32-100	1000	255	5.1:1 70 cm	Ø 0.18 195 m	1	5+1
034-32-200	2000	270	5.1:1 74 cm	Ø 0.20 165 m	1	5+1
034-32-400	4000	330	5.1:1 83 cm	Ø 0.25 155 m	1	5+1





MARVEL xTC

- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- · Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- · Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob













SIZE



 $\left[\underline{\Delta }\underline{\dagger }\Delta \,g\right]$









034-40-200	8 054393 136558	2000	270	5.1:1 73 cm	Ø 0.20 165 m	1	5+1
034-40-300	8 054393 136565	3000	295	5.1:1 76 cm	Ø 0.22 175 m	1	5+1
034-40-400	8 054393 136572	4000	325	5.1:1 83 cm	Ø 0.25 155 m	1	5+1

ARROW xTC

- 5 Long Life Ball Bearing System
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool
- · Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob
- Graphite Spare Spool



























		SIZE	∆† ∆ g	₩\$			6
034-46-100	8 054393 172129	1000	245	5.1:1 70 cm	Ø 0.18 185 m	1	5+1
034-46-200	8 054393 172136	2000	265	5.1:1 73 cm	Ø 0.20 165 m	1	5+1
034-46-300	8 054393 172143	3000	290	5.1:1 76 cm	Ø 0.25 155 m	1	5+1
034-46-400	8 054393 172150	4000	315	5.1:1 83 cm	Ø 0.30 160 m	1	5+1



KRONOS sfx

- Graphite body
- 5 Long Life Ball Bearings and 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob





		SIZE	∆1∆ 9	44			
034-38-100	8 054393 171719	1000	255	5.1:1 70 cm	Ø 0.18 185 m	1	5+1
034-38-200	8 054393 136480	2000	270	5.1:1 73 cm	Ø 0.20 165 m	1	5+1
034-38-300	8 054393 136497	3000	295	5.1:1 76 cm	Ø 0.22 175 m	1	5+1
034-38-400	8 054393 136503	4000	325	5.1:1 83 cm	Ø 0.25 155 m	1	5+1
034-38-600	8 054393 136510	6000	425	5.1:1 95 cm	Ø 0.30 180 m	1	5+1

KRONOS srx

- · Graphite body
- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Rear Drag
- Long Cast Superlight Aluminium Spool
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob



























₹TRABUCCO

REIZ SR

- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool (Oversized Design)
- · Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob





	SIZE	∆1 ∆ 9	44			
034-33-100	1000	255	5.1:1 70 cm	Ø 0.18 185 m	1	5+1
034-33-200	2000	270	5.1:1 74 cm	Ø 0.20 165 m	1	5+1
034-33-400	4000	330	5.1:1 83 cm	Ø 0.25 155 m	1	5+1

PROX FD

- · Graphite body and rotor
- 2 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
 Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Double aluminium handle with rubber knobs
- · Dual line clip, useful for feeder fishing






	SIZE	$\Delta \dot{\mathbf{I}} \Delta g$	**			
034-76-250	2500	285	5.5:1 85 cm	Ø 0.20 230 m	1	2+1
034-76-350	3500	335	5.2:1 85 cm	Ø 0.25 215 m	1	2+1
034-76-450	4500	345	5.2:1 90 cm	Ø 0.30 175 m	1	2+1

MANTIS STX

- 2 Long Life Ball Bearing System
- 1 Roller Bearing
- One Way Clutch System
- Micro-Adjusting Front Drag with Oversized Washers
- CNC Mahine Cut Long Cast Superlight Aluminium Spool
- Anti Twist Line Roller
- Balanced Power Handle with Soft Ergonomic Knob
- Graphite Spare Spool







MANTIS FDX

- Graphite body and rotor
- 2 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Aluminium handle with rubber knob

















PRECISION xs

- 2 Long Life Ball Bearing System
- 1 Roller Bearing
- One Way Clutch System
- Micro-Adjusting Front Drag with Oversized Washers
- CNC Mahine Cut Long Cast Superlight Aluminium Spool
- · Anti Twist Line Roller
- Balanced Power Handle with Soft Ergonomic Knob
- · Graphite Spare Spool





		SIZE	$\Delta \hat{\mathbf{J}} \Delta g$	₩\$			
034-74-730	8 054393 190543	3500	260	5.2:1 78 cm	Ø 0.25 215 m	1	2+1
034-74-740	8 054393 190550	4500	270	5.2:1 85 cm	Ø 0.25 245 m	1	2+1
034-74-750	8 054393 190567	5500	360	5.2:1 95 cm	Ø 0.30 250 m	1	2+1

XANTHOS stc

- · Graphite body and rotor
- 2 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
 Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Aluminium handle with rubber knob



	SIZE	∆1 ∆ 9	17	M		
034-83-100	1000	230	5.2:1 65 cm	Ø 0.18 235 m	1	2+1
034-83-200	2000	255	5.2:1 70 cm	Ø 0.20 230 m	1	2+1
034-83-300	3000	285	5.2:1 72 cm	Ø 0.25 215 m	1	2+1
034-83-400	4000	345	5.2:1 78 cm	Ø 0.30 175 m	1	2+1
034-83-500	5000	400	5.2:1 84 cm	Ø 0.40 150 m	1	2+1
034-83-600	6000	430	5.2:1 91 cm	Ø 0.45 140 m	1	2+1



SONIC FD

- Long Cast aluminium Spool
- Balanced Handle with Soft Ergonomic Knob
- · Anti Twist line roller

- Micro-adjusting front drag
- Max Plus line already loaded on the reel













		SIZE	$\Delta \Delta g$	17		
034-72-100	8 054393 153715	1000	215	5.2:1 78 cm	Ø 0.20 175 m	1
034-72-200	8 054393 153722	2000	230	5.2:1 81 cm	Ø 0.20 195 m	1
034-72-300	8 054393 153739	3000	265	5.2:1 83 cm	Ø 0.25 245 m	1
034-72-400	8 054393 153746	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1
034-72-500	8 054393 153753	5000	330	5.2:1 95 cm	Ø 0.35 275 m	1
034-72-600	8 054393 153760	6000	395	5.2:1 101 cm	Ø 0.45 195 m	1



HYDRUS FD

- Long Cast Superlight Spool
- Balanced Handle with Soft Ergonomic Knob
- Anti Twist line roller

- · Micro-adjusting front drag
- Max Plus line already loaded on the reel















	SIZE	$\Delta \Delta g$	44		
034-77-100	1000	215	5.2:1 78 cm	Ø 0.18 215 m	1
034-77-200	2000	230	5.2:1 81 cm	Ø 0.20 195 m	1
034-77-300	3000	265	5.2:1 83 cm	Ø 0.25 245 m	1
034-77-400	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1



HYDRUS RD

- Long Cast Superlight Spool
- Balanced Handle with Soft Ergonomic Knob
- · Anti Twist line roller

- · Micro-adjusting rear drag
- Max Plus line already loaded on the reel

















		SIZE	∆† ∆ 9	**		
034-77-910	8 054393 176097	1000	215	5.2:1 78 cm	Ø 0.18 215 m	1
034-77-920	8 054393 176103	2000	230	5.2:1 81 cm	Ø 0.20 195 m	1
034-77-930	8 054393 176110	3000	265	5.2:1 83 cm	Ø 0.25 245 m	1
034-77-940	8 054393 176127	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1









≅ TRABUCCO

VEKTOR FD

- Long Cast aluminium Spool
- Balanced Handle with Soft Ergonomic Knob
- · Anti Twist line roller

- Micro-adjusting front drag
- · Max Plus line already loaded on the reel













		SIZE	$\Delta \!$	***		
034-71-200	8 054393 153661	2000	230	5.2:1 81 cm	Ø 0.20 195 m	1
034-71-300	8 054393 153678	3000	250	5.2:1 83 cm	Ø 0.25 245 m	1
034-71-400	8 054393 153685	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1
034-71-600	8 054393 153708	6000	380	5.2:1 101 cm	Ø 0.45 195 m	1



VEKTOR power sw

- Graphite composite body and rotor
- 1 Long Life Ball Bearing
- Multi Stop anti reverse system
- Micro-adjusting Front Drag with oversized Drag Washers
- Long Cast Superlight Graphite Spool
- Pre-spooled with Max Plus line quality
- Anti Twist Line Roller
- · Balanced handle with ergonomic knob



	SIZE	∆† ∆ 9	17		
034-71-940	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1
034-71-950	5000	330	5.2:1 95 cm	Ø 0.35 275 m	1
034-71-960	6000	395	5,2:1 98 cm	Ø 0.45 195 m	1



ACHAB sw

- Graphite composite body and rotor
- 1 Long Life Ball Bearing
- Multi Stop anti reverse system
- · Micro-adjusting Front Drag with oversized Drag Washers
- Long Cast Superlight Graphite Spool
- Pre-spooled with Max Plus line quality
- · Anti Twist Line Roller
- · Balanced handle with ergonomic knob



		SIZE	$\Delta \Delta g$	17		
034-78-400	8 054393 170163	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1
034-78-500	8 054393 170170	5000	330	5.2:1 95 cm	Ø 0.35 275 m	1
034-78-600	8 054393 156105	6000	395	5,2:1 98 cm	Ø 0.45 195 m	1



ARROW MICRO

- · Graphite composite body and rotor
- 4 Long Life System ball bearings
- 1 Roller Bearing
- · Multi Stop anti reverse
- Ultralight Long Cast superlight aluminium spool
- · Anti Twist System line roller
- Balanced handle with ergonomic knob




		SIZE	△† ∆ 9	₩\$	H	
033-13-300	8 054393 001603	FD100	160	5.2:1 60 cm	Ø 0.18 165 m	4+1



HYDRUS MICRO

- Graphite composite body and rotor
- 1 Long Life Ball Bearing
- Multi Stop anti reverse
- Ultralight Long Cast superlight spool
- · Pre-spooled with Max Plus line quality
- Anti Twist System line roller
- Balanced handle with ergonomic knob







SONIC MICRO

- Graphite composite body and rotor 1 Long Life Ball Bearing
- · Multi Stop anti reverse
- · Ultralight Long Cast superlight spool
- · Pre-spooled with Max Plus line quality
- Anti Twist System line roller
- Balanced handle with ergonomic knob



		SIZE	<u>Δ</u> j Δ g	₩		
033-44-300	8 054393 004321	100	162	5.2:1 69 cm	Ø 0.18 145 m	1


















CASTFORCE	BRX	173
QOSMIO	CRS	173
AIRBLADE	FREE SPOOL	174
DAYTON	BR	174

ICONS LIST




VIRTUS XF FEEDER & DISTANCE

- Body and rotor made from X-Tra Tough graphite
- 7 stainless steel double shielded ball bearings
 1 Roller Bearing (Infinite antireverse)
- Double strength stainless steel main shaft
- Slow Oscillation & Worm Shaft for a wonderful line lay
 Micro-adjusting Front Drag with oversized drag washers
- Long Cast Superlight aluminium V-spool
- Double line clip (one red, one black) for distance accuracy Oversized aluminium Power Bail (manual closure only)
- Titanium coated Anti Twist Line Roller
- Aluminium CNC handle with T-shaped rubber knob









Double Line Clip with PTFE sheet behind, to protect line.



		SIZE	₩		
034-81-245	8 054393 181015	4500	4.6:1 84 cm	Ø 0.20 200 m	7+1
034-81-255	8 054393 181022	5500	4.6:1 90 cm	Ø 0.22 270 m	7+1
034-81-265	8 054393 181039	DISTANCE (6500)	4.6:1 96 cm	Ø 0.22 270 m	7+1



SPARE SPOOL		SIZE	TYPE	
034-81-246	8 054393 180988	4500	Alu	Ø 0.20 200 m
034-81-256	8 054393 180995	5500	Alu	Ø 0.22 270 m
034-81-266	8 054393 181008	DISTANCE (6500)	Alu	Ø 0.22 270 m





₹TRABUCCO

SPECTRUM FDR

- Body and rotor made from X-Tra Tough graphite
- 7 stainless steel double shielded ball bearings
 1 Roller Bearing (Infinite antireverse)
- Double strength stainless steel main shaft
- Micro-adjusting Front Drag with oversized drag washers
 Long Cast Superlight aluminium V-spool
- Double line clip (one red, one black) for distance accuracy
- Oversized aluminium Power Bail
- Titanium coated Anti Twist Line Roller
- · Aluminium CNC handle with T-shaped rubber knob
- · Cloth protective bag



The spool carries two oversized line clips: one black, the other red.












Efficient Line Guard system, preventing line to slip under the spool.











SPARE SPOOL		SIZE	TYPE	M
034-81-455	8 054393 173393	4500	Alu	Ø 0.20 200 m
034-81-555	8 054393 169037	5500	Alu	Ø 0.22 185 m



INSPIRON FD & DISTANCE FEEDER



		SIZE	$\Delta \!$	**		
034-81-145	8 054393 180926	4500	300	4.6:1 80 cm	Ø 0.20 180 m	5+1
034-81-155	8 054393 180940	5500	320	4.6:1 84 cm	Ø 0.22 150 m	5+1
034-81-165	8 054393 180964	DISTANCE (6500)	405	4.6:1 80 cm	Ø 0.25 225 m	5+1

SPARE SPOOL		SIZE	TYPE	
034-81-146	8 054393 180933	4500	Alu	Ø 0.20 180 m
034-81-156	8 054393 180957	5500	Alu	Ø 0.22 150 m
034-81-166	8 054393 180971	DISTANCE (6500)	Alu	Ø 0.25 225 m

™TRABUCCO

NEW KOMPASS FOR

- 5 Double-Shielded Stainless Steel Ball Bearings
- · One Way Clutch with Instant Anti-Reverse Bearing
- High Strength Engineered Xtra-Tough Body
- Computer Balanced Anti Vibro System
- S-Curve Oscillation System
- Double Strength Stainless Steel Main Shaft
- Superlight Aluminium V-Spool for Increased Casting Distance
- Micro-Adjusting Power Drag with Oversized Washers
- Large Diameter Aluminium Bail Wire
- Anti-Twist Line Roller with Titanium Nitride Coating
- Double Line Clip for Precise Distance Control and Casting Accuracy
- Aluminium CNC Fighting Handle with Rubber Power T-Knob

























SPARE SPOOL		SIZE	TYPE	M
034-81-046	8 054393 189837	4500	Alu	Ø 0.20 190 m
034-81-056	8 054393 189851	5500	Alu	Ø 0.22 325 m







KOMPASS XR RODS

Find out more on pages 48 and 61



CASTFORCE FEEDER SR

- 6 Long Life Ball Bearing System and 1 Roller Bearing
- One way clutch system
- Aluminium Powerbail
- Micro-adjusting Front Drag With Oversized Washers
- Cold Forged Superlight Aluminium Spool
- Lightweight Graphite Spare Spool
- One Touch Handle With T-Rubber Knob
- Anti Twist Line Roller
- · Line Guard Protector system to avoid line slipping down the spool's skirt




Two line clips - round and spring loaded - can actually boost feeder fishing efficacy, as they allow to feed two different lines, creating alternative spots.





CASTFORCE XLD

- High Strength engineered Xtra-Tough body
- 6 Long Life Ball Bearing System
- 1 Roller Bearing
- Worm Shaft and Slow Oscillation system
- Smart Drag system for superfast opening and closing
- PTFE coated drag washers
- Stainless steel main shaft
- Twin line clips with different colours
- Lightweight PTFE Spare Spool
- Aluminium Powerbail
- Titanium coated Anti Twist line roller
- CNC Aluminium handle with soft touch knob





034-81-650

170







435

92 cm

5500

Ø 0.23 240 m

₹TRABUCCO

OVERSIZED

SPOOL

DESIGN

MARVEL DISTANCE FOR

- High Strength Engineered Xtra-Tough Body
- 5 Long Life Ball Bearing
- 1 Roller Bearing (Infinite Antireverse)
- Infinite «One Way» Anti Reverse System
- Double Strength Stainless Steel Main Shaft
- Aerospace Grade Aluminium Spool
 Long Cast Superlight Spool Design
- Micro-adjusting Front Drag With Oversized Washers
- CNC Fighting Handle with Soft Touch Knob
- · Graphite Spare Spool









Double line clip for distance control cast accuracy.



















SIZE

5500



















MARVEL FDR

- · Graphite body
- 5 Long Life Ball Bearings and 1 Roller Bearing
- One Way Clutch System
- · Micro-adjusting Front Drag With Oversized Washers
- Double line clip for distance control cast accuracy
- CNC Machine Cut Long Cast Superlight Aluminium Spool
- · Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium and Soft Touch Ergonomic Handle Knob





034-34-400



















PRECISION XTF

- · Graphite composite body and rotor
- · 2 Long Life ball bearings
- 1 roller bearing (infinite antireverse)
- Micro-adjustable drag with oversized disks
- Balanced aluminum handle with ergonomic knob
- CNC machined Long Cast super light aluminium spool
- Dual line clip, valuable in feeder fishing
- Extra graphite spool
- Special Anti Twist line roller





		SIZE	∆† ∆ 9	₩			
034-74-450	8 054393 153807	4500	360	5.2:1 89 cm	Ø 0.35 130 m	1	2+1
034-74-550	8 054393 153814	5500	410	5.2:1 95 cm	Ø 0.40 150 m	1	2+1

DEMON FEEDER

- Ball Bearing Long Life System
- Anti-return type Multi Stop
- Micro-adjustable front drag oversized discs Coil ultralight Long Cast Superlight
- Max Plus Wire already loaded on the reel
- Hub thread guide ATS (Anti Twist System)
- Balanced crank handle with ergonomic knob















CASTFORCE BRX

- · Graphite composite body and rotor
- 5 Long Life System ball bearings
- 1 roller bearing (Infinite Antireverse)
 One Way clutch system
- Micro-adjustable Carp Runner drag with oversized washers
- CNC machine cut Long Cast Superlight aluminium spool
 Graphite spare spool in the box
- Anti Twist line roller system
- CNC aluminium single handle with ergonomic knob
- Supplied with an extra handle with double knobs















Super Balance System	MINITIMIST STSTEM		Ī

034-79-600













- · Graphite composite body and rotor
- 2 Long Life System ball bearings
- 1 roller bearing (Infinite Antireverse)
- One Way clutch system
- Micro-adjustable Carp Runner drag with oversized washers
- · CNC machine cut Long Cast Superlight aluminium spool
- Graphite spare spool in the box
- Anti Twist line roller system
- Balanced double handle with rubber knobs





		SIZE	∆j ∆ 9	**			
034-80-400	8 054393 156136	4000	375	5.2:1 85 cm	Ø 0.30 200 m	1	2+1
034-80-600	8 054393 156143	6000	490	5.2:1 96 cm	Ø 0.40 195 m	1	2+1

AIRBLADE FREE SPOOL

- · Aultraslim body made from spacecraft metal alloy
- No screws on exterior parts
- Superlight rotor made from spacecraft metal alloy
- Aluminium spool
- Titanium Line Roller
- Free Runner system
- Infinite anti-reverse
- · Aluminium one touch folding handle



After a few centimetres of handle rotation, the free runner system is automatically disengaged, and main drag system gets into play, of course at level previously set by the user at the start of fishing session.



The free runner system fitted on new Air Blade FD is quite efficient, because it works right in the heart of the reel, exactly on the big roller anti-reverse bearing. No power dispersion means superior smoothness, specially in the vital moment of first fish run!.















280
















022 72 400		





4000



5.1:1

83 cm









033-72-401









DAYTON BR

- Ball Bearing Long Life System
- Multi Stop anti reverse
- Free Runner drag system
- Ultralight Long Cast superlight aluminium spool
- Max Plus line already loaded on the spool
- · Anti Twist System line roller
- · Balanced handle with ergonomic knob















		SIZE	∆† ∆ 9	Y		
033-27-400	8 054393 126436	4000	330	5.2:1 84 cm	Ø 0.30 180 m	1
033-27-500	8 054393 126443	5000	400	5.2:1 90 cm	Ø 0.40 190 m	1
033-27-600	8 054393 126450	6000	460	5.2:1 97 cm	Ø 0.40 220 m	1











SURFCASTING & BIG PIT

LANCER	LTX	176
LANCEN	XTR	177
TORSEN	SURF	178
X-RIDE	BEACH	179
SERES	PW SURF	180
DWELLER	SURF	181
	CX ULTRALIGHT SURF	182
OACTEODOE	CX BEACH	182
CASTFORCE	SRT	183
	XT BEACH	183
RADIANT	XS SURF	184
SPECTRUM NEW	XSD SURF	185
XHIRON	SD	186
CASTFORCE	XLT SURF	186
EMERY	SURF	187
MAXXIS	HYPER SURF	187
EDONIS NEW	XS SURF	188
HYRONCAST		188
ANDROMEDA	XT SURF	189
MARVEL	XT SURF	189
ADMIRAL	SURF & LONG CAST	190
SEARIDER	PWG	190
SONIC	XS SURF	191
AVALON NEW	SURFCAST	191
OCEANIC NEW	SURFCAST	192
DAYTON	SURF	192

ICONS LIST

SIZE	Size	₩	Gear Ratio	Spare Spool
$\boxed{\Delta \mathbf{j} \Delta g}$	Weight		Ball Bearings	
TYPE	Туре		Capacity ø	

BÔXDY

LANCER LTX Xtra light Body and Rotor made from CX Carbon • Long Cast Superlight aluminium spool Titanium coated Anti Twist line roller Sealed Smart Drag system, with PTFE coated washers · Double strength stainless steel main shaft Stainless steel Long Life ball bearings Infinite anti-reverse system Worm Shaft + Slow Oscillation System Advanced rotor stop system CNC Aluminium handle with soft touch knob On left, the standard ball bearings Thanks to its special design, the worm shaft is responsible of perfect line lay on reel's spool. As a consequence, the casting distance is improved, due are open to get salt within balls. On right, the shielded version from Trabucco Lancer LTX series is safe from to easier line flow. aggressive agents. ANCER LIX Graphite spare spool. 6+1SS POWERBAIL ROLLER WORK SHAPT GEAR WORK SHAPT GE

		SIZE	∆1∆ 9	**		
035-13-100	8 054393 173669	6.500	580	4.8:1 90 cm	Ø 0.25 310 m	6+1
035-13-200		8.000	680	4.3:1 92 cm	Ø 0.30 340 m	6+1

SPARE SPOOL		SIZE	TYPE	M
035-13-101	8 054393 173676	6.500	Alu	Ø 0.25 310 m
035-13-201	8 054393 173690	8.000	Alu	Ø 0.30 340 m



LANCER XTR

- 6 Stainless steel long life ball bearings
- Infinite anti reverse system
- Worm Shaft for a perfect line lay
- Slow oscillation system
- Sealed smart drag system
- Bail arm lock system (manual closure only)
- High strength engineered XTra Tough body
- Double strength stainless steel main shaft
- Long cast superlight aluminium spool
- CNC fighting handle with soft touch knob
- PTFE coated magnum drag washers
- Titanium coated anti twist line roller
- Exclusive spare spools available as optional





Thanks to the worm shaft and the super slow oscillation of the spool, the line lay of XTR is absolutely impeccable.



A tiny hole, located in the spool's core just above the line clip, allows to fix the first line's coil without using the traditional knot, which, considering the limited depth of the spool, would be too much obtrusive and could negatively affect the achievable casting distances.






























Two types of spare spools are available as optional, both CNC carved from a solid aluminium bar.

SPARE SPOOL		SIZE	TYPE	M
035-13-651	8 054393 141170	6500	Alu	Ø 0.25 250 m
035-13-652	8 054393 141224	6500	Black PE	Ø 0.25 245 m
035-13-801	8 054393 141231	8000	Alu	Ø 0.30 300 m
035-13-802	8 054593 141248	8000	Black PE	Ø 0.30 275 m



- Body made from hardened graphite (X-Tra Tough)
- Long Cast Superlight aluminium spool with «V» lip
 7+1 Stainless steel shielded ball bearings
- Double strength Stainless Steel main shaft
- Powerbail with Titanium coated Anti Twist line roller Micro adjusting front drag, with oversized washers
- Infinite anti-reverse system
- Worm Shaft + Super Slow Oscillation System
- CNC Aluminium fighting handle with power knob





















































Ø 0.25 300 m















X-RIDE BEACH

- High strength engineered Xtra Tough body
- Cold forged long cast superlight aluminium spool
- Large diameter aluminium bail wire, with titanium coated anti-twist line roller
- Sensitive and sealed drag system





The drag box of X-Ride Beach is safely sealed by a soft rubber gasket, a solution which prevents salt water intrusion as well as keeping dust and sand



The shallow spool is absolutely perfect in a technique, like beach legering, where more and more thin lines are now used. Its upper lip has been designed to reduce friction to the bare minimum.





035-07-550















10+1









SIZE

5500



Δ1Δ g



Ø 0.25

300 m

₩\$

91.5 cm





SERES PW SURF

- High strength engineered X-Tra Tough body
- Double strength stainless steel main shaft
- Longcast aerospace grade aluminium spool
- Aluminium spare spool
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers



Anti-Twist Titanium line rollerSealed stainless steel Long Life ball bearings

· Infinite antireverse

Worm Shaft for a perfect line lay
Aluminium CNC handle with soft touch knob

Slow spool oscillation











POWERBAIL AND ROLLER CLETCHY











































035-32-081











180







DWELLER SURF

- · Aluminium body with graphite side cover (Hybrid body)
- Long Cast Superlight aluminium spool
- · Aluminium spare spool
- 6+1 Stainless steel shielded ball bearings
- · Double strength Stainless Steel main shaft
- Titanium coated Anti Twist line roller
- Precision Smart Drag system, with PTFE coated washers
- Infinite anti-reverse system
- Oversized aluminium Power Bail
- Worm Shaft + Ultra Slow Oscillation System
- · CNC Aluminium fighting handle with soft touch knob



Worm Shaft ensures perfect line lay.



In combination to Worm Shaft, the super slow oscillation causes a superb line lay, best warranty for long and smooth casts.







POWERBAIL AND ROLLER CLUTCH



DWELLER

CASTFORCE CX ULTRALIGHT SURF

- Pure CX carbon body and rotor
- Double strength stainless steel main shaft
- Longcast aerospace grade aluminium spool
- Longcast aluminium spare spool
- Front drag with fast operating knob (Smart Drag)
- PTFE coated oversized drag disks
- Titanium coated Anti-Twist line roller
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Aluminium CNC handle with soft touch knob







		SIZE	$\Delta \Delta g$	**			6
035-22-800	8 054393 154156	8000	500	4,6 :1 100 cm	Ø 0,33 150 m	1	9+1



CASTFORCE CX BEACH

- · Extra light pure CX Carbon body and rotor
- Sealed stainless steel Long Life ball bearings
- · Infinite antireverse
- · Double strength stainless steel main shaft
- · Worm Shaft for a perfect line lay
- Slow spool oscillation
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- Longcast aerospace grade aluminium spool
- 1x Longcast aluminium spare spool
- Oversized bail (Powerbail)
- Titanium coated Anti-Twist line roller
- Aluminium CNC handle with soft touch knob



Like Castforce Surf reels, also Castforce Beach can take advantage of the dedicated optional PTFE spool, available separately and interchangeable on both the CX and XT models.



	SIZE	$\Delta_1^*\!$	₩\$			
035-29-550	5500	370	4.7:1 92 cm	Ø 0,307 270 m	1	9+1

SPARE SPOOL		SIZE	TYPE	
035-28-010	8 054393 156396	5500	PTFE white	Ø 0.228 240 m

MTRABUCCO

₹TRABUCCO

CASTFORCE SRT

- High strength X-Tra Tough body and rotor
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Double strength stainless steel main shaft
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- Longcast aerospace grade aluminium spool
- 2x Longcast PTFE spare spools
- Oversized bail (Powerbail)
- Titanium coated Anti-Twist line roller
- Aluminium CNC handle with soft touch knob



Castforce SRT is equipped with two additional PTFE spools, of different colour, ultralight and with the same line capacity as the main aluminum spool.


























CASTFORCE XT BEACH

- High strength X-Tra Tough body and rotor
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse

035-18-180

- Double strength stainless steel main shaft
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- Longcast aerospace grade aluminium spool
- 2x Longcast PTFE spare spools
- Oversized bail (Powerbail)
- Titanium coated Anti-Twist line roller
- Aluminium CNC handle with soft touch knob



Castforce XT Beach is equipped with two additional PTFE spools, of different colour, ultralight and with the same line capacity as the main aluminum spool



035-28-550



POWERBAIL A





ROLLER ANTITWIST SYSTEM

SIZE

5500





17

4.7:1

92 cm









RADIANT xs surf

- High strength X-Tra Tough body and rotor
- Sealed stainless steel Long Life ball bearings
 Double strength stainless steel main shaft
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Front drag with fast operating knob (Smart Drag)
- · Infinite antireverse

- · PTFE coated magnum drag washers
- Longcast aerospace grade aluminium spool
 2x Longcast PTFE spare spools
- Oversized bail (Powerbail)
- Aluminium CNC handle with soft touch knob
- · Titanium coated Anti-Twist line roller







035-31-080




























Radiant is equipped with two additional PTFE spools, of different colour, ultralight and with the same line capacity as the main aluminum spool.













SPECTRUM xsd surf

- Body and rotor made from hardened graphite
- Long Cast Superlight aluminium spool (blue colour)
- Standard aluminium spare spool (red colour), having same capacity
- Both are also available as optional spares
- 9+1 Stainless steel shielded ball bearings
- Double strength Stainless Steel main shaft · Titanium coated Anti Twist line roller
- Precision Smart Drag system, active with half a turn
- Infinite anti-reverse system
 The Line Guard frame follows the spool up and down, to prevent line from tangling below it
- Stainless steel Worm Shaft + Slow Oscillation System
- CNC Aluminium fighting handle with soft touch knob





































		SIZE	Δ1Δ 9	44			
035-31-180	8 054393 189370	8000	575	4,6 :1 112 cm	Ø 0.25 330 m	1	9+1

SPARE SPOOL		SIZE	TYPE	
035-31-110	8 054393 189356	8000	Alu UL (Blue)	Ø 0.25 330 m
035-31-120		8000	Alu (Red)	Ø 0.25 330 m

XHIRON SD

- High strength X-Tra Tough body and rotor
- Sealed stainless steel Long Life ball bearings
- Double strength stainless steel main shaft
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- · Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- · Longcast aerospace grade aluminium spool
- 2x Longcast PTFE spare spools
- Oversized bail (Powerbail) Titanium coated Anti-Twist line roller
- · Aluminium CNC handle with soft touch knob









POWERBAIL AND ROLLER ANTITUIST SYSTEM





















SIZE 8000

ΔİΔ g

4.6 :1

₩#

Ø 0.28 200 m

2 PTFE



CASTFORCE XLT SURF

- High strength engineered X-Tra Tough body
- Double strength stainless steel main shaft Longcast aerospace grade aluminium spool
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- Anti-Twist Titanium line roller
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Worm Shaft for a perfect line lay

- · Aluminium CNC handle with soft touch knob
- · Slow spool oscillation



























		SIZE	∆† ∆ 9	₩ \$		
035-19-650	8 054393 151872	6500	545	4,6:1 92 cm	Ø 0.285 200 m	8+1
035-19-800	8 054393 151896	8000	565	4,6:1 100 cm	Ø 0.330 150 m	8+1









₹TRABUCCO

EMERY SURF

- High strength engineered X-Tra Tough body
- Double strength stainless steel main shaft
- Longcast aerospace grade aluminium spool
- 2x spare PTFE spools
- Front drag with fast operating knob (Smart Drag)
- Anti-Twist Titanium coated line roller
- · Sealed stainless steel Long Life ball bearings
- · Infinite antireverse
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Aluminium CNC handle with soft touch knob





































8000

8000

(Blue)

PTFE

035-23-010

035-23-020

MAXXIS HYPER SURF

- · X-Tra Tough graphite body
- · Longcast aluminium spool
- Longcast aluminium spare spool
- · Traditional bail with Anti-Twist line roller
- Sealed stainless steel ball bearings
- Infinite antireverse
- Worm Shaft for a perfect line lay
- Aluminium handle with ergonomic rubber knob





		SIZE	∆1∆ 9	₩\$			
035-15-080	8 054393 012852	8000	610	4.5:1 98 cm	Ø 0.35 220 m	1	3+1
035-15-100	8 054393 012869	10000	735	4.5:1 98 cm	Ø 0.40 220 m	1	3+1



Ø 0.285

200 m

Ø 0.285

200 m

EDONIS XS SURF

- 5 Long Life Ball Bearing
- Infinite «One Way» Anti Reverse System
- Cross Winder + A.V.S. System
- Double Strength Stainless Steel Main Shaft
- Long Cast Superlight Aluminium Spool
- Superlight Graphite Spare Spool
- AS System Anti Twist Line Roller
- Precision Smart Drag System with PTFE Coated Magnum Drag Washers
- CNC Fighting Handle with Soft Touch Knob
- Max Drag Power: 18Kg






















































- 5 Long Life ball bearing
- 1 Roller bearing
- Graphite composite body
- Long Cast superlight graphite spool
- Anti Twist Line Roller
- Micro-adjusting Front Drag with Oversized Drag Washers
- Infinite Anti Reverse «One Way» System
- Worm Shaft + S.O.S. Slow Oscillation System
- One Touch handle with ergonomic soft knob



Thanks to its special design, the worm shaft is responsible of perfect line lay on reel's spool, with neat angles between each coils. As a consequence, the casting distance is damatically improved, due to easier line flow.



























		SIZE	∆† ∆ g	44			
035-05-550	8 054393 012715	5500	570	4.9:1 97 cm	Ø 0.25 310 m	1	6+1
035-05-800	8 05/393 012739	8000	770	4.7:1 103 cm	Ø 0.35 330 m	1	6+1



₹TRABUCCO

ANDROMEDA XT SURF

- · 5 Long Life ball bearing
- 1 Roller bearing
- Graphite composite body
- · Long Cast superlight graphite spool
- Anti Twist Line Roller
- Micro-adjusting Front Drag with Oversized Drag Washers
- Infinite Anti Reverse «One Way» System
 Worm Shaft + S.O.S. Slow Oscillation System
- One Touch handle with ergonomic soft knob





035-21-800


















MARVEL XT SURF

- 5 Long Life SS Ball Bearing1 Roller Bearing
- Infinite Anti Reverse «One Way» System
- Stainless Steel Main Shaft
- · Power Drive Main Gear
- Superlight Aluminium Spool
- Power Handle With Soft Ergonomic Knob
- Micro-adjusting Power Front Drag
 Oversized Drag Washers
- · Anti-Twist Line Roller

















035-25-080





SIZE

7000



150




175 m



ADMIRAL SURF & LONG CAST

- · 4 Long Life Ball Bearing
- 1 Roller Bearing
- · Graphite composite body
- · Long Cast Superlight Graphite Spool
- Anti Twist Line Roller
- Micro-adjusting Front Drag with Oversized Drag Washers
- Infinite Anti Reverse «One Way» System
- Worm Shaft + S.O.S. Slow Oscillation System
- CNC Fighting Handle With Ergonomic Soft Knob







On left, the standard ball bearings are open to get salt within balls. On right, the shielded version fitted on Admiral Surf series is safe from aggressive agents













SEARIDER PWG

- Body and rotor made from graphite composite
- 5 stainless steel Long Life ball bearings
- 1 Roller Bearing (Infinite antireverse)
- Stainless steel main shaft and drive gear
- Micro-adjusting Front Drag with oversized Drag Washers
- Superlight graphite spool
- Oversized aluminium Power Bail
- Titanium coated Anti Twist Line Roller
- Aluminium handle with oversized rubber knob



		SIZE	$\boxed{\Delta_1^* \Delta_g}$	₩\$	M	
035-26-550	8 054393 157287	6000	410	4.9:1 86 cm	Ø 40 135 m	5+1
035-26-700	8 054393 157294	7000	630	4.1:1 84 cm	Ø 50 230 m	5+1







™TRABUCCO

SONIC xs surf

- · Long Life ball bearing system
- Multi Stopper anti-reverse system
 Micro-adjustable front drag with oversized washers
- Superlight Long Cast Spool
- Pre-spooled Max Plus line (ready to use reel)
- Anti Twist line roller
- Balanced handle with ergonomic knob





- 1 Long Life Ball Bearing System
- Multi Stop System

034-73-065

034-73-080

- · Micro-adjusting front drag with oversized washers
- Long Cast Superlight Spool
- Anti Twist Line Roller
- Balanced handle with soft ergonomic knob
- Max Plus Line already spooled













SIZE

6500

8000

		SIZE	$\Delta \hat{\mathbf{J}} \Delta \mathbf{g}$	**		
033-42-500	8 054393 190659	6500 Red	620	4.1:1 82 cm	Ø 0.50 175 m	1
033-42-600	8 054393 190666	6500 Blue	620	4.1:1 82 cm	Ø 0.50 175 m	1

NEW OCEANIC SURFCAST

- 1 Long Life Ball Bearing System
- Multi Stop Anti-reverse System
- Spooled with Max Plus Line
- Micro-Adjustiable Front Drag with oversized washers
- Long Cast Superlight Spool
- Anti Twist Line Roller
- Balanced Handle with soft ergonomic knob



DAYTON SURF

033-43-400

S B S ROLLER STOP

SIZE

8000

<u>Δ</u>[Δ g

613











SW POWER GAME

INVICTUS	SWH	194
AIRBLADE	POWER SW	195
QOSMIO	XT POWER GAME	195
MARVEL	PWG	196
SEARIDER	PWG	196
DAYTON	SW	197
ACHAB	SW	197
VEKTOR	POWER SW	197

TROLLING & JIGGING

SEAEAGLE		199
TRANSFORMER	F50C	200
HYBRID	HY 20CL	200
SEALION	JIGGING	201
SEALION	ОВ	202
MERIDIAN	GT	202
THOR	LD	203
NEPTUNE	SR	203

ICONS LIST

SIZE Size	Gear Ratio	Spare Spool
	Ball Bearings	
TYPE Type	Capacity ø	

INVICTUS swh

- · Ultra stiff metal body
- Aluminium V-spool design for increased casting distance
- Spool assisted by 2 ball bearings for smooth drag performance
- Stainless steel main shaft and main gear shaft
- Oversized aluminium Power Bail with Anti Twist line roller
- Sealed drag with carbon and steel disks
- Stainless steel sealed ball bearings
- Permanent one-way retrieve (no anti-reverse)
- Cross Winding system for a perfect line lay
- · Power Drive screw lock CNC handle with fighting knob





























SIZE	$\Delta \dot{\mathbf{J}} \Delta \mathbf{g}$
6500H	490
8000H	510















PWG X8 POWER GAME

- 8 strand braid made from High Modulus PE fibers
- Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- PDMS membrane protecting each single fiber from wear
- Power Game special: ideal for long and tough fights
- Super flexibility and free flowing through rod's guides
- Great softness and hyper sensitivity
- No memory and high abrasion resistance
- Round cross section to allow long and accurate casting



055-02-.. Available Diameter: 0,185 mm - 0,330 mm

Find out more on page 207

194





₹TRABUCCO

AIRBLADE power sw

- Sealed body and rotor made from metal alloy for extreme stiffness, without any external screw
- Machined aluminium spool, with large holes for lightness
- · Power Bail with Anti Twist line roller
- · Micro-adjustable drag, with oversized disks
- Stainless steel Long Life ball bearings
- · Infinite anti-reverse
- One touch folding handle with oversized, ergonomic knob



The metal rotor has been drawn by computer to reduce weight and improve balance as well.



The handle folds instantaneously, thanks to the one touch button.





















		SIZE	∆1	44			
033-71-500	8 05/383 011732	4500	480	4.9:1 81 cm	Ø 0.35 245 m	7	7+1

SPARE SPOOL	SIZE	
033-71-501	4500	Ø 0.35 245 m

QOSMIO XT POWER GAME

- 4 Long Life Ball Bearing
- 1 Roller Bearing
- Infinite Anti Reverse «One Way» System
- Worm Shaft + S.O.S. System
- · Long Cast Superlight Graphite Spool
- CNC Fighting Handle With Ergonomic Soft Knob
- Micro-adjusting Front Drag with oversized Drag Washers
- · Anti Twist Line Roller















		SIZE	Δ j δg	₩		
035-20-800	8 054393 154132	900	650	4.2:1 92 cm	Ø 0.40 320 m	5+1

MARVEL pwg

- Body and rotor made from X-Tra tough graphite
- 5 stainless steel Long Life ball bearings
- 1 Roller Bearing (Infinite antireverse)
- Stainless steel main shaft and drive gear
- Micro-adjusting Front Drag with oversized Drag Washers
- Long Cast Superlight aluminium spool
- Graphite extra spool
- Oversized aluminium Power Bail
- Titanium coated Anti Twist Line Roller
- Aluminium handle with oversized rubber knob





035-25-550

035-25-700


















SEARIDER PWG

- Body and rotor made from graphite composite
- 5 stainless steel Long Life ball bearings
- Roller Bearing (Infinite antireverse)
 Stainless steel main shaft and drive gear
- Micro-adjusting Front Drag with oversized Drag Washers
- Superlight graphite spool
- Oversized aluminium Power Bail
- Titanium coated Anti Twist Line Roller
- Aluminium handle with oversized rubber knob

















		SIZE	₫ ₫ 9	17	M	
035-26-550	8 054393 157287	6000	410	4.9:1 86 cm	Ø 40 135 m	5+1
035-26-700	8 054393 157294	7000	630	4.1:1 84 cm	Ø 50 230 m	5+1

™TRABUCCO

DAYTON sw

- Long Life Ball Bearing System
- Multi Stop anti reverse system
- Micro-adjustable front drag with oversized discs
- Long Cast superlight spool
- . Max Plus light blue color line already loaded on the spool
- · Anti Twist System line roller
- Balanced handle with ergonomic knob







ACHAB sw

- · Graphite composite body and rotor
- 1 Long Life Ball Bearing
- Multi Stop anti reverse system
- · Micro-adjusting Front Drag with oversized Drag Washers
- Long Cast Superlight Graphite Spool
- · Pre-spooled with Max Plus line quality
- Anti Twist Line Roller
- Balanced handle with ergonomic knob



		SIZE	∆1 ∆ 9	44		
034-78-400	8 054393 170163	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1
034-78-500	8 054393 170170	5000	330	5.2:1 95 cm	Ø 0.35 275 m	1
034-78-600	8 054393 156105	6000	395	5,2:1 98 cm	Ø 45 195 m	1



VEKTOR POWER SW

- Graphite composite body and rotor
- 1 Long Life Ball Bearing
- Multi Stop anti reverse system
- Micro-adjusting Front Drag with oversized Drag Washers
- · Long Cast Superlight Graphite Spool
- Pre-spooled with Max Plus line quality
- Anti Twist Line Roller
- Balanced handle with ergonomic knob



		SIZE	∆1 ∆ 9	44		
034-71-940	8 054393 170248	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1
034-71-950	8 054393 170255	5000	330	5.2:1 95 cm	Ø 0.35 275 m	1
034-71-960	8 054393 170262	6000	395	5,2:1 98 cm	Ø 45 195 m	1







SPEED GEARING

Maxel 2-Speed system consists of two sets of stainless steel main and pinion gears, allowing anglers the option of a high-speed ratio or a power ratio for maximum torque. Maxel shifting system is designed to operate in a simple and reliable way: just push the shift button and handle in for low gear, offering you the power to fight big game fish; push button and pull handle out so as to switch back to high speed ratio for quick line retrieve.



MACHINED RIGID FRAME

Aircraft grade aluminum construction incorporating Maxel rigid machine technology. All Maxel reels feature a strong, rigid, one-piece fully machined aluminum frame. These monolithic bar-stock frames not only keep the moving parts in precise alignment, but also maintain exacting control tolerances under heavy loading while fighting big fish.



MAGNETIC CAST ASSIST

Maxel Magnetic Cast Assist is designed to reduce backlash and improve casting distance by utilizing the magnetic field. The magnetic piece exerts an opposing force and assist with accurate adjustments. This feature is available on Maxel light jigging reel models.



PRE-SET & DRAG LEVER

Maxel pre-set knob and drag lever are designed user-friendly for precise and constant drag settings from FREE (no drag pressure), to STRIKE (where you fight the fish), until FULL (provides extra drag pressure when you need it). Turn the pre-set knob clockwise for more drag pressure, counter-clockwise for less drag pressure.



COLD FORGED SPOOL & SIDEPLATES

With Maxel latest cold forging technology, the super strong, cold forged aluminum spool and side plates stand up to line pressure and hard fighting



ANTI-CORROSION SS BEARINGS

Maxel use top quality shielded stainless steel ball bearings in order to assure corrosion resistance and smooth operation on line release and retrieve.

HEAVY DUTY AND PRECISION GEARS

Each Maxel reel is constructed around a high modulus, heat-treated, heavy duty stainless steel gear set for superior strength, smoothness and lona life.



CARBON DRAG SYSTEM

Maxel unique Carbon Drag system delivers a wide range and smooth operation at all settings. The contaminant resistant carbon surfaces are treated with a precise amount of specially formulated Maxel drag grease that resists water absorption and maintains powerful drag settings. Constant, steady friction and excellent heat displacement are assured through the drag surface design.



ERGO POWER KNOB

Maxel ergonomically shaped power knob provides maximum power with minimum fatigue for the game angler. The power knob takes full advantage of the natural dynamics of the human hand, wrist and forearm to help sustain power and endurance for the game angler.




SEAEAGLE

- · Fantastic double speed trolling reel
- 6061-T6 machined one piece aluminum frame
- Cold forged aluminum spool and side plates
- Precision-machined stainless steel gears
- · Carbon-based contaminant-resistant drag materia
- 4 shielded stainless steel ball bearings
- Extremely tight tolerance to prevent line eating
 Heavy duty stainless steel drive and spool shafts
- · CNC aluminum anodized reel foot

• Main shaft bearing stabilizer prevents excessive side pressure on spool bearings

New power T-Bar handle for increased comfort and torque

· Stainless steel rod clamp and harness lugs



Weight





Maxel pre-set knob and drag lever are designed user-friendly for precise and constant drag settings from FREE (no drag pressure), to STRIKE (where you fight the fish), until FULL (provides extra drag pressure when you need it). Turn the pre-set knob clockwise for more drag pressure, counter-clockwise for less drag pressure.



T-BAR HANDI F

The exclusive ergonomic T-Bar handle is able to provide maximum cranking power with minimal effort. T-Bar actually makes the most of hand, wrist and forearm. Construction material has been chosen not to burn hands even if sun exposed during Summertime.















	MODEL	17	M	STRIKE	kg	
030-03-020	SE20	4.3:1 1.7:1	20 lb 690 yds	12.30 kg	14.30	4
030-03-030	SE30W	4.3:1 1.7:1	30 lb 700 yds	12.50 kg	14.50	4
030-03-035	SE30WL	4.3:1 1.7:1	50 lb 570 yds	12.50 kg	14.50	4
030-03-050	SE50W	3.6:1 1.3:1	50 lb 850 yds	17.50 kg	20.50	4













practical protective EVA bag, tailor made to fit the reel and closed at the bottom by a Velcro band that leaves the foot uncovered. Therefore, the reel can be wrapped by the bag without removing it from the rod's reel seat.

TRABUCCO FISHING RANGE 2024

TRANSFORMER F50C

- · Precise machined, rigid, one piece tempered aluminium frame
- Super strong, cold forged aluminium spool and side plates
- Smooth, high precision, heat treated stainless steel helical cut gears
- Lever controlled carbon dual drag delivering smooth performance even when wet
- Magnetic cast assist control for improved casting performance
- Recessed stainless steel seat makes the reel sitting lower on rod
- 8+2 oversized and shielded stainless steel ball bearings
- Right handle, with ergonomic EVA knob for superior control
- Complete Heavy Duty anodization
- · Protective Neoprene case, closed by a Velcro band







030-05-100















HYBRID HY 20CL

- · Light yet strong reel for Slow Pitching and Vertical Jigging
- Smooth star drag performance, even when wet, with carbon washers
- EVA handle knob for total control during line retrieve and fish fight
- Compact, one-piece anodized aluminium frame
- Cold forged aluminium spool and side plates
- Magnetic Cast Assist (MCA)
- Precision machined & high strength stainless steel gears
- Aluminium thumb bar spool release
- 7+1 stainless steel shielded ball bearings
- Left Handle configuration
- CNC machined aluminium foot



Magnetic Cast Assist. It's designed to reduce backlash and improve casting distance by utilizing the magnetic field. The magnetic piece exerts an opposing force and assist with accurate adjustments. This feature is available on Maxel light jigging reel models

























SEALION JIGGING

- 6061-T6 machined one piece aluminum frame
- Cold forged aluminum spool and side plates
- Precision-machined stainless steel gears
- Contaminant-resistant carbon drag material with special grease
- With fulcrum clicker design to stop drag lever backing off
- Oversized shielded stainless steel ball bearings for better support and strength
- Slim frame and narrow spool increased 10% more line capacity
- Newly designed balance handle to minimize the jigging vibration
- Excellent free spool
- Serialized identification





TRABUCCO



PRE-SET & DRAG LEVER. Maxel pre-set knob and drag lever are designed user-friendly for precise and constant drag settings from FREE (no drag pressure), to STRIKE (where you fight the fish), until FULL (provides extra drag pressure when you need it) .Turn the pre-set knob clockwise for more drag pressure, counter-clockwise for less drag pressure.




















Retrieve per crank SL08 - 82 & 42 cm SL10 - 95 & 47 cm

SLOSLH



2-SPEED GEARING. Maxel 2-Speed system consists of two sets of stainless steel main and pinion gears, allowing anglers the option of a high-speed ratio or a power ratio for maximum torque. Maxel shifting system is designed to operate in a simple and reliable way, just push the shift button and handle in for low gear, offering you the power to fight big game fish; push button and pull handle out so as to switch back to high speed ratio for quick line recovery.

RAPTURE SEADUST SLOW PITCH





A true technology bomb expressly dedicated to Slow Jigging purists: rigorously one-piece blank structure, with three differentiated power rods designed for the exclusive use of the multiplier reel. For those who use it, a Seadust is an absolute pleasure. In action it's light, precise, powerful and sensitive; resistant up to the extreme bending, it leaves no way out for the more combative fish, protecting the braided line thanks to the stress-absorbing properties of its carbon structure. CXC technology and acid guide configuration totally delete blank's torsion and considerably reduce fighting fatigue.

SEALION OB

An Hi-Tech multiplier designed for trolling and specifically with braided lines. This is the right model to fish with the downrigger and with the drift lead; in fact, it features an increased capacity spool, granting the possibility to spool enough meters of the big diameter braided required. It is evident that for other specifications we did not change the good specs that made the Sea Wolf and the Sea Lion the best multipliers to be used on a boat. So also the Sea Lion OB features a machined 6061-T6 aluminium frame. This one piece frame is the best warranty you can have about the solidity and the reliability of the reel. All the gears are made from stainless steel, the only material that can last for countless years in an aggressive and salty environment. The spool and the side covers are made of cold forged aluminium, to keep them light weight but still very strong. The lever drag and the handle have ergonomic shape and are easy to access, because when you are fighting a big fish everything must be just handy. If you summarize what a Maxel OB is giving you: light weight, ergonomic design, 100% salt water proof, stainless steel and carbon drag washers, eight double shielded stainless steel bearings and much more, you will understand why we are giving 5 years warranty. Because a Maxel reel is made for fishing and it will do it well for a long, long time.





		MODEL	**		STRIKE	R	
030-01-206	8 054393 010582	06LH	4.5:1	310 m - 20 lb	5.0 kg	6.0	8+2
030-01-209	8 054393 010599	09RH	4.5:1	410 m - 20 lb	8.0 kg	10.0	8+2
030-01-211	8 054393 010605	11RH	4.5:1	545 m - 20 lb	7.0 kg	8.5	8+2



MERIDIAN GT

Meridian trolling reels are a good and versatile option for Mediterranean trolling. Graphite body is salt water resistant and side plates are reinforced by a stainless steel ring, to strengthen the whole chassis. Handle and spool are anodized aluminium, so the reel can be spooled with braided line. The smooth drag has a Max Drag of 20 lbs and can be set up very carefully. The bearings are 3+1, all in double shielded stainless steel, to cope with the very aggressive marine environment. The fighting handle has a power knob.









THOR LD

- · Lightweight graphite frame and side plates
- Shielded stainless steel ball bearings
- Instant anti-reverse stainless steel bearing
- Stainless Steel frame rings for extra rigidity



NEPTUNE SR

Family of easy to use, long lasting and reliable conventional reels. All the gears are salt water treated and perform a 3.8:1 gear ratio, the correct compromise between speed and power. The spool, and the handle too, is made from anodized aluminium, so it can be used with braided lines. Both sizes feature level wind for an easy use and perfect line lay. Graphite body is light weight and corrosion resistant. 3 stainless steel shielded bearings.



		SIZE	∆† ∆ 9	₩\$			
030-55-200	8 054393 010636	15/30	485	3.8:1	Ø 0.45 200 m	20 lb	3
030-55-300	8 054393 010643	20/40	520	3.8:1	Ø 0.45 260 m	30 lb	3



TRABUCCO LINE TECHNOLOGY

First of all, the contact with bait or lure, then link to the fish. Not a mere accessory, but a vital piece of tackle, which deserves the best attentions. Line and fishing are actually inseparable, since the sporting aspect has taken over the food needs.





SUPER HYDROPHOBIC POLYDIMETHYLSILOXANE COATING

It's quite difficult to memorize the full meaning of the acronym PDMS: it's surely much easier to realize and remember its benefits. Each single strand of the Trabucco braids which are made with such technology is coloured and coated prior to the formation of the line, obtaining an unsurpassed level of protection. This was possible because the PDMS allows to create ultrafine membranes with high flexibility, photoresistance, waterproofness and ability to saturate microscopic rooms. On its surface, water forms tiny balls and slips away, and it is obvious that the salt and any chemical pollutants can't penetrate and damage the fibers forming the line.

HMPE


The High Modulus Polyethylene is the best material for braided line's production. Flexibility, linear strength and abrasion resistance are its quality factors.



Series of monofilaments super resistant to shocks and knots, always reliable and top quality. A timeless classic of Italian fishing style.



Super soft and abrasion resistant monofilaments, the best for spooling your reels. Specific lines available for Match, Surf Casting, Predator, Feeder and, generally, for all the techniques that need long casting performance.





The future technology is already here, with the core of the monofilament featuring an unprecedented compactness for maximum cooperation between the molecules



Hi-Tech monofilaments of the latest generation, each series is dedicated to a specific fishing techniques and it is essential due to its unique structure.



A new range, specialized in the most common fresh and saltwater uses. Total reliability and a plus: the side cover which include the hole to hang each spool in the shop.

TRABUCCO PARALLEL SPOOLING

The spooling process is a step of production which can heavily affect the line's performance and behavior while fishing. When the monofilament gets from the big spools to commercial, small ones, the machines involved in the operation can induce abnormal tension and torque, up to "loading" the line with a stress that will be given us back when we will wind it on to the reel's spool or when we will use it to build up a rig or an hooklink. The solution used by Trabucco to overcome this problem on high end lines is the parallel spooling, a special process which cannot be applied on the whole range due to longer time process that, in the end, causes cost's increase. A very special machine lays every coil parallel to the previous one under high precision and minimal tension, without inducing any torsion and generating the fantastic effect which everybody can see through a magnifying glass. Excess of accuracy? Maniacal care? Nothing wrong, because only in this way the line will come off the spool with unchanged specifications, the best precondition to get the optimum from it, with less tendency to tangle and with a smooth flow through rod's guides.

AUTHENTIC QUALITY

The embossed logo inside the spool? A strong headache for those who try to produce copies of the extraordinary Trabucco lines, because replicating such a sophisticated spool involves a heavy investment that pushes up prices. In the future, it will gradually be applied to new products, making the authentic Trabucco production recognizable.

IN THE SHOP

In each commercial package there is a tag showing the traditional code and the EAN barcode. By placing it on the display peg before the product, the retailer will be able to reorder the line without mistakes when all the spools will have been sold, ensuring its consistent availability within his shop.

DYNA TEX

PE braided lines with great strength per diameter, thanks to the high number of strands the profile is rounder, avoiding the line digging in the spool.



A true hi spec competition line. Quality and performance always consistent. It is just the best way to build super strong and totally invisible hook length.

SUPER ELITE

The highest quality monofilament in the world. You will never find on the market any other monofilament with such a high strength test.





MONO & BRAIDED LINE

The range of Trabucco monofilament and braided lines is probably the most comprehensive in the world. Impossible to describe the satisfaction that these products collect in all areas of sport fishing, up to the point of being imitated and even counterfeited. But it is thanks to a special feeling that the passionate users know how to distinguish the originals from the copies, continuing to feel that intense trust that, ultimately, brings to the landing net an impressive number of fish.

TRABUCCO BRAIDED LINES:

THE RIGHT SOLUTION FOR ANY FISHING STYLE! From the smallest to the largest, for all the reels there is a wide choice between the Trabucco braided lines, because today the combinations of diameter, colour and technical specifications are so articulated to satisfy every area of sport fishing, in fresh water as well as in the sea. Compact fibers for a gentle, quiet flowing through the rod's guides; hydrophobia rather than waterproofness, to provide a direct contact with the bait or lure and to easily "cut" the water at the critical time of the strike. The inner structure of these fantastic creations of Japanese technology is High Modulus Polyethylene (HMPE), a material with extraordinary physical properties such as tensile strength and abrasion resistance, enhanced and maintained over time by exclusive PDMS coating.

RABUCCO


DYNA-TEX BRAIDED	206
XPS FLUOROCARBON	213
XPS FLUOROCARBON & SOFT PLUS	217
T-FORCE XPS	218
XPS MATCH & FEEDER	222
DIAMOND	224
WINTER ICE	225
SUPER ELITE	226
T-FORCE SPECIALIST	228
T-FORCE	230
S-FORCE	234
SURFCASTING	236
SPECIAL SALTWATER	241
MAX PLUS	244
TOTAL CONTRACTOR OF THE PARTY O	















SLK X8





- · 8 strand braid made from ultrafine High Modulus PE fibers
- Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- · PDMS membrane protecting each single fiber from wear
- Slick finish for smooth and silent flow through rod's guides
- · Great softness and remarkable sensitivity
- No memory and high abrasion resistance
- · Round cross section to allow long casting
- · Colour: moss green

	150m/165yds		\bigcirc	[PE]			PC
	055-00-080	8 054393 150769	0.084	#0.2	4.99	11.00	6
	055-00-100	8 054393 150776	0.104	#0.4	6.21	13.70	6
	055-00-120	8 054393 150783	0.128	#0.6	7.48	16.50	6
	055-00-140	8 054393 150790	0.148	#0.8	8.57	18.90	6
	055-00-160	8 054393 150806	0.165	#1.0	9.89	21.80	6
	055-00-180	8 054393 150813	0.185	#1.2	11.61	25.60	6
	055-00-200	8 054393 150820	0.205	#1.5	14.47	31.90	6

SLK X8 SPECIAL EGI









- 8 strand braid made from High Modulus PE fibers
- · Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- PDMS membrane protecting each single fiber from wear
 Super flexibility and free flowing through rod's guides
- · Great softness and hyper sensitivity
- No memory and high abrasion resistance
- Colour: light pink



Metric Marking System								
220cm 30cm				220cm		30cm	30cm	
150m/165yds			\bigcirc	PE	[kg]		POI	
055-04-100	8 054393	174635	0.104	#0.4	6.21	13.7	6	
055-04-120	8 054393	174642	0.128	#0.6	7.48	16.5	6	
055-04-140	8 054393	174659	0.148	#0.8	8.57	18.9	6	

₹TRABUCCO

PWG X8

DYNA TEX STRUCTURE PROCESS Y









The cross section of the X8 highlights the extreme compactness of the strands.







- 8 strand braid made from High Modulus PE fibers
- Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- PDMS membrane protecting each single fiber from wear
- Power Game special: ideal for long and tough fights
- Super flexibility and free flowing through rod's guides
- Great softness and hyper sensitivity
- · No memory and high abrasion resistance
- Round cross section to allow long and accurate casting
- Colour: lime yellow

300m/330yds		\bigcirc	PE	[kg]		PCI
055-02-180	8 054393 150837	0.185	#1.2	11.61	25.60	4
055-02-200	8 054393 150844	0.205	#1.5	14.47	31.90	4
055-02-230	8 054393 150851	0.235	#2.0	17.46	38.50	4
055-02-260	8 054393 150868	0.260	#2.5	20.23	44.60	4
055-02-280	8 054393 150875	0.285	#3.0	23.13	51.00	4
055-02-310	8 054393 150882	0.310	#3.5	24.95	55.00	4
055-02-330	8 054393 150899	0.330	#4.0	27.94	61.60	4

PRO X8 EXTREME



- 8 strand braid made from High Modulus PE fibers, with round cross section
- Great softness and flexibility to avoid tangles
- · PDMS membrane on single braids to offer protection and durability
- Smooth and silent run through rod's guides
- No memory and very high abrasion resistance
- Extreme linear and knot strength
- · Colour: bright orange



150m/165yds		\bigcirc	PE	(kg)		PGI
054-26-080	8 054393 125354	0.084	#0.2	3.76	8.3	6
054-26-100	8 054393 125361	0.104	#0.4	4.54	10	6
054-26-120	8 054393 125378	0.128	#0.6	6.81	15	6
054-26-150	8 054393 125385	0.153	#0.8	9.07	20	6
054-26-180	8 054393 125392	0.185	#1.2	11.34	25	6
054-26-200	8 054393 125408	0.205	#1.5	13.61	30	6
054-26-230	8 054393 125415	0.235	#2.0	18.14	40	6
054-26-260	8 054393 125422	0.260	#2.5	20.41	45	6
054-26-320	8 054393 125439	0.318	#3.5	22.68	50	6
054-26-350	8 054393 125446	0.352	#4.5	27.22	60	6

300m/330yds		0	PE	kg		PCI
054-27-150	8 054393 125453	0.153	#0.8	9.07	20	4
054-27-180	8 054393 125460	0.185	#1.2	11.34	25	4
054-27-200	8 054393 125477	0.205	#1.5	13.61	30	4
054-27-230	8 054393 125484	0.235	#2.0	18.14	40	4
054-27-260	8 054393 125491	0.260	#2.5	20.41	45	4
054-27-320	8 054393 125507	0.318	#3.5	22.68	50	4
054-27-350	8 054393 125514	0.352	#4.5	27.22	60	4
054-27-400	8 054393 125521	0.405	#6.0	34.02	75	4





PRO NT ULTRA-THIN







- Ultrafine High Modulus PE braid, made through Nano Technologies
- · Specially designed for Ultralight Spinning and Area Trout
- · Super Hydrophobic PDMS membrane to offer protection and durability
- Great softness and high sensitivity
 Smooth and silent run through rod's guides
- No memory and very high abrasion resistance
- · Extreme linear and knot strength
- Colour green field

100m/110yds		\bigcirc	PE	kg		POI
054-28-005	8 054393 135322	0.053	#0.10	2.72	6	6
054-28-006	8 054393 135339	0.064	#0.15	3.18	7	6
054-28-007	8 054393 135346	0.072	#0.2	3.63	8	6

NEO X8 CAST









150m/165yds		Ø	PE	[kg]		PCI
054-14-108	8 054393 178428	0.084	#0.2	3.63	8	6
054-14-110	8 054393 178435	0.100	#0.4	4.54	10	6
054-14-112	8 054393 178442	0.128	#0.6	5.44	12	6
054-14-114	8 054393 178459	0.148	#0.8	6.80	15	6
054-14-116	8 054393 178466	0.165	#1.0	8.16	18	6
054-14-118	8 054393 178473	0.185	#1.2	9.07	20	6

0.205

- · 8 strand braid made from High Modulus PE fibers
- Great softness and remarkable sensitivity
- · Round cross section to allow long casting
- Very high abrasion resistance and linear strength
- Special spool with adjustable tension system
- Colour: hi-viz light yellow



6

The cross section of the X8 highlights the extreme compactness of the



300m/330yds		Ø	PE	kg		PC
054-14-214	8 054393 178497	0.148	#0.8	6.80	15	4
054-14-218	8 054393 178503	0.185	#1.0	9.07	20	4
054-14-220	8 054393 178510	0.205	#1.5	11.34	25	4
054-14-224	8 054393 178527	0.235	#2.0	13.61	30	4
054-14-226	8 054393 178534	0.261	#3.0	18.14	40	4
054-14-230	8 054393 178541	0.330	#4.0	22.68	50	4
054-14-235	8 054393 178558	0.375	#5.0	27.22	60	4

054-14-120

TRABUCCO

NEO X8 nage surf







The cross section of the X8 highlights the extreme compactness of the strands.

Multi-colour 8 strand braid made from High Modulus PE, with round cross section

Great softness and flexibility to avoid tangles

PDMS membrane on single braids to offer protection and durability

Smooth and silent run through rod's guides

No memory and very high abrasion resistance

Extreme linear and knot strength

Special spool with adjustable tension system

Colour: variable every 25 meters (yellow, orange, red, blue, purple)

250m/275yds			PE	[/kg]		PC
054-14-408	8 054393 178640	0.084	#0.2	3.63	8	4
054-14-410	8 054393 178657	0.100	#0.4	4.54	10	4
054-14-412	8 054393 178664	0.128	#0.6	5.44	12	4
054-14-414	8 054393 178671	0.148	#0.8	6.80	15	4
054-14-416	8 054393 178688	0.165	#1.0	8.16	18	4

NEO X8 DEEP MULTICOLOUR



DYNA TEX

- Great softness and flexibility to avoid tangles
- Extreme linear and knot strength
- No memory and very high abrasion resistance
- Special spool with adjustable tension system
- Colour: variable every 10 meters (purple, yellow, blue, red, green)

V	300m/330yds		0	PE	[kg]		PGI
à	054-14-314	8 054393 178565	0.148	#0.8	6.80	15	4
Tribus	054-14-318	8 054393 178572	0.185	#1.0	9.07	20	4
	054-14-320	8 054393 178589	0.205	#1.5	11.34	25	4
	054-14-324	8 054393 178596	0.235	#2.0	13.61	30	4
	054-14-326	8 054393 178602	0.261	#3.0	18.14	40	4
	054-14-330	8 054393 178619	0.318	#4.0	22.68	50	4
	054-14-335	8 054393 178626	0.352	#5.0	27.22	60	4
	054-14-340		0.405	#6.0	34.02	75	4





The cross section of the X8 highlights the extreme compactness of the strands.

Γ			50 m x 6		
			OV III X D		
ı	10 m	10 m	10 m	10 m	10 m
					-
- 1					



PE: CORRESPONDING DIAMETERS

More and more, the reels predisposed to the use of braided lines indicate the spool capacity along with PE letters, which identify the Polyethylene, material used for their production. The number that identifies the line size corresponds to its breaking strain, for which the guide that we publish can't be universal, because the quality of available products is absolutely not homogeneous.

PE	\bigcirc	E	PE	Ø	_	PE	Ø
0.1	0.053	2	2.0	0.235		9.0	0.505
0.15	0.063	2	2.5	0.260		10.0	0.520
0.2	0.084	3	3.0	0.285		12.0	0.570
0.3	0.091	3	3.5	0.318		14.0	0.620
0.4	0.104	4	.0	0.330		16.0	0.660
0.6	0.128	4	.5	0.352		18.0	0.700
0.8	0.153	5	5.0	0.370		20.0	0.740
1.0	0.165	6	6.0	0.405		22.0	0.780
1.2	0.185	7	.0	0.435		24.0	0.810
1.5	0.205	8	3.0	0.470		28.0	0.870
1.7	0.218						

TK4 TEKNO BRAID

DYNA TEX PIMS

- High Modulus 4-Braid PE (Japan Technology)
- Extreme structural compactness for lower friction while running through rod's guides, with resulting greater casting distances
- High softness, low wear, long life
- Round cross section
- Incredible linear and knot strength
- No memory for tangle free behaviour
- Available in 150 and 300 m spools with nicely designed labels
- Moss Green colour for allround use



The great flexibility of the 4-strands structure made it possible to create a good 0,064 mm.





150m/165yds		\bigcirc	PE	(kg)		
054-23-100	54393 183705	0.104	#0.4	4.54	10	6
054-23-120	54393 183712	0.128	#0.6	5.44	12	6
054-23-140	54393 183729	0.148	#0.8	6.81	15	6
054-23-160	183736	0.165	#1.0	9.07	20	6
054-23-180	54393 183743	0.180	#1.2	9.98	22	6
054-23-200	54393 183750	0.205	#1.5	11.34	25	6
054-23-230	34393 183767	0.235	#2.0	13.61	30	6
054-23-280	54393 183774	0.285	#3.0	18.14	40	6

300m/330yds		(8)	PE	[_kg]		PC
054-24-140	8 054393 183781	0.148	#0.8	6.81	15	4
054-24-160	8 054393 183798	0.165	#1.0	9.07	20	4
054-24-180	8 054393 183804	0.185	#1.2	9.98	22	4
054-24-200	8 054393 183811	0.205	#1.5	11.34	25	4
054-24-230	8 054393 183828	0.235	#2.0	13.61	30	4
054-24-250	8 054393 183835	0.258	#2.5	15.88	35	4
054-24-280	8 054393 183842	0.285	#3.0	18.14	40	4
054-24-300	8 054393 183859	0.310	#3.5	22.68	50	4

RAPTURE SX8 This new braided line excels for big fish spinning and jigging, the high visibility of the line is a major advantage for the angler, as it offers better bite detection and eases control during the fight. 210 🖸 🗗 📵 @TrabuccoFishing


₹TRABUCCO

X4 POWER

- · 4 strand braid made from High Modulus PE fibers
- Great softness and flexibility to avoid tangles
- PDMS membrane on single braids to offer protection and durability
- Smooth and silent run through rod's guides
- No memory and very high abrasion resistance
- Extreme linear and knot strength
- Special spool with adjustable tension system



The great flexibility of the 4-strands structure made it possible to create a good 0,064 mm.





	MOSS GREEN				
150m/165yds		Ø	F G		PC
054-33-080	8 054393 123558	0.084	3.63	8	6
054-33-100	8 054393 123565	0.100	4.54	10	6
054-33-120	8 054393 123572	0.128	5.44	12	6
300m/330yds		Ø	(kg)		
054-34-140	8 054393 123145	0.148	6.81	15	4
054-34-180	8 054393 123152	0.185	9.07	20	4
054-34-200	8 054393 123169	0.205	11.34	25	4
054-34-280	8 054393 123503	0.285	18.14	40	4

POWER SILK



· Braided line featuring extreme structural compactness

- Smooth surface for easy long casting
- High abrasion resistance
- Special protective box

100m/110yds		0	<u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u>		PCI
054-37-080	8 054393 024084	0.08	3.63	8.00	10
054-37-100	8 054393 024091	0.10	4.54	10.00	10
054-37-120	8 054393 024107	0.12	5.45	12.00	10
054-37-140	8 054393 024114	0.14	6.81	15.00	10
054-37-160	8 054393 024121	0.16	9.08	20.00	10
054-37-200	8 054393 024138	0.20	13.62	30.00	10

FUSION BRAID



DYNA TEX



- · Braided line made under a special Japanese technology
- Extreme structural compactness
- · Smooth surface, with high abrasion resistance
- ·Low mechanical memory

100m/110yds		\bigcirc			PCI
054-43-100	8 054393 024305	0.10	5.44	12	10
054-43-120	8 054393 024312	0.12	6.80	15	10
054-43-150	8 054393 024329	0.15	8.16	18	10
054-43-180	8 054393 024336	0.18	9.07	20	10
054-43-200	8 054393 024343	0.20	11.34	25	10
054-43-250	8 054393 024350	0.25	13.61	30	10
054-43-300	8 054393 024367	0.30	18.14	40	10

FEEDER FISHING SPECIAL

SLK X8 SPECIAL FEEDER









- 8 strand braid made from High Modulus PE fibers
- Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- PDMS membrane protecting each single fiber from wear
- Power Game special: ideal for long and tough fights
- Super flexibility and free flowing through rod's guides
- Great softness and hyper sensitivity
- · No memory and high abrasion resistance
- Round cross section to allow long and accurate casting
- · Colour: lime yellow

150m/165yds		Ø	PE	[kg]		
055-03-080	8 054393 174604	0.084	#0.2	4.53	10	6
055-03-100	8 054393 174611	0.104	#0.4	5.44	12	6
055-03-120	8 054393 174628	0.128	#0.6	6.80	15	6

HYBRID SINKING BRAID





- · Hybrid braided line made from High Modulus PE
- Fast sinking line, specific for feeder fishing
- Zero stretch for neat bite detection at great distance
- Perfect smoothness and high sensitivity
- Round cross section for great castability Incredible linear and knot strength
- Total absence of memory
- Colour: dark brown



150m/165yds		Ø			P/V	PCI
054-29-080	8 054393 149688	0.084	4.08	9.00	1.21	6
054-29-100	8 054393 149695	0.104	5.44	12.00	1.18	6
054-29-120	8 054393 149701	0.128	6.80	15.00	1.14	6

Taper 4 m

MATCH TAPER LEADER





- · Nylon tapered leaders with high sinking properties
- Perfect as shock leader for match, feeder and lake trout fishing
- Controlled stretch for safe hook sets, no memory at all
- Great abrasion resistance
- Spool containing 10 pieces of 15 metres each

Tip 9 m

Colour: crystal clear



Butt 2 m

I		15 m			<u> </u>
10x15m		\bigcirc	(kg)		PCI
052-02-010	8 054393 128232	0.165~0.221	3.60~6.42	7.94~14.16	10
052-02-020	8 054393 128249	0.181~0.255	4.43~7.95	9.76~17.53	10
052-02-030	8 054393 128256	0.181~0.283	4.43~9.07	9.76~20.00	10
052-02-040	8 054393 128263	0.203~0.327	5.30~10.35	11.68~22.82	10





The exclusive three-layer structure of the Ultra Strong Fluorocarbon FC403 is made of a high density core, an intermediate soft layer and a skin providing high abrasion resistance. Each one of the three levels can be modified to achieve targeted results, and that's how it was possible to create two versions: one for freshwater fishing and another for the sea.

TRIPLE STRUCTURE PROCESS

100% FLUOROCARBON

Four hundred and three is the number of his identity card. The first two digits are simply awesome, because they mean that the new, amazing generation of Trabucco Fluorocarbon offers 40% higher knot strength than any other. The last one represents the 3 levels that compose its structure, referring to same number of specific responsibilities. Even without having a physics lab, it's easy to check that everything is terribly true, as fingers are more than enough to understand that the performance standards of nylon monofilaments are very, very close. The range is very articulated, with appropriate solutions for the hooklink and leader construction in all fishing techniques.



The extraordinary softness of these fluorocarbon lines casts its benefits on ease of handling, on the naturalness of bait presentation, on the tangle's risk limitation and also on knot strength.



Nothing so obvious: only 100% Fluorocarbon guarantees invisibility to fish, thanks to its light refraction index, which is very close to that of water.

ULTRA STRONG FC 403



- Hi tech Fluorocarbon 100%, structured with three layers
- Knot strength 40% higher than all the best fluorocarbon
- · Unprecedented softness and high sensitivity

- Invisibility, abrasion resistance, waterproofness
- Ultraslim spool with elastic band to smoothly lock the line
- Colour: natural

The soft elastic band which stops the line inside the spool allows to extract the desired amount, avoiding the leakage of loose coils.	FORCE	△ 1,720 Ø 0,125 ⇔ 3,79
- Samuel	100% FLUOR	The second secon
TELMOLO CO	JOFT SOFT	To to the second
STRONG FE-4	STRONG F	RA 408
A STI ABOUT TO	C.16A TRIPLE STRUCTURE A 1.720 TRABU	0.125
	TRAE	BUCCO

50m		Ø	(kg)		PCI
053-58-070	8 054393 128379	0.074	0.68	1.50	10
053-58-080	8 054393 128386	0.084	1.06	2.34	10
053-58-090	8 054393 128393	0.095	1.44	3.17	10
053-58-100	8 054393 128409	0.104	1.56	3.44	10
053-58-120	8 054393 128416	0.125	1.72	3.79	10
053-58-140	8 054393 128423	0.145	2.26	4.98	10
053-58-160	8 054393 128430	0.164	2.77	6.11	10
053-58-180	8 054393 128447	0.185	3.45	7.61	10
053-58-200	8 054393 128454	0.201	4.14	9.13	10
053-58-220	8 054393 128461	0.220	4.74	10.45	10
053-58-240	8 054393 128478	0.240	5.71	12.59	10
053-58-260	8 054393 128485	0.260	6.92	15.26	10
053-58-280	8 054393 128492	0.280	7.70	16.98	10
053-58-300	8 054393 128508	0.300	8.30	18.30	10

100% FLUOROCARE

100% FLUOROCARBON

TRABUCCO

30m

053-39-600

053-39-700

ULTRA STRONG FC 403 SALTWATER



- · Hi tech Fluorocarbon 100%, specific for saltwater fishing
- Knot strength 40% higher than all the best fluorocarbon
- Unprecedented softness and high sensitivity
- Invisibility, superior abrasion resistance, waterproofness
- Spools with different sizes according to line diameters
- Colour: natural

The compact spool with diameters up to 0,282 is protected by a stiff case, which also contains the soft elastic stopper.



50m		\bigcirc	<u>[kg]</u>		PCI
053-39-100	8 054393 131843	0.104	1.56	3.44	10
053-39-120	8 054393 131850	0.125	1.72	3.79	10
053-39-140	8 054393 131867	0.145	2.26	4.98	10
053-39-160	8 054393 131874	0.164	2.77	6.11	10
053-39-180	8 054393 131881	0.185	3.45	7.61	10
053-39-200	8 054393 131898	0.201	4.14	9.13	10
053-39-220	8 054393 131904	0.221	4.74	10.45	10
053-39-240	8 054393 131911	0.242	5.71	12.59	10
053-39-260	8 054393 131928	0.261	6.92	15.26	10
053-39-280	8 054393 131935	0.282	7.70	16.98	10
053-39-300	8 054393 131942	0.302	8.30	18.30	10
053-39-330	8 054393 131959	0.330	10.11	22.29	10
053-39-370	8 054393 131966	0.370	11.79	25.99	10
053-39-400	8 054393 131973	0.400	13.04	28.75	10
053-39-450	8 054393 131980	0.450	14.70	32.41	10
053-39-500	8 054393 131997	0.500	17.93	39.53	10

053-39-800 0.800 42.73 94.20 5 053-39-900 0.900 48.38 106.66

0

0.600

0.700

X FLUOROCARBON

A 13.040 0.400

kg \

27.40

33.06


B


60.41

72.89

PC 1

5





- Invisibility, superior abrasion resistance, waterproofness
- Spools with different sizes according to line diameters

•	Colour: pink for	better blending	with underwater	environment
---	------------------	-----------------	-----------------	-------------



30m		\bigcirc			PCI
053-41-500	8 054393 132697	0.500	17.93	39.53	5
053-41-600	8 054393 132703	0.600	27.40	60.41	5
053-41-700	8 054393 132710	0.700	33.06	72.89	5
053-41-800	8 054393 132536	0.800	42.73	94.20	5

50m		\bigcirc	<u>kg</u>		PC
053-41-200	8 054393 132499	0.201	4.14	9.13	10
053-41-220	8 054393 132505	0.221	4.74	10.45	10
053-41-250	8 054393 132512	0.254	5.71	12.59	10
053-41-280	8 054393 132529	0.282	7.70	16.98	10
053-41-300	8 054393 132659	0.302	8.30	18.30	10
053-41-330	8 054393 132666	0.330	10.11	22.29	10
053-41-370	8 054393 132673	0.370	11.79	25.99	10
053-41-400		0.400	13.04	28.75	10



FLUOROCARBON 100% SUPER SOFT





No.	Ø 0.485 △ 3.213 ○ 7.08
SUPERIOR ABRASI SUPERIOR ABRASI A 50 M 3.213	SUPERIOR ABRASION RESISTANCE SUPERIOR ABRASION RESISTANCE SUPERIOR ABRASION RESISTANCE SUPERIOR ABRASION RESISTANCE A 50 MT Ø 3.213 0.185

25m		\bigcirc	[kg]		POI
053-59-100	8 054393 021717	0.104	1.45	3.19	10
053-59-120	8 054393 021724	0.125	1.60	3.52	10
053-59-140	8 054393 021731	0.145	2.10	4.63	10
053-59-160	8 054393 021748	0.164	2.58	5.67	10
053-59-180	8 054393 021755	0.185	3.21	7.08	10
053-59-200	8 054393 021762	0.201	3.85	8.48	10
053-59-220	8 054393 021779	0.220	4.41	9.72	10
053-59-240	8 054393 021786	0.240	5.31	11.70	10
053-59-260	8 054393 021793	0.260	6.44	14.18	10
053-59-280	8 054393 021809	0.280	7.16	15.78	10
053-59-300	8 054393 021816	0.300	7.72	17.02	10


- Fluorocarbon 100%
- Invisible underwater, the best for hooklinks
- Great abrasion resistance
- Total waterproofness and insensibility to UV rays
- Ultraslim spools for easy storage in any tackle box
- Colour: natural



50m		0	[kg]		PC
053-60-060	8 054393 021823	0.065	0.55	1.21	10
053-60-070	8 054393 021830	0.074	0.63	1.38	10
053-60-080	8 054393 021847	0.084	0.99	2.18	10
053-60-090	8 054393 021854	0.098	1.34	2.95	10
053-60-100	8 054393 021861	0.104	1.45	3.19	10
053-60-120	8 054393 021878	0.125	1.60	3.52	10
053-60-140	8 054393 021885	0.145	2.10	4.63	10
053-60-160	8 054393 021892	0.164	2.58	5.67	10
053-60-180	8 054393 021908	0.185	3.21	7.08	10
053-60-200	8 054393 021915	0.201	3.85	8.48	10
053-60-220	8 054393 021922	0.220	4.41	9.72	10
053-60-240	8 054393 021939	0.240	5.31	11.70	10
053-60-260	8 054393 021946	0.260	6.44	14.18	10
053-60-280	8 054393 021953	0.280	7.16	15.78	10
053-60-300	8 054393 021960	0.300	7.72	17.02	10

DIAMOND FC-X FLUOROCARBON





• Totally invisible and waterproof, insensible to UV rays

High abrasion resistance and sinking attitude



50m		\bigcirc	kg		PCI
059-10-010	8 054393 026675	0.072	0.53	1.16	10
059-10-020	8 054393 026682	0.084	0.77	1.70	10
059-10-030	8 054393 026699	0.094	0.92	2.03	10
059-10-070	8 054393 026736	0.145	2.00	4.43	10
059-10-080	8 054393 026743	0.164	2.80	6.18	10
059-10-090	8 054393 026750	0.185	3.30	7.28	10
059-10-100	8 054393 026767	0.205	3.80	8.38	10
059-10-110	8 054393 026774	0.245	5.20	11.47	10
059-10-140	8 054393 026804	0.370	10.30	22.70	10

FLOUROCARBON SALTWATER

- Hi tech Fluorocarbon 100%, specific for saltwater fishing
- Invisibility, abrasion resistance, waterproofness
- High specific gravity and great sensitivity
- Special spools with different sizes according to line diameters
- Colour: natural

50m		\bigcirc	(kg)		PCI
053-38-120	8 054393 020819	0.125	1.60	3.52	10
053-38-140	8 054393 020826	0.145	2.10	4.63	10
053-38-160	8 054393 020833	0.164	2.58	5.67	10
053-38-180	8 054393 020840	0.185	3.21	7.08	10
053-38-200	8 054393 020857	0.201	3.85	8.48	10
053-38-220	8 054393 020864	0.220	4.41	9.72	10
053-38-250	8 054393 020871	0.250	6.44	14.18	10
053-38-280	8 054393 020888	0.280	7.16	15.78	10
053-38-300	8 054393 020895	0.300	7.72	17.02	10
053-38-330	8 054393 020901	0.330	9.40	20.70	10
053-38-370	8 054393 020918	0.370	10.97	24.15	10
053-38-400	8 054393 020925	0.400	12.13	26.71	10
053-38-450	8 054393 020932	0.450	13.67	30.15	10
053-38-500	8 054393 020949	0.500	16.68	37.14	10
25m		<u>Ø</u>	kg		PC
053-38-600	8 054393 020956	0.600	5.49	56.14	5
053-38-700	8 054393 020963	0.700	30.75	67.73	5
053-38-800	8 054393 020970	0.800	39.75	87.56	5
053-38-900	8 054393 020987	0.900	45.00	99.12	5
053-38-999	8 054393 020994	1.000	57.80	127.31	5



EAZY PR BOBBIN KNOTTER

Useful accessory to make strong and low profile connections between braid and mono or fluorocarbon leaders.

Adjustable drag tension for perfect PR knot and FG knot
 Inner ceramic insert preventing any damage to PE line

and guaranteeing 100% knot strength

Presented in individual blister, including cloth bag

 Instruction sheet with QR code for smart phone access to a tutorial made by Saverio Rosa.











WIND-ON LEADER










- Big Game leaders made from XPS Fluorocarbon and Dyna-Tex braid
- Great reliability and perfect bait presentation
- Loop to loop connection with reel line
 Length of 10 meters, individually packed

















Pass wind-on leader trough both loops.

Slowly and evenly pull lines apart... bringing loops together.

The finished double loop to loop connection.

10m		\bigcirc	Kg		POI
053-21-030	8 054393 019875	0.58	15	30	5
053-21-050	8 054393 019882	0.68	24	50	5
053-21-080	8 054393 019899	0.92	37	80	5
053-21-100	8 054393 019905	1.02	46	100	5
053-21-130	8 054393 019912	1.22	61	135	5

SOFT PLUS LEADER





- Nano-technological sinking line created to make Big Game leaders
- Multi-layer structure with outer Fluorocarbon skin
- Remarkable softness with consequent knot strength
- Very low stretch and no memory
- Extreme resistance to abrasion

100m		0			PC
053-09-300	8 054393 139900	0.300	11.94	26.32	10
053-09-350	8 054393 139917	0.350	15.80	34.83	10
053-09-400	8 054393 139924	0.400	20.15	44.42	10
053-09-450	8 054393 139931	0.450	24.28	53.53	10
053-09-500	8 054393 139948	0.500	27.50	60.63	10
053-09-600	8 054393 139955	0.600	35.50	78.26	5
053-09-700	8 054393 139962	0.700	38.20	84.22	5
053-09-800	8 054393 139979	0.800	41.70	91.93	5



ABRASION PLUS

- NANO*

TPS

- · High quality monofilament designed for reel fishing
- Three-layers nano-technological structure, with outer Fluorine skin
- · Unprecedented flexibility





- Great linear strength
- Total absence of memory
- Remarkable smoothness for long and accurate casts
- Colour: natural clear
- Special individual stiff container
- Parallel Spooling (TPS)

150m	l	0	[kg]		PC
050-50-120	8 054393 140142	0.121	2.300	5.070	10
050-50-140	8 054393 140159	0.143	2.950	6.500	10
050-50-160	8 054393 140166	0.162	3.980	8.770	10
050-50-180	8 054393 140173	0.181	5.100	11.230	10
050-50-200	8 054393 140180	0.203	5.950	13.110	10
050-50-220	8 054393 140197	0.221	6.830	15.040	10
050-50-250	8 054393 140203	0.251	8.670	19.100	10



0.283

0.307

9.980

12,720



21.980

28.020



TPS

10

10

SUPER SOFT PLUS

- · High quality monofilament designed for reel fishing
- . Three-layers nano-technological structure, with outer Fluorine skin
- Unprecedented flexibility
- Great linear strength





•	Total	absence	of	memor	y
---	-------	---------	----	-------	---

· Remarkable smoothness for long and accurate casts

Colour: natural clear

050-50-280

050-50-300


- Special individual stiff container
- Parallel Spooling (TPS

150m		\bigcirc	(kg)		PO
050-55-100	8 054393 140326	0.104	1.600	3.520	10
050-55-120	8 054393 140333	0.121	2.300	5.070	10
050-55-140	8 054393 140340	0.143	2.950	6.500	10
050-55-160	8 054393 140357	0.162	3.980	8.770	10
050-55-180	8 054393 140364	0.181	5.100	11.230	10
050-55-200	8 054393 140371	0.203	5.950	13.110	10
050-55-220	8 054393 140388	0.221	6.830	15.040	10
050-55-250	8 054393 140395	0.251	8.670	19.100	10
050-55-280	8 054393 140401	0.283	9.980	21.980	10
050-55-300	8 054393 140128	0.307	12.720	28.020	150

THE STRUCTURE

The AB + and SS + lines are structured on three levels. The core is made from high-strength nano-molecular nylon; the intermediate layer makes it possible to modulate the

softness, while Fluorine skin provides resistance to abrasion.



THE TPS SYSTEM

Parallel spooling is a marvel of Trabucco technology, which maintains the physical and mechanical characteristics of the line over time because the process does not generate abnormal twists that could cause tangles while fishing.



THE PACKING

To extract a spool of AB + or SS + from its packaging we must break the back card, which is predisposed to tearing. So we have the certainty that nobody else has manipulated or damaged the product before us.







₹TRABUCCO

SOFT FEEL

- Monofilament for pole rigs and hooklinks
- Ceramic protection for extreme abrasion resistance
- · Neutral buoyancy for fast strikes and neat hook setting



- Great softness for long and accurate casts Parallel spooling (TPS)
- Colour: light brown



150m		\bigcirc			PCI
053-88-120	8 054393 023339	0.128	2.20	4.85	10
053-88-140	8 054393 023346	0.148	2.92	6.43	10
053-88-160	8 054393 023353	0.165	3.89	8.57	10
053-88-180	8 054393 023360	0.181	4.76	10.48	10
053-88-200	8 054393 023377	0.203	5.74	12.64	10
053-88-220	8 054393 023384	0.234	6.82	14.58	10
053-88-250	8 054393 023391	0.251	8.67	19.10	10
053-88-280	8 054393 023407	0.283	9.89	21.78	10
053-88-300	8 054393 023414	0.307	12.37	27.25	10

MATCH REEL

- XPS
- FORCE

- · Monofilament designed for reel fishing
- · Ceramic protection for extreme abrasion resistance



- · Total waterproofness and no memory
- Very high linear and knot strength
- Parallel spooling (TPS)
 Colour: light grey dichroic



150M			[kg]		
053-28-120	8 054393 020352	0.128	2.15	4.74	10
053-28-140	8 054393 020369	0.148	2.85	6.28	10
053-28-160	8 054393 020376	0.165	3.80	8.37	10
053-28-180	8 054393 020383	0.181	4.65	10.24	10
053-28-200	8 054393 020390	0.203	5.60	12.34	10
053-28-250	8 054393 020406	0.255	8.46	18.63	10
053-28-300	8 054393 020413	0.309	12.07	26.57	10

TROUT



TPS



- Monofilament designed for lake trout fishing
- Slow sinking attitude
- Slick skin for extreme long range casting
- High resistance to torque
- Parallel spooling (TPS)
- Colour: transparent dichroic


150m/165yds	I	\bigcirc	[kg]		PCI
053-93-160	8 054393 023575	0.165	2.73	6	10
053-93-180	8 054393 023582	0.181	3.61	8	10
053-93-200	8 054393 023599	0.203	4.51	10	10
053-93-220	8 054393 023605	0.221	5.68	13	10
053-93-250	8 054393 023612	0.250	7.03	15	10

MATCH STRONG









0.600

36.34

80.00

10

TPS

- Monofilament designed for rig and hooklinks making
- Parallel Spooling on 100 m spools (TPS)
- Great softness and knot strength
- Wide choice of spools and colour transparent dichroic



50m		\bigcirc	(kg)		PCI
053-80-060	8 054393 022868	0.064	0.66	1.45	10
053-80-070	8 054393 022875	0.072	0.74	1.63	10
053-80-080	8 054393 022882	0.084	1.00	2.20	10
053-80-090	8 054393 022899	0.091	1.18	2.60	10
053-80-100	8 054393 022905	0.104	1.60	3.52	10
053-80-120	8 054393 022912	0.121	2.30	5.07	10
053-80-140	8 054393 022929	0.143	2.95	6.50	10
053-80-160	8 054393 022936	0.162	3.98	8.77	10
053-80-180	8 054393 022943	0.181	5.10	11.23	10
053-80-200	8 054393 022950	0.203	5.95	13.11	10
053-80-220	8 054393 022967	0.221	6.83	15.04	10
30m		Ø			
053-81-250	8 054393 022974	0.251	8.67	19.10	10
053-81-280	8 054393 022981	0.283	9.98	21.98	10
053-81-300	8 054393 022998	0.307	12.72	28.02	10
25m		Ø			
053-82-100	8 054393 023018	0.104	1.60	3.52	10
053-82-120	8 054393 023025	0.121	2.30	5.07	10
053-82-140	8 054393 023032	0.143	2.95	6.50	10
053-82-160	8 054393 023049	0.162	3.98	8.77	10
053-82-180	8 054393 023056	0.181	5.10	11.23	10
053-82-200	8 054393 023063	0.203	5.95	13.11	10

LUCIFER LINE

053-78-600



Ceramic protection for extreme abrasion resistance

- Total absence of memory
- Parallel spooling (TPS)
- Special individual stiff container
- Colour: transparent dichroic











₹TRABUCCO

XPS POWER PLUS












- · Monofilament designed for hooklinks
- Very high abrasion resistance
- Remarkable softness
- Special individual stiff container
- Ultraslim spools for easy storage in any tackle box

50m		\bigcirc	R		PC
053-83-080	8 054393 023070	0.084	1.07	2.36	10
053-83-090	8 054393 023087	0.094	1.26	2.78	10
053-83-100	8 054393 023094	0.104	1.71	3.77	10
053-83-120	8 054393 023100	0.121	2.46	5.42	10
053-83-140	8 054393 023117	0.143	3.16	6.95	10
053-83-160	8 054393 023124	0.162	4.26	9.38	10
053-83-180	8 054393 023131	0.183	5.46	12.02	10
053-83-200	8 054393 023148	0.203	6.37	14.02	10
053-83-220	8 054393 023155	0.221	7.31	16.10	10
053-83-250	8 054393 023162	0.251	9.28	20.43	10
053-83-280	8 054393 023179	0.283	10.68	23.52	10
053-83-300		0.307	13.61	29.98	10

MATCH PRO







- Ceramic protection for extreme abrasion resistance
- Total waterproofness and no memory
- Parallel spooling (TPS)
- Colour: transparent dichroic





300m		\bigcirc	[kg]		PCI
053-26-100	8 054393 020208	0.104	1.50	3.30	10
053-26-120	8 054393 020215	0.128	2.15	4.74	10
053-26-140	8 054393 020222	0.148	2.85	6.28	10
053-26-160	8 054393 020239	0.165	3.80	8.37	10
053-26-180	8 054393 020246	0.181	4.65	10.24	10
053-26-200	8 054393 020253	0.203	5.60	12.34	10
053-26-250	8 054393 020260	0.255	8.46	18.61	10
053-26-300	8 054393 020277	0.309	12.07	26.55	10






SINKING PLUS











Reduced stretch for safe hook sets at long range

- Parallel spooling (TPS)
- · Colour: dark brown





300m/330yds		\bigcirc	(kg)		PC
052-00-918	8 054393 161284	0.180	4.43	9.76	10
052-00-920	8 054393 161291	0.200	5.30	11.68	10
052-00-922	8 054393 161307	0.220	6.42	14.16	10
052-00-925	8 054393 161314	0.250	7.95	17.51	10
052-00-928	8 054393 161321	0.280	9.07	20.00	10
052-00-930	8 054393 161338	0.300	9.78	21.54	10


150m/165yds		\bigcirc	RO		POI
052-00-140	8 054393 128157	0.140	2.70	5.95	10
052-00-160	8 054393 128164	0.160	3.60	7.94	10
052-00-180	8 054393 128171	0.180	4.43	9.76	10
052-00-200	8 054393 128188	0.200	5.30	11.68	10
052-00-220	8 054393 128195	0.220	6.42	14.16	10
052-00-250	8 054393 128201	0.250	7.95	17.51	10
052-00-280	8 054393 128218	0.280	9.07	20.00	10
052-00-300	8 054393 128225	0.300	9.78	21.54	10

MATCH SINKING









Ceramic treatment for high abrasion resistance

Controlled stretch for safe hook sets at long range
 Parallel spooling (TPS)

Colour: glossy black



300m/330yds		\bigcirc	(kg)		POI
053-86-120	8 054393 023261	0.128	2.05	4.52	10
053-86-140	8 054393 023278	0.148	2.70	5.95	10
053-86-160	8 054393 023285	0.165	3.60	7.93	10
053-86-180	8 054393 023292	0.181	4.43	9.76	10
053-86-200	8 054393 023308	0.203	5.30	11.67	10
053-86-250	8 054393 023315	0.255	7.95	17.51	10
053-86-300	8 054393 023322	0.309	9.78	21.54	10

150m/165yds		\bigcirc	<u>kg</u>		PCI
053-85-120	8 054393 023193	0.128	2.05	4.52	10
053-85-140	8 054393 023209	0.148	2.70	5.95	10
053-85-160	8 054393 023216	0.165	3.60	7.93	10
053-85-180	8 054393 023223	0.181	4.43	9.76	10
053-85-200	8 054393 023230	0.203	5.30	11.67	10
053-85-220	8 054393 134813	0.220	6.57	14.48	10
053-85-250	8 054393 023247	0.255	7.95	17.51	10
053-85-300	8 054393 023254	0.309	9.78	21.54	10

™TRABUCCO

FEEDER PLUS





METHOD FEEDER



- Triple structure made of inner core, covered by ceramic polymer and by abrasion resistant layer, then a silicon outer coating
- · Low stretch for high sensitivity
- Memory free
- Light brown colour



FORCE

XPS



Ø0.181



|--|

300m/330yds		\bigcirc	F g		PCI
053-96-918	8 054393 161260	0.181	4.43	9.76	10
053-96-920	8 054393 161277	0.203	5.30	11.68	10
053-96-922	8 054393 161345	0.221	6.42	14.16	10
053-96-925	8 054393 161352	0.255	7.95	17.51	10
053-96-928	8 054393 161369	0.283	9.07	20.00	10
053-96-930	8 054393 161376	0.309	9.78	21.54	10

150m/165yds		\bigcirc	(kg)		PCI
053-96-180	8 054393 154989	0.181	4.43	9. 76	10
053-96-200	8 054393 154996	0.203	5.30	11.68	10
053-96-220	8 054393 155009	0.221	6.42	14.16	10
053-96-250	8 054393 155016	0.255	7.95	17.51	10
053-96-280	8 054393 155023	0.283	9.07	20.00	10
053-96-300	8 054393 155030	0.309	9.78	21.54	10

DIAMOND SPECTRUM





- Hi-tech monofilament designed to create hooklinks
- Extreme linear strength
- · High knot strength and peculiar softness
- Colour: transparent

50m		\bigcirc	(kg)		PCI
FF 0012 00 08	8 054393 105875	0.080	0.85	1.87	10
FF 0012 00 10	8 054393 105882	0.100	1.25	2.76	10
FF 0012 00 12	8 054393 105899	0.120	1.75	3.85	10
FF 0012 00 14	8 054393 105905	0.140	2.30	5.07	10
FF 0012 00 16		0.160	2.95	6.51	10

DIAMOND SINKING





500m		\bigcirc			PC
FF 0012 05 12	8 054393 105929	0.120	1.45	3.20	1
FF 0012 05 15	8 054393 105943	0.150	2.42	5.34	1
FF 0012 05 16	8 054393 105950	0.160	2.80	6.17	1
FF 0012 05 18		0.180	3.40	7.50	1

Special version developed for the waggler fishing, featuring a total absence of memory. It has a great breaking strength and is very fast sinking. Without any doubt, this is the best sinking line ever produced.



DIAMOND RACE PRO



This version of Diamond has been developed for those anglers that require a large quantity of line to spool many reels or for rig making. It has a great knot strength and low memory. It is crystal light blue colour.



1000m		Ø	(kg)		
058-35-120	8 054393 025791	0.120	2.94	6.48	6
058-35-140	8 054393 025807	0.140	3.54	7.81	6
058-35-160	8 054393 025814	0.160	4.20	9.26	6
058-35-180	8 054393 025821	0.180	5.30	11.69	6
058-35-200	8 054393 025838	0.200	6.25	13.78	6
058-35-220	8 054393 025845	0.220	7.20	15.87	6
058-35-250	8 054393 025852	0.250	8.15	17.97	6
058-35-300	8 054393 025869	0.300	10.50	23.15	6

₹TRABUCCO

WINTER ICE



- Hi tech monofilament designed for winter fishing
- Ceramic nano compound to protect it from temperature drops
- Fluorocarbon protective skin
- Spool with elastic band to smoothly lock the line
- Colour: transparent dichroic





The soft ring provided with each spool enables to pick up any needed quantity of line, avoiding damages to the rest of the product.

TPS

		PCI
053-33-080	2.20	10
053-33-100	3.52	10
053-33-120	5.07	10
053-33-140	6.50	10
053-33-160	8.77	10
053-33-180	11.23	10
053-33-200	13.11	10
053-33-250	19.10	10
053-33-300	28.02	10
50m		
		PC
053-32-080	2.20	10
053-32-080 8 054-393 02-04-82 0.084 1.00 053-32-100 053-32-100 0.104 1.60	2.20	10
053-32-080	2.20	10
053-32-080 053-32-100 053-32-120 0.084 1.00 053-32-140 053-32-140 0.143 2.95	2.20 3.52 5.07	10 10 10
053-32-080	2.20 3.52 5.07 6.50	10 10 10 10
053-32-080	2.20 3.52 5.07 6.50 8.77	10 10 10 10 10
053-32-100	2.20 3.52 5.07 6.50 8.77 11.23	10 10 10 10 10 10

WINTER ICE SUPER STRONG





0 (kg) PC 50m 053-35-080 0.084 1.90 053-35-100 0.104 1.45 3.20 10 0.128 2.10 4.63 10 053-35-120 053-35-140 0.148 2.80 6.18 10 053-35-160 0.165 8.27 10 0.181 053-35-180 4.60 10.14 10


- Hi tech monofilament designed for rigs and hooklinks making
- Great softness and knot strength in low temperatures
- Parallel spooling (TPS)
- Special hard spool box



25m		Ø	(kg)		PCI
053-36-080	8 054393 020727	0.080	0.86	1.90	10
053-36-100	8 054393 020734	0.100	1.45	3.20	10
053-36-120	8 054393 020741	0.120	2.10	4.63	10
053-36-140	8 054393 020758	0.140	2.80	6.18	10
053-36-160	8 054393 020765	0.160	3.75	8.27	10
053-36-180	8 054393 020772	0.180	4.60	10.14	10
053-36-200	8 054393 020789	0.200	5.50	12.13	10
053-36-250	8 054393 020796	0.250	8.40	18.52	10
053-36-300	8 054393 020802	0.300	12.00	26.45	10

T1 TOURNAMENT

· Hi-tech monofilament designed to create hooklinks Extreme linear strength



stopper





50m		\bigcirc	F g		
058-50-060	8 054393 025906	0.060	0.80	1.76	10
058-50-070	8 054393 025913	0.070	1.16	2.55	10
058-50-080	8 054393 025920	0.080	1.33	2.92	10
058-50-090	8 054393 025937	0.090	1.68	3.70	10
058-50-100	8 054393 025944	0.100	2.05	4.51	10
058-50-110	8 054393 025951	0.110	2.70	5.94	10
058-50-120	8 054393 025968	0.120	3.10	6.82	10
058-50-140	8 054393 025975	0.140	3.90	8.60	10
058-50-160	8 054393 025982	0.160	5.10	11.23	10
058-50-180	8 054393 025999	0.180	6.30	13.87	10
058-50-200	8 054393 026002	0.200	7.40	16.30	10

T1 CARP FISHERY





Another special version of the T1 series, specific for the use in commercial carp fisheries. It has an unbelievable linear strength and knot strength, that remain unchanged also when the line is wet.

50m		\bigcirc			PCI
058-60-100	8 054393 026149	0.100	2.25	4.05	10
058-60-110	8 054393 026156	0.110	2.90	6.38	10
058-60-120	8 054393 026163	0.120	3.25	7.15	10
058-60-140	8 054393 026170	0.140	4.10	9.30	10
058-60-160	8 054393 026187	0.160	5.30	11.67	10
058-60-180	8 054393 026194	0.180	6.50	14.30	10
058-60-200	8 05 (393 026 200	0.200	7.65	16.85	10

T1 FLUORINE



(



The Super Elite Fluorine is a Japanese monofilament that is made through an exclusive process that is actually able to mix deep into the matrix both nylon and fluorocarbon, thus creating a kind of hybrid that can take every advantage from both its components. It features a specific gravity superior to water and it is lower visible underwater than a plain nylon, but not as it can be a 100% fluorocarbon line. At the same time Fluorine is stronger than 100% fluorocarbon but a little weaker if compared to plain nylon.

50m		\square	<u>[kg]</u>		PC
058-58-080	8 054393 026071	80.0	1.150	2.53	10
058-58-100	8 054393 026088	0.10	1.700	3.75	10
058-58-120	8 054393 026095	0.12	2.300	5.07	10
058-58-140	8 054393 026101	0.14	3.350	7.38	10
058-58-160	8 054393 026118	0.16	4.290	9.43	10
058-58-180	8 054393 026125	0.18	5.380	11.85	10
058-58-200	8 054393 026132	0.20	6.500	14.32	10

T1 MICRO





Super high quality nylon monofilament, for bolo and rig making, as in the tradition of Super Elite series, with a remarkable high strength that is not harmed from knots. Diameters are guaranteed constant through a continuous electronic check during line extrusion process.

100m		\bigcirc			
058-55-100	8 054393 026019	0.10	1.700	3.75	10
058-55-120	8 054393 026026	0.12	2.270	5.00	10
058-55-140	8 054393 026033	0.14	3.310	7.30	10
058-55-160	8 054393 026040	0.16	4.230	9.30	10
058-55-180	8 054393 026057	0.18	5.350	11.80	10
058-55-200	8 054393 026064	0.20	6.470	14.20	10





CAMO CAST

TPS

SUPER TOURNAMENT



TPS

- Hi-tech monofilament designed for reel fishing
- · Long life thanks to extreme abrasion resistance
- Very high linear and knot strength
- Large core spools to generate smooth coils
- Colour: camou (mix of mimetic tones)



150m/165yds		Ø	kg		
058-80-140	8 054393 026491	0.148	2.80	6.18	10
058-80-160	8 054393 026507	0.165	3.75	8.27	10
058-80-180	8 054393 026514	0.185	4.60	10.14	10
058-80-200	8 054393 026521	0.205	5.50	12.13	10
058-80-250	8 054393 026538	0.255	8.40	18.52	10
058-80-300	8 054393 026545	0.300	12.00	26.45	10
058-80-350	8 054393 026552	0.350	15.85	34.94	10
058-80-400	8 054393 026569	0.400	20.20	44.53	10
058-80-500	8 054393 026576	0.500	35.00	77.15	10
	_				
300m/330yds		Ø	RO		PCI
300m/330yds 058-81-140	8 054393 026583	0.148	2.80	6.18	10
	8 054393 026583 8 054393 026583				
058-81-140		0.148	2.80	6.18	10
058-81-140 058-81-160	8 054393 026590	0.148	2.80	6.18	10
058-81-140 058-81-160 058-81-180	8 054393 026590 8 054393 026606	0.148 0.165 0.185	2.80 3.75 4.60	6.18 8.27 10.14	10 10 10
058-81-140 058-81-160 058-81-180 058-81-200	8	0.148 0.165 0.185 0.205	2.80 3.75 4.60 5.50	6.18 8.27 10.14 12.13	10 10 10 10
058-81-140 058-81-160 058-81-180 058-81-200 058-81-250	a	0.148 0.165 0.185 0.205 0.255	2.80 3.75 4.60 5.50 8.40	6.18 8.27 10.14 12.13 18.52	10 10 10 10 10
058-81-140 058-81-160 058-81-180 058-81-200 058-81-250 058-81-300	8 054393 026606 8 054393 026606 8 054393 026613 8 054393 026620	0.148 0.165 0.185 0.205 0.255 0.300	2.80 3.75 4.60 5.50 8.40 12.00	6.18 8.27 10.14 12.13 18.52 26.45	10 10 10 10 10 10

- Hi-tech monofilament designed for reel fishing
- · Long life thanks to extreme abrasion resistance
- Great flexibility and absence of memory
 Large core spools to generate smooth coils
- Parallel spooling (TPS)
- Colour: light blue



150m/165yds		Ø	A		PCI
058-70-200	8 054393 026217	0.205	5.50	12.13	10
058-70-250	8 054393 026224	0.255	8.40	18.52	10
058-70-300	8 054393 026231	0.300	12.00	26.45	10
058-70-350	8 054393 026248	0.350	15.85	34.94	10
058-70-400	8 054393 026255	0.400	20.20	44.53	10
058-70-450	8 054393 026262	0.450	27.50	60.62	10
058-70-500	8 054393 026279	0.500	35.00	77.15	10
300m/330yds		Ø	Rg		PO
300m/330yds 058-71-200	8 054393 026286	0.205	5.50	12.13	10
	8 054393 026286 8 054393 026283				
058-71-200	8 054393 026286 8 054393 026293	0.205	5.50	12.13	10
058-71-250		0.205	5.50	12.13	10
058-71-200 058-71-250 058-71-300	8 054393 026309	0.205 0.255 0.300	5.50 8.40 12.00	12.13 300 300	10 10 10
058-71-200 058-71-250 058-71-300 058-71-350	8 054393 026309 8 054393 026316	0.205 0.255 0.300 0.350	5.50 8.40 12.00 15.85	12.13 300 300 300	10 10 10 10

BLACK BASS





- Monofilament designed for black bass spinning
- High strength and remarkable softness
- Low stretch for a perfect lure control
- Parallel spooling (TPS)
- Colour: dark green

150m/165yds		\bigcirc			POI
053-05-200	8 054393 019172	0.200	5.45	12.00	10
053-05-220	8 054393 019189	0.220	6.95	15.31	10
053-05-250	8 054393 019196	0.250	8.36	18.41	10
053-05-300	8 054393 019202	0.300	11.95	26.32	10
053-05-350	8 05/393 019219	0.350	15.80	34.80	10

SPINNING PIKE



TPS

FORCE



- · Specific monofilament for pike spinning
- · Low stretch for fast and safe strikes
- No memory and high abrasion resistance
- Parallel spooling (TPS)
- · Colour: dichroic dark green

150m/165yds		\bigcirc	[kg]		PCI
053-55-160	8 054393 021564	0.160	3.65	8.04	10
053-55-180	8 054393 021571	0.180	4.50	9.91	10
053-55-200	8 054393 021588	0.200	5.45	12.00	10
053-55-220	8 054393 021595	0.220	6.95	15.31	10
053-55-250	8 054393 021601	0.250	8.36	18.41	10
053-55-300	8 054393 021618	0.300	11.95	26.32	10
053-55-350		0.350	15.80	34.80	10

PRO CARP

- Monofilament designed for carp fishing
- No memory and great abrasion resistance
- Reduced stretch for safe strikes at long range
- Parallel spooling (TPS)
- Colour: dark brown









1000m/1094yds		\bigcirc	kg		PO
053-17-250	8 054393 019639	0.250	8.36	18.41	5
053-17-280	8 054393 019646	0.280	9.80	21.59	5
053-17-300	8 054393 019653	0.300	11.95	26.32	5
053-17-320	8 054393 019660	0.320	13.85	30.51	5
053-17-350	8 054393 019677	0.350	15.80	34.80	5

≅TRABUCCO

SPINNING PERCH



TPS



- · Designed for perch spinning and deadbaiting
- · Very high knot strength and abrasion resistance
- Low stretch for a neat bite detection
- · Parallel spooling (TPS)

150m/165yds		\bigcirc	(kg)		
053-50-140	8 054393 021380	0.140	2.85	6.28	10
053-50-160	8 054393 021397	0.160	3.80	8.37	10
053-50-180	8 054393 021403	0.180	4.65	10.24	10
053-50-200	8 054393 021410	0.200	5.60	12.36	10
053-50-220	8 054393 021427	0.220	7.05	15.53	10
053-50-250	8 054393 021434	0.250	8.46	18.63	10
053-50-300	8 054393 021441	0.300	12.07	26.59	10

0.227

0.255

0.309

7.05

8.46

12.07

TROUTER





- Specific monofilament for trout fishing
- Treatment to face low temperatures
- Parallel spooling (TPS)

150m/165yds

053-52-140

053-52-160

053-52-180

053-52-200

053-52-220

053-52-250

053-52-300

Low memory and high abrasion resistance

Ø	<u>[kg</u>]		
0.140	2.85	6.28	10
0.160	3.80	8.37	10
0.180	4.65	10.24	10
0.205	5.60	12.36	10

15.53

18.63

26.59

CARP ENDURO



TPS


10

10

10

- · Sinking line designed for carp fishing
- No memory and great abrasion resistance
- Reduced stretch for safe strikes at long range

300m/330yds		0	₽		
053-11-250	8 054393 019394	0.255	8.36	18.41	6
053-11-280	8 054393 019400	0.286	9.80	21.59	6
053-11-300	8 054393 019417	0.309	11.95	26.32	6
053-11-320	8 054393 019424	0.325	13.85	30.51	6
053-11-350	8 054393 019431	0.354	15.80	34.80	6
053-11-400	8 054393 019448	0.405	21.15	46.59	6
600m/656yds		Ø	R		PO
600m/656yds 053-12-250	8 054393 019455	0.255	8.36	18.41	PO 6
•	8 054393 019455 8 054393 019462				
053-12-250	8 054393 019455 8 054393 019462 8 054393 019479	0.255	8.36 9.80	18.41	6
053-12-250 053-12-280	8 054393 019455 8 054393 019462 8 054393 019479 8 054393 019486	0.255	8.36 9.80	18.41 21.59	6
053-12-250 053-12-280 053-12-300	8 054393 019452 8 054393 019462 8 054393 019479 8 054393 019486 8 054393 019486	0.255 0.286 0.309	8.36 9.80 11.95	18.41 21.59 26.32	6 6






1200m/1312yds		\bigcirc	[kg]		POI
053-13-250	8 054393 019516	0.255	8.36	18.41	1
053-13-280	8 054393 019523	0.286	9.80	21.59	1
053-13-300	8 054393 019530	0.309	11.95	26.32	1
053-13-320	8 054393 019547	0.325	13.85	30.51	1
053-13-350	8 054393 019554	0.354	15.80	34.80	1
053-13-400	8 054393 019561	0.405	21.15	46.59	1

COMPETITION GP GRAND POWER







Great softness and knot strength



25m		\bigcirc	[kg]		
052-72-080	8 054393 163387	0.084	0.95	2.09	10
052-72-100	8 054393 163394	0.104	1.52	3.35	10
052-72-120	8 054393 163400	0.128	2.19	4.82	10
052-72-140	8 054393 163417	0.148	2.80	6.18	10
052-72-160	8 054393 164155	0.165	3.78	8.34	10
052-72-180	8 054393 164162	0.181	4.85	10.68	10
052-72-200	8 054393 164179	0.203	5.65	12.46	10
052-72-220	8 054393 164186	0.221	6.49	14.30	10
052-72-250	8 054393 164193	0.255	8.24	18.16	10
052-72-300	8 054393 164209	0.309	12.08	26.64	10

	~				
50m		\bigcirc			PCI
052-73-080	8 054393 164216	0.084	0.95	2.09	10
052-73-100	8 054393 164223	0.104	1.52	3.35	10
052-73-120	8 054393 164230	0.128	2.19	4.82	10
052-73-140	8 054393 164247	0.148	2.80	6.18	10
052-73-160	8 054393 164254	0.165	3.78	8.34	10
052-73-180	8 054393 164261	0.181	4.85	10.68	10
052-73-200	8 054393 164278	0.203	5.65	12.46	10
052-73-220	8 054393 164285	0.221	6.49	14.30	10
052-73-250	8 054393 163813	0.255	8.24	18.16	10
052-73-300	8 054393 163820	0.309	12.08	26.64	10



COMPETITION PRO



- Hi tech monofilament designed for rigs and hooklinks makingGreat softness and knot strength
- Parallel spooling (TPS)
- · Special stiff individual container
- transparent dichroic

दिशान । माम	do no allon	 Colour: tr
730 Sunt sin	PRO SUPER STRONG	
TRABUCCO	HOM TRACTION RESISTANCE	
	TRABUCCO	

25m		\bigcirc	₽		
052-65-080	8 054393 018298	0.080	0.86	1.90	10
052-65-100	8 054393 018304	0.100	1.45	3.20	10
052-65-120	8 054393 018311	0.120	2.10	4.63	10
052-65-140	8 054393 018328	0.140	2.80	6.18	10
052-65-160	8 054393 018335	0.160	3.75	8.27	10
052-65-180	8 054393 018342	0.180	4.60	10.14	10
052-65-200	8 054393 018359	0.200	5.50	12.13	10
052-65-220	8 054393 018366	0.220	6.95	15.32	10
052-65-250	8 054393 018373	0.250	8.40	18.52	10
052-65-300	8 054393 018380	0.300	12.00	26.45	10

50m		\bigcirc	F		
052-70-080	8 054393 018397	0.080	0.86	1.90	10
052-70-100	8 054393 018403	0.100	1.45	3.20	10
052-70-120	8 054393 018410	0.120	2.10	4.63	10
052-70-140	8 054393 018427	0.140	2.80	6.18	10
052-70-160	8 054393 018434	0.160	3.75	8.27	10
052-70-180	8 054393 018441	0.180	4.60	10.14	10
052-70-200	8 054393 018458	0.200	5.50	12.13	10
052-70-220	8 054393 018465	0.220	6.95	15.32	10
052-70-250	8 054393 018472	0.250	8.40	18.52	10
052-70-300	8 054393 018489	0.300	12.00	26.45	10



NEW TOURNAMENT TOUGH



150m/165yds		\bigcirc	(kg)		
051-00-100	8 054393 187949	0.106	1.45	3.20	10
051-00-120	8 054393 187956	0.128	2.10	4.63	10
051-00-140	8 054393 187963	0.148	2.80	6.18	10
051-00-160	8 054393 187970	0.165	3.75	8.27	10
051-00-180	8 054393 187987	0.185	4.60	10.14	10
051-00-200	8 054393 187994	0.205	5.50	12.13	10
051-00-220	8 054393 188007	0.220	6.95	15.32	10
051-00-250	8 054393 188014	0.255	8.40	18.52	10
051-00-280	8 054393 188021	0.280	9.54	21.03	10
051-00-300	8 054393 188038	0.300	12.00	26.45	10
051-00-350	8 054393 188045	0.350	15.85	34.94	10
051-00-400	8 054393 188052	0.400	20.20	44.53	10
051-00-450	8 054393 188069	0.450	27.50	60.62	10
051-00-500	8 054393 188076	0.500	35.00	77.15	10

- · The world's famous high quality mono for demanding anglers gets a modern dressing, with same quality

 • High strength, super abrasion resistance & smooth skin
- Trabucco Parallel Spooling on 150m spools only
- 300m and 500m spools are packed by 6 (used to be 5)
- Colour: transparent clear

051-04-400

051-04-450

051-04-500

300m/330yds		\bigcirc	RO		PCI
051-02-140	8 054393 188083	0.148	2.80	6.18	6
051-02-160	8 054393 188090	0.165	3.75	8.27	6
051-02-180	8 054393 188106	0.185	4.60	10.14	6
051-02-200	8 054393 188113	0.205	5.50	12.13	6
051-02-250	8 054393 188120	0.255	8.40	18.52	6
051-02-300	8 054393 188137	0.300	12.00	26.45	6
051-02-350	8 054393 188144	0.350	15.85	34.94	6
051-02-400	8 054393 188151	0.400	20.20	44.53	6
051-02-450	8 054393 188168	0.450	27.50	60.62	6
051-02-500	8 054393 188175	0.500	35.00	77.15	6
500m/547yds		\bigcirc	<u>kg</u>		PO
051-04-140	8 054393 188182	0.148	2.80	6.18	6
051-04-160	8 054393 188199	0.165	3.75	8.27	6
051-04-180	8 054393 188205	0.185	4.60	10.14	6
051-04-200	8 054393 188212	0.205	5.50	12.13	6
051-04-250	8 054393 188229	0.255	8.40	18.52	6
051-04-300	8 054393 188236	0.300	12.00	26.45	6
051-04-350	8 054393 188243	0.350	15.85	34.94	6

20.20

27.50

35.00

0.400

0.450

0.500

44.53

60.62

77.15

6

6

SUPER CAST

FORCE

- Monofilament designed for reel fishing
- Great softness and very high linear strength
- Special smooth running through rod's guides
- Parallel spooling (TPS)
- Colour: amber brown



300m/330yds		\bigcirc			PCI
052-45-140	8 054393 017307	0.148	2.76	6.09	5
052-45-160	8 054393 017314	0.165	3.71	8.18	5
052-45-180	8 054393 017321	0.185	4.57	10.08	5
052-45-200	8 054393 017338	0.205	5.42	11.95	5
052-45-250	8 054393 017345	0.255	8.35	18.41	5
052-45-300	8 054393 017352	0.300	11.92	26.28	5

150m/165yds		\bigcirc			PO
052-40-120	8 054393 017130	0.128	2.05	4.52	10
052-40-140	8 054393 017154	0.148	2.76	6.09	10
052-40-160	8 054393 017178	0.165	3.71	8.18	10
052-40-180	8 054393 017192	0.185	4.57	10.08	10
052-40-200	8 054393 017215	0.205	5.42	11.95	10
052-40-250	8 054393 017239	0.255	8.35	18.41	10
052-40-300	8 054393 017253	0.300	11.92	26.28	10
052-40-350	8 054393 017260	0.350	15.79	34.81	10
052-40-400	8 054393 017277	0.400	20.13	44.37	10
052-40-450	8 054393 017284	0.450	27.50	60.62	10
052-40-500	8 054393 017291	0.500	35.00	77.15	10
500··· /547····l-			A		
500m/547yds		Ø			
052-47-140	8 054393 017420	0.148	2.76	6.09	5
052-47-160	8 054393 017437	0.165	3.71	8.18	5
052-47-180	8 054393 017444	0.185	4.57	10.08	5
052-47-200	8 054393 017451	0.205	5.42	11.95	5
052-47-250	8 054393 017468	0.255	8.35	18.41	5
052-47-300	8 054393 017475	0.300	11.92	26.28	5

SUPER SOFT

- Super soft monofilament designed for bolognese and spinning
- Very long casts and perfect bait presentation
- Good visibility for the angler
- Parallel spooling (TPS)
- Colour: warm gold



TRABUCCO

TPS



Ø 0.400 \(\text{D} 20,130 \)

TPS

200m/219yds		\bigcirc	F		PCI
052-55-140	8 054393 017925	0.148	2.76	6.09	10
052-55-160	8 054393 017932	0.165	3.71	8.18	10
052-55-180	8 054393 017949	0.185	4.57	10.08	10
052-55-200	8 054393 017956	0.205	5.42	11.95	10
052-55-250	8 054393 017963	0.255	8.35	18.41	10
052-55-300	8 054393 017970	0.300	11.92	26.28	10
052-55-350	8 054393 017987	0.350	15.79	34.81	10
052-55-400	8 054393 017994	0.400	20.13	44.37	10

500m/547yds		Ø	(Rg)		PC
052-57-180	8 054393 018021	0.185	4.57	10.08	5
052-57-200	8 054393 018038	0.205	5.42	11.95	5
052-57-250	8 054393 018045	0.255	8.35	18.41	5
052-57-300	8 054393 018052	0.300	11.92	26.28	5
052-57-350	8 054393 018069	0.350	15.79	34.81	5
052-57-400	8 054393 018076	0.400	20.13	44.37	5

™TRABUCCO

SUPER HARD





- Monofilament structured for long range fishingPerfect for feeder, carp fishing and spinning
- Remarkable stiffness for a direct contact with bait
- Extreme linear strength and abrasion resistance
- · Colour: dark brown

300m/330yds		\bigcirc			PCI
052-60-250	8 054393 018120	0.255	8.48	18.69	5
052-60-300	8 054393 018137	0.300	12.15	26.78	5
052-60-350	8 054393 018144	0.350	15.95	35.16	5
052-60-400	8 054393 018151	0.400	20.30	44.75	5

NEW SPECIAL FEEDER



- The T-Force Special Feeder high quality mono designed for feeder anglers gets a modern dressing, with same quality
- Low stretch for bite detection, smooth flow through rod's guides
- New 300m spool was not available in the previous series
- Trabucco Parallel Spooling on 150m spools only
- Colour: dark brown



			-		
150m/165yds		Ø	kg		POI
051-40-180	8 054393 188281	0.185	4.60	10.14	10
051-40-200	8 054393 188298	0.205	5.50	12.13	10
051-40-220	8 054393 188304	0.220	6.95	15.32	10
051-40-250	8 054393 188311	0.255	8.40	18.52	10
051-40-280	8 054393 188328	0.280	9.54	21.03	10
051-40-300	8 054393 188335	0.300	12.00	26.45	10
300m/330yds		Ø	kg		PO
300m/330yds 051-42-180	8 054393 188342	0.185	4.60	10.14	6
	8 054393 188352 8 054393 188352				
051-42-180	8 054393 188342 8 054393 188350 8 054393 188397	0.185	4.60	10.14	6
051-42-180 051-42-200	8 054393 188359 8 054393 188359 8 054393 188397	0.185	4.60	10.14	6
051-42-180 051-42-200 051-42-220	8 054393 1883597 8 054393 188359 8 054393 188397 8 054393 188397	0.185 0.205 0.220	4.60 5.50 6.95	10.14 12.13 15.32	6 6



MATCH SINKING



- Sinking monofilament designed for match and feeder fishing
- Controlled stretch to produce neat hook setting at range
- Special siliconic treatment reduces guide's friction
- Total absence of memory
- Parallel spooling (TPS)
- Colour: deep blue






TPS

TPS

150m/165yds		Ø	[kg]		PCI
053-00-120	8 054393 019103	0.120	2.10	4.63	10
053-00-140	8 054393 019110	0.140	2.80	6.18	10
053-00-160	8 054393 019127	0.160	3.70	8.16	10
053-00-180	8 054393 019134	0.180	4.55	10.03	10
053-00-200	8 054393 019141	0.200	5.55	12.24	10
053-00-250	8 054393 019158	0.250	8.44	18.61	10
053-00-300	8 054393 019165	0.300	12.06	26.58	10



SINKING



- Sinking monofilament designed for match and feeder fishing
- · Controlled stretch to produce neat hook setting at range
- Special siliconic treatment reduces guide's friction
- Parallel spooling (TPS)
- Two spooling options (150 and 300 m)
- Colour: dark brown



150m/165yds		Ø	(kg)		
052-95-160	8 054393 018977	0.160	2.10	4.63	10
052-95-180	8 054393 018984	0.180	2.80	6.18	10
052-95-200	8 054393 018991	0.200	3.70	8.16	10
052-95-220	8 054393 019004	0.220	6.95	15.32	10
052-95-250	8 054393 019011	0.250	8.44	18.61	10
052-95-300	8 054393 019028	0.300	9.80	21.60	10
300m/330yds		\bigcirc	(kg)		PCI
052-96-200	8 054393 019035	0.200	3.70	8.16	5
052-96-250	8 054393 019059	0.250	8.44	18.61	5
052-96-280	8 054393 019066	0.280	6.95	15.32	5
052-96-300	8 054393 019073	0.300	9.80	21.60	5
052-96-320	8 054393 019080	0.320	10.86	24.13	5
052-96-350		0.350	15.85	34.94	5





LONG CAST



This line has been developed for those anglers that need to make very long casts. The color fluo-yellow is immediately visible for the angler, but it is almost invisible into the water. This line has a very good flowing qualities, high abrasion $% \left(1\right) =\left(1\right) \left(resistance and it is super soft, a combination of factors that allow this line to be the best in terms of casting capacity. The very low elasticity allows the angler to be always in close contact with the bait and transmit an immediate strike on the bite. It is completely waterproof, like all the S-Force monofilaments, and as well as saltproof. Available in spools of 150 and 300 mts in individual box.



150m/165yds		\bigcirc	(kg)		PCI
052-80-180	8 054393 018670	0.180	4.55	10.03	10
052-80-200	8 054393 018687	0.200	5.55	12.24	10
052-80-220	8 054393 018694	0.220	6.95	15.32	10
052-80-250	8 054393 018700	0.250	8.44	18.61	10
052-80-300	8 054393 018717	0.300	12.06	26.58	10
052-80-350	8 054393 018724	0.350	15.85	34.94	10

300m/330yds		\bigcirc	₽		PCI
052-82-180	8 054393 018755	0.180	4.55	10.03	5
052-82-200	8 054393 018762	0.200	5.55	12.24	5
052-82-220	8 054393 018779	0.220	6.95	15.32	5
052-82-250	8 054393 018786	0.250	8.44	18.61	5
052-82-300	8 054393 018793	0.300	12.06	26.58	5
052-82-350	8 054393 018809	0.350	15.85	34.94	5
052-82-400	8 054393 018816	0.400	20.20	44.53	5

RIVER TROUT



150m/165yds		\bigcirc	[kg]		PCI
052-90-160	8 054393 018885	0.160	3.70	8.16	10
052-90-180	8 054393 018892	0.180	4.55	10.03	10
052-90-200	8 054393 018908	0.200	5.55	12.24	10
052-90-220	8 054393 018915	0.220	6.95	15.32	10
052-90-250	8 054393 018922	0.250	8.44	18.61	10
052-90-280	8 054393 018939	0.280	10.86	24.13	10
052-90-300	8 054393 018946	0.300	12.06	26.58	10
052-90-350	8 054393 018953	0.350	15.85	35.22	10
052-90-400		0.400	20.20	44.53	10

- · Monofilament designed for river trout and spinning
- · Great abrasion resistance and linear strength

Reduced stretch allows a direct bait control

High visibility for the angler

TPS







LAKE TROUT

- Monofilament designed for lake trout fishing
- Special treatment to resist lowest temperatures
- Limited friction to allow extreme long casts
- · High visibility for the angler

150m/165yds		\bigcirc	[kg]		POI
052-85-160	8 054393 018830	0.160	3.70	8.16	10
052-85-180	8 054393 018847	0.180	4.55	10.03	10
052-85-200	8 054393 018854	0.200	5.55	12.24	10
052-85-220	8 054393 018861	0.220	6.95	15.32	10
052-85-250	8 054393 018878	0.250	8.44	18.16	10



TAPER LINE SC SURFCASTING





- Monofilament designed for surf casting
- Two tapered segments on each end (15 m), acting as shock leaders
- Middle area with regular diameter (220 m) with coloured segments (20 m)
- Remarkable abrasion resistance and linear strength
- Wide choice among many diameter combinations
- Colour: changing every 20 metres (clear shock leaders)


Metric Colour Marking														
7m . 8	8m			20m X	5		20m	ı		20m X5			8m	7m
White W	Vhite	Yellow	Pink	White	Green	Red	Blue	Yellow	Pink	White	Green	Red	White	White


250m/270yds		\bigcirc			TYPE	PC
053-76-016	8 054393 173553	0.16~0.40	4.350~20.130	9~45	BEACH	6
053-76-018	8 054393 173560	0.18~0.45	4.570~24.500	10~52	BEACH	6
053-76-020	8 054393 173577	0.20~0.45	5.420~24.500	12~52	BEACH	6
053-76-120	8 054393 173584	0.20~0.50	5.420~27.500	12~60	DISTANCE	6
053-76-180	8 054393 173591	0.18~0.57	4.570~32.500	10~70	DISTANCE	6
053-76-200	8 054393 173607	0.20~0.57	5.420~32.500	12~70	DISTANCE	6
053-76-230	8 054393 173614	0.23~0.57	6.960~32.500	15~70	DISTANCE	6
053-76-260	8 054393 173621	0.26~0.57	8.350~32.500	18~70	DISTANCE	6

TAPER LEADER



- Tapered shock leaders for surf casting
- 10 leaders of 15 metres each, stored on a spool
- Ceramic treatment for a huge abrasion resistance
- Great linear strength
- Wide choice among many diameter combinations
- Colour: transparent clear







10 x 15m		\bigcirc	<u>kg</u>		TYPE	PCI
053-71-016	8 054393 128362	0.18~0.32	4.57~11.92	10~26	BEACH	10
053-71-018	8 054393 022554	0.18~0.40	4.57~20.13	10~45	BEACH	10
053-71-020	8 054393 022561	0.20~0.50	5.42~27.50	12~60	BEACH	10
053-71-180	8 054393 022578	0.18~0.57	4.57~32.50	10~70	SURF	10
053-71-200	8 054393 022585	0.20~0.57	5.42~32.50	12~70	SURF	10
053-71-230	8 054393 022592	0.23~0.57	6.95~32.50	15~70	SURF	10
053-71-260	8 054393 022608	0.26~0.57	8.35~32.50	18~70	SURF	10
053-71-300	8 054393 128348	0.23~0.67	6.96~36.34	15~80	DISTANCE	10
053-71-310	8 054393 128355	0.26~0.72	8.35~38.61	18~85	DISTANCE	10

₹TRABUCCO

SURF SA SOFT+ABRASION





- · Exclusive monofilament for surf casting, with three layer's structure
- Highly compact Nano-Tech core for extreme strength
- Super soft intermediate layer
- Smooth and durable Fluorocarbon outer skin
- Reduced stretch for a superior sensitivity
 - Total absence of memory
- Colour: changing every 30 metres (yellow, orange, red, purple, blue)

300m/330yds		\bigcirc	R		PCI
052-08-160	8 054393 140234	0.165	4.350	9.59	6
052-08-180	8 054393 140241	0.181	4.570	10.08	6
052-08-200	8 054393 140258	0.203	5.420	11.95	6
052-08-220	8 054393 140265	0.221	6.950	15.32	6
052-08-250	8 054393 140272	0.251	8.350	18.41	6
052-08-280	8 054393 140289	0.283	9.540	21.03	6
052-08-300	8 054393 140296	0.307	11.920	26.28	6
052-08-350	8 054393 140302	0.355	15.790	34.81	6

SURF FP FLUORO POWER





- Exclusive monofilament for surf casting, with three layer's structure
- Highly compact Nano-Tech core for extreme strength
- Super soft intermediate layer
- Smooth and durable Fluorocarbon outer skin
- Reduced stretch for a superior sensitivity
- Total absence of memory





300m/330yds		\bigcirc	kg		PCI
052-04-160	8 054393 139986	0.165	4.350	9.59	6
052-04-180	8 054393 139993	0.181	4.570	10.08	6
052-04-200	8 054393 140418	0.203	5.420	11.95	6
052-04-220	8 054393 140050	0.221	6.950	15.32	6
052-04-250	8 054393 140067	0.251	8.350	18.41	6
052-04-280	8 054393 140074	0.283	9.540	21.03	6
052-04-300	8 054393 140081	0.307	11.920	26.28	6
052-04-350	8 056393 160098	0.355	15.790	34.81	6

600m/660yds		$[\emptyset]$	(kg)		PO
052-05-160	8 054393 140104	0.165	4.350	9.59	6
052-05-180	8 054393 140111	0.181	4.570	10.08	6
052-05-200	8 054393 140005	0.203	5.420	11.95	6
052-05-220	8 054393 140012	0.221	6.950	15.32	6
052-05-250	8 054393 140029	0.251	8.350	18.41	6
052-05-280	8 054393 140036	0.283	9.540	21.03	6
052-05-300	8 054393 140043	0.307	11.920	26.28	6
052-05-350	8 056 393 160227	0.355	15.790	34.81	6



MASTER CAST x-distance



- Tournament class monofilament for long range fishing (Carp, Surf)
- Super soft, thus memory free and tangle free
- High sensitivity, due to low stretch (Direct Bait Control System)
- Superior knot strength
- High abrasion resistance



- Spools of 1200 m in aluminium box with hanging device
- Label marking every 150 meters
- · Colour: hi-viz fluo yellow

1200m/1300yds		\bigcirc	(Right)		PCI
053-49-918	8 054393 163424	0.181	4.57	10.08	5
053-49-920	8 054393 163431	0.203	5.42	11.95	5
053-49-922	8 054393 163448	0.221	6.95	15.32	5
053-49-925	8 054393 163455	0.251	8.35	18.41	5
053-49-928	8 054393 163462	0.283	9.54	21.03	5
053-49-930	8 054393 163479	0.307	11.92	26.28	5
053-49-932	8 054393 004307	0.328	13.89	30.63	5
053-49-935	8 054393 163981	0.355	15.79	34.81	5
053-49-940	8 054393 163998	0.405	20.13	44.38	5

LONGCAST FLuo



- Special monofilament for surf casting High visibility for the angler, specially during the night
- Slick surface for smooth flow through rod's guides
- Reduced stretch for a superior sensitivity



- · Black mark every 150 metres to draw the required length
- · Exclusive aluminium box to preserve the line quality
- · Colour: fluo orange

1200m/1300yds		\bigcirc			PCI
053-49-180	8 054393 021304	0.181	4.57	10.08	5
053-49-200	8 054393 021311	0.203	5.42	11.95	5
053-49-220	8 054393 021328	0.221	6.95	15.32	5
053-49-250	8 054393 021335	0.251	8.35	18.41	5
053-49-280	8 054393 021342	0.283	9.54	21.03	5
053-49-300	8 054393 021359	0.307	11.92	26.28	5
053-49-350	8 054393 021366	0.350	15.79	34.81	5
053-49-400	8 054393 021373	0.400	20.13	44.38	5

TRABUCCO

VELVET ACCURATE CAST





9		FORM	PERFORMA	and the same of th		
	1		150 m x 2			
	30 m	30 m	30 m	30 m	30 m	

- · Special monofilament for surf casting competitions and boat fishing
- Segments of different colour to evaluate the fishing distance
- Extra long casts thanks to slick surface and no memory
- Reduced stretch allows fast and accurate strikes
- Colour changing every 30 metres (white, yellow, orange, red, purple)

300m/330yds		\bigcirc			PC
052-12-180	8 054393 128270	0.18	3.33	7.00	6
052-12-200	8 054393 128287	0.20	4.13	9.00	6
052-12-220	8 054393 128294	0.22	5.51	12.00	6
052-12-250	8 054393 128300	0.25	6.67	15.00	6
052-12-280	8 054393 128317	0.28	8.45	19.00	6
052-12-300	8 054393 128324	0.30	9.13	20.00	6
052-12-350	8 054393 128331	0.35	12.76	28.00	6



• Special monofilament for surf casting competitions



Extra long casts thanks to slick surface and no memory

Impressive free flowing through rod's guides

Very easy to knot

Colour: intense yellow




6

6

6

6







Ø

0.180

kg

3.34

4.13

6.67

8.46

9.14

12.76

7.00

9.00

12.00

15.00

19.00

20.00

28.00

SPECIAL SEA HI-VIZ

- Special monofilament for saltwater, perfect for boat fishing
- Enormous abrasion resistance, thanks to the ceramic treatment
- High visibility for the angler
- Great knot strength
- Colour: matt white





TPS


300m/330yds		\bigcirc	F		PO
053-66-160	8 054393 022356	0.160	2.77	6	6
053-66-180	8 054393 022363	0.180	3.34	7	6
053-66-200	8 054393 022370	0.200	4.13	9	6
053-66-220	8 054393 022387	0.220	5.51	12	6
053-66-250	8 054393 022394	0.250	6.67	15	6
053-66-280	8 054393 022400	0.280	8.46	19	6
053-66-300	8 054393 022417	0.300	9.14	20	6
053-66-350	8 054393 022424	0.350	12.76	28	6

600m/656yds		\bigcirc	(kg)		
053-67-160	8 054393 022431	0.160	2.77	6	6
053-67-180	8 054393 022448	0.180	3.34	7	6
053-67-200	8 054393 022455	0.200	4.13	9	6
053-67-220	8 054393 022462	0.220	5.51	12	6
053-67-250	8 054393 022479	0.250	6.67	15	6
053-67-280	8 054393 022486	0.280	8.46	19	6
053-67-300	8 054393 022493	0.300	9.14	20	6
053-67-350	8 054393 022509	0.350	12.76	28	6









Remarkable softness and absence of memory

· High visibility for the angler

· Colour: fluo orange



₹TRABUCCO

MASTER ISO SALTWATER





SPECIAL SALTWATER SUPERIOR KNOT STRENGTH MOLECULAR TREATMENT SUPER SOFT | NO MEMORY



•	specific monorilament for sea rishing, perfect for both boat and shore rishing	J
•	Vith 3-level structure	

- Internal core with nano-structure with high cohesion and molecular resistance.
- Intermediate level which gives it elasticity
- · Extremely smooth and durable external coating based on a compound that makes it unassailable to marine agents
- Reduced elasticity for superior sensitivity
- Complete absence of memory
- Light Pink



300m/330yds		\bigcirc	kg		PCI
050-60-200	8 054393 163554	0.205	5.45	12.02	6
050-60-250	8 054393 163561	0.255	8.36	18.43	6
050-60-280	8 054393 163578	0.285	9.54	21.03	6
050-60-300	8 054393 163585	0.300	11.94	26.32	6
050-60-350	8 054393 163592	0.350	15.80	34.83	6
050-60-400	8 054393 163608	0.400	20.15	44.42	6
050-60-450	8 054393 163615	0.450	27.50	60.62	6
050-60-500	8 054393 163622	0.500	34.96	77.06	6
050-61-600	8 054393 163639	0.600	35.50	78.25	2
050-61-700	8 054393 163646	0.700	38.20	84.20	2
050-61-800	8 054393 163899	0.800	41.70	91.91	2

600m/656yds		0	[kg]		PCI
050-63-250	8 054393 163905	0.255	8.36	18.43	5
050-63-280	8 054393 163912	0.280	9.54	21.03	5
050-63-300	8 054393 163929	0.300	11.94	26.32	5
050-63-350	8 054393 163936	0.350	15.80	34.83	5
050-63-400	8 054393 163943	0.400	20.15	44.42	5
050-63-450	8 054393 163950	0.450	27.50	60.62	5
050-63-500	8 054393 163967	0.500	34.96	77.06	5
050-63-600	8 054393 163974	0.600	35.50	78.25	5

BIG GAME





- Monofilament designed to spool the Big Game multipliers
- Exclusive multi-layer structure with three different layers
- Great abrasion resistance and saltwater protective treatment
- Convenient 600 m spool
- · Colour: clear blue

600m		\bigcirc	kg		POI
053-07-300	8 054393 019226	0.30	11.34	25.01	6
053-07-350	8 054393 0 19233	0.35	15.01	33.09	6
053-07-400	8 054393 019240	0.40	19.14	42.20	6
053-07-500	8 054393 019257	0.50	26.13	57.60	6
053-07-600	8 054393 019264	0.60	33.73	74.35	6
053-07-700	8 054393 019271	0.70	36.29	80.01	6
053-07-800	8 05 (393 0 19288	0.80	39.62	87.34	6

SUPER ISO

- Monofilament designed to spool the Big Game multipliers
- Exclusive multi-layer structure with three different layers
- Great abrasion resistance and saltwater protective treatment
- Convenient 600 m spool
- · Colour: clear blue





150m/165yds		\bigcirc	(kg)		PCI
052-50-200	8 054393 017628	0.205	5.45	12.02	10
052-50-220	8 054393 017635	0.220	6.95	15.32	10
052-50-250	8 054393 017642	0.255	8.36	18.43	10
052-50-300	8 054393 017659	0.300	11.94	26.32	10
052-50-350	8 054393 017666	0.350	15.80	34.83	10
052-50-400	8 054393 017673	0.400	20.15	44.42	10
052-50-450	8 054393 017680	0.450	27.50	60.62	10
052-50-500	8 054393 017697	0.500	34.96	77.06	10



	300m/330yds		\bigcirc	<u></u> kg		PC
•	052-51-200	8 054393 017703	0.205	5.45	12.02	5
	052-51-250	8 054393 017710	0.255	8.36	18.43	5
	052-51-300	8 054393 017727	0.300	11.94	26.32	5
VEW	052-51-320	8 054393 150431	0.320	13.88	30.60	5
	052-51-350	8 054393 017734	0.350	15.80	34.83	5
	052-51-400	8 054393 017741	0.400	20.15	44.42	5
	052-51-450	8 054393 017758	0.450	27.50	60.62	5
	052-51-500	8 054393 017765	0.500	34.96	77.06	5
	052-52-060	8 054393 017789	0.600	35.50	78.25	2
	052-52-070	8 054393 017796	0.700	38.20	84.20	2
	052-52-080	8 054393 017802	0.800	41.70	91.91	2
	052-52-090	8 054393 017819	0.900	48.10	105.95	2
	052-52-100	8 054393 017826	1.000	61.50	135.55	2

500m/547yds		\bigcirc	[kg]		PO
052-53-200	8 054393 017833	0.205	5.45	12.02	5
052-53-220	8 054393 017840	0.220	6.95	15.32	5
052-53-250	8 054393 017857	0.255	8.36	18.43	5
052-53-280	8 054393 017864	0.280	9.54	21.03	5
052-53-300	8 054393 017871	0.300	11.94	26.32	5
052-53-350	8 054393 017888	0.350	15.80	34.83	5
052-53-400	8 054393 017895	0.400	20.15	44.42	5
052-53-450	8 054393 017901	0.450	27.50	60.62	5
052-53-500	8 054393 017918	0.500	34.96	77.06	5

DEEP ISO



This monofilament has been specifically developed for boat fishing. It is highly visible and soft with a total lack of memory. The special red color is highly visible on the surface for better control of line, while at 10m of depth makes it absolutely invisible to the fish. Deep Iso is particularly resistant to traction and torsion, and can therefore be safely used for trolling. The silicone-based coating makes it waterproof and airtight to combat saltwater marine agents.



300m/330yds		\bigcirc	R		PCI
052-48-300	8 054393 017529	0.309	11.95	26.32	6
052-48-350	8 054393 017536	0.354	15.80	34.80	6
052-48-400	8 054393 017543	0.405	20.30	44.71	6
052-48-450	8 054393 017550	0.450	27.50	60.57	6
052-48-500	8 054393 017567	0.500	34.96	77.0	6

600m/656yds		\bigcirc	<u>kg</u>		PC
052-49-300	8 054393 017574	0.309	11.95	26.32	6
052-49-350	8 054393 017581	0.354	15.80	34.80	6
052-49-400	8 054393 017598	0.405	20.30	44.71	6
052-49-450	8 054393 017604	0.450	27.50	60.57	6
052-49-500	8 054393 017611	0.500	34.96	77.00	6

₹TRABUCCO

TEKNO SALTWATER





T-Force XPS Tekno Saltwater is a super high quality nylon mono that is very different from almost any other line on the market. Its molecular structure is organized to avoid stretching and to keep a very good breaking strength. In a nutshell, it performs very close to a braided line, being really sensitive, but still keeping the good qualities of nylon monofilaments, such as a lower friction when passing through the guides and a superior manageability. The crystal blue colour and the silicon surface treatment make this line really perfect for bottom fishing from the boat and spinning.

150m/165yds		\bigcirc	[kg]		PC
052-18-200	8 054393 016232	0.203	5.95	13.11	10
052-18-250	8 054393 016249	0.251	8.67	19.10	10
052-18-280	8 054393 016256	0.283	9.98	21.98	10
052-18-300	8 054393 016263	0.307	12.72	28.02	10
052-18-350	8 054393 016270	0.350	15.90	35.00	10
052-18-400	8 054393 016287	0.400	18.17	40.00	10
000 (000)					
300m/330yds		Ø	(kg)		PCI)
052-19-200	8 054393 016294	0.203	5.95	13.11	6
	8 054393 016294 8 054393 016294				
052-19-200		0.203	5.95	13.11	6
052-19-200 052-19-250	8 054393 016300	0.203	5.95 8.67	13.11	6
052-19-200 052-19-250 052-19-300	8 054393 016300 8 054393 016300	0.203 0.251 0.307	5.95 8.67 12.72	13.11 19.10 28.02	6 6
052-19-200 052-19-250 052-19-300 052-19-350	8 054393 016300 8 054393 016317 8 054393 016317	0.203 0.251 0.307 0.350	5.95 8.67 12.72 15.90	13.11 19.10 28.02 35.00	6 6 6
052-19-200 052-19-250 052-19-300 052-19-350 052-19-400	B 054393 01630 B 054393 016317 B 054393 016324	0.203 0.251 0.307 0.350 0.400	5.95 8.67 12.72 15.90 18.17	13.11 19.10 28.02 35.00 40.00	6 6 6 6

SEALION





- 35,500 0.60

- · Special monofilament for sea fishing
- Perfect for reel's spools as well as for rigs and hooklinks
- Flexible nylon core with outer Fluorocarbon layer
- Total waterproofness and abrasion resistance
- · Softness, high linear and knot strength

250m		\bigcirc	<u>kg</u>		PO
053-91-160	8 054393 023490	0.164	2.57	5.67	10
053-91-180	8 054393 023506	0.185	3.21	7.08	10
053-91-200	8 054393 023513	0.201	3.85	8.48	10
053-91-220	8 054393 023520	0.220	4.41	9.72	10
053-91-250	8 054393 023537	0.250	5.87	12.94	10
053-91-300	8 054393 023544	0.300	7.73	17.02	10
053-91-350	8 054393 023551	0.350	10.96	24.15	10
053-91-400	8 054393 023568	0.400	12.13	26.71	10

SPECIAL SEA



- · Monofilament specific for sea trolling
- Special treatment against salt aggression
- Huge abrasion resistance
- Very low mechanical memory
- · Colour: transparent

300m/330yds		\bigcirc	[kg]		
052-36-060	8 054393 016966	0.600	35.50	78.25	2
052-36-070	8 054393 016973	0.700	38.20	84.20	2
052-36-080	8 054393 016980	0.800	41.70	91.91	2
052-36-100	8 054393 017000	1.000	61.50	135.55	2



MAX PLUS ALLROUND

This line can be employed both on the reel and to make rigs, thanks to his low memory and high abrasion resistance. Those factors generate a great knot strength, because knot's coils can be much tightened without risking that they damage each other. Beyond the technical specifications, the Max Plus Allround shows an incredible value for money. The product is suitable for any fishing style, both in fresh and saltwater, and is packed in 150, 300 and 1000 metres spools protected by a special cover which protects line from UV rays and enables the retailer to easily hang them on to the shop's display wall. Colour is light transparent green.



150m/165yds		\bigcirc	R		PC
057-00-120	8 054393 024657	0.120	1.50	3.30	10
057-00-140	8 054393 024664	0.140	2.10	4.63	10
057-00-160	8 054393 024671	0.160	2.65	5.84	10
057-00-180	8 054393 024688	0.180	3.20	7.05	10
057-00-200	8 054393 024695	0.200	4.00	8.81	10
057-00-250	8 054393 024701	0.250	5.80	12.78	10
057-00-300	8 054393 024718	0.300	8.50	18.72	10
057-00-350	8 054393 024725	0.350	10.50	23.13	10
057-00-400	8 054393 024732	0.400	13.50	29.74	10
057-00-450	8 054393 024749	0.450	15.00	33.06	10
057-00-500	8 054393 024756	0.500	18.00	39.68	10

300m/330yds		\bigcirc	kg		
057-01-160	8 054393 024763	0.160	2.65	5.84	10
057-01-180	8 054393 024770	0.180	3.20	7.05	10
057-01-200	8 054393 024787	0.200	4.00	8.81	10
057-01-250	8 054393 024794	0.250	5.80	12.78	10
057-01-300	8 054393 024800	0.300	8.50	18.72	10
057-01-350	8 054393 024817	0.350	10.50	23.13	10
057-01-400	8 054393 024824	0.400	13.50	29.74	10
057-01-450	8 054393 145932	0.450	15.00	33.06	10
057-01-500	8 054393 145949	0.500	18.00	39.68	10
1000m/1095yds		\bigcirc	kg		
057-15-160	8 054393 025555	0.160	2.65	5.84	2
057-15-180	8 054393 025562	0.180	3.20	7.05	2
057-15-200	8 054393 025579	0.200	4.00	8.81	2
057-15-250	8 054393 025586	0.250	5.80	12.78	2
057-15-300	8 054393 025593	0.300	8.50	18.72	2
057-15-350	8 054393 025609	0.350	10.50	23.13	2
057-15-400	8 054393 025616	0.400	13.50	29.74	2



MAX PLUS CARP



150m/165yds		\bigcirc	kg		PC
057-04-200	8 054393 025029	0.200	4.00	8.81	10
057-04-220	8 054393 025036	0.220	4.90	10.79	10
057-04-250	8 054393 025043	0.250	5.80	12.78	10
057-04-280	8 054393 025050	0.280	6.85	15.09	10
057-04-300	8 054393 025067	0.300	8.50	18.72	10
057-04-350	8 054393 025074	0.350	10.50	23.13	10
057-04-400	8 054393 025081	0.400	13.50	29.74	10
057-04-450	8 054393 025098	0.450	15.00	33.06	10
057-04-500	8 054393 025104	0.500	18.00	39.68	10
057-04-300 057-04-350 057-04-400 057-04-450	8 054393 025087 8 054393 025067 8 054393 025067 8 054393 025087 8 054393 025081	0.300 0.350 0.400 0.450	8.50 10.50 13.50 15.00	18.72 23.13 29.74 33.06	10 10 10 10

- · Designed for carp and all other big fish
- High abrasion resistance
- · Reduced stretch for immediate bite detection
- Colour: dicroic brown

300m/330yds		Ø	(kg)		PO
057-05-200	8 054393 025111	0.200	4.00	8.81	10
057-05-220	8 054393 025128	0.220	4.90	10.79	10
057-05-250	8 054393 025135	0.250	5.80	12.78	10
057-05-280	8 054393 025142	0.280	6.85	15.09	10
057-05-300	8 054393 025159	0.300	8.50	18.72	10
057-05-350	8 054393 025166	0.350	10.50	23.13	10
057-05-400	8 054393 025173	0.400	13.50	29.74	10
1000m/1095yds		0	(kg)		
057-18-200	8 054393 110275	0.200	4.00	8.81	2
057-18-220	8 054393 110282	0.220	4.90	10.79	2
057-18-250	8 054393 110299	0.250	5.80	12.78	2
057-18-300	8 054393 110305	0.300	8.50	18.72	2
057-18-350	8 054393 110312	0.350	10.50	23.13	2
057-18-400	8 054393 110329	0.400	13.50	29.74	2

MAX PLUS SINKING

The fast sinking tendency is the first feature that is appreciated when using it in the match or feeder fishing, techniques in which the alignment of the line is a very important element for the purposes of bite's indication and also for the neat transmission of force in the strike moment. Max Plus Sinking perfectly answers to all those demands, also offering a special resistance to abrasion arising from the continuous flow through the small rings, by the application of lead shots or from the knots destined to link a shock leader.



rouni/robyus		(\mathcal{O})	<u> </u>		
057-20-160	8 054393 110336	0.160	2.65	5.84	10
057-20-180	8 054393 110343	0.180	3.20	7.05	10
057-20-200	8 054393 110350	0.200	4.00	8.81	10
057-20-220	8 054393 110367	0.220	4.90	10.79	10
057-20-250	8 054393 110374	0.250	5.80	12.78	10
057-20-300	8 054393 110381	0.300	8.50	18.72	10
	0 004070 110001				

MAX PLUS SPECIMEN

The perfect line for match and feeder fishing, designed through a special formula which enabled to get a product featuring high gravity, thus sinking and stiff. The surface treatment provides high abrasion resistance, very low memory and stretch, plus high knot strength. Packed in 150 metres spools, it's protected from UV rays during its shelf life, because the special side protection filters light.



150m/165yds		\bigcirc	(kg)		PCI
057-06-160	8 054393 025180	0.160	2.65	5.84	10
057-06-180	8 054393 025197	0.180	3.20	7.05	10
057-06-200	8 054393 025203	0.200	4.00	8.81	10
057-06-250	8 054393 025210	0.250	5.80	12.78	10
057-06-300	8 054393 025227	0.300	8.50	18.72	10
057-06-350	8 054393 025234	0.350	10.50	23.13	10
057-06-400	8 054393 025241	0.400	13.50	29.74	10

MAX PLUS SUPERCAST



300m/330yds		\bigcirc	₽		PC
057-14-200	8 054393 004611	0.200	4.00	8.81	10
057-14-220	8 054393 004628	0.220	4.90	10.79	10
057-14-250	8 054393 004635	0.250	5.80	12.78	10
057-14-280	8 054393 004642	0.280	6.85	15.09	10
057-14-300	8 054393 004659	0.300	8.50	18.72	10
057-14-350	8 054393 004666	0.350	10.50	23.13	10

- Specifically designed for long range fishing, both in fresh and saltwater (Carp, Surf,
- Very high knot strengthHigh abrasion resistance
- Convenient spools of 1000 m
- Label marking every 250 meters
- Colour: hi-viz fluo yellow
- Package in clear box with hanging device

1000m/1095yds		\bigcirc	R		PCI
057-19-200	8 054393 004062	0.200	4.00	8.81	2
057-19-220	8 054393 004079	0.220	4.90	10.79	2
057-19-250	8 054393 004086	0.250	5.80	12.78	2
057-19-280	8 054393 004093	0.280	6.85	15.09	2
057-19-300	8 054393 004109	0.300	8.50	18.72	2
057-19-320	8 054393 004130	0.320	9.65	21.27	2
057-19-350	8 054393 004116	0.350	10.50	23.13	2
057-19-400	8 054393 004123	0.400	13.50	29.74	2

MAX PLUS BOLO

- Remarkable softness and absence of memory
- High resistance to lead shot compression and abrasion
- Special protective shell with hanging slot



150m/165yds		\bigcirc	(Rg)		PCI
057-12-140	8 054393 025425	0.140	2.10	4.63	10
057-12-160	8 054393 025432	0.160	2.65	5.84	10
057-12-180	8 054393 025449	0.180	3.20	7.05	10
057-12-200	8 054393 025456	0.200	4.00	8.81	10
057-12-250	8 054393 025463	0.250	5.80	12.78	10
057-12-300	8 054393 025470	0.300	8.50	18.72	10
300m/330yds		Ø	(kg)		PCI
057-12-930	8 054393 145956	0.300	8.50	18.72	10
057-12-935	8 054393 145963	0.350	10.50	23.13	10
057-12-940	8 054393 145970	0.400	13.50	29.74	10
057-12-945	8 054393 145987	0.450	15.00	33.06	10
057-12-950	8 054393 145994	0.500	18.00	39.68	10

MAX PLUS SPINNING

- Specifically designed for spinning
- · Remarkable softness and very low stretch



- High resistance to lead shot compression and abrasion
- It is particularly soft to ease accurate casting
- · Special protective shell with hanging slot

150m/165yds		Ø	<u>kg</u>		PCI
057-08-160	8 054393 025258	0.160	2.65	5.84	10
057-08-180	8 054393 025265	0.180	3.20	7.05	10
057-08-200	8 054393 025272	0.200	4.00	8.81	10
057-08-250	8 054393 025289	0.250	5.80	12.78	10
057-08-300	8 054393 025296	0.300	8.50	18.72	10
057-08-350	8 054393 025302	0.350	10.50	23.13	10
057-08-400	8 054393 025319	0.400	13.50	29.74	10





MAX PLUS PHANTOM

Phantom is the "ghost" line within Max Plus range. His crystal clear colour makes it almost invisible in water, practically performing like the universal solution for all reel fishing styles, also giving the best in case the straight line is a must (without hooklink). Other relevant merits are high abrasion resistance and knot strength, along with a nice smoothness, always a good asset in term of bait presentation. Undoubtedly, the whole specification list draws the attention of sea boat experts, as they can use it to make perfect multiple hook's rigs. The line is offered in 150, 300 and 1000 m spools, with a surprising value for money and with a nice cover which acts as UV rays protector and include a slot for the application on to shop's display boards.



150m/165yds		\bigcirc	kg		PO
057-02-120	8 054393 024831	0.120	1.50	3.30	10
057-02-140	8 054393 024848	0.140	2.10	4.63	10
057-02-160	8 054393 024855	0.160	2.65	5.84	10
057-02-180	8 054393 024862	0.180	3.20	7.05	10
057-02-200	8 054393 024879	0.200	4.00	8.81	10
057-02-220	8 054393 024886	0.220	4.90	10.79	10
057-02-250	8 054393 024893	0.250	5.80	12.78	10
057-02-300	8 054393 024909	0.300	8.50	18.72	10
057-02-350	8 054393 024916	0.350	10.50	23.13	10
057-02-400	8 054393 024923	0.400	13.50	29.74	10
057-02-450	8 054393 024930	0.450	15.00	33.06	10
057-02-500	8 054393 024947	0.500	18.00	39.68	10

300m/330yds		\bigcirc	(Right)		PO
057-03-180	8 054393 024954	0.180	3.20	7.05	10
057-03-200	8 054393 024961	0.200	4.00	8.81	10
057-03-220	8 054393 024978	0.220	4.90	10.79	10
057-03-250	8 054393 024985	0.250	5.80	12.78	10
057-03-300	8 054393 024992	0.300	8.50	18.72	10
057-03-350	8 054393 025005	0.350	10.50	23.13	10
057-03-400	8 054393 025012	0.400	13.50	29.74	10
057-03-450	8 054393 145901	0.450	15.00	33.06	10
057-03-500	8 054393 145918	0.500	18.00	39.68	10
1000m/1095yds		Ø			
1000m/1095yds 057-16-180	8 054393 025623	0.180	3.20	7.05	2
	8 054393 025623 8 054393 025623				
057-16-180		0.180	3.20	7.05	2
057-16-180 057-16-200	8 054393 025630	0.180	3.20	7.05 8.81	2 2
057-16-180 057-16-200 057-16-220	8 054393 025630 8 054393 025647	0.180 0.200 0.220	3.20 4.00 4.90	7.05 8.81 10.79	2 2 2
057-16-180 057-16-200 057-16-220 057-16-250	8 054393 025647 8 054393 025647	0.180 0.200 0.220 0.250	3.20 4.00 4.90 5.80	7.05 8.81 10.79 12.78	2 2 2 2
057-16-180 057-16-200 057-16-220 057-16-250 057-16-300	8 054393 025647 8 054393 025647 8 054393 025654	0.180 0.200 0.220 0.250 0.300	3.20 4.00 4.90 5.80 8.50	7.05 8.81 10.79 12.78 18.72	2 2 2 2 2
057-16-180 057-16-200 057-16-220 057-16-250 057-16-300 057-16-350	B 054393 025647 B 054393 025647 B 054393 025661 B 054393 025661	0.180 0.200 0.220 0.250 0.300 0.350	3.20 4.00 4.90 5.80 8.50 10.50	7.05 8.81 10.79 12.78 18.72 23.13	2 2 2 2 2 2
057-16-180 057-16-200 057-16-220 057-16-250 057-16-300 057-16-350 057-16-400	8 054393 0250651 8 054393 025047 8 054393 025054 8 054393 025061	0.180 0.200 0.220 0.250 0.300 0.350	3.20 4.00 4.90 5.80 8.50 10.50	7.05 8.81 10.79 12.78 18.72 23.13 29.74	2 2 2 2 2 2 2

MAX PLUS SUPER SEA

Coloured in light blue, it's the perfect line for sea fishing, even when water is particularly clear. The extremely high abrasion resistance is further enhanced by a surface treatment which makes it very smooth and protects it from aggressive agents such as sun light and salt water. The outstanding softness also helps knot's tightening, which become very small.



150m/165yds		\bigcirc	<u>kg</u>		PO
057-10-160	8 054393 025326	0.160	2.65	5.84	10
057-10-180	8 054393 025333	0.180	3.20	7.05	10
057-10-200	8 054393 025340	0.200	4.00	8.81	10
057-10-220	8 054393 025357	0.220	4.90	10.79	10
057-10-250	8 054393 025364	0.250	5.80	12.78	10
057-10-300	8 054393 025371	0.300	8.50	18.72	10
057-10-350	8 054393 025388	0.350	10.50	23.13	10
057-10-400	8 054393 025395	0.400	13.50	29.74	10
057-10-450	8 054393 025401	0.450	15.00	33.06	10
057-10-500	8 054393 025418	0.500	18.00	39.68	10

300m/330yds		\bigcirc			PCI
057-13-200	8 054393 025487	0.200	4.00	8.81	10
057-13-220	8 054393 025494	0.220	4.90	10.79	10
057-13-250	8 054393 025500	0.250	5.80	12.78	10
057-13-300	8 054393 025517	0.300	8.50	18.72	10
057-13-350	8 054393 025524	0.350	10.50	23.13	10
057-13-400	8 054393 025531	0.400	13.50	29.74	10
057-13-450	8 054393 145925	0.450	15.00	33.06	10
057-13-500	8 054393 025548	0.500	18.00	39.68	10
1000m/1095yds		\bigcirc	[kg]		PO
057-17-200	8 054393 025715	0.200	4.00	8.81	2
057-17-220	8 054393 025722	0.220	4.90	10.79	2
057-17-250	8 054393 025739	0.250	5.80	12.78	2
057-17-300	8 054393 025746	0.300	8.50	18.72	2
057-17-350	8 054393 025753	0.350	10.50	23.13	2
057-17-400	8 054393 025760	0.400	13.50	29.74	2
057-17-500	8 054393 025777	0.500	18.00	39.68	2

MAX PLUS BOLENTINO



150m/165yds		Ø	[kg]		PO
057-22-200	8 054393 110398	0.200	4.00	8.81	10
057-22-220	8 054393 110404	0.220	4.90	10.79	10
057-22-250	8 054393 110411	0.250	5.80	12.78	10
057-22-300	8 054393 110428	0.300	8.50	18.72	10
057-22-350	8 054393 110435	0.350	10.50	23.13	10
057-22-400	8 054393 110442	0.400	13.50	29.74	10
057-22-500	8 054393 110459	0.500	18.00	39.68	10

Intensive field tests made it possible to refine the features of this line displaying a high sensitivity, which comes from reduced elasticity to transmit to rod's tip all the vibrations, the touches, the signals that announce an important catch. The reliability of the Max Plus Bolentino is total, thanks to the high knot strength which is a sound guarantee in front of fights that can be long and challenging.

300m/330yds		Ø	∫ kg \		PC)
057-23-200	8 054393 110466	0.200	4.00	8.81	10
057-23-250	8 054393 110473	0.250	5.80	12.78	10
057-23-300	8 054393 110480	0.300	8.50	18.72	10
057-23-350	8 054393 110497	0.350	10.50	23.13	10
057-23-400	8 054393 110503	0.400	13.50	29.74	10
057-23-500	8 054393 110510	0.500	18.00	39.68	10
1000m/1095yds		Ø	(kg)		
1000m/1095yds 057-24-200	8 054593 110527	0.200	4.00	8.81	2
•	8 054393 110527 8 054393 110527				
057-24-200	8 054393 110527 8 054393 110534	0.200	4.00	8.81	2
057-24-200	8 054393 110527 8 054393 110527 8 054393 110534 8 054393 110541	0.200	4.00	8.81	2
057-24-200 057-24-250 057-24-300	8 054393 110527 8 054393 110534 8 054393 110558 8 054393 110558	0.200 0.250 0.300	4.00 5.80 8.50	8.81 12.78 18.72	2 2 2

**TRABUCCO

HOOK & PRE-TIED RIGS

XPS SUPERCARBON	250
MATCH & FEEDER HOOKS	256
SHINKEN	262
HISASHI	271
HISASHI SNELLED	276
AKURA	279
AKURA NYLON	287
SABIKI	289









ICONS LIST

HOOK Hook Size Box Content LINEØ Line Diametre WIRE Wire Diametre ARM LINE ⊘ Branch Line Diametre Trade Box


XPS SUPERCARBON

Extra Performance Series is the name of Trabucco quality hooks developed for top match anglers, which now gets much wider also touching different segments such as feeder fishing, commercial carping, trout fishing, light drifting and beach ledgering.

In line with existing series, also the new ones display "extra performance", because the extreme quality is not only achieved with the development of new shapes, but also through the employed materials, the finish and functional details. The strength/lightness ratio has been tailored size by size, taking advantage of the special hi-carbon content steel, which is only available in Japan, where these fantastic hooks are produced under strict quality control. All points are chemically sharpened, then further finished by laser to get absolute perfection and durability.



120XN



This pattern is well known all over Europe since when the carbon content steel was unknown in the fishing tackle industry. From roach to mullets, from eels to soles, it has caught so many species both in fresh and salt waters, showing great efficiency when baited up and while removed from fish mouth. It's popularity is certainly also due to the long point, parallel to shank, and to the narrow ankle which provide bait and fish hold. All bait which are normally pushed on to the shank are finely matching it: from pinkies and squatts to earthworms in freshwater; from enchovy fillet to shrimp's tail in the saltwater.

		HOOK	(W I RE⊘)	XXX	POI
021-68-040	8 054393 005298	04	0.81	25	10
021-68-060	8 054393 005304	06	0.64	25	10
021-68-080	8 054393 005311	08	0.56	25	10
021-68-100	8 054393 005328	10	0.53	25	10
021-68-120	8 054393 005335	12	0.48	25	10
021-68-140	8 054393 005342	14	0.46	25	10
021-68-160	8 054393 005359	16	0.36	25	10
021-68-180	8 054393 005366	18	0.36	25	10
021-68-200	8 054393 005373	20	0.30	25	10
021-68-220	8 054393 005380	22	0.30	25	10

121XB



Its code recalls the classic 120, as its shape comes from long shank popularity, but its strength is stepped up. In fact the wire thickness is oversized, thus the point has a wide base which enables it to bear stress and torsion inevitably generated during those long fights with big fish. Maggots, casters and worms are the ideal baits for it to catch chub, carp and huge bream, both on the pole and on waggler or feeder rods. No need to add a big barb on such strong point: that's why Trabucco team opted for micro barb instead.

		[HOOK]	WIRE⊘	XXX	POI
021-60-120	8 054393 005045	12	0.43	25	10
021-60-140	8 054393 005052	14	0.41	25	10
021-60-160	8 054393 005069	16	0.38	25	10
021-60-180	8 054393 005076	18	0.36	25	10
021-60-200	8 054393 005083	20	0.33	25	10
021-60-220	8 054393 005090	22	0.30	25	10

Bronzed

Forged

Regular Regular

635XB



Among many variations of the classic 631, now available in the market, this genuine one from Trabucco offers an incredible strength to catch big fish with small bait like single maggot, casters and worms. Compared to the standard 631 pattern, its wire is oversized and point is much longer, a detail which the experts regard as very important. The micro barb does not damage the living baits, with the obvious advantages in terms of catches. Nowadays, match venues are subject to extreme pressure, so the fish are more and more careful in front of big hookbaits and quite often pick up very small ones.

		HOOK	(W I RE⊘	XXX	PC
021-66-160	8 054393 005243	16	0.30	25	10
021-66-180	8 054393 005250	18	0.28	25	10
021-66-200	8 054393 005267	20	0.25	25	10
021-66-220	8 054393 005274	22	0.23	25	10







INNOVATIVE PACKAGING

The new bags contain 25 hooks to keep the individual price as low as possible. Their design has been cared in every detail, with upper part of the card changing main colour according to hook's finish, while the lower portion is almost free from decorations to allow the best possible visibility of the product inside. In order to enable the consumer to quickly identify the hook's shape, it has been printed in a dedicated cell. For the first time ever, also wire diameter is indicated on each bag, so that the user can evaluate the strength level, maybe making comparisons between different series.

WIRE Ø 0.00

IN THE SHOP

Every 10 bags of hooks, the retailer will find a back card showing the product's item number. Such card should take place on the display wall, beyond hook's bags, and will be useful to place an order when he will run out of stock.



631XK




For all match anglers across Europe this pattern is a must since the eighties, and its popularity is probably second to none, thanks to the extreme efficiency in many conditions. The wide, round bend can accommodate several baits like maggots, casters worms, sweetcorn, punched bread and all their cocktails. Good for waggler and feeder fishing, has shown great chances with the bolognese and pole, too.

		HOOK	WIRE⊘	XXX	PO
021-40-100	8 054393 004604	10	0.48	25	10
021-40-120	8 054393 004611	12	0.41	25	10
021-40-140	8 054393 004628	14	0.39	25	10
021-40-150	8 054393 156303	15	0.37	25	10
021-40-160	8 054393 004635	16	0.33	25	10
021-40-170	8 054393 156310	17	0.30	25	10
021-40-180	8 054393 004642	18	0.28	25	10
021-40-200	8 054393 004659	20	0.21	25	10
021-40-220	8 054393 004666	22	0.21	25	10

BN Black Nickel


631XB



For all match anglers across Europe this pattern is a must since the eighties, and its popularity is probably second to none, thanks to the extreme efficiency in many conditions. The wide, round bend can accommodate several baits like maggots, casters worms, sweetcorn, punched bread and all their cocktails. Good for waggler and feeder fishing, has shown great chances with the bolognese and pole, too.

		НООК	WIRE⊘	XXX	PO
021-38-100	8 054393 004536	10	0.48	25	10
021-38-120	8 054393 004543	12	0.41	25	10
021-38-140	8 054393 004550	14	0.39	25	10
021-38-160	8 054393 004567	16	0.33	25	10
021-38-180	8 054393 004574	18	0.28	25	10
021-38-200	8 054393 004581	20	0.21	25	10
021-38-220	8 054393 004598	22	0.21	25	10

410XN



An extra-fine version of series 631, it keeps the round, wide bend and the long point, but it's even more match fishing oriented thanks to the fine wire, which enables to obtain perfect presentation when fish are particularly shy. Also the shank's length has been changed, opting for a longer lever which improves strike's efficiency very much. In case of sea match fishing with telescopic poles or bolognese rods, such shank helps saving hooklinks from fish teeth.

		HOOK	(WIRE Ø)	XXX	PCI
021-62-140	8 054393 005106	14	0.32	25	10
021-62-160	8 054393 005113	16	0.28	25	10
021-62-180	8 054393 005120	18	0.26	25	10
021-62-200	8 054393 005137	20	0.25	25	10
021-62-220	8 054393 005144	22	0.22	25	10

Nickel

O Regular

MicroBarb

Barbless

MicroBarb

MicroBarb

MicroBarb

MicroBarb 2X Strong

BN Black Nickel Forged





More and more match anglers now understand the great advantages of barbless hooks, which really can improve catch rates not only with the pole, but also with bolo, match and even feeder rods. All the words spent by experts, journalists and match winners about natural presentation immediately come into reality when somebody tries hooks like this 701XK by Trabucco. Both living baits and fighting fish are held by hook's ankle, a vital part of the design because all stress and hooking power get through it. Problems greatly solved by a slightly forged curve and an in-turned point.

		HOOK	WIRE⊘	XXX	PCI
021-34-120	8 054393 004383	12	0.41	25	10
021-34-140	8 054393 004390	14	0.37	25	10
021-34-160	8 054393 004406	16	0.30	25	10
021-34-180	8 054393 004413	18	0.28	25	10
021-34-200	8 054393 004420	20	0.26	25	10
021-34-220	8 054393 004437	22	0.23	25	10
021-34-240	8 054393 004444	24	0.21	25	10

415XB



An excellent match hook, destined to high grade anglers who can draw the best from it by fine elasticate of their poles. In fact, lightness is its best merit, and this factor puts the 607XB on top of roach and bream hooks, which are known to be very careful when picking up any bait which is presented in unnatural way. Before float's antenna shows any sign of life, they reject the hookbait, which is left damaged and surely cannot produce another bite!

		HOOK	(WIRE⊘)	(XXX)	POI
021-30-140	8 054393 177858	14	0.37	25	10
021-30-160	8 054393 177865	16	0.30	25	10
021-30-180	8 054393 177872	18	0.28	25	10
021-30-200	8 054393 177889	20	0.26	25	10
021-30-220	8 054393 177896	22	0.23	25	10

Bronzed

Bronzed

Regular Regular

Regular

Regular

210XB



Specially developed for tough match conditions, when sudden hookbait change can produce unexpected bites. That's why this series has been designed with medium wire and with a wide gape which can allow to alternate different bait without replacing the hook. Therefore, a bunch of maggots can leave the place to a sweetcorn grain, or to a worm and caster cocktail, or even to several, small worms to form a sort of octopus. Practically, the angler can go for colour contrast or stimulate the attack by wriggling baits.

		HOOK	WIRE⊘	XXX	
021-64-100	8 054393 005151	10	0.43	25	10
021-64-120	8 054393 005168	12	0.39	25	10
021-64-140	8 054393 005175	14	0.35	25	10
021-64-160	8 054393 005182	16	0.33	25	10
021-64-180	8 054393 005199	18	0.30	25	10
021-64-200	8 054393 005205	20	0.26	25	10
021-64-220	8 054393 005212	22	0.23	25	10

601XK



An essential silverfish hook that can't miss in the line-up of all serious pole anglers. Fine in the wire, 601XK hooks still are incredibly strong, featuring a relatively high point which guarantees a safe hookset. While its medium long shank delivers a good lever without affecting weight. 601XK offers higher strength than many others, and it can be used in combination with a wide selection of baits, such as live and dead maggots, pinkies, bloodworm, small worms, corn, and combinations of these to target Skimmers, Roach, Carassio, Chub, Scardola, even when the pressure is high, and a bonus fish can get in the game.

		HOOK	(W I RE⊘	XXX	POI
021-77-120	8 054393 183569	12	0.48	25	10
021-77-140	8 054393 183576	14	0.41	25	10
021-77-160	8 054393 183583	16	0.39	25	10
021-77-180	8 054393 183590	18	0.33	25	10
021-77-200	8 054393 183606	20	0.30	25	10

BN Black Nickel

610XK



Based on same design and sizes of 601XK, it differs from wire thickness only. 610XK is again a competition hook, not only in freshwater but also on the sea. When the match starts, and bites are frequent, or when fishing with match rod or bolo and some extra strength is worth it. In case of whip or reel fishing, the strike can transfer on the hook a higher stress, because there is no elastic to dampen it. Same tough conditions can occur while fishing deep venues, or when the rig's weight is particularly heavy, such as fishing flat floats in running waters. In all those cases, the 610XK gives you the best feeling and reliability.

		HOOK	(W I RE⊘	XXX	PCI
021-78-120	8 054393 183620	12	0.53	25	10
021-78-140	8 054393 183637	14	0.46	25	10
021-78-160	8 054393 183644	16	0.43	25	10
021-78-180	8 054393 183651	18	0.37	25	10
021-78-200	8 054393 183668	20	0.35	25	10
021-78-220	8 054393 183675	22	0.33	25	10


Regular

TR ABUCCO

Regular Regular

MicroBarb






A great balance between lightness and strength is the secret of this allround hook series, which is perfect to match a wide variety of baits: from maggots to worms, from bread to sweetcorn, from natural honey worms to silicone ones which nowadays are getting more and more popular among trout anglers. The ankle is there to keep the hookbait into correct position, and this is more important in case of trout fishing, because the whole thing must actually rotate during retrieve.

		HOOK	WIRE⊘	XXX	
021-36-060	8 054393 004451	6	0.64	25	10
021-36-070	8 054393 004468	7	0.60	25	10
021-36-080	8 054393 004475	8	0.53	25	10
021-36-100	8 054393 004482	10	0.48	25	10
021-36-120	8 054393 004499	12	0.39	25	10
021-36-140	8 054393 004505	14	0.37	25	10
021-36-160	8 054393 004512	16	0.34	25	10
021-36-180	8 054393 004529	18	0.33	25	10

623XK



This is a medium wire, long shanked hook which can face thousands of fishing conditions with great success. The black nickel finish is not only a matter of fashion or a nice cosmetic, but provides protection from abrasion and salt, specially on th weakest area, which is the point's end. This means that the hook can last longer, specially in tough conditions like saltwater fishing. The ankle has been designed to suit trout fishing, because soft worms need to be kept in place, otherwise they tend to slide down the gape, actually affecting the rotation of hookbait, which is vital to catch many fish.

		HOOK	(WIRE⊘	(XXX	PC
021-32-0	40 8 054393 177902	4	0.71	25	10
021-32-0	50 8 054393 177919	5	0.67	25	10
021-32-0	60 8 054393 177926	6	0.64	25	10
021-32-0	80 8 054393 004338	8	0.51	25	10
021-32-1	00 8 054393 004345	10	0.46	25	10
021-32-1	20 8 054393 004352	12	0.41	25	10
021-32-1	40 8 054393 004369	14	0.37	25	10
021-32-1	60 8 054393 004376	16	0.30	25	10
021-32-1	80	18	0.28	25	10
021-32-2	00	20	0.26	25	10

Black Nickel

Forged

710XB



A great hook to be used when the stress is high, but some finesse is needed at the same time. It's the case of big chub fishing with the bolognese rod and casters as hookbait. The presentation must be spot on, but the fish requires strength to hold and drive it to the landing net. It's also the case of matches involving feeder fishing, specially when bream are the target species: some lightness in the approach pays dividends, but any bonus fish must absolutely reach the keepnet. The most innovative area of this hook is the point, as it's fine on top, then it quickly gets thick and ends with a relatively small barb. Easy penetration as soon as the fish picks up the bait, then safe hold. Definitely worth a try.

		HOOK	WIRE⊘	XXX	PO
021-70-080	8 054393 005397	8	0.53	25	10
021-70-100	8 054393 005403	10	0.48	25	10
021-70-120	8 054393 005410	12	0.43	25	10
021-70-140	8 054393 005427	14	0.41	25	10
021-70-160	8 054393 005434	16	0.38	25	10
021-70-180	8 054393 005441	18	0.36	25	10
021-70-200	8 054393 005458	20	0.34	25	10
021-70-220	8 05/383 179286	22	0.32	25	10

Bronzed

Forged

Forged

666XK



In most rivers holding big fish and nearly all commercial lakes, the barb is banned to protect fish destined to be released. That's why the new XPS range also include a hook like this, combining high strength with barbless point. The bent gape provides great hooking efficiency, while the in-turned point creates a narrow ankle which is in charge of holding the fish during hard fight. With black nickel finish, the point gets an extra protection against wear, allowing the angler to catch many fish without being forced to replace the hook before the end of the match.

	HOOK	WIRE⊘	XXX	
021-54-100	10	0.67	25	10
021-54-120	12	0.60	25	10
021-54-140	14	0.56	25	10
021-54-160	16	0.51	25	10
021-54-180	18	0.48	25	10

Bent

Black Nickel

Barbless





110XK

The great hooking efficiency and the extreme strength are the reason why this pattern is extremely popular all over Europe. As a matter of fact, this is the hook used by many international anglers in several waters. The long, ultra-sharp point with beak profile provides quick and deep penetration also in the hardest mouths, with the narrow ankle ensuring that fish can't get rid of the hook. With maggots and worms is a brilliant partner for pole, bolo, waggler and feeder rods, but it's yet fine enough to be used in conjunction with bloodworm, one of the most delicate bait for match anglers.

		HOOK	(WIRE Ø	XXX	POI
021-46-100	8 054393 004727	10	0.60	25	10
021-46-120	8 054393 004734	12	0.53	25	10
021-46-140	8 054393 004741	14	0.46	25	10
021-46-150	8 054393 156327	15	0.43	25	10
021-46-160	8 054393 004758	16	0.41	25	10
021-46-170	8 054393 156334	17	0.39	25	10
021-46-180	8 054393 004765	18	0.37	25	10
021-46-200	8 054393 156341	20	0.33	25	10

BN Black Nickel

Regular Regular

Regular Regular

Forged

Twisted

■ MicroBarb

110XN

The great hooking efficiency and the extreme strength are the reason why this pattern is extremely popular all over Europe. As a matter of fact, this is the hook used by many international anglers in several waters. The long, ultra-sharp point with beak profile provides quick and deep penetration also in the hardest mouths, with the narrow ankle ensuring that fish can't get rid of the hook. With maggots and worms is a brilliant partner for pole, bolo, waggler and feeder rods, but it's yet fine enough to be used in conjunction with bloodworm, one of the most delicate bait for match anglers.

		HOOK	(WIRE⊘	(XXX	PCI
021-44-100	8 054393 004673	10	0.60	25	10
021-44-120	8 054393 004680	12	0.53	25	10
021-44-140	8 054393 004697	14	0.46	25	10
021-44-160	8 054393 004703	16	0.41	25	10
021-44-180	8 054393 004710	18	0.37	25	10

962XK

Chinu is a Japanese word which is the name of Blackhead Seabream, a strong sea fish which can put the fishing tackle under serious test. The name has been transferred to one of the World's classic hook patterns: short shank, wide gape, forged curve to resist strong pulls. We have added our best ever point, almost flat on the inside, with a rib running along the outside. Penetration into the toughest mouths has never been so easy, with such a blade. Black nickel finish offers protection against wear an salt, while the spade end is a welcome alternative to the traditional eye to also appeal the surfcasters.

		HOOK	(WIRE	XXX	POI
021-76-020	8 054393 179371	2	1.07	25	10
021-76-040	8 054393 179388	4	0.85	25	10
021-76-060	8 054393 179395	6	0.71	25	10
021-76-080	8 054393 179401	8	0.67	25	10
021-76-100	8 054393 179418	10	0.60	25	10
021-76-120	8 054393 179425	12	0.48	25	10
021-76-140	8 054393 179432	14	0.43	25	10

BN Black Nickel

3D-CUT





TRABUCCO

Nickel

Forged

Forged


Bent

Nickel

Forged

Forged

405XN




A quite powerful hook, useful when the expected catches are potentially big. His shape is well known and widely used in Italy since ever in case of heavy leger fishing for carp, big barbel and tench, as well as at sea side for sea bream and many other strong fighters, which can actually crunch the hook together with the bait! His powerful structure makes it the ideal partner for feeder and method fishing, where it can match strong hooklinks. The commercial angler can get benefits from the smaller sizes, which also display adequate strength.

		HOOK	(WIRE⊘	(XXX	PO
021-72-040	8 054393 005465	4	0.71	25	10
021-72-060	8 054393 005472	6	0.64	25	10
021-72-080	8 054393 005489	8	0.57	25	10
021-72-100	8 054393 005496	10	0.51	25	10
021-72-120	8 054393 005502	12	0.43	25	10
021-72-140	8 054393 005519	14	0.41	25	10
021-72-160	8 054393 005526	16	0.33	25	10
021-72-180	8 054393 005533	18	0.33	25	10

BN Black Nickel


620XK



A stunning concentrate of strength and efficiency, with the fantastic 3D point, the super strong structure and the bend which pushes the hooking power beyond the imagination. The special point is almost flat on the inside, while has a rib running along the outside. Such feature strengthens the whole point, without affecting the penetration at all, easing it through the toughest mouths. The end result is a fantastic hook mainly for sea fishing, but also for commercial fishing in the smaller sizes. Black nickel finish offers protection against wear an salt.

		HOOK	(WIRE Ø	XXX	POI
021-52-020	8 054393 004895	2	0.98	25	10
021-52-040	8 054393 004901	4	0.86	25	10
021-52-050	8 054393 004918	5	0.81	25	10
021-52-060	8 054393 004925	6	0.76	25	10
021-52-080	8 054393 004932	8	0.71	25	10
021-52-100	8 054393 004949	10	0.67	25	10
021-52-120	8 054393 004956	12	0.64	25	10
021-52-140	8 054393 004963	14	0.57	25	10
021-52-160	8 054393 004970	16	0.51	25	10
021-52-180	8 054393 004987	18	0.46	25	10


735XN



Specially dedicated to sea fishing, this hook is tremendously reliable and efficient. For such reason it's the main choice of boat anglers in the Mediterranean sea, who can catch big fish with paste bait or even tough shells. Compared to shank's length, the point is quite long, as it goes beyond 50% of total hook's length. This specification grants a firm hold in any condition, and, combined with beak profile plus in-turning design, makes a fantastic combination of power and safety.

		HOOK	(W I RE⊘	XXX	
021-50-020	8 054393 004833	2	0.98	25	10
021-50-040	8 054393 004840	4	0.86	25	10
021-50-050	8 054393 004857	5	0.81	25	10
021-50-060	8 054393 004864	6	0.71	25	10
021-50-080	8 054393 004871	8	0.64	25	10
021-50-100	8 054393 004888	10	0.60	25	10

261XK



All those anglers who love hard fighting fish know that often they live under thick covers or between snags. In such environments, the fish must be quickly pulled away from the dangerous features, but, to do so, the hook must bear tremendous pressure. This 261XK is the solution developed by Trabucco team, with a super strong structure and an in-turned point which never gives up. Black nickel finish provides extra protection against abrasion and saltwater, actually expanding hook's life.

		HOOK	(WIRE Ø	XXX	POI
021-48-020	8 054393 004772	2	0.98	25	10
021-48-040	8 054393 004789	4	0.86	25	10
021-48-050	8 054393 004796	5	0.81	25	10
021-48-060	8 054393 004802	6	0.71	25	10
021-48-080	8 054393 004819	8	0.64	25	10
021-48-100	8 054393 004826	10	0.60	25	10

BK

Black

MATCH & FEEDER HOOKS

In spite of being oriented to same fish species of some other fishing techniques, the feeder fishing has some peculiarities that make necessary specific hooks. First of all, the existence of a match circuit has increased the awareness of hookbait balance importance, in which the weight of the hook matters greatly. The extensive use of multi-fiber lines, without any elasticity, puts the hook under extreme stress, despite the use of shock leader surely cushions it. Finally, the Method Feeder involves short hooklinks and causes strong reactions by the fish, because the bait presentation is so good that the takes are quite confident: a scenario in which the hook must bear enormous traction, concentrated in a short time span. That's why we developed this special hook's range, finished in Matt Black, mostly eyed and featuring an accurate balance between strength of the structure and efficiency of the point.

THE FIVE MERITS OF TRABUCCO match & FEEDER HOOKS

- · The reliability, a primary value, considering the size and strength of target fish
- The eye, as with knotless knot a new world of opportunities is available to everybody
- The Matt Black finish, which doesn't cast any glare in the water, avoiding to scare fish
- The Barbless solutions, modern, not fashionable but simply vital for the serious angler
- The wire diameter indication, which enables to compare and evaluate hook's strength



New technology which allows to make the hook's surface infinitely smooth, non-sticky and hydrophobic, improving the baiting's ease and penetration into the mouth of the fish. The gun smoke colour and the absence of glare avoid scaring the fish.

MATCH F1 MICRO BARB





A modern, versatile match hook which excels with pole or waggler when fish are wary and presentation must be spot on. All wriggling baits can be brought at distance, as the micro barb keeps them in place, but its unobtrusive shape doesn't damage them. The wire diameters are well balanced to provide the right compromise between strength and lightness.



		HOOK	WIRE⊘	XXX	PC
023-64-012	8 054393 170415	12	0.43	15	10
023-64-014	8 054393 170422	14	0.40	15	10
023-64-016	8 054393 170439	16	0.38	15	10
023-64-018	8 054393 170446	18	0.35	15	10

NC Nano Coating

Regular

NC Nano Coating

WIDE GAPE SILVER



12	14	16	18

Its nickname "Silver" says that it has been designed for silver fish, specially of good size. In fact, the super-wide gape allows to accommodate bulky baits, without affecting the presentation with too much weight. The thin barbless point is highly efficient, while its very long, beak design guarantees the safe hold of the most energic fighters.



		HOOK	WIRE⊘	XXX	PC
023-65-012	8 054393 170453	12	0.43	15	10
023-65-014	8 054393 170460	14	0.40	15	10
023-65-016	8 054393 170477	16	0.38	15	10
023-65-018	8 054393 170484	18	0.35	15	10





≅TRABUCCO

Barbless

MicroBarb

Regular

Regular

Forged

Regular

Barbless

MicroBarb

F1 MAGGOT





Designed with tricky presentations and light rigs in mind, it targets winter commercial fishing, as well as the open season canal scenario. Both conditions see maggot as main hookbait and silver fish or Carassios as target fish. Small sizes such as 18 and 20 are absolutely a must, while wire diameters are thin to avoid extra weight which would cause refuses or extremely fast takes.



		HOOK	(WIRE⊘	XXX	PC
023-66-112	8 054393 170545	12	0.45	15	10
023-66-114	8 054393 170552	14	0.43	15	10
023-66-116	8 054393 170569	16	0.40	15	10
023-66-118	8 054393 170576	18	0.38	15	10
023-66-120	8 054393 170583	20	0.35	15	10

NC Nano Coating

NC Nano Coating

F1 MAGGOT MICRO BARB





Identical to the F1 Maggot Barbless in all physical specifications, but in addition it carries a micro barb. In case of long waits with wriggling baits, maybe intended for Bream, it keeps them away from the point's tip, maximizing hooking efficiency. The angle is narrow to add power to the penetration, a very nice asset in the long range fishing.



		HOOK	WIRE⊘	XXX	POI
023-66-012	8 054393 170491	12	0.45	15	10
023-66-014	8 054393 170507	14	0.43	15	10
023-66-016	8 054393 170514	16	0.40	15	10
023-66-018	8 054393 170521	18	0.38	15	10
023-66-020	8 054393 170538	20	0.35	15	10

ST POWER MATCH



It is a straight, spaded end hook designed with a light enough structure to face silver fish match conditions with living baits, but at the same time it can provide a certain strength, due to the forged bend. Its shape is capable of absorbing very high pulls, unavoidable when the reel is loaded with braided lines or when the fishing site hosts mixed populations: so the bonus carp that interrupts the regular catches of bream and carassios does not cause any heart attack. The arched and in-turned high point is a guarantee of safe holding, especially in those delicate retrieves of important fish from remarkable distances.



		HOOK	(WIRE⊘	XXX	PC
023-62-100	8 054393 141293	10	0.48	15	10
023-62-120	8 054393 141309	12	0.45	15	10
023-62-140	8 054393 141316	14	0.40	15	10
023-62-160	8 054393 141323	16	0.38	15	10

WIDE GAPE CARP





Nice and neat, wide, comfortable hook, same as the other Wide Gape Carp, but barbless. With such design, it can accommodate any bait, while the super sharp beak point eases hookbait formation and grants deep penetration, also in case of foulhooking, not so rare in the commercial. The range of sizes include those tricky 18 and 20 for single maggot, a winner in case of topwater fishing.



		HOOK	WIRE Ø	XXX	POI
023-69-112	8 054393 170804	12	0.55	15	10
023-69-114	8 054393 170811	14	0.50	15	10
023-69-116	8 054393 170828	16	0.45	15	10
023-69-118	8 054393 170835	18	0.43	15	10
023-69-120	8 054393 170842	20	0.38	15	10

NC Nano Coating Regular

NC Nano Coating

WIDE GAPE CARP MICRO BARB





When it's time to build up big weights in the commercial, or to catch big fish in natural venues, reliability is a major asset for the hook, without missing a balanced wire diameter. That's the concept behind this series, also offering a wide list of sizes to face many different fishing styles, from the pole to medium feeder, with the whole range of living baits such as maggots, casters, worms.



	ne nano coutin	9)	negulai		WIICIODAID
		HOOK	(WIRE⊘)	(XXX)	PCI
023-69-008	8 054393 170736	08	0.65	15	10
023-69-010	8 054393 170743	10	0.60	15	10
023-69-012	8 054393 170750	12	0.55	15	10
023-69-014	8 054393 170767	14	0.50	15	10
023-69-016	8 054393 170774	16	0.45	15	10
023-69-018	8 054393 170781	18	0.43	15	10
023-69-020	8 054393 170798	20	0.38	15	10

POWER SPECIALIST





The forged bend adds muscles to the already strong body: it's the magic of this hook design. When any load is applied on to the point tip, the bend reacts, thus causing the safe penetration in the fish mouth. Then, if the super high point is considered, the safety feeling reaches the top. What else? Just add the pellets you like, or a bunch of dead maggots, and your wait will be rewarded.



		HOOK	WIRE⊘	XXX	
023-70-112	8 054393 170910	12	0.60	15	10
023-70-114	8 054393 170927	14	0.55	15	10
023-70-115	8 054393 170934	15	0.50	15	10
023-70-116	8 054393 170941	16	0.45	15	10
023-70-118	8 054393 170958	18	0.43	15	10
023-70-120	8 054393 170965	20	0.38	15	10

NC Nano Coating Forged Regular

POWER SPECIALIST MICRO BARB





It is the micro-barbed version of the Power Specialist series, a pattern destined to get trusted by thousands of anglers, from the champions of commercial competition to expert hunters of record fish in open waters. Thanks to its forged curve, it develops a high penetrating power, while the Nano Coating finish adds discretion and sensibly prolongs the point's life.



		HOOK	WIRE⊘	XXX	
023-70-012	8 054393 170859	12	0.60	15	10
023-70-014	8 054393 170866	14	0.55	15	10
023-70-015	8 054393 170873	15	0.50	15	10
023-70-016	8 054393 170880	16	0.45	15	10
023-70-018	8 054393 170897	18	0.43	15	10
023-70-020		20	0.38	15	10

NC Nano Coating Forged

Regular

NC Nano Coating Forged

MicroBarb

Barbless

POWER PLUS





One of the most classic patterns ever designed, with a relatively long lever which offers a certain feeling of striking capacity in case of fast bites, the Power Specialist now evolves into this "Plus" version, which differs from the original one only by the eye replacing the spade end. So it suggests to use the always effective hair rig presentation, actually answering to the demand of feeder community. Nano Coating is confirmed, with its heavy load of advantages.



	HOOK	WIRE⊘	XXX	PC
023-71-112	12	0.60	15	10
023-71-114	14	0.55	15	10
023-71-115	15	0.50	15	10
023-71-116	16	0.45	15	10
023-71-118	18	0.43	15	10
023-71-120	20	0.38	15	10

NC Nano Coating Forged

POWER PLUS MICRO BARB





For all those who still feel unsafe with barbless hooks, this is the Power Plus hook pattern with Micro Barb design. Some anglers still believe that the barb is there to hold the fish, while it has the only purpose to hold the bait. So, in case you won't use the hair rig and present wriggling baits like living maggots and worms, you will prevent them from escaping from the hook during the long waits; such is what happens, for example, with canal's big bream fishing, specially in winter. The smaller sizes such as 18 and 20 enable to also present a single or double maggot.



		HOOK	WIRE⊘	XXX	
023-71-012	8 054393 001917	12	0.60	15	10
023-71-014	8 054393 001924	14	0.55	15	10
023-71-015	8 054393 001931	15	0.50	15	10
023-71-016	8 054393 001948	16	0.45	15	10
023-71-018	8 054393 001955	18	0.43	15	10
023-71-020	8 054393 001962	20	0.38	15	10



CARP SPECIALIST








Ringed

MicroBarb

Barbless

Barbless







		HOOK	WIRE⊘	XXX	PCI
023-68-010	8 054393 170637	10	0.65	15	10
023-68-012	8 054393 170644	12	0.60	15	10
023-68-014	8 054393 170651	14	0.55	15	10
023-68-016		16	0.50	15	10

NC Nano Coating Regular

CARP SPECIALIST MICRO BARB

a needle, but starts from a thick base for extra power.

Designed with out-turned eye to enhance the self-hooking pro-

perties when a knotless knot is applied. Classic hookbaits for this pattern are hair-rigged pellets, sweetcorn and boilies. Wire is oversized to grant extreme strength, specially because big Carp often feed at short distance, while the barbless point is not profiled like








		HOOK	WIRE⊘	XXX	PO
023-68-108	8 054393 170675	08	0.70	15	10
023-68-110	8 054393 170682	10	0.65	15	10
023-68-112	8 054393 170699	12	0.60	15	10
023-68-114	8 054393 170705	14	0.55	15	10
023-68-116	8 054393 170712	16	0.50	15	10
023-68-118	8 054393 170729	18	0.48	15	10

With a sturdy structure, it is able to bear extreme stress, specially in case of margin pole speed fishing for Carp, a summer style which can lead the best anglers to catch more than 100 kilos in three hours, mostly using corn and pellets. The thick wire allows to tie hooklinks with high diameters lines, while the micro barbed in-turned point is sharp and strong as the business demands.

WIDE GAPE PELLET





Wide, strong, safe: in three words, this is the hook. It is designed with so much wide gape to accept big baits such as large pellets, maybe twin or in cocktail with other baits. Then, strength has been highly considered, since Carp are its main target, so the wire is a bit oversized. Finally, the ultra long point (66% of hook's height), grants to bring any fish to the landing net.




		HOOK	(WIRE Ø	XXX	PO
023-67-010	8 054393 170590	10	0.65	15	10
023-67-012	8 054393 170606	12	0.60	15	10
023-67-014	8 054393 170613	14	0.55	15	10
023-67-016	8 054393 170620	16	0.50	15	10

NC Nano Coating Forged Ringed

NC Nano Coating Forged

PELLET SPECIALIST





With nowaday's pellets getting larger and larger, the dedicated hooks must be wider than ever, even in case of knotless knot rigs. So, beyond designing a wide gape hook, we have further increased the distance between point's tip and shank, through a side bend. Then we have added the eye, neatly orienting this hook to feeder fishing. The result is quite impressive: this is a unique pattern in our range for specifications and performance. The closer one is the ultra popular Method Plus, which has a different point's angle but doesn't offer the advantages of Nano Coating technology.



		HOOK	(WIRE⊘	XXX	PCI
023-67-110	54393 001870	10	0.65	15	10
023-67-112	54393 001887	12	0.60	15	10
023-67-114	54393 001894	14	0.55	15	10
023-67-116	54393 001900	16	0.50	15	10





SILVER SPECIALIST



To the English match anglers, the term "silver fish" tells clearly which is the vocation of this hook, the only one within Trabucco Feeder range to have the spade end and to propose the size 18. Chub, roach, crucian carp and bream are its main targets, although its structure does not fear anything in case of striking into any bonus fish. Perfect with maggots and casters, it is also comfortable with earthworms and sweetcorn, lending itself to all the most creative cocktails of these natural baits. Its needle point, rather long, is slightly tilted inwards to provide an exceptional holding power.



		HOOK	WIRE⊘	XXX	PCI
023-56-100	8 054393 122643	10	0.65	15	10
023-56-120	8 054393 122650	12	0.58	15	10
023-56-140	8 054393 122667	14	0.53	15	10
023-56-160	8 054393 122674	16	0.45	15	10
023-56-180	8 054393 122681	18	0.40	15	10

MB Matt Black

Forged

MB Matt Black

MicroBarb

Forged

Ringed

MicroBarb

Forged

Ringed

Barbless

Bent

POWER xs




It has a lot of power to spare, this classic feeder hook, designed to arrange nice presentations of pellets and mini boilies when fishing for carp, barbel and clarius. The only concession to the kindness is given by barb size, very small, although this detail is motivated by the need to enhance the self-hooking property, a peculiar trait of the method feeder technique. The slightly out-turned eye favors the Knotless Knot hair rig tying, the one-way contamination from carp fishing in the modern feeder area.



		HOOK	WIRE⊘	XXX	PCI
023-58-060	8 054393 190703	6	0.85	15	10
023-58-080	8 054393 122698	8	0.75	15	10
023-58-100	8 054393 122704	10	0.65	15	10
023-58-120	8 054393 122711	12	0.60	15	10
023-58-140	8 054393 122629	14	0.55	15	10
023-58-160	8 054393 122636	16	0.53	15	10

MB Matt Black

METHOD PLUS



A radically efficient hook, boasting a very high percentage of catches in relation to the number of bites, thanks to the clever design of the curve and the point, which makes it, practically, a "circle" commercial hook. The strength of the shank is in contrast to the point profile, which is high, thin and sharp, a guarantee in a fishing technique that is based on the self-hooking rig's properties. The out-turned eye eliminates stress on the hooklink, while the anti-glare finish adds a subtle effect.



		HOOK	(WIRE⊘)	XXX	PCI
023-51-100	054393 115911	10	0.65	15	10
023-51-120	054393 115928	12	0.58	15	10
023-51-140	054393 115935	14	0.55	15	10
023-51-160	054393"115942"	16	0.53	15	10

≅TRABUCCO

Regular Regular

Barbless

Regular

Regular Regular

MicroBarb

MicroBarb

MicroBarb

MB Matt Black

MB Matt Black

Ringed


MB Matt Black

Forged

Ringed

Ringed

MATCH SPECIALIST




It's the lightest among Trabucco Feeder hooks, with a relatively thin shank. This feature puts it on the fore front when tough fishing is the norm, a typical condition of the last hour in the match or during the cold season, when even the most shy bite must absolutely be converted into a catch. With maggots, worms, pellet or sweetcorn the beak, barbless point does the job by itself, from the moment of the first grip in the fish's mouth till the last fight in front of the waiting landing net.



		HOOK	WIRE⊘	XXX	
023-52-100	8 054393 115959	10	0.60	15	10
023-52-120	8 054393 115966	12	0.55	15	10
023-52-140	8 054393 115973	14	0.50	15	10
023-52-160	8 054393 115980	16	0.48	15	10

MATCH SPECIALIST MICRO BARB



It is identical to the Match Specialist in all physical features, but has the micro barb on the long beak point. For those who feel the need of micro barb, it is present, but without excessive volume that would affect the penetration ease. Its weight / resistance ratio is well balanced, while the out turned eye favors the execution of the Knotless knot and the formation of the Hair Rig for all inert bait's presentation: from sweetcorn to pellets, from mini boilies to the punched bread. The hook profile is straight.



		HOOK	WIRE⊘	XXX	
023-60-100	8 054393 141255	10	0.60	15	10
023-60-120	8 054393 141262	12	0.55	15	10
023-60-140	8 054393 141279	14	0.50	15	10
023-60-160	8 056383 16 1286	16	0.48	15	10

SUPER SPECIALIST



Perfect for hair rig presentation of pellet and sweetcorn on the bottom, it comes from a classic carp hook design, which has been modified at barb area, drastically reduced to micro size. The series has been developed to provide high levels of resistance even in small sizes such as 14 and 16, because today it is increasingly common to tempt big fish with tiny bait, in the commercial circuit but also in the open waters. A strategy that can relive the attention of fish when they have already taken plenty of food.



		HOOK	WIRE⊘	XXX	PC
023-54-060	8 054393 190697	6	0.85	15	10
023-54-080	8 054393 116048	8	0.85	15	10
023-54-100	8 054393 116055	10	0.80	15	10
023-54-120	8 054393 116062	12	0.75	15	10
023-54-140	8 054393 116079	14	0.70	15	10
023-54-160	8 054393 116086	16	0.65	15	10

MB Matt Black

XS SPECIMEN



The symbol identifying this series can be read under double meaning: "extra strong" as super-rugged, but also "excess" as exaggeration. Either way, a nice program in any fishing situation involving high stress and extreme pulls, because exceeding in the resistance never hurts. The forged bend is ready to bear everything, strictly cooperating with the high, beaked point. In the larger sizes, it is ideal for hair-rigged mini boilies, now permanently present in the bait bag of all commercial fans.




		HOOK	WIRE Ø	XXX	PC
023-53-060	8 054393 190680	6	0.85	15	10
023-53-080	8 054393 115997	8	0.85	15	10
023-53-100	8 054393 116000	10	0.80	15	10
023-53-120	8 054393 116017	12	0.70	15	10
023-53-140	8 054393 116024	14	0.65	15	10
023-53-160	8 054393 116031	16	0.60	15	10

KNOTLESS KNOT

It's the most brilliant solution for tying eyed hooks, because it solves two problems at once: to create the hair rig for bait application and maintain the highest possible knot strength. In fact, it is not a real knot, and that's why it has been so called: the coils that form it have no chance to harm each other under traction. The Knotless Knot can be used with any type of hooklink material: nylon, fluorocarbon, braided line, and all hook patterns. Before you implement the steps outlined here, you should form a small loop at the end of the hooklink, which will be useful to lock the bait.



Insert the free end of the hair through hook's eye.





Wind the line around hook's shank (6-8 turns are enough).



Moisten the knot and tighten it. A drop of glue can fix it.




Within the Trabucco range, Shinken is the hook family mostly oriented to saltwater fishing, with its great resistance to acute traction and aggression of the saline environment. Alongside the classic hooks for natural baits, there are many series designed for application on lures, with single, double and treble models of superior quality.



One of the strength points of the Shinken hooks consists of the 3D Cut points, characterized by a three-sided design to develop an enormous penetrating force, necessary to get the best out of certain tough mouths.



MEBARU 3D-CUT 50674



Spade hook with medium curve shank. Designed to be used with fragile baits, including live prawn.

		HOOK	XXX	
201-70-020	8 054393 104366	2	10	10
201-70-040	8 054393 104373	4	10	10
201-70-060	8 054393 104380	6	10	10
201-70-080	8 054393 104397	8	10	10

3D-CUT


Nickel

Nickel

Forged

MicroBarb


MARU-KAIZU 50611



Light weight but really strong hook with a super high penetration point. It is the perfect hook for sea bream fishing (gilt-head).

		HOOK	XXX	POI
201-50-010	8 054393 104120	1	10	10
201-50-020	8 054393 104137	2	10	10
201-50-040	8 054393 104144	4	10	10
201-50-060	8 054393 104151	6	10	10
201-50-080	8 054393 104168	8	10	10

RYUSEN 50840



Specific hook for long and fragile worms commonly used in sea fishing, with a light but resistant structure, thanks to the forged curve. The special design of its profile facilitates the penetration of the point, which is almost parallel to the hoohlink.

	N Nickel		Forged	MicroBarb
		HOOK	(XXX)	
201-45-010	8 054393 104069	1	10	10
201-45-020	8 054393 104076	2	10	10
201-45-040	8 054393 104083	4	10	10
201-45-060	8 054393 104090	6	10	10
201-45-080	8 054393 104106	8	10	10
201-45-100	8 054393 104113	10	10	10

CHINU 3D-CUT 50339

Strong medium shank hook, light weight and equipped with quick, deep penetrating 3D-Cut Point. The ideal hook for all bottom fishing techniques.




		HOOK	XXX	
201-35-010	3 054393 103932	1	10	10
201-35-020	3 054393 103949	2	10	10
201-35-040	3 054393 103956	4	10	10
201-35-060	3 054393 103963	6	10	10
201-35-080	3 054393 103970	8	10	10
201-35-100		10	10	10

BN Black Nickel Forged Twisted MicroBarb

C5 53265

Super resistant medium wire hooks for heavy fishing and carp fishing. Short shank, beaked point. Barbed.



		HOOK	XXX	POI
201-20-010	8 054393 103673	1	10	10
201-20-020	8 054393 103680	2	10	10
201-20-040	8 054393 103697	4	10	10
201-20-060	8 054393 103703	6	10	10
201-20-080	8 054393 103710	8	10	10
201-20-100	8 054393 103727	10	10	10
201-20-120	8 054393 103734	12	10	10
201-20-140	8 054393 103741	14	10	10
201-20-160	8 054393 103758	16	10	10


Black Nickel

Forged

Ringed

ISEAMA 50188


Super strong micro-barbed hooks. A true allrounder can be used both for sea fishing as well as freshwater, the smaller sizes can be well employed also for feeder fishing. Available in a wide range of sizes.



201-25-010 HOOK 10 10 201-25-020 11 10 201-25-020 12 10	
8 054393 103765	PO
201-25-020	10
8 054393 103772	10
201-25-040	10
201-25-060	10
201-25-080	10
201-25-100	10
201-25-120	10
201-25-140	10
201-25-160	10

PINT 53117

Special hook, specifically designed for Surf Casting. Medium shank and aligned eye, light weight and high penetration needle point. Light but strong.



В	MicroBarb	—	Ringed	Twisted
		HOOK	(XXX)	POI
201-65-020	8 054393 104304	2	10	10
201-65-040	8 054393 104311	4	10	10
201-65-060	8 054393 104328	6	10	10
201-65-080	8 054393 104335	8	10	10
201-65-100	8 054393 104342	10	10	10
201-65-120	8 054393 104359	12	10	10

Ringed

Forged

Twisted

Forged


Twisted

BN Black Nickel

Forged

CHINU EYE 50355

Strong medium shank hook, light weight and equipped with quick, deep penetrating. The perfect choice forheavy duty fishing in salt and fresh water.




		HOOK	XXX	PCI
201-30-007	8 054393 103857	3/0	10	10
201-30-008	8 054393 103864	2/0	10	10
201-30-009	8 054393 103871	1/0	10	10
201-30-010	8 054393 103888	1	10	10
201-30-020	8 054393 103895	2	10	10
201-30-040	8 054393 103901	4	10	10
201-30-060	8 054393 103918	6	10	10
201-30-080	8 054393 103925	8	10	10

MicroBarb

SUPER CHINU 51481

Stronger version of the Cut Chinu, it features the same super sharped 3D-Cut Point.Dsigned for heavy duty fishing that require reliable hooks.




		HOOK	XXX	
201-40-008	8 054393 103994	2/0	8	10
201-40-009	8 054393 104007	1/0	10	10
201-40-010	8 054393 104014	1	10	10
201-40-020	8 054393 104021	2	10	10
201-40-040	8 054393 104038	4	10	10
201-40-060	8 054393 104045	6	10	10
201-40-080	8 054393 104052	8	10	10

BN Black Nickel

3D-CUT

GURE 3D-CUT 50330

Super strong spade hook for heavy duty fishing in salt water. The 3D-Cut Point grants a perfect hookset.




		HOOK	XXX	
201-55-009	8 054393 104175	1/0	8	10
201-55-010	8 054393 104182	1	8	10
201-55-020	8 054393 104199	2	10	10
201-55-040	8 054393 104205	4	10	10
201-55-060	8 054393 104212	6	10	10
201-55-080	8 054393 104229	8	10	10
201-55-100	8 054393 104236	10	10	10

3D-CUT

BIG SURF 50538

Spade carbon steel hook designed for surf casting. It is perfect for big baits.



	HOOK	XXX	PCI
202-10-009	1/0	10	10
202-10-010	1	11	10
202-10-020	2	12	10
202-10-040	4	13	10
202-10-060	6	15	10


Forged

MicroBarb


BN Black Nickel

3D-CUT BN Black Nickel Forged

Ringed




Very strong spade hook designed to be used for Madai fishing. It features the right shape to bait medium/ big shrimps and similar natural baits. High penetration 3D-Cut Point.



		HOOK	XXX	POI
201-60-007	8 054393 104243	3/0	8	10
201-60-008	8 054393 104250	2/0	8	10
201-60-009	8 054393 104267	1/0	8	10
201-60-010	8 054393 104274	1	10	10
201-60-020	8 054393 104281	2	10	10
201-60-040	8 054393 104298	4	10	10

MicroBarb


PAYAO 50825



Nickel

IN plated	d stainless	steel	nook.	Extremely	strong	and	reliable.	Designed	tor	live ba	ait tro	lling a	and c	iriπing.
										_	_	_		_

Forged



		HOOK	XXX	PC
201-75-004	8 054393 104403	6/0	6	10
201-75-006	8 054393 104410	4/0	6	10
201-75-008	8 054393 104427	2/0	8	10
201-75-009	8 054393 104434	1/0	8	10
201-75-010	8 054393 104441	1	8	10
201-75-020	8 054393 104458	2	8	10

PAYAO II 50835



PCI










Twisted



TiN plated stainless steel hook double reinforced toward standard Payao. Extremely strong and reliable. Designed for extreme live bait trolling and drifting.

	(HOOK)	XXX	PC
202-15-030	3/0	4	10
202-15-050	5/0	4	10
202-15-070	7/0	3	10
202-15-080	8/0	3	10

Black Nickel


AKI 3D-CUT 5170

Aki hooks are super strong thanks to the forged shank and features a deep penetration thanks to the 3D-Cut Point. Ideal for all challenging salt water fishing techniques. Colour: Black Chrome.

202-05-010	8 054393 104786	1/0	7	10
202-05-020	8 054393 104793	2/0	7	10
202-05-030	8 054393 104809	3/0	7	10
202-05-040	8 054393 104816	4/0	5	10
	_			


		[HOOK]	XXX	PC
202-05-050	8 054393 104823	5/0	5	10
202-05-060	8 054393 104830	6/0	5	10
202-05-070	8 054393 104847	7/0	3	10
202-05-080	8 054393 104854	8/0	3	10

Forged



(HOOK)

XXX



Black Nickel

Forged

BN Black Nickel Forged

Twisted


-O Ringed

MUTSU LIGHT CIRCLE 5114

Specific for the deep sea fishing, they are lighter than the Mutsu Circle 5163, but they share with it the very high percentage of catches and the exceptional grip and hold properties, making the strike almost useless. Thanks to the Circle design, they are perfect for Catch & Release, because their point always leans in the corner of the mouth, without damaging the deeper, more delicate parts.



MicroBarb




MUTSU CIRCLE 5163

Hook designed for challenging fishing techniques. It is able to self position in the correct way inside the fish mouth and always allows catch and release action.





MicroBarb Ringed




HD LIVE BAIT 3D-CUT 5105

HD Live Bait hooks are designed for rigging large baits for heavy-duty fishing, such as trolling, big game and deep sea fishing. 3D-Cut Point.

		HOOK	XXX	PC
201-90-040	8 054393 104656	4/0	4	10
201-90-050	8 054393 104663	5/0	4	10
201-90-060		6/0	2	10

		HOOK	XXX	
201-90-070	8 054393 104687	7/0	3	10
201-90-080	8 054393 104694	8/0	2	10
201-90-090	8 054393 104700	9/0	2	10
201-90-100	8 054393 104717	10/0	2	10


3D-CUT BN Black Nickel Forged Ringed







Specific series of barbed hooks to be used to replace wobblers trebles. Made with high-carbon steel.



		HOOK	XXX	PCI
201-00-008	8 054393 148063	2/0	8	10
201-00-009	8 054393 148070	1/0	8	10
201-00-010	8 054393 103529	1	10	10
201-00-020	8 054393 103536	2	10	10
201-00-040	8 054393 103543	4	10	10
201-00-060		6	10	10

Black Nickel

MicroBarb

Barbless


■ MicroBarb

Barbless

Ringed

Ringed

S-55BL




Specific series of barbless hooks to be used to replace wobblers trebles. Made with high-carbon steel.

		HOOK	XXX	POI
201-05-040	8 054393 103567	4	10	10
201-05-060	8 054393 103574	6	10	10
201-05-080	8 054393 103581	8	10	10
201-05-100		10	10	10

BN Black Nickel

S-31




Specific series of barbed hooks to be used to replace spoons and spinners trebles. Made with high-carbon steel.

		HOOK	XXX	PO
201-15-020	8 054393 103635	2	10	10
201-15-040	8 054393 103642	4	10	10
201-15-060	8 054393 103659	6	10	10
201-15-080	8 054393 103666	8	10	10

BN Black Nickel

S-35BL



Special super fine shank series of barbless hooks to be used to replace spoons and spinners trebles. Made with high-carbon steel.

		HOOK	XXX	
201-10-040	8 054393 103604	4	10	10
201-10-060	8 054393 103611	6	10	10
201-10-080	8 054393 103628	8	10	10

TN

205-25-008

205-25-009

- Ringed

ноок

2/0

1/0

1

2

4

6

8

Ringed

Forged

Forged

2 X 2X Strong

PC

10

10

10

10

10

10

10

10

10

XXX

6

6

6

6

6


6

6

6




It's the first double hook in the history of Shinken, helping to make more interesting and complete the Trabucco range that includes trebles and single hooks for lures. And this is exactly its field of application, where it excels for its strength and resistance to salt, assured by TiN finish, which protects from corrosion the steel structure with high carbon content. This hook belongs to the category of "open shank doubles", appreciated by experts of predator fishing for their ease of interchange on artificial baits, due to the fact that the two shanks are not welded together.



prevents the hooks from harming each other during transport, while it makes them individually visible when they are displayed in the shop.

H-41TN

Double hook featuring a triple-strength structure, which makes it ideal for hard life, such as spinning and trolling for sea predators, where any excess of muscles is often worth. After all, the stratospheric quality equipment is useless if the last link in the chain is not up to the task! The high carbon content steel structure provides the required strength and penetration attitude, while the duration is ensured by the TiN protection. The two stems are separated to facilitate the replacement of these hooks on artificial bait. The special blister contains an EVA board, which



	HOOK	XXX	POI
205-30-005	5/0	4	10
205-30-006	4/0	4	10
205-30-007	3/0	4	10
205-30-008	2/0	4	10

S-56TN

The ShinkenT- 56 trebles are 3X-Strong with a corrosion-resistant black chrome finish and are perfect replacement hooks for improving hooking power of your lures. Feature a short shank, forged bends, and three straight needle points.


		HOOK	XXX	PC
205-20-007	8 054393 105301	3/0	3	10
205-20-008	8 054393 105318	2/0	3	10
205-20-009	8 054393 105325	1/0	3	10

	HOOK	XXX	PCI
205-20-010	1	4	10
205-20-020	2	5	10
205-20-040	4	5	10

MicroBarb

Ringed

3 x 3X Strong



TiN

Forged

Ringed

2 x 2X Strong

2 X 2X Strong

■ 3D-CUT

TN

3D-CUT

Forged


T-41TN

The 2X strong ShinkenT-41 trebles are perfect for replacing old crankbait and plug hooks, both for fresh and salt water fishing. Slightly curved 3D-Cut Point allows for quick, deep penetration.



		HOOK	XXX	PC 1
205-05-020	8 054393 105141	2	6	10
205-05-040	8 054393 105158	4	6	10
205-05-060	8 054393 105165	6	6	10


Forged]




T-46TN & T-46BN

ShinkenT-46 trebles are extremely strong, reliable and light weight. They are the best you can get for your salt water lures. The straight needle point grants super deep and fast hook set.

BN Black Nickel	HOOK	XXX	PCI
205-10-020	2	6	10
205-10-040	4	6	10
205-10-060	6	6	10
205-10-080	8	6	10
205-10-100	10	6	10



Ringed



BN Black Nickel

Forged

T-36BN


ShinkenT-36 trebles has a Black Chrome finishing and so it can be iused both in fresh and salt water. Round bend and needle points hooks for wide-gap hooking efficiency.

	HOOK	XXX	PCI
205-00-020	2	6	10
205-00-040	4	6	10
205-00-060	6	6	10
205-00-080	8	6	10

		HOOK	XXX	PC
205-00-100	8 054393 105059	10	6	10
205-00-120	8 054393 105066	12	6	10
205-00-140	8 054393 105073	14	6	10
205-00-160	8 054393 105080	16	6	10
205-00-180	8 054393 105097	18	6	10
205-00-200	8 054393 105103	20	6	10

Ringed

1 × Strong



Regular |

Regular

MicroBarb

MicroBarb

MicroBarb





SUPER SHARP NEEDLE POINT

JAPAN TECHNOLOGY • HIGH CARBON STEEL HOOKS

10004N



Classic long shank, straight, thin wire, designed for natural bait, which the micro barb doesn't damage, while maintaining their vitality. The smaller sizes find space in the tackle box of any demanding matchman, who pays attention to the lightness of the hook to obtain perfect presentations. The largest sizes are suitable for trout fishing in difficult conditions, with honey worm and delicate aquatic larvae. Nickel finish is an evergreen solution to get wide acceptance from the whole world.


		HOOK	XXX	PCI
024-30-080	8 054393 116307	8	15	10
024-30-100	8 054393 116314	10	15	10
024-30-120	8 054393 116321	12	15	10
024-30-140	8 054393 116338	14	15	10
024-30-160	8 054393 116345	16	15	10
024-30-180		18	15	10

Nickel

Nickel

10607N

m	Also Snelled
-//////	AISO Shelled



A timeless classic in lake trout fishing, made much more advanced through the reduction of the barb size to a bare minimum. Its structure is quite fine as to facilitate the hookbait's rotation, but rather strong to withstand the stress of the fish lifting from water. The nickel finish protects the point tip from wear and, at the same time, with its flashes adds attractiveness to the hookbait. It is recommended to snell it with a baitholding barb, facing upright. In smaller sizes it's a great maggot allrounder.

		(HOOK)	(XXX	POI
024-28-040	8 054393 116222	4	15	10
024-28-060	8 054393 116239	6	15	10
024-28-080	8 054393 116246	8	15	10
024-28-100	8 054393 116253	10	15	10
024-28-120	8 054393 116260	12	15	10
024-28-140	8 054393 116277	14	15	10
024-28-160	8 054393 116284	16	15	10
024-28-180	8 054393 116291	18	15	10

10608N






An excellent lake trout hook, with a long shank that eases quick baiting and an unique, two steps bend which increases the overall efficiency, reducing the percentage of missed bites or fish loss during retrieve. The angle at the point's base is rather narrow, in order to give a quick start to the hookbait's rotation, as soon as the rig hits the water. With its forged bend, it offers the required strength to lift trout off the water without risks. Classic nickel finish, which adds attractiveness to the hookbait.

		HOOK	XXX	PC
024-24-040	8 054393 116093	4	15	10
024-24-050	8 054393 116109	5	15	10
024-24-060	8 054393 116116	6	15	10
024-24-070	8 054393 116123	7	15	10
024-24-080	8 054393 116130	8	15	10
024-24-100	8 054393 116147	10	15	10

Forged

Nickel

10608B-BL



Specially developed for river trout fishing, it comes from competition experiences and respects the regulations of the regions where the barbed hooks aren't allowed. The high point provides optimal holding and instant penetration thanks to barbless design, while the narrow angle is essential for the hookbait's rotation. The long shank is a classic for the earthworm; the bend is forged to provide the necessary strength to lift trout from water.

	HOOK	XXX	
024-26-040	4	15	10
024-26-050	5	15	10
024-26-060	6	15	10
024-26-070	7	15	10
024-26-080	8	15	10
024-26-100	10	15	10

BN Black Nickel

Forged

MicroBarb

Black Nickel

Forged

Regular Regular


- Ringed

Ringed

MicroBarb



Also Snelled



A multi-purpose hook, a real wild card to be played in the lake trout fishing with honey worms or earthworms when fishing is easy, specially at the start of the match, but also at sea with maggots, considering its proven strength and its deadly hooking capacity. But it's the Black Nickel finish his secret weapon, because it's not just a colour, but a protective treatment against abrasion or the aggression of salt water. Consequently, the point tip keeps its sharp profile even after tens of catches. Great!

		HOOK	XXX	PC
024-36-040	8 054393 116574	4	15	10
024-36-060	8 054393 116383	6	15	10
024-36-080	8 054393 116390	8	15	10
024-36-100	8 054393 116406	10	15	10
024-36-120	8 054393 116413	12	15	10
024-36-140	8 054393 116420	14	15	10

10361BN




It's pretty interesting because it belongs to the limited club of strong hooks with eye, a segment of the market which grows in line with size and toughness of big fish, both in fresh and salt water. Feeder fishing at sea is discovering unexplored opportunities, and it is known that the strength of Gilt Head Bream and Sea Bream requires hooks of proven reliability. It is advisable to tie the hook on the shank, passing line through the eye to limit the stress on it and keep a perfect alignment to the shank.

		HOOK	(XXX	POI
024-34-120	8 054393 116529	12	15	10
024-34-140	8 054393 116536	14	15	10
024-34-160	8 054393 116543	16	15	10
024-34-180	8 054393 116550	18	15	10
024-34-200	8 054393 116567	20	15	10

Nickel

BN Black Nickel


10120N-R



It is a 120XN legitimate son, the classic long shank hook that plays a leading role in the XPS range, in freshwater as well as in the sea. In fact, all the chromosomes are in place: the long shank, the marked elbow, the nickel finish, the special balance between lightness and strength of the structure and the quite wide range of sizes. The main difference is the eye, required by surf casting, beach legering and boat fishing experts for its superior versatility about knotting chances and consequent reliability in case of big fish.

		HOOK	XXX	PC
024-42-040	8 054393 142825	4	15	10
024-42-060	8 054393 142832	6	15	10
024-42-080	8 054393 142849	8	15	10
024-42-100	8 054393 142856	10	15	10
024-42-120	8 054393 142863	12	15	10
024-42-140	8 054393 142870	14	15	10
024-42-160	8 054393 142887	16	15	10

10500BN sw



The extreme height of its point, over 50% of the length of the shank, is the characteristic that hits the attention before any other. In Japan, this hook pattern is highly popular because of its great penetration and holding capacity, which is eased by the microscopic size of the barb. Perfect for the classic range of natural baits, such as maggot, earthworm, sweetcorn, also impeccably houses a pellet, keeping it in place with the deep, angled bend and with the inturned point. The bomb-proof strength makes it reliable at sea too, where feeder proves to be a winning approach.

		HOOK	XXX	
024-40-060	8 054393 142757	6	15	10
024-40-080	8 054393 142764	8	15	10
024-40-100	8 054393 142771	10	15	10
024-40-120	8 054393 142788	12	15	10
024-40-140	8 054393 142795	14	15	10
024-40-160	8 054393 142801	16	15	10
024-40-180	8 054393 142818	18	15	10

F-32 surf



1				
				1
	J	U	U	U
	6	8	10	12


It has been so named because it's a sister series of the legendary Hisashi F-31, born from same concept but with shorter stem and higher strength. Therefore, it's destined to the toughest conditions, because the design of its curve is likely to answer with energy to the strain applied on the point tip, converting the strike force into precision and depth of penetration. Black Nickel finish protects the point from the aggression of the salt and the abrasions resulting from harsh life within the waves.

		HOOK	XXX	PCI
024-38-060	8 054393 116437	6	15	10
024-38-080	8 054393 116444	8	15	10
024-38-100	8 054393 116451	10	15	10
024-38-120	8 054393 116468	12	15	10

Black Nickel

Forged

F31 BAITHOLDER



Widely adopted as one of the most efficient surfcasting hooks, the F-31 is now available also with two barbs on the long shank: one inside and the other outside. They are cooperating as wonderful bait holders, specially with long worms which tend to slide down during the cast. Black Nickel finish provides abrasion protection to the point tip, which is always at risk between the waves in salty and sandy environment.

		HOOK	XXX	POI
024-20-040	8 054393 170187	4	15	10
024-20-060	8 054393 170194	6	15	10
024-20-080	8 054393 170200	8	15	10
024-20-100	8 054393 170217	10	15	10
024-20-120	8 054393 170224	12	15	10
024-20-140	8 054393 170231	14	15	10

BN Black Nickel

F31 surf



Also Snelled


Specially developed for light surf casting, it's the ideal weapon to search fish when they are particularly shy, as it can present worms in the most natural way. The beak point grants penetration and holding properties, while the long shank offers room for long worms, easing both baiting and disgorging operations. The straight eye can be tied in several ways, saving most of the line's breaking strength.

		HOOK	XXX	PO
024-18-040	8 054393 006165	4	15	10
024-18-060	8 054393 006172	6	15	10
024-18-080	8 054393 006189	8	15	10
024-18-100	8 054393 006196	 	15	10
024-18-120	8 054393 006202	12	15	10
024-18-140	8 054393 006219	14	15	10

BN Black Nickel Forged

- Ringed

10003 TANAGO



Also Snelled

Semi-forged hook, ringed, with heavy duty point. The smaller sizes can be used also for big predator in fresh water, perfect for deep sea fishing.

		HOOK	XXX	POI
024-10-020	8 054393 005960	2	15	10
024-10-040	8 054393 005977	4	15	10
024-10-060	8 054393 005984	6	15	10
024-10-080	8 054393 005991	8	15	10
024-10-100	8 054393 006004	10	15	10

Regular Regular

BN Black Nickel

BN Black Nickel

Forged

MicroBarb

Forged


10006BN-R



The true connoisseurs of Chub fishing, will surely welcome this beautiful straight hook, eyed and finished in Black Nickel to last longer and look unobtrusive in crystal clear waters. Tie it in a loop for the maximum mobility and total reliability, and go with maggots and casters to tease the prince of all rivers. Those who fish with maggots at sea side will discover that such loop enables to go up with hooklink's diameter, because the hook has the same freedom normally granted by a ultralight line, useless with Seabass, Gilt Head Bream and Sea Bream!

		HOOK	XXX	PCI
024-32-100	8 054393 116369	10	15	10
024-32-120	8 054393 116376	12	15	10
024-32-140	8 054393 116475	14	15	10
024-32-160	8 054393 116482	16	15	10
024-32-180	8 054393 116499	18	15	10
024-32-200	8 054393 116505	20	15	10

11007 BEACK



Semi-forged, special anti corrosion black nickel finish. High self-hooking ratio, this hook is perfect for deep sea fishing using natural baits. Ringed.

		HOOK	XXX	POI
024-00-009	8 054393 005540	1/0	13	10
024-00-010	8 054393 005557	1	15	10
024-00-020	8 054393 005564	2	15	10
024-00-040	8 054393 005571	4	15	10
024-00-060	8 054393 005588	6	15	10
024-00-080	8 054393 005595	8	15	10

BN Black Nickel

RN Black Nickel Forged Ringed


Forged

Forged

-O Ringed


Ringed





Ringed hook with forged and semi-banded shank. The long and sharp point can penetrate even the hardest sea predator mouth. Can be used also to rig big live bait in fresh water. Black nickel finish.

	DR Didek Hierer		orgeu	itiligeu
		HOOK	(XXX)	PCI
024-12-020	8 054393 006011	2	15	10
024-12-040	8 054393 006028	4	15	10
024-12-060	8 054393 006035	6	15	10
024-12-080	8 054393 006042	8	15	10
024-12-100	8 054393 006059	10	15	10




Ringed hook with semi-forged shank. Two micro barb help to fit the bait on the hook, very helpfull when using long and delicated worms or particullary soft baits. Can be used in many different situation, both from the shore or from the boat, black nickel finish.

		НООК	XXX	PCI
024-02-009	8 054393 005601	1/0	13	10
024-02-010	8 054393 005618	1	15	10
024-02-020	8 054393 005625	2	15	10
024-02-040	8 054393 005632	4	15	10
024-02-060	8 054393 005649	6	15	10
024-02-080	8 054393 005656	8	15	10


BN Black Nickel


BN Black Nickel





Ringed hook, black nickel finish. Made using high carbon steel and extreme sharp point. Can be used for surf casting or boat fishing.

		HOOK	XXX	
024-14-010	8 054393 006066	1	15	10
024-14-020	8 054393 006073	2	15	10
024-14-040	8 054393 006080	4	15	10
024-14-060	8 054393 006097	6	15	10
024-14-080	8 054393 006103	8	15	10
024-14-100	8 054393 006110	10	15	10











The red card identifies the range dedicated to pleasure anglers, people who don't like the stress of competitions, preferring the emotions connected to extra large catches. Three of the hook patterns that make it up belong to the super strong class, the fourth one is essential for fishing with maggots, still the most effective bait, both in fresh and saltwater environments.



Ringed

Ringed

Ringed

Forged

11014 BAIT HOLDER



200cm		HOOK	LINEØ	XXX	PCI
024-03-020	8 054393 134356	2	0.30	10	10
024-03-022	8 054393 134363	2	0.26	10	10
024-03-040	8 054393 134370	4	0.26	10	10
024-03-042		4	0.22	10	10

200cm		HOOK	LINEØ	XXX	PC
024-03-060	8 054393 134394	6	0.24	10	10
024-03-062	8 054393 134400	6	0.20	10	10
024-03-080	8 054393 134417	8	0.24	10	10
024-03-082	8 054393 134424	8	0.20	10	10

BN Black Nickel

A couple of bait barbs characterize the back side of this robust eyed hook, putting it to the attention of those who employ worms of all kinds, because they remain in place even during extreme casts. The Hisashi snelling with the knot forming a further 3 mm line barb offers the possibility to slide the living bait up on the line, leaving the curve completely free to work. Two small barbs, located on the outside of the shank, firmly secure the bait.

11011 o' shaughnessy



200cm		HOOK	LINEØ	XXX	PCI
024-07-040	8 054393 133830	4	0.26	10	10
024-07-042	8 054393 133847	4	0.22	10	10
024-07-060	8 054393 133854	6	0.24	10	10
024-07-062	8 054393 133861	6	0.20	10	10
024-07-080	8 054393 134462	8	0.24	10	10
024-07-082		8	0.20	10	10

200cm		HOOK	LINEØ	XXX	PC
024-07-100	8 054393 134486	10	0.20	10	10
024-07-102	8 054393 134493	10	0.18	10	10
024-07-120	8 054393 134509	12	0.20	10	10
024-07-122	8 054393 134516	12	0.18	10	10
024-07-140	8 054393 134523	14	0.18	10	10
024-07-142	8 054393 134530	14	0.16	10	10

BN Black Nickel

Designed in northern Europe over two hundred years ago, it is still a favorite for those who hunt for big fish, especially at sea. Featuring a very robust structure, it offers a rather long shank that easily houses small fish fillets and squid stripes, but also long worms. So it's great in the bolentino, as well as in the bottom fishing from the rocks and for the classic surf casting.

10006BN-R



200cm		H00K	LINE	XXX	PC
024-33-100	8 054393 133519	10	0.18	10	10
024-33-102	8 054393 133526	10	0.16	10	10
024-33-120	8 054393 133533	12	0.16	10	10
024-33-122	8 054393 133540	12	0.14	10	10
024-33-140		14	0.16	10	10

200cm		HOOK	LINEØ	XXX	PC
024-33-142	8 054393 133786	14	0.14	10	10
024-33-160	8 054393 133793	16	0.14	10	10
024-33-162	8 054393 133809	16	0.12	10	10
024-33-180	8 054393 133816	18	0.12	10	10
024-33-200	8 054393 133823	20	0.12	10	10

MicroBarb

Forged

BN Black Nickel

Straight, medium light shank hook, which exploits the relative lightness to also be effective in the difficult fishing, when it seems that there are no fish around, but a sudden change does the job. The long shank allows to accommodate a wide variety of baits: from maggots to earthworms, including cocktails, from sweetcorn to fruits, from bread to shrimp meat.

10026 CHINU



200cm		HOOK	(LINE	XXX	PCI
024-05-020	8 054393 133557	2	0.26	10	10
024-05-022	8 054393 133564	2	0.22	10	10
024-05-040	8 054393 133571	4	0.26	10	10
024-05-042	8 054393 133588	4	0.22	10	10
024-05-060	8 054393 133595	6	0.24	10	10
024-05-062	8 054393 133601	6	0.20	10	10
024-05-080	8 054393 133618	8	0.24	10	10

200cm		HOOK	LINEØ	XXX	PCI
024-05-082	8 054393 133625	8	0.20	10	10
024-05-100	8 054393 133632	10	0.20	10	10
024-05-102	8 054393 134615	10	0.18	10	10
024-05-120	8 054393 134622	12	0.20	10	10
024-05-122	8 054393 134066	12	0.18	10	10
024-05-140	8 054393 134073	14	0.18	10	10
024-05-142	8 054393 134080	14	0.16	10	10

BN Black Nickel

A worldwide classic for bottom fishing in freshwater and at sea, from the shore as well as from the boat. Thanks to the design of its wide bend and the beak profile of the point, it provides absolute guarantees in terms of penetration and holding capacity during the fight. The wide range of sizes makes it ideal for hooking worms, crabs, shellfish and paste baits.


276





=LUOi ROCARBON **100% FLUOROCARBON**


A selection of the best surf casting hooks, all eyed, presented on a light blue colour card and snelled with two meters of XPS Fluorocarbon 100%, a length which is surely more than enough to make even those long hooklinks to face the tough fishing in calm sea conditions. The black nickel finish is the best protection for the point's duration, while the special knot with bait holding barb is on top of the expert's likes.



The famous Uni-Knot, also known as Grinner Knot, is one of the best to connect the line to an eyed hook. The knot ends with a 3 mm barb which acts as bait holder.



F-31 surf




200cm		HOOK	LINEØ	XXX	PCI
024-19-040	8 054393 133649	4	0.26	10	10
024-19-042	8 054393 133656	4	0.22	10	10
024-19-060	8 054393 133663	6	0.24	10	10
024-19-062	8 054393 133670	6	0.20	10	10
024-19-080	8 054393 134547	8	0.22	10	10
024-19-082	8 054393 134554	8	0.20	10	10

200cm		HOOK	LINE	XXX	PCI
024-19-100	8 054393 134561	10	0.20	10	10
024-19-102	8 054393 134578	10	0.18	10	10
024-19-120	8 054393 134585	12	0.18	10	10
024-19-122	8 054393 134592	12	0.16	10	10
024-19-140	8 054393 134608	14	0.18	10	10
024-19-142	8 054393 134158	14	0.16	10	10

BN Black Nickel Forged

By all means the best surfcasting and beach legering hook, thanks to a special balance between lightness and strength, ideal for natural presentations, and to the availability of small sizes, preferred by match anglers in the most difficult conditions. Its beak point grips even when the strike is not perfect, and his holding capacity is proverbial.

F-32 surf



200cm		HOOK	LINE⊘	XXX	PC
024-39-060	8 054393 134714	6	0.24	10	10
024-39-062	8 054393 134721	6	0.20	10	10
024-39-080	8 054393 134738	8	0.22	10	10
024-39-082	8 054393 133878	8	0.20	10	10

200cm		HOOK	LINE	XXX	PCI
024-39-100	8 054393 133885	10	0.20	10	10
024-39-102	8 054393 133892	10	0.18	10	10
024-39-120	8 054393 133908	12	0.18	10	10
024-39-122	8 054393 133915	12	0.16	10	10

Forged

Forged

BN Black Nickel

It is the bad brother of F-31, from which it differs mainly for the higher thickness of the steel structure, to the slightly shorter shank and the much narrower angle between the curve and the point, features that recommend it to be used in the most stressful conditions, such as the prospect of catching bigger fish or a short distance fishing range.

3282 ABERDEEN



200cm		HOOK	LINEØ	XXX	
024-15-040	8 054393 134011	4	0.26	10	10
024-15-042	8 054393 134028	4	0.22	10	10
024-15-060	8 054393 134035	6	0.24	10	10
024-15-062		6	0.20	10	10

200cm		HOOK	LINE	XXX	PCI
024-15-080	8 054393 134059	8	0.22	10	10
024-15-082	8 054393 134431	8	0.20	10	10
024-15-100	8 054393 134448	10	0.20	10	10
024-15-102	8 054393 134455	10	0.18	10	10

It has been named after a coastal city in eastern Scotland, where it was developed for surf casting and where his versatility consecrated it also for the boat fishing. The long shank eases both the hooking operations of worms, fish or squid fillet, and its removal from the mouth of the fish the angler intend to catch and release.

Forged

Nickel



LUOROCARBON **100% FLUOROCARBON**

Green colour card for the trout range of hooks snelled with XPS Fluorocarbon 100%, born from competition fishing experiences on the lakes and rivers as well. The twin length option, with 170 and 270 cm of line, solves all the problems of speedy as well as scratching fishing, while the twisted loop, paired with a PVC tube, accelerates and simplifies the fast connection to the specific hooked swivels.



MicroBarb

10608N



A double system of bends characterizes the shape and the extreme overall effectiveness of this wonderful hook, reducing the incidence of strike failure and that of fish losses during retrieve. The angle at the base of the point is critical to grant the hookbait rotation, while the forged curve provides the necessary strength in the trout lifting from the water.

170cm		HOOK	LINEØ	XXX	PCI
024-25-240	8 054393 134301	4	0.18	10	10
024-25-242	8 054393 134318	4	0.20	10	10
024-25-250	8 054393 134325	5	0.16	10	10
024-25-252	8 054393 134332	5	0.18	10	10
024-25-254	8 054393 134349	5	0.20	10	10
024-25-260	8 054393 134165	6	0.16	10	10
024-25-262	8 054393 134172	6	0.18	10	10
024-25-264	8 054393 134189	6	0.20	10	10
024-25-270	8 054393 134196	7	0.16	10	10
024-25-272	8 054393 134202	7	0.18	10	10
024-25-280	8 054393 134219	8	0.16	10	10
024-25-282	8 054393 134226	8	0.18	10	10
024-25-310	8 054393 134233	10	0.16	10	10
024-25-312	8 054393 134240	10	0.18	10	10

270cm		HOOK	LINE	XXX	PO I
024-25-040	8 054393 133922	4	0.18	10	10
024-25-042	8 054393 133939	4	0.20	10	10
024-25-050	8 054393 133946	5	0.16	10	10
024-25-052	8 054393 133953	5	0.18	10	10
024-25-054	8 054393 133960	5	0.20	10	10
024-25-060	8 054393 133977	6	0.16	10	10
024-25-062	8 054393 133984	6	0.18	10	10
024-25-064	8 054393 133991	6	0.20	10	10
024-25-070	8 054393 134004	7	0.16	10	10
024-25-072	8 054393 134257	7	0.18	10	10
024-25-080	8 054393 134264	8	0.16	10	10
024-25-082	8 054393 134271	8	0.18	10	10
024-25-100	8 054393 134288	10	0.16	10	10
024-25-102	8 054393 134295	10	0.18	10	10

10607N



An absolute classic in the trout field, straight and modern, thanks to the presence of micro barb that does not damage the delicate worms, facilitating the penetration and fast unhooking with your finger.

170cm		HOOK	LINE	XXX	PO
024-29-240	8 054393 133687	4	0.18	10	10
024-29-242	8 054393 133694	4	0.20	10	10
024-29-260	8 054393 133700	6	0.16	10	10
024-29-262	8 054393 133717	6	0.18	10	10
024-29-264	8 054393 133724	6	0.20	10	10
024-29-280	8 054393 133731	8	0.16	10	10
024-29-282	8 054393 133748	8	0.18	10	10
024-29-310	8 054393 133755	10	0.16	10	10
024-29-312	8 054393 133762	10	0.18	10	10

270cm		HOOK	LINEØ	XXX	PCI
024-29-040	8 054393 133489	4	0.18	10	10
024-29-042	8 054393 133496	4	0.20	10	10
024-29-060	8 054393 133502	6	0.16	10	10
024-29-062	8 054393 134745	6	0.18	10	10
024-29-064	8 054393 134752	6	0.20	10	10
024-29-080	8 054393 134769	8	0.16	10	10
024-29-082	8 054393 134776	8	0.18	10	10
024-29-100	8 054393 134783	10	0.16	10	10
024-29-102	8 054393 134790	10	0.18	10	10

Nickel

Regular

BN Black Nickel

■ MicroBarb

Regular Regular

62041BN




A multi-purpose hook, real wild card to be played in the lake trout fishing, with honeybees or earthworms when fishing is relatively easy and it's good to be fast to succeed in competition.

170cm	HOOK	LINEØ	XXX	PCI
024-37-240	4	0.18	10	10
024-37-242	4	0.20	10	10
024-37-260	6	0.16	10	10
024-37-262	6	0.18	10	10
024-37-264	6	0.20	10	10
024-37-280	8	0.16	10	10
024-37-282	8	0.18	10	10

270cm		HOOK	LINEØ	XXX	PCI
024-37-040	8 054393 134639	4	0.18	10	10
024-37-042	8 054393 134646	4	0.20	10	10
024-37-060	8 054393 134653	6	0.16	10	10
024-37-062	8 054393 134660	6	0.18	10	10
024-37-064	8 054393 134677	6	0.20	10	10
024-37-080	8 054393 134684	8	0.16	10	10
024-37-082	8 054393 134691	8	0.18	10	10

AKURA 200BN



Black nickel plated hook, round wire, long shank, special safety bend, chemically sharpened needle point, micro barb. For trout and tough fish fishing.

		HOOK	(XXX)	POI
025-70-020	8 054393 007421	2	15	20
025-70-030	8 054393 007438	3	15	20
025-70-040	8 054393 007445	4	15	20
025-70-050	8 054393 007452	5	15	20
025-70-060	8 054393 007469	6	15	20
025-70-070	8 054393 007476	7	15	20
025-70-080	8 054393 007483	8	15	20
025-70-100	8 054393 007490	10	15	20

BN Black Nickel

Regular

Regular

MicroBarb

MicroBarb

AKURA 200NY

Also Snelled


}	1						
		Ì)))	ì	,	
	1					,	
			U	\bigcup	U	ノし	J
2	3	4	5	6	7	8	10

Nickel-plated hook, round wire, long shank, special safety bend, chemically sharpened needle point and high resistance micro barb. Recommended bait: silkworm, salmon eggs, worms.

		HOOK	XXX	PCI
025-75-020	8 054393 007506	2	15	20
025-75-030	8 054393 007513	3	15	20
025-75-040	8 054393 007520	4	15	20
025-75-050	8 054393 007537	5	15	20
025-75-060	8 054393 007544	6	15	20
025-75-070	8 054393 007551	7	15	20
025-75-080	8 054393 007568	8	15	20
025-75-100	8 054393 007575	10	15	20

Nickel

AKURA 220BR



Bronzed series developed for trout fishing. Semi-forged, medium wire long shank and special safety bend. Chemically sharpened.

		HOOK	XXX	PC
025-95-010	8 054393 007742	1	15	20
025-95-020	8 054393 007759	2	15	20
025-95-030	8 054393 007766	3	15	20
025-95-040	8 054393 007773	4	15	20
025-95-050	8 054393 007780	5	15	20
025-95-060	8 054393 007797	6	15	20

Bronzed

Forged

MicroBarb

Regular Regular

Nickel

Forged

Regular

HOOK

Regular Regular

MicroBarb

Regular .


MicroBarb

MicroBarb

PA 1

MicroBarb

AKURA 6001N



Nickel plated hook, with round and thin wire, long shank, narrow bend, microbarb, high penetration chemically sharpened point. Universal purpose either in inland waters and at sea. Recommended bait: molluscs, salmon eggs, silkworm, shrimps and bloodworm.

	HOOK	(XXX)	POI
025-10-020	2	15	20
025-10-040	4	15	20
025-10-060	6	15	20
025-10-080	8	15	20
025-10-100	10	15	20
025-10-120	12	15	20

Nickel

AKURA 525N

Also Snelled

Nickel-plated hook with long shank, medium-thin round wire. Properly designed for mullet fishing. Recommended baits: paste, bread and silkworms.

		[HUUK]	(XXX)	EMP
025-85-040	8 054393 007629	4	15	20
025-85-060	8 054393 007636	6	15	20

HOOK


3/0

XXX

15

PC

20




		HOOK	XXX	PC
025-85-080	8 054393 007643	8	15	20
025-85-100	8 054393 007650	10	15	20
025-85-120	8 054393 007667	12	15	20
025-85-140	8 054393 007674	14	15	20
025-85-160	8 054393 007681	16	15	20
025-85-180	8 054393 007698	18	15	20

Nickel

AKURA 515N

Nickel plated long shank hook, medium wire, high resistance barb and high penetration point. Universal purpose.



025-15-007

		HOOK	XXX	PCI
025-15-020	8 054393 006547	2	15	20
025-15-040	8 054393 006554	4	15	20
025-15-060	8 054393 006561	6	15	20
025-15-080	8 054393 006578	8	15	20
025-15-100	8 054393 006585	10	15	20
025-15-120	8 054393 006592	12	15	20
025-15-010	8 054393 006530	1	15	20

AKURA 6315

Also Snelled

})	١ :	١	,		
۱	<u>ا</u> ا	4	4	١,	١	Ì.,
\cup	\bigcirc	\cup	\cup	\cup	\cup	\cup
10	12	14	16	18	20	22

		[HOOK]	XXX	PC
025-20-100	8 054393 006608	10	15	20
025-20-120	8 054393 006615	12	15	20

Nickel plated hook, round and thin wire, round bend, micro barb and chemical sharpened needle point. Excellent for inland water game fishing. Recommended baits: silkworms, worms, corn, casters and bloodworm.

			(AAA)	
025-20-140	8 054393 006622	14	15	20
025-20-160	8 054393 006639	16	15	20
025-20-180	8 054393 006646	18	15	20
025-20-200	8 054393 006653	20	15	20
025-20-220	8 054393 006660	22	15	20

Nickel

BN Black Nickel

AKURA 6000BN

Also Snelled

								HOOK	XXX	
		Ì	Ì	ì	ì	025-25-100	8 054393 006677	10	15	20
١	U	U	<u>U</u>	U	<u>U</u>	025-25-120	8 054393 006684	12	15	20

Black nickel plated hook, round and medium-thin wire, long shank, wide bend, micro barb and chemically sharpened needle point. Especially meant for competitions, excellent for bream, roach, carp and chub. Recommended baits: bloodworm, worms, corn, silkworms, casters.

		HOOK	(XXX	PCI
025-25-140	8 054393 006691	14	15	20
025-25-160	8 054393 006707	16	15	20
025-25-180	8 054393 006714	18	15	20
025-25-200	8 054393 006721	20	15	20





TR ABUCCO

Twisted

Twisted

MicroBarb

▶ MicroBarb

MicroBarb

Forged


Forged

Forged

Forged

Forged

AKURA 535N



Nickel plated hook, semi-forged, short-shank, strong wire, anti-disgorging round bend, reversed and chemically sharpened point. Micro barbs on the shank to keep a perfect baiting even after casting. Highly recommended for sea fishing.

	(ноок	XXX	
025-45-010	98 1	1	15	20
025-45-020		2	15	20
025-45-040	001	4	15	20
025-45-060	018	6	15	20
025-45-080	025	8	15	20
025-45-100		10	15	20

Nickel

AKURA 7535N



Nickel plated hook, semi-forged medium thin wire, semi-short shank, safety round bend, chemically sharpened point and micro barb. Excellent for sea fish.

			(MAA)	
025-60-040	8 054393 007247	4	15	20
025-60-060	8 054393 007254	6	15	20

HOOK

XXX



		HOOK	XXX	POI
025-60-080	8 054393 007261	8	15	20
025-60-100	8 054393 007278	10	15	20
025-60-120	8 054393 007285	12	15	20
025-60-140	8 054393 007292	14	15	20
025-60-160	8 054393 007308	16	15	20


Nickel

BN Black Nickel

AKURA 3000BN

Black nickel plated hook, wide bend, medium shank, high penetration chemically sharpened point and micro barb. Recommended baits: silk worms, corn, bloodworm, caster, etc.

		HOOK	XXX	POI
025-35-040	8 054393 006790	4	15	20
025-35-060	8 054393 006806	6	15	20



		HOOK	XXX	PO
025-35-080	8 054393 006813	8	15	20
025-35-100	8 054393 006820	10	15	20
025-35-120	8 054393 006837	12	15	20
025-35-140	8 054393 006844	14	15	20
025-35-160	8 054393 006851	16	15	20
025-35-180	8 054393 006868	18	15	20


AKURA 3000G



Golden hook, medium shank, wide bend, high resistance micro barb and chemically sharpened point. For cyprinids in general, and excellent in competition.

		HOOK	XXX	PCI
025-30-080	8 054393 006738	8	15	20
025-30-100	8 054393 006745	10	15	20
025-30-120	8 054393 006752	12	15	20
025-30-140	8 054393 006769	14	15	20
025-30-160	8 054393 006776	16	15	20
025-30-180	8 054393 006783	18	15	20
	8 054393 006783			

AKURA 910N



Nickel plated hook featuring long shank, "S" special bend, chemically sharpened point and safety barb. A microbarb on the shank ensures the fastening of the bait on the hook. For sea fishing when dealing with live baits.

	HOOK	XXX	PCI
8 054393 008718	2	15	20
8 054393 008725	4	15	20
8 054393 008732	6	15	20
8 054393 008749	8	15	20
8 054393 008756	10	15	20
8 054393 008763	12	15	20
	B 054393 008752 B 054393 008752 B 054393 008752 B 054393 008756	2 a	2 15 B 054393 008718 4 15 B 054393 008728 6 15 B 054393 008732 8 15 B 054393 008749 8 15 B 054393 008756 10 15

Nickel

281

Nickel

BN Black Nickel

Regular Ringed

Black Nickel

Regular

Regular .

Ringed

Regular


Regular



Also Snelled


Nickel plated hook, medium-short shank, wide bend and chemically sharpened reversed point, medium-thin wire, with anti-disgorging barb. Ideal for inland waters game fishing and at sea.

		HOOK	XXX	RC /
025-05-008	8 054393 006318	2/0	15	20
025-05-009	8 054393 006325	1/0	15	20
025-05-010	8 054393 006332	1	15	20
025-05-020	8 054393 006349	2	15	20






AKURA 130BN



Sea fishing hooks particularly indicated for sea bass and dorada.

		HOOK	XXX	PCI
026-30-020	054393 008015	2	15	20
026-30-040	054393 008022	4	15	20
026-30-060	054393 008039	6	15	20
026-30-080	054393 008046	8	15	20
026-30-100	054393 008053	10	15	20

AKURA 135BN




Designed for surfcasting, beachcasting and light depth fishing. Featuring a round bend, medium wire, black finish and ringed.

	HOOK	XXX	PCI
026-35-020	2	15	20
026-35-040	4	15	20
026-35-060	6	15	20
026-35-080	8	15	20
026-35-100	10	15	20

BK

Black


AKURA 140BN



Very good hook for deep fishing to sea bass, sea perch and snappers. Finish black nickel and with spaded shank.

	HOOK	XXX	PO
026-40-020	2	15	20
026-40-040	4	15	20
026-40-060	6	15	20
026-40-080	8	15	20
026-40-100	10	15	20

AKURA 145BN Also Snelled



Same pattern of previous model but with eye shank. Same black nickel finish.

	HOOK	XXX	
026-45-020	2	15	20
026-45-040	4	15	20
026-45-060	6	15	20
026-45-080	8	15	20
026-45-100	10	15	20

BN Black Nickel

TRABUCCO

Regular

■ Regular


Regular

MicroBarb

Twisted

MicroBarb






Nickel plated straight hook, long shank, round bend, with chemically sharpened point. Best performance when used at sea

		HOOK	XXX	POI
026-65-040	8 054393 008534	4	15	20
026-65-050	8 054393 008541	5	15	20
026-65-060	8 054393 008558	6	15	20
026-65-070	8 054393 008565	7	15	20
026-65-080	8 054393 008572	8	15	20
026-65-100	8 054393 008589	10	15	20


AKURA 115R



Round bend ringed hook, red plated, chemically sharpened high penetration needle point and medium wire. Recommended for surfcasting, beachcasting and light depth sea fishing.

		HOOK	XXX	PCI
026-37-008	8 054393 008183	2/0	6	20
026-37-009	8 054393 008190	1/0	8	20
026-37-010	8 054393 008206	1	10	20
026-37-020	8 054393 008213	2	10	20
026-37-040	8 054393 008220	4	10	20
026-37-060	8 054393 008237	6	10	20
026-37-080	8 054393 008244	8	10	20
026-37-100	8 054393 008251	10	10	20

AKURA 116N




Nickel plated hook with large wire and round bend. High penetration point and anti-disgorging barb. Designed for mackerel fishing.

		[HOOK]	XXX	PC
026-70-007	8 054393 008596	3/0	6	20
026-70-008	8 054393 008602	2/0	8	20
026-70-009	8 054393 008619	1/0	10	20
026-70-010	8 054393 008626	1	10	20
026-70-020	8 054393 008633	2	10	20
026-70-030	8 054393 008640	3	10	20
026-70-040	8 054393 008657	4	10	20

Forged

BN Black Nickel

AKURA 11507BN



4/0 9 20 3/0 11 20 2/0 12 20 20

> Black nickel plated hook, semi-forged wire and chemically sharpened reversed needle point. Safety round bend, short-shank and high resistance barb. Excellent for sea fishing with live bait, both trolling or at depth.

Ringed

HOOK

XXX

Forged

Ноок

9/0

7/0

5/0

2/0

1

2

4

6

Forged

Forged

Ringed

20

20

20

20

20

20

20

20

Twisted

Twisted

XXX

3

4

6

10

10

10


10

10

026-60-001



Semi-forged, long shanked hook, with semi-round bend. Made of carbon special steel. Featuring high penetration point and safety barb. Very strong.



AKURA 5000N

Nickel plated hook, semi-forged, medium-thin wire, bent, with special anti-disgorging round bend, chemically sharpened point and high resistance micro barb. Ideal for sea bass.

		НООК	XXX	PC
025-50-009	8 054393 007049	1/0	15	20
025-50-010	8 054393 007056	1	15	20
025-50-020	8 054393 007063	2	15	20
025-50-040	8 054393 007070	4	15	20




		HOOK	XXX	POI
025-50-060	8 054393 007087	6	15	20
025-50-080	8 054393 007094	8	15	20
025-50-100	8 054393 007100	10	15	20
025-50-120	8 054393 007117	12	15	20
025-50-140	8 054393 007124	14	15	20
025-50-160	8 054393 007131	16	15	20
025-50-180	8 054393 007148	18	15	20

Nickel

AKURA 9000N

Nickel plated semi-forged hook, strong, medium shank, bent, anti-disgorging round bend, chemically sharpened reversed point and high resistance micro barb. Excellent for sea fishing.


		HOOK	XXX	PC
025-65-009	8 054393 007339	1/0	15	20
025-65-010	8 054393 007346	1	15	20



		HOOK	XXX	PCI
025-65-020	8 054393 007353	2	15	20
025-65-040	8 054393 007360	4	15	20
025-65-060	8 054393 007377	6	15	20
025-65-080	8 054393 007384	8	15	20
025-65-100	8 054393 007391	10	15	20
025-65-120	8 054393 007407	12	15	20
025-65-140	8 054393 007414	14	15	20

Nickel

AKURA 400BN




Special safety round bend, chemically sharpened reversed point, semi-forged, high resistance barb. Suitable for carp, sheat, pike and sturgeon fishing.

BN Black N	lickel Forged —	Ringed		Twisted
		HOOK	XXX	
026-10-010	8 054393 007902	1	10	20
026-10-020	8 054393 007919	2	10	20
026-10-040	8 054393 007926	4	10	20
026-10-060	8 054393 007933	6	10	20



AKURA 500BN



Black nickel plated hook, eyed, high penetration, high resistance barb, anti-disgorging round bend, chemically sharpened reversed point. For carp, pike and cat fish.


026-20-007 10000 10000 2000 026-20-008 10000 10000 2000 026-20-009 10000 2000 2000 026-20-010 10000 2000 2000 026-20-020 10000 10000 2000 026-20-040 10000 2000 2000 026-20-060 10000 2000 2000 026-20-060 10000 2000 2000 026-20-060 10000 2000 2000 026-20-060 10000 2000 2000	BN Black N	lickel 🔀	Forged		Ringed	~	Twisted
026-20-008 2007957 2/0 10 20 026-20-009 2007957 1/0 10 20 026-20-010 2007957 1 1 10 20 026-20-020 2007957 1 1 20 026-20-040 2007957 1 1 20 026-20-040 2007957 1 1 20					HOOK	XXX	POI
026-20-009 026-20-010 026-20-020 026-20-020 026-20-040 026-040 0	026-20-007	8 0543	93 0079		3/0	10	20
026-20-010 026-20-020 026-20-040 036-23-036-03-03-03-03-03-03-03-03-03-03-03-03-03-	026-20-008	8 0543	93 0079	 	2/0	10	20
026-20-020 026-20-040 054.393 007998 4 10 20	026-20-009	8 0543	 		1/0	10	20
026-20-040	026-20-010	8 0543	93 0079		1	10	20
8 054393 007995	026-20-020	8 0543	93 0079		2	10	20
026-20-060	026-20-040	8 0543	930079		4	10	20
8"054393"008008"	026-20-060	8 0543	93 0080		6	10	20

AKURA 9000BN



Black nickel plated hook, semi-forged, reversed and chemically sharpened point, safety round bend, bent and semi-short shank, high resistance barb. Especially meant for carp fishing. Recommended baits: boilies, corn, paste, polenta, worms.

		HOOK	XXX	PC
025-40-008	8 054393 006882	2/0	15	20
025-40-009	8 054393 006899	1/0	15	20



		HOOK	XXX	PCI
025-40-010	8 054393 006905	1	15	20
025-40-020	8 054393 006912	2	15	20
025-40-040	8 054393 006929	4	15	20
025-40-060	8 054393 006936	6	15	20
025-40-080	8 054393 006943	8	15	20
025-40-100	8 054393 006950	10	15	20
025-40-120	8 054393 006967	12	15	20
025-40-140	8 054393 006974	14	15	20

BN Black Nickel

Forged

AKURA 9684BN



١ ,	١ .					
	\	·)))	,
	$\bigcup_{i} f_i$	\bigcup	\bigcup	\bigcup		
2	4	6	8	10	12	14

Black nickel hook with semi-forged wire, chemically sharpened reversed needle point. Excellent for surfcasting and for light sea fishing at depth, in particular for sea bass and dorado.

Forged	- Ringed		Twisted
	HOOK	XXX	POI
54393 008060	2	15	20
54393 008077	4	15	20
54393 008084	6	15	20
54393 008091	8	15	20
54393 008107	10	15	20
54393 008114	12	15	20
54393 008121	14	15	20
		HOOK 2 15439310080977 4 4 15439310080977 8 10 12	HOOK 2 15 154.393 0080077 4 15 154.393 0080077 8 15 154.393 008097 8 15 154.393 008097 10 15 154.393 008 114.1 12 15


Forged Twisted

Bronzed

Forged

Twisted


AKURA 300BN



Black nickel plated hook, semi forged medium shank, special anti-disgorging round bend, chemically sharpened reversed point and high resistance barb. For fishing big carp, sturgeons and sheats. Recommended baits: worms, paste, boilies.

			HOOK	XXX	PCI
025	-80-010	8 054393 007582	1	10	20
025	-80-020	8 054393 007599	2	10	20
025	-80-040	8 054393 007605	4	10	20
025	-80-060	8 054393 007612	6	10	20


AKURA 9400BR



Bronzed hook, long and straight shank, reversed and chemically sharpened point. Shank featuring two microbarbs allowing to tightly fasten large baits. Meant for eel fishing it is also recommended when fishing at sea.

		HOOK	XXX	PCI
026-75-010	8 054393 008664	1	15	20
026-75-020	8 054393 008671	2	15	20
026-75-040	8 054393 008688	4	15	20
026-75-060	8 054393 008695	6	15	20
026-75-080		8	15	20

AKURA 600B



		HOOK	XXX	
026-50-000	8 054393 008367	10/0	15	20
026-50-002	8 054393 008374	8/0	15	20
026-50-004		6/0	15	20

Black nickel plated hook, forged, back turned eye, special anti-disgorging round bend, chemically sharpened high penetration point and high resistance barb. Exceptional for cat-fish, carp, pike and sea fishing as well.

BAIT HOLDER & ABERDEEN

Hooks hand-tied with high quality monofilament. Ready to use with 20 cm leader and ready-made loop for easy substitution. Ideal for



20cm		HOOK	LINEØ	XXX	FOI
027-80-008	8 054393 009531	2/0	0.50	6	10
027-80-009	8 054393 009548	1/0	0.50	6	10
027-80-010	8 054393 009555	1	0.40	6	10
027-80-020	8 054393 009562	2	0.40	6	10
027-80-040	8 054393 009579	4	0.40	6	10



20cm		HOOK	LINE	XXX	PC
027-82-009	93 009616	1/0	0.50	6	10
027-82-010	93 009623	1	0.40	6	10
027-82-020	93 009630	2	0.40	6	10
027-82-040		4	0.40	6	10
027-82-060	93 009654	6	0.35	10	10

IR ABUGCO

Regular Regular

Regular Regular

Regular

BN Black Nickel Forged

MicroBarb

The Akura hooks are the bestselling hooks in the world, because their great quality and performances offered by the high carbon percentages and steel used in production. The points are chemically sharpened, hand tied with a Japanese monofilament of excellent quality, and checked by 5 different quality controls They are extremely reliable and offered at a great value for money.



SERIES ON CARD

CARASSIO 6000BN



150cm		HOOK	[LINE Ø]	XXX	PCI
028-40-030	8 054393 009982	6	0,20	10	10
028-40-040	8 054393 009999	8	0,16	10	10
028-40-045	8 054393 010001	8	0,18	10	10
028-40-050	8 054393 010018	10	0,16	10	10
028-40-055	8 054393 010025	10	0,18	10	10
028-40-060	8 054393 010032	12	0,14	10	10

150cm		HOOK	LINE	XXX	
028-40-065	8 054393 010049	12	0,16	10	10
028-40-070	8 054393 010056	14	0,12	10	10
028-40-075	8 054393 010063	14	0,14	10	10
028-40-080	8 054393 010070	16	0,12	10	10
028-40-085	8 054393 010087	16	0,1	10	10
028-40-090	8 054393 148049	18	0,10	10	10
028-40-100	8 054393 148056	20	0,10	10	10

BN Black Nickel

CAVEDANO 6315N



150cm		HOOK	[LINE@]	XXX	PCI
028-50-030	8 054393 010094	8	0,16	10	10
028-50-035	8 054393 010100	8	0,18	10	10
028-50-040	8 054393 010117	10	0,14	10	10
028-50-045	8 054393 010124	10	0,16	10	10
028-50-050	8 054393 010131	12	0,14	10	10
028-50-055	8 054393 010148	12	0,16	10	10
028-50-060		14	0,12	10	10

150cm		HOOK	LINE Ø	(XXX	PC
028-50-065	8 054393 010162	14	0,14	10	10
028-50-070	8 054393 010179	16	0,10	10	10
028-50-075	8 054393 010186	16	0,12	10	10
028-50-080	8 054393 010193	18	0,10	10	10
028-50-085	8 054393 010209	18	0,12	10	10
028-50-090	8 054393 010216	20	0,10	10	10
028-50-095	8 054393 010223	22	0,10	10	10

Nickel

BREME 6000BN



150cm		HOOK	LINE	XXX	PCI
028-55-008	8 054393 010230	8	0,18	10	10
028-55-010		10	0,16	10	10

150cm		HOOK	LINE	XXX	PC
028-55-012	8 054393 010254	12	0,14	10	10
028-55-014	8 054393 010261	14	0,12	10	10

BN Black Nickel

CARP 9000BN



150cm		[HOOK]	[LINEØ]	XXX	PC
028-20-010	8 054393 009845	1/0	0,35	10	10
028-20-020	8 054393 009852	1	0,35	10	10
028-20-030	8 054393 009869	2	0,30	10	10

150cm		HOOK	LINEØ	XXX	POI
028-20-040	8 054393 009876	4	0,25	10	10
028-20-050	8 054393 009883	6	0,25	10	10
028-20-060	8 05/393 009890	8	0,20	10	10

Gold

MAIS 9100G




150cm		HOOK	LINEØ	XXX	PC
028-30-010	8 054393 009906	1/0	0,30	10	10
028-30-015	8 054393 009913	1/0	0,35	10	10
028-30-020	8 054393 009920	1	0,30	10	10
028-30-025	8 054393 009937	1	0,35	10	10

150cm		HOOK	LINE	XXX	PO
028-30-030	8 054393 009944	2	0,30	10	10
028-30-040	8 054393 009951	4	0,25	10	10
028-30-050	8 054393 009968	6	0,25	10	10
028-30-060	8 054393 009975	8	0,20	10	10

Forged

Twisted





SABIKI

Trabucco Sabiki rigs are the best way to fish from the boat for small pelagic predators such as mackerel and scad. The chemically sharpened carbon hooks are equipped with feathers, fluorescent beads and fish skin. We suggest to use our rigs with a weight proportioned to the stream of the water. A too heavy lead will make your fishing not really good. Your Sabiki must always fluctuate in the stream.









210cm		HOOK	(LINE	ARM LINE⊘	XXX	POI
183-20-020	8 054393 073808	6	0.37mm	0.33mm	1x6	10
183-20-030	8 054393 073815	8	0.33mm	0.28mm	1x6	10
183-20-040	8 054393 073822	10	0.33mm	0.28mm	1x6	10
183-20-050	8 054393 073839	12	0.28mm	0.23mm	1x6	10






180cm		H00K	LINE	ARM LINE⊘	XXX	PCI
183-20-410	8 054393 073990	06	0.37mm	0.33mm	1x6	20
183-20-420	8 054393 074003	08	0.33mm	0.28mm	1x6	20
183-20-430	8 054393 074010	10	0.33mm	0.28mm	1x6	20
183-20-440	8 054393 074027	12	0.28mm	0.23mm	1x6	20






180cm		HOOK	LINE	ARM LINE Ø	XXX	PCI
183-20-110	8 054393 073846	04	0.37mm	0.33mm	1x6	20
183-20-120	8 054393 073853	06	0.37mm	0.33mm	1x6	20
183-20-130	8 054393 073860	08	0.33mm	0.28mm	1x6	20
183-20-140	8 054393 073877	10	0.33mm	0.28mm	1x6	20
183-20-150	8 054393 073884	12	0.28mm	0.23mm	1x6	20






180cm		HOOK	LINEØ (ARM LINEØ	XXX	PCI
183-20-510	8 054393 074034	02	0.43 mm 0.38 mm	1x6	20
183-20-520	8 054393 074041	04	0.37 mm 0.33 mm	1x6	20
183-20-530	8 054393 074058	06	0.33 mm 0.28 mm	1x6	20
183-20-540	8 054393 074065	08	0.33 mm 0.28 mm	1x6	20












180cm		HOOK	LINEØ	ARM L I NE⊘	XXX	PC
183-20-210	8 054393 073891	04	0.37mm	0.33mm	1x6	20
183-20-220	8 054393 073907	06	0.37mm	0.33mm	1x6	20
183-20-230	8 054393 073914	08	0.28mm	0.23mm	1x6	20
183-20-240	8 054393 073921	10	0.28mm	0.23mm	1x6	20
183-20-250	8 054393 073938	12	0.28mm	0.23mm	1x6	20













180cm		HOOK	LINE	ARM LINE⊘	XXX	
183-20-610	8 054393 074072	02	0.43 mm	0.38 mm	1x6	20
183-20-620	8 054393 074089	04	0.37 mm	0.33 mm	1x6	20
183-20-630	8 054393 074096	06	0.33 mm	0.28 mm	1x6	20
183-20-640	8 054393 074102	08	0.33 mm	0.28 mm	1x6	20

180cm		HOOK	LINEØ (ARM LINEØ)	XXX	PC
183-20-710	8 054393 170293	02	0.43 mm 0.38 mm	1x6	20
183-20-720	8 054393 170309	04	0.37 mm 0.33 mm	1x6	20
183-20-730	8 054393 170316	06	0.33 mm 0.28 mm	1x6	20
183-20-740	8 054393 170323	08	0.33 mm 0.28 mm	1x6	20









180cm		HOOK	(LINE	ARM LINE Ø	XXX	PCI
183-20-810	8 054393 170330	02	0.43 mm	0.38 mm	1x6	20
183-20-820	8 054393 170347	04	0.37 mm	0.33 mm	1x6	20
183-20-830	8 054393 170354	06	0.37 mm	0.33 mm	1x6	20
183-20-840	8 054393 170361	08	0.33 mm	0.28 mm	1x6	20

180cm		HOOK	LINE	ARM LINE⊘	XXX	PCI
183-20-910	8 054393 170378	02	0.43 mm	0.38 mm	1x6	20
183-20-920	8 054393 170385	04	0.37 mm	0.33 mm	1x6	20
183-20-930	8 054393 170392	06	0.37 mm	0.33 mm	1x6	20
183-20-940	8 05/393 170/08	08	0.33 mm	0.28 mm	1x6	20

FLOATS

The float's section of the catalog is an excellent demonstration of how much the Trabucco offer can range in the world of sport fishing. Together with the groundbaits, floats have been the first products to bring the Trabucco brand on the competition field, making it known and appreciated everywhere. A great communication vehicle, therefore, but also a fundamental accessory, always evolving with the evolution of the sport. In these pages hyper-technological models designed for competition live together with series for amateur fishing, both in freshwater and in the sea. Particularly wide is the range of the models prepared to accept the luminous antennas, indispensable both in the sea as in the night competitions in the commercial lakes. Wagglers are equally perfect, with the modern interchangeable antennas that are so necessary for bream fishing.

MATCH PRO & BOLO RHC	293
GNT SERIES	294
FLAT FLOATS	300
CARP MATCH RHC	302
NT RHC	304
CARP BLUE HT	307
SALTWATER FLOATS	311
WAGGLERS	316

ICONS LIST

Size Avalaible	Box Content	
MODEL Model	Trade Box	





MATCH PRO RHC & PRO BLS

After the huge success achieved by RHC floats in all their shapes and variations, inevitably we liked to offer the same great advantages to pole and bolognese anglers. The ultralight yet unbreakable bodies, providing 100% waterproofness even in absence of any coating, are the only ones in the float's world to offer absolute shotting capacity consistency, from the first piece to the millionth one. Just wonderful!




Box 10

Box 10

Box 10

λtλ α





	$\Delta \mathbf{I} \Delta \mathbf{g}$
001-27-910/100	1.00
001-27-910/150	1.50
001-27-910/200	2.00
001-27-910/250	2.50
001-27-910/300	3.00


RHC 2 MATCH PRO

and a carbon stem.

Solid Plastic TRABUCCO			Carbon
Gr. 1.00			∆1 ∆ g
Perfect for still waters and wonderful for a controlled run in slow	001-27-920/020	172532	0.20
moving waters, this slim pear shaped float can find a place in any good angler's seatbox. The 1 mm solid plastic antenna is	001-27-920/030	172549	0.30
fine enough for those canal shy bites, but as well visible in case of rough surface. Superlight carbon stem.	001-27-920/050	172556	0.50

		$\Delta \dot{b} g$
001-27-920/075	8 054393 172563	0.75
001-27-920/100	8 054393 172570	1.00
001-27-920/150	8 054393 172587	1.50

RHC 3 MATCH PRO





RHC 4 MATCH PRO

Hollow Plactic

notiow Plastic		Carbon
TRABUCCO		
A great allrounder with a compact shaped body, suitable for po-		∆1∆ g
sitive approaches with large baits and hooks or when it's neces- sary to fish overdepth. Perfect for bream, carassio and small carp with the long pole. The RHC body offers maximum buoyancy to	001-27-940/020	0.20
size ratio for a great stability, while the hollow antenna can be easily seen in all conditions, and it's reinforced through its sections	001-27-940/030	0.30
and ensures a good buoyancy to distinguish true bites from line bites caused by fishing brushing against the rig.	001-27-940/050	0.50

		2 2 9
001-27-940/075	8 054393 181510	0.75
001-27-940/100	8 054393 181527	1.00
001-27-940/150	8 054393 181534	1.50
001-27-940/200	8 054393 181541	2.00
001-27-940/300	8 054393 181558	3.00

RHC 5 MATCH PRO

Hollow Plastic TRABUCCO	Wire
A true allrounder offering an unmatched stability, thanks to the	

RHC body with the best volume to buoyancy ratio, in conjunction with the compact body, the wire stem and the hollow antenna. The highly visible antenna is 1.5mm diameter, still sensitive enough to detect delicate bites from breme or carassio. The line though the body and the reinforced antenna, make everything reliable. Perfect for maggots, casters and positive bloodworm fishing, while holding the rig still over the groundbait, in windy conditions or running waters.


		[Δ] Δ 9]
001-27-950/020	8 054393 181565	0.20
001-27-950/030	8 054393 181572	0.30
001-27-950/050	8 054393 181589	0.50

		∆1∆ g
001-27-950/075	8 054393 181596	0.75
001-27-950/100	8 054393 181602	1.00
001-27-950/150	8 054393 181619	1.50
001-27-950/200	8 054393 181626	2.00
001-27-950/300	8 05 (393 181633	3.00



GNT FLOATS

The GNT line is proudly made in Italy with high quality materials. The models are all designed to meet the needs of the advanced match angler.



Carbon







It was born for bottom fishing of bream and carassios, even in winter on the commercial waters. The long antenna, to be partially sunk, is the continuation of the carbon stem, while the black colour makes it perfect for open spaces, where the visual background is generally gray.

		_
001-24-310/030	8 054393 159465	0.30
001-24-310/050	8 054393 159472	0.50
001-24-310/075	8 054393 159489	0.75

ΔjΔ g

		$\nabla \mathbf{j} \nabla \mathbf{g}$
001-24-310/100	8 054393 159496	1.00
001-24-310/150	8 054393 159502	1.50
001-24-310/200	8 054393 159519	2.00

GNT CANAL



Carbon



The slim teardrop shaped body, with low centre, suggests that it's destined to still or slow moving waters, even if shaken by wind. The smaller sizes are perfect for shallow fishing, or for scratching the canal's margin in those tough days.

		∆1∆ 9
001-24-250/030	8 054393 157638	0.30
001-24-250/050	8 054393 157645	0.50
001-24-250/075	8 054393 157652	0.75

		$\nabla \sqrt{1} \nabla \partial$
001-24-250/100	8 054393 157669	1.00
001-24-250/150	8 054393 157676	1.50
001-24-250/200	8 054393 157683	2.00

GNT FIRE



Wire

riuci yidəs	9 A7 C C C C C C C C C C C C C C C C C C	
	001-24-240/030	

In the lakes and canals, its slim teardrop body and the remarkable stem's length produce a certain stability, while the slim antenna makes it perfect when the conditions dictate to catch mix sized silver fish, with tiny hooks and very small bait.

001-24-240/030	8 054393 157577	0.30
001-24-240/050	8 054393 157584	0.50
001-24-240/075	8 054393 157591	0.75

	$\left[\Delta \overline{\mathbf{j}} \Delta \mathbf{g}\right]$
001-24-240/100	1.00
001-24-240/150	1.50
001-24-240/200	2.00

GNT SLIM



Plastic	RABUCCO			Carbon
	9.0.60	∆† ∆ 9		Δ1Δ 9
	001-24-190/020	0.20	001-24-190/060	0.60
The cylindrical balsa body orients it to stillwater fishing, either in canal or in commercial circuit, while the conical collar highlights	001-24-190/030	0.30	001-24-190/080	0.80
any lift bites, which frequently occur when fishing the margins. The light carbon stem increases its sensitivity.	001-24-190/040	0.40	001-24-190/100	1.00

canal or in comm any lift bites, whi The light carbon stem increases its sensitivity.







Plastic	The state of the s
T IUSTIC	 scco.
	mT AT QU

SUPREME 10

Carbon

ΔΔ 9

 $\Delta \dot{\mathbf{I}} \Delta g$



High tech inline competition float. It can be used at best both in fast flowing stream and in still water in windy days. Featuring plastic tip and carbon stem.

		$\left[\Delta \Delta g\right]$
001-26-100/030	8 054393 003133	0.30
001-26-100/050	8 054393 158093	0.50
001-26-100/075	8 054393 003140	0.75
001-26-100/100	8 054393 158109	1.00

		_
001-26-100/150	8 054393 158116	1.50
001-26-100/200	8 054393 158123	2.00
001-26-100/250	8 054393 158130	2.50
001-26-100/300	8 054393 158338	3.00


		[<u>\$</u>]\$\delta 9
001-26-100/400	8 054393 003157	4.00
001-26-100/500	8 054393 178794	5.00
001-26-100/600	8 054393 178800	6.00
001-26-100/800	8 054393 178817	8.00

GNT RED

Plastic










		∆† ∆ 9
001-24-160/160	8 054393 146526	1.50
001-24-160/200	8 054393 146342	2.00
001-24-160/250	8 054393 146359	2.50
001-24-160/300	8 054393 146366	3.00

GNT YELLOW







		<u>Δ</u> 1 Δ 9
001-24-150/150	8 054393 146212	1.50
001-24-150/200	8 054393 146229	2.00
001-24-150/250	8 054393 146465	2.50
001-24-150/300	8 054393 146472	3.00

GNT BLACK





Plastic		8	Carbon
9.1			∆j ∆ g
	001-24-120/020 s	054393 004048	0.20
Classic drop-shaped body, ideal for the telescopic whip and	001-24-120/030	054393 176073	0.30
the pole in a wide range of conditions. Excellent visibility thanks to the repainted solid plastic antenna; inner line tube	001-24-120/050	054393 153593	0.50
and long carbon stem for a perfect control in slow or medium fast running waters.	001-24-120/075 a	054393"153609	0.75

	∆1 ∆ 9
001-24-120/100	1.00
001-24-120/150	1.50
001-24-120/200	2.00
001-24-120/300	3.00
001-24-120/400	4.00

NEW

GNT ROCKET



Carbon



Hollow Plastic



GNT Rocket is a classic and versatile pole or whip float, designed with egg shaped compact body to face many different fishing conditions. Line gets through the body to avoid any damage in case of strong pulls, while the antenna is a high visibility hollow model, with internal fibreglass support for additional strength. Thanks to the carbon stem, this float is ideal for the remarkable stability and for the easy control, in case of fishing in medium running waters.

		7729
001-24-263/030	8 054393 183095	4X14 0.30
001-24-263/050	8 054393 183101	4X16 0.50
001-24-263/075	8 054393 183118	4X18 0.75
001-24-263/100	8 054393 183125	1.00
001-24-263/150	8 054393 183132	1.50

rts a

Carbon

J
)

SUPREME 11





		$\Delta \Delta g$
001-26-110/015	8 054393 158369	1.50
001-26-110/020	8 054393 158376	2.00
001-26-110/025	8 054393 158383	2.50
001-26-110/030	8 054393 003188	3.00


nowing stream at	ia ili siili watoi ili wiilay aays.	
		△† ∆ 9
001-26-110/040	8 054393 003195	4.00
001-26-110/050	8 054393 178824	5.00
001-26-110/060	8 054393 178831	6.00
001-26-110/080	8 054393 178848	8.00
001-26-110/100	8 054393 178855	10.00

High tech competition float. It can be used at best both in fast

Plastic



R - INOX Box 20



R - CARBON



Plastic TRABUCCO			Carbon			<u>Á</u> † à 9
			<u> </u>	001-08-010/025	-	2.50
	001-08-010/005	=	0.50	001-08-010/030	-	3.00
	001-08-010/007	-	0.75	001-08-010/040	-	4.00
	001-08-010/010	-	1.00	001-08-010/050	-	5.00
This is certainly one of the most used float patterns in several competitions both on lakes or in running water. Works perfectly	001-08-010/015	-	1.50	001-08-010/060	-	6.00
in windy conditions. Made with carbon stem and a high visibility plastic antenna.	001-08-010/020	-	2.00	001-08-010/080	-	8.00

GNT 7

Plastic

Plastic



3 ×				
FAT 4				∆1 ∆ 9
A fantastic egg shape which doesn't fear any difficult condi-		₫ & 9	001-23-070/030	4x14
tions and "does the job by itself", as it doesn't require that much control to be consistently efficient. On top of that, when	001-23-070/010	4x10	001-23-070/050	4x16
the fish needs to be stimulated by gentle side traction, the	001-23-070/020	4x12	001-23-070/070	4x18

Carbon

Fiberglass

SUPREME PISA

float allows it very well.

CC0 4





32488				
		∆j ∆ g		∆1∆ 9
	001-26-310/020	2.00	001-26-310/050	5.00
Series designed by the Team Ravanelli champions to compete in	001-26-310/030	3.00	001-26-310/060	6.00
Pisa (river Arno) and everywhere you need an heavy duty float. In line model with plastic tip and carbon stem.	001-26-310/040	4.00	001-26-310/080	8.00

SUPREME LAKE






Plastic Sco	Carbon
Graft Q	


Its universal shape has always been popular both in fresh and saltwater, and now is updated by the Inline concept. The line gets into the metal eye, then through the body, thanks to the fine rubber tube. In such way, the float survives extreme traction.

		∆1 ∆ g
001-26-350/020	8 054393 000224	4x12
001-26-350/030	8 054393 000231	4x14

		∆j ∆ g
001-26-350/050	8 054393 153524	4x18
001-26-350/070	8 054393 170156	1.00
001-26-350/100	8 054393 158086	2.00







FLAT FLOATS

With the Bream population growing fast in Italy, more and more the match fishing scenario requires a very accurate presentation of the hookbait on the feeding area, in most cases completely still, but, sometimes, even under a controlled run. No other float - better than a flat model - allows to face the most complicated situations, specially when the running waters are affected by wind or waves. From half a gram to fifty grams, the several Trabucco solutions won't let you down in any fishing and weather condition!



SPADE-x BREME

Solid Plastic

Wire

Carbon

Box 10

Specially designed to catch difficult Bream and Roach in slow running waters, or even still waters affected by wind tow, this model features a superlight and strong synthetic body, which allowed to keep volume to the minimum. The combination of solid fibreglass antenna and wire stem provides stability and extreme sensitivity, being perfect for bloodworm hookbai-

ts; they are aligned, while the eye is located on body's peak.

		∆† ∆ 9
110-50-036/005	8 054393 177230	0.50
110-50-036/007	8 054393 177247	0.75
110-50-036/010	8 054393 177254	1.00

		∆1 ∆ 9
110-50-036/015	8 054393 177261	1.50
110-50-036/020	8 054393 177278	2.00
110-50-036/025	8 054393 177285	2.50
110-50-036/030		3.00

SPADE-x CARBON

Box 10 747 0



Born to catch difficult fish in slow running waters, or even
still waters affected by wind tow , this model features a
superlight combination of synthetic body and carbon stem,
which allowed to keep volumes to the minimum.

		<u>Δ1</u> Δ 9
110-50-035/005	8 054393 175076	0.50
110-50-035/007	8 054393 175083	0.75
110-50-035/010	8 054393 175090	1.00
110-50-035/015	8 054393 175106	1.50

		<u>∆[∆ 9</u>]
110-50-035/020	8 054393 175113	2.00
110-50-035/025	8 054393 175120	2.50
110-50-035/035	8 054393 175137	3.00
110-50-035/040	8 054393 175144	4.00
110-50-035/060	8 054393 175151	6.00
110-50-035/080	8 054393 175168	8.00

GNT CRUISE

Fiberglass

Box 10



Flat float designed to tackle the canals where wind and waves
can affect the fishing action. Shotting the antenna down, it's
possible to achieve a lower centre of gravity. The antenna is not
glued to allow its replacement according to conditions.

		[₹]∇ g
001-24-180/020	8 054393 146380	2.00
001-24-180/025	8 054393 146397	2.50
001-24-180/030	8 054393 146403	3.00
001-24-180/040	8 054393 146410	4.00
001-24-180/060	8 054393 146427	6.00

	<u>(4)</u>
001-24-180/080	8.00
001-24-180/100	10.00
001-24-180/120	12.00
001-24-180/150	15.00
001-24-180/200	20.00










Box 10

Box 10 **Δ†**Δ 9

Box 10

PC Box 10

GNT FLASH SAIL



Designed for medium-slow waters, it's perfect for a controlled run. Its body is made from a special synthetic material that makes it indestructible, while the carbon peg connecting to the line is angled by 45% and long enough to lower the centre of gravity, thus increasing stability.

		∆1∆ 9
110-60-060/040	8 054393 155948	4.00
110-60-060/060	8 054393 155955	6.00
110-60-060/080	8 054393 155962	8.00

Wire

Wire

λ†λ α

Wire

Wire

		∆ †∆ 9
110-60-060/100	8 054393 155979	10.00
110-60-060/120	8 054393 155986	12.00
110-60-060/150	8 054393 155993	15.00
110-60-060/200	8 054393 156006	20.00
110-60-060/250	8 054393 156013	25.00
110-60-060/300	8 056 393 156020	30.00

SPINNAKER



Δ**1**Δ g 110-50-010/003 0.30 110-50-010/005 0.50 110-50-010/007 0.75 110-50-010/010 1.00

Lollypop float, with a perfect round shape and edges, in order to allow a perfect hold in any kind of stream. This specific shape allows the angler to keep the float steady, no matter how strong the flow.

		200
110-50-010/015	-	1.50
110-50-010/020	-	2.00
110-50-010/030	-	3.00
110-50-010/040	-	4.00

110-50-010/060 -	6.00
110-50-010/080 -	8.00
110-50-010/100 -	10.00
110-50-010/120 -	12.00
110-50-010/150 -	15.00
110-50-010/200 -	20.00
110-50-010/250 -	25.00
110-50-010/300 -	30.00
110-50-010/400 -	40.00

SUPREME SAIL XT



The slimmest flat float in the world performs brilliantly thanks to its narrow profile, which gets the minimum pressure from the water when it's hold dead still. Beyond the slimness, the body perimeter is well sharpened to let water run smoothly along its sides. The result is a very stable, vibration free float which enables to use a 20-30% lighter rig compared to traditional flat floats

		∆1∆ 9
110-50-050/020	-	2.00
110-50-050/030	-	3.00
110-50-050/040	-	4.00
110-50-050/060	_	6.00

		<u>∆</u> [∆ 9
110-50-050/080	-	8.00
110-50-050/100	-	10.00
110-50-050/120	-	12.00
110-50-050/150	-	15.00
110-50-050/200	-	20.00

ORACLE



Brand new float made with balsa body, stainless steel inox stem and high visibility antenna. Ideal for slowing down the bait in medium strong flows.

,g
0
5
0
0

	<u> </u>
-	2.00
-	3.00
-	4.00
-	6.00
-	8.00
-	10.00
	- - - -



Innovative float range that comes as a consequence of the huge success achieved by Supreme RHC models, exploiting the same material for the bodies but assuming its own identity. As a matter of fact, it is reductive to inscribe these floats to the role of commercial accessories, because the precision of the construction details and the extreme consistency of the shotting capacity place them on a higher step, fully investing the segment of silver fish competition circuit. The proposal of different antenna's diameters offers many employment's opportunities, which the most experienced anglers know how to optimize, while the solutions with Titanium alloy stem, protected from oxidation by Nickel, represent the top of the entire collection.



The bodies of Supreme Carp RHC pole floats are made thanks to an innovative aero-space derivation material, able to offer maximum homogeneity, total intrinsic impermeability, very low density (up to 50% lower than the commonly used materials) and excellent structural resistance properties



In line with the eye, the body of the float is crossed by a groove. The line runs naturally along the throat of the groove, and so cannot cut the body when the tension is at its maximum. This solution is very light, because it does not include a protective tube, and eases the manual movements of the float up and down, in search of the perfect fishing depth.



The eye is made from burnished steel wire, with fine diameter so as not to add excessive weight. It is created by winding around the base of the antenna. This solution is appreciated by the experts of the commercial fishing, because it prevents the line from breaking the antenna in the instant of the strike



The stems are inserted into the antennas to avoid that even during extreme pulls and stresses the body can be damaged.

FIBERGLASS

In the commercial scenario, the fiberglass stem get unconditioned trust, which comes from decades of total reliability. It resists extreme bending and stress, while its weight adds stability to the float, counteracting the action of the wind. But the most attentive eyes will recognize in this range the classic shapes to be used on the whip or bolognese style for pleasure fishing in rivers and canals, while the suitability of all models even to fishing at sea is beyond any doubt.



0.30

RHC 4 CARP MATCH

Hollow		Fiberglass
Gr. 0.40		△† ∆ 9
Due to its fairly long antenna, having a relatively thin diameter	001-27-730/010	0.10
(1,5 mm), and to the shape of the elongated drip body, it is	001-27-730/020	0.20

001-27-730/030


001-27-730/040	8 054393 156839	0.40
001-27-730/050	8 054393 156846	0.50
001-27-730/075	8 054393 156600	0.75
001-27-730/100	8 054593 156617	1.00

Box 10 $\left[\Delta j \Delta g\right]$

fish catches.

at full pole length, when the maggots are key bait for silver





RHC 5 CARP MATCH

Box 10

Floating offering great sensitivity to the slightest movements of the bait, including the lateral ones, which comes mainly from the cylindrical profile of its body. The conical collar makes visible even the slightest lift of the thin hollow antenna of 1,5 millimetres.

		$\Delta \dot{\mathbf{I}} \Delta \mathbf{g}$
001-27-740/010	8 054393 156624	0.10
001-27-740/020	8 054393 156631	0.20

Fiberglass

Fiberglass

Fiberglass

Fiberglass

Fiberglass

		Δ 1 Δ 9
001-27-740/030	8 054393 156648	0.30
001-27-740/040	8 054393 156655	0.40
001-27-740/050	8 054393 156518	0.50

RHC 6 CARP MATCH

Box 10

Hollow	TRABUCCO	
(4)	Gr. 0.10	

<u>Δ</u>[Δ g Another must-have classic, with 1,5 millimetres diameter hol-001-27-750/010 0.10 low plastic antenna and an upside-down pear shape that offers the opportunity to bring important fish to the net, allowing to perform nice side invitations without losing the set up. 001-27-750/020 0.20

		$\Delta \Delta g$
001-27-750/030	8 054393 156549	0.30
001-27-750/040	8 054393 156556	0.40
001-27-750/050	8 054393 156563	0.50

RHC 7 CARP MATCH

Hollow

PC Box 10

Gr. 0.50			
			<u>Δ</u> [Δ g
It is based on the same body of RHC 4, but differs from it for the 50% longer stem, which adds stability in case of wind and ma-	001-27-760/020	8 054393 000026	0.20
kes the model perfect for the deeper swims or in case of winter	001-27-760/030	8 054393 000033	0.30

		△1 △ 9
001-27-760/050	8 054393 000040	0.50
001-27-760/075	8 054393 000057	0.75
001-27-760/100	8 054393 000064	1.00

RHC 8 CARP MATCH

PC Box 10

Designed with same compact body shape and same 1,8 mm hollow plastic antenna of RHC 3 series, it has a 50% longer stem. Good for pole's canal fishing near the opposite bank, it's also quite stable to face deeper carp lakes with bottom hookbaits.

bottom fishing. The antenna is thicker, with 1,8 mm diameter.

		2 [2]
001-27-770/020	8 054393 000071	0.20
001-27-770/030	8 054393 000088	0.30

		[ΔI Δ g]
001-27-770/050	8 054393 000095	0.50
001-27-770/075	8 054393 000101	0.75
001-27-770/100	8 054393 000118	1.00

RHC 9 CARP MATCH

Hollow

waters.

Box 10

	Gr. 0.50				50	and the		
Thanks to th	ne reversed	pear	shaped	body,	it	does	the	same

job as RHC 6 model, but its thicker hollow plastic antenna (1,8 mm) adds visibility and holds heavy baits up without sinking. The fibreglass stem is 50% longer for better stability in deep

			₫ ₫9
001-2	7-780/020	8 054393 000125	0.20
001-2	7-780/030	8 054393 000132	0.30
001-2	7-780/030	8 054393 000132	0.30

		∆1 ∆ 9
001-27-780/050	8 054393 000149	0.50
001-27-780/075	8 054393 000156	0.75
001-27-780/100	8 054393 000163	1.00

NT TITANIUM ALLOY

The Titanium and Nickel alloy is an innovative metallic material, offering an extraordinary combination of lightness and resistance to stress, as well as indifference to corrosion. And it is thanks to the limited specific gravity of Titanium and the fineness of the stem that these floats guarantee an exceptional sensitivity. The letters NT and the grey colour of the bodies facilitate the immediate identification of these exclusive floats, which have been developed for the commercial but are equally at home in the canal fishing.



NT RHC 1 CARP MATCH

Box 10

Titanium Allow Δ**†**Δ g

Float designed with a unique shape within the BHC range, featuring a symmetrical double taper profile that makes it gently cock and just as gently signal positive bites, as well as lift ones. The 1,5 mm hollow antenna is perfectly balanced by the relatively long stem.

		2
001-27-800/010	8 054393 156570	0.10
001-27-800/020	8 054393 156587	0.20

		Δ T Δg
001-27-800/030	8 054393 156594	0.30
001-27-800/050	8 054393 156921	0.50
001-27-800/075	8 05((393) 156938	0.75

NT RHC 2 CARP MATCH



Hollow		Titanium Allow
G: 0.20		∆1∆ 9
Long-line pole fishing, vital in winter in commercial lakes but	001-27-810/010	0.10
also in the open match circuit, requires floats that can "fish by themselves", because pole control does not exist. This wi-	001-27-810/020	0.20
de-shouldered model with 1,5 mm hollow plastic antenna is just perfect for that.	001-27-810/030	0.30

		Δ 1 Δ g
001-27-810/050	8 054393 156976	0.50
001-27-810/075	8 054393 156983	0.75
001-27-810/100	8 054393 156990	1.00

NT RHC 3 CARP MATCH

Box 10

Hollow			Titanium Allow
Gr. 0.75			(the second
Extremely compact body float, which quickly cocks and con-			<u>(4</u> 129
sequently proposes it as an ideal solution for very shallow or margin fishing. The rig's line cannot damage it, because it	001-27-820/020	8 054393 172358	0.20
runs through the appropriate groove; the hollow plastic an-	001-27-820/030		0.30

001-27-820/030

		<u>δ</u> [δ 9]
001-27-820/050	8 054393 172372	0.50
001-27-820/075	8 054393 172389	0.75
001-27-820/100		1.00


NT RHC 4 CARP MATCH

tenna has a diameter of 1 mm.



Hollow		Titanium Allow		
Gr. 0.75				∆† ∆ g
		₫ ҈ ۵ 9	001-27-830/050	0.50
It is an evolution of the light blue Carp Match RHC4, from which it differs due to the hyper-technological stem made from	001-27-830/020	0.20	001-27-830/075	0.75
Titanium alloy, which gives it a super lightness to even face delicate canal fishing. Hollow plastic antenna of 1.5 mm	001-27-830/030	0.30	001-27-830/100	1.00





001-24-202/150



GNT sense

by any shy fish.

Hollow + Carbon




1.50

Box 10

Designed for the toughest commercial winter fishing, or for the tricky presentation "on the slow drop" that fouls bream, roach and carassios during the regular season. The interchangeable antenna is built from a carbon stem and high visibility hollow tip.

hollow hi-viz plastic segment, must be shot-ted down to a pimple to promptly respond the slightest tentative of bite

GNT DOUBLE



	△I△ 9
001-24-080/075	0.75
001-24-080/100	1.00
001-24-080/150	1.50
001-24-080/200	2.00
001-24-080/300	3.00

GNT REBEL

Hollow + Carbon

Carbon ΔΔβ

A must-have float for fishing commercials during the winter time, able to deliver a great sensitivity yet holding the bait still also in windy conditions or when the water tows. Thanks to the long, durable carbon stem, securely bonded into the body and doesn't affect the float's overall balance. While the long-shaped body is perfect to entice a bite by continuing lifting and dropping the rig.

		•
001-24-204/020	8 054393 181244	0.20
001-24-204/030	8 054393 181251	0.30
001-24-204/050	8 054393 181268	0.50

		$\nabla \nabla \nabla \partial$
001-24-204/075	8 054393 181275	0.70
001-24-204/100	8 054393 181282	1.00
001-24-204/150	8 054393 181299	1.50

TORNADO

Hollow + Carbon Carbon (than

Float extremely robust for use in still water or slightly currents. Great in all seasons with corn and pellet. Equipped with fiber stem and hollow plastic antenna, which increases their visibility with the sunlight.

-	4x12
-	4x14

		Δįδa
001-25-160/050	-	4x16
001-25-160/070	-	4x18
001-25-160/150	-	1.50

Box 10

(than

Box 10

Box 10







Compact, loaded sliding float destined to catch Carp with the pole, through a vertical sequence of lifts and drops that attracts their attention within the column of loosefeed. Perfect for margin or shallow fishing, it is totally tangle free. Within the rig, it is locked on top by a silicone stopper, and sits on the first shot or bulk shot.



Carbon

Carbon

Carbon

		$\Delta \Delta g$
001-21-050/020	8 054393 176011	S / 0.20
001-21-050/030	8 054393 176028	M / 0.30
001-21-050/040	8 054393 176035	L / 0.40

Box 10

PC Box 10

PC Box 20

Box 20

Box 20

SUPREME LAKE



Its universal shape has always been popular both in fresh and saltwater, and now is updated by the Inline concept. The line gets into the metal eye, then through the body, thanks to the fine rubber tube. In such way, the float survives extreme traction.

		∆j∆ g
001-26-350/020	8 054393 000224	4x12
001-26-350/030		4x14



SUPREME MATCH RHC 4



With its low center of gravity, it resists very well the worst weather conditions, keeping the position even in the presence of strong wind. Perfect for fishing in deep still water or to present the hookbait right on the bottom.

		$\Delta \Delta g$
001-27-540/010	8 054393 147646	0.10
001-27-540/020	8 054393 147141	0.20
001-27-540/030	8 054393 147158	0.30

		∆† ∆ 9
001-27-540/050	8 054393 147165	0.50
001-27-540/070	8 054393 147172	0.70
001-27-540/100	8 054393 147189	1.00
001-27-540/150	8 054393 147196	1.50

SUPREME 4



	0	
Olive change hade your stable perfect for still water and consi	0	
Olive shape body very stable, perfect for still water and canal, lake and carp fisheries. Carbon stem and hollow tubular antenna	0	

		₹ \$\$
001-26-040/030	-	4x14
001-26-040/050	-	4x16
001-26-040/075	-	4x18

		△1△9
001-26-040/100	-	1.00
001-26-040/150	-	1.50
001-26-040/250	-	2.50
001-26-040/300	-	3.00

SUPREME 5

size 1,2 and 1,5 mm.



-	 !!	gBycco	>

Very stable	float perfec	ct for fis	shing ir	n runn	ing w	ater or	in win	dy
conditions.	Fitted with	carbon	stem a	and ho	ollow	tubular	anteni	na
size 1.2 an	d 1.5 mm.							

		Carbon
		∆1∆ 9
001-26-050/030	-	4x14
001-26-050/075	-	4x18
001-26-050/100	-	1.00

		<u>∆</u> †∆ 9
001-26-050/150	-	1.50
001-26-050/200	-	2.00
001-26-050/250	-	2.50
001-26-050/300	-	3.00



HT3






CARP BLUE HT

A new generation of unbreakable pole floats, mainly destined to commercial lakes (carpodrome) as they can bear extreme pressure as well as any accidental shock. Their body is made from EVA (Ethilene Vinyl Acetate), an artificial material with a sponge-like structure which line can't cut. Having no metal eye, the rig line is completely straight, thus free from any damage.







			INLINE	DUX ZU
Hollow Plastic		Fiberglass		
075				<u> </u>
A SILE		₫ \$9	001-27-300/030	0.30
SADIE A	001-27-300/010	0.10	001-27-300/050	0.50
	001-27-300/020	0.20	001-27-300/075	0.75

SPARK

Solid Plastic

3.0mm









visibility plastic antenna, which can be replaced with a starlight. Great for fishing in calm or slightly choppy waters. Perfect for night fishing in carpodromes.

		[7]7 9]
001-17-310/020	8 054393 002778	0.20
001-17-310/030	8 056 393 002785	0.30

Fiberglass

Fiberglass

Fiberglass

Fiberglass (do

Fiberglass

Δ†λ g

		$\Delta \dot{\mathbf{I}} \Delta g$
001-17-310/050	8 054393 002792	0.50
001-17-310/075	8 054393 002808	0.75
001-17-310/100	8 054393 002815	1.00

CLEX









Float with inverted pear-shaped body, elongated. Equipped with fiberglass drift, and 3 mm high visibility plastic antenna, which can be replaced with a starlight, which allows an excellent seal in water. Great for fishing in calm or slightly running waters. Perfect for night fishing in carpodromes.

		∆† ∆ g
001-17-330/020	8 054393 002822	0.20
001-17-330/030	8 056393 002839	0.30



CRUX









body (in line) made of closed-cell polyurethane. Equipped with fiberglass drift, and 3 mm high visibility plastic antenna, which can be replaced with a starlight. Great for fishing in calm or running waters. Perfect for night fishing in carpodromes.





GLARE









Float with elongated drop-shaped body. Equipped with fiber-
glass drift, and 3 mm high visibility plastic antenna, which can
be replaced with a starlight. Great for fishing in still or running
waters. Excellent use for night fishing at sea.

	_	<u>Δ1</u> Δ 9
001-17-430/050	8 054393 003065	0.50
001-17-430/075	8 054393 003072	0.75
001-17-430/100	8 054393 003089	1.00

		₹ 7 8
001-17-430/150	8 054393 003096	1.50
001-17-430/200	8 054393 003102	2.00
001-17-430/250	8 054393 003119	2.50
001-17-430/300	8 054393 003126	3.00

SHADOW

Solid Plastic







	TRABUCCO g.1		3.1		Jones Control	
Float with	dron-shaped h	nody	Fauinned	with	fiheral	

and 3 mm high visibility plastic antenna, which can be replaced with a starlight, which are grafted into a soft rubber cup that allows an excellent seal in water. Great for fishing in still or running waters.

		<u>Δi</u> Δ9
001-17-420/050	8 054393 002990	0.50
001-17-420/075	8 054393 003003	0.75
001-17-420/100	8 054393 003010	1.00

		∆1 ∆ g
001-17-420/150	8 054393 003027	1.50
001-17-420/200	8 054393 003034	2.00
001-17-420/250	8 054393 003041	2.50
001-17-420/300	8 054393 003058	3.00

CONTROL







Solid Plastic	ALC: NO.
3.0mm	TRABUCCO

Float with inverted pear-shaped body made of closed-cell polyurethane. Equipped with fiberglass drift, and 3 mm high visibility plastic antenna, which can be replaced with a starlight. Great for fishing in slow or running waters. Excellent use for night fishing at sea.

		<u> </u>
001-17-410/050	8 054393 002921	0.50
001-17-410/075	8 054393 002938	0.75
001-17-410/100	8 054393 002945	1.00

		$\Delta \hat{\mathbf{I}} \Delta \mathbf{g}$
001-17-410/150	8 054393 002952	1.50
001-17-410/200	8 054393 002969	2.00
001-17-410/250	8 054393 002976	2.50
001-17-410/300	8 054393 002983	3.00









LEVER

Fiberglass







Strong float with 3 mm multi-colour hollow antenna, which can $\,$ be replaced by light stick for night fishing. Its carrot shape makes it useful for slow running waters, as it can be hold back

to let the hookbait rise from bottom and drop slowly. Both in

fresh and salt waters, this is a successful float.

		[7]7 9]
001-17-440/100	8 054393 184030	1.00
001-17-440/150	8 054393 184047	1.50

Multicolour 3.0mm

rth a

Multicolour 3.0mm

Multicolour 3.0mm

Multicolour 3.0mm



MIST

Fiberglass







Designed for the Bolognese or long Whip rod, it is perfect for still or slow moving waters which can be met at sea, as well as in lakes and canals. The elongated body grants a certain stability also in case of side wind. The hollow antenna can be replaced with light stick.

		∆1 ∆ g
001-17-450/100	8 054393 184085	1.00
001-17-450/150	8 054393 184092	1.50



WASP

Fiberglass







In-line model with extremely compact body, which offers a great stability in case of running waters, but also with wind tow. Specially recommended for sea fishing from rocks and piers with Bolognese, it can be strongly held back. The 3 \mbox{mm} hollow antenna can be replaced by a light stick.

		[4 <u>1</u> 49]
001-17-460/100	8 054393 184139	1.00
001-17-460/150		1.50

		212 9
001-17-460/200	8 054393 184153	2.00
001-17-460/300	8 054393 184160	3.00
001-17-460/400	8 054393 184177	4.00

VIREN

light stick for night fishing.

Fiberglass







Extremely popular pear shaped body, probably one of the most
loved by all anglers, thanks to the extreme versatility and relia-
bility in all fishing conditions, in fresh waters as well as in the
sea. Ideal for the Bolognese, it can equally succeed with long
Whips. The 3 mm hollow antenna can be exchanged with a

		₹ \$ \$
001-17-460/100	8 054393 184139	1.00
001-17-460/150	8 054393 184146	1.50

		∆1∆ 9
001-17-470/200	8 054393 184207	2.00
001-17-470/300	8 054393 184214	3.00
001-17-470/400	8 054393 184221	4.00











Multicolour 3.0mm

Upside down pear shaped in line float, with strong fiberglass stem and provided with a starlight fitting for 3.0mm antenna.

In line float with fiber stem and provided with a starlight fitting

for 3.0mm antenna. Great for both freshwater and sea.

			$\left[\Delta \mathbf{j} \Delta \mathbf{g}\right]$
(001-15-430/010	8 054393 165503	1.00
(001-15-430/015	8 054393 165510	1.50

Fiberglass

Fiberglass




KILLER

Great for both freshwater and sea.














SWING







ΔΙΔ 9



001-15-450/020	8 054393 165671	2.00
001-15-450/025	8 054393 165558	2.50
001-15-450/030	8 054393 165565	3.00
001-15-450/040		4.00

STRIKE







Multicolour 3.0mm	
	Gr. 1.50

A classic saltwater float made from unbreakable foam for high strength and consistent shotting capacity. It carries a hiviz multicolour 3 mm solid plastic antenna, interchangeable with a night light. Strog fibreglass stem.

		$\Delta \Delta g$
001-15-480/010	8 054393 172303	1.00
001-15-480/015	8 054393 172310	1.50

		<u> 41</u> 49
001-15-480/020	8 054393 172327	2.00
001-15-480/030	8 054393 172334	3.00
001-15-480/040	8 054393 172341	4.00





AGUGLIA





Loaded model for surface fishing with ultralight rigs intended for Needle Fish, Pompano and Mullet. On the base a rolling swivel, on the head a 4,5 mm solid plastic antenna, interchangeable with a night light stick.

			∆j ∆ g
00	1-15-260/030	8 054393 171535	2+1
00	1-15-260/040	8 054393 171542	3+1

Fiberglass

Fiberglass

		<u>∆j</u> ∆ 9
001-15-260/060	8 054393 171559	4+2
001-15-260/080	8 054393 171566	6+2
001-15-260/100	8 054393 171573	8+2


SCOGLIERA

always 1 gram for all float's sizes.





Δ**†**Δ g



001-15-270/050	8 054393 171603	4+1
001-15-270/060	8 054393 171610	5+1
001-15-270/070	8 054393 171627	6+1

WAVE









Shaped to withstand the waves, it carries a solid plastic antenna, removable and replaceable with a light stick. It allows the use of a minimum shotting down the line (from 0,5 to 0,75 g).

		₹ \$ 9
001-15-360/010	8 054393 157843	0.50+0.50=1.00
001-15-360/015		0.75+0.75=1.50

		[∆1 ∆ 9]
001-15-360/020	8 054393 157867	1.25+0.75=2.00
001-15-360/030	8 054393 157874	2.25+0.75=3.00
001-15-360/040	8 054393 157881	3.25+0.75=4.00

TIDE







Solid Plastic 4.5mm An in-line model, strongly loaded to fish with minimal shotting pattern on the line (0,5-0,75 g). In case of night fishing, the

solid plastic antenna can be replaced with a 4,5 mm diameter light stick.

		∆1 ∆ 9
001-15-360/010	8 054393 157843	0.50+0.50=1.00
001-15-360/015	8 054393 157850	0.75+0.75=1.50

		$\Delta \uparrow \Delta g$
001-15-360/020	8 054393 157867	1.25+0.75=2.00
001-15-360/030	8 054393 157874	2.25+0.75=3.00
001-15-360/040	8 054393 157881	3.25+0.75=4.00



HT PRO SCUBA









Float loaded by a metal spiral inserted on the long fibreglass stem, which can be removed to cut it and adapt its weight to your personal needs. Indestructible synthetic body and 4,5 mm diameter hollow antenna.



Metal Spring = Adjustable Weight

Fiberglass			<u>Δ</u> <u>†</u> Δ g)
	001-25-920/020	8 054393 165879	1.25+0.75=2.00
	001-25-920/030	8 054393 165350	2.25+0.75=3.00
00	001-25-920/040	8 054393 165367	3.25+0.75=4.00
50	001-25-920/050	8 054393 165374	4.00+1.00=5.00

HT PRO SPIGOLA









Float loaded on the stem, where two silicone tubes lock a metal spiral. The weight be removed at all, or cut down to obtain a customized load. The 4,5 mm hollow antenna can be replaced with a light bar or get a 3 mm one inside.



Metal Spring = Adjustable Weight





The body of the HT models is made from a synthetic material of the latest generation, which resists any stress and allows to generate extremely consistent shotting capacities.



Fiberglass

All loaded models feature a hollow antenna that can be removed to replace it with a 4,5 mm diameter light stick. Alternatively, the antenna can accommodate a 3 mm stick inside.



The HT models are loaded by a metallic spiral, inserted on the stem and fixed by a couple of silicone tubes. Therefore, it can be removed, cut to desired length to adjust the calibration, then put back in place.

™TRABUCCO







HT sliding models are made from a special synthetic material that makes them indestructible. The line passes internally to the body, getting through a rigid pipe equipped with brass bushing on top.

Along their stem is fixed a metal spiral for better stability. At the base of the stem there is a plastic shock-proof foot, equipped with a line hole.

ΔΙΔΘ

4.00 (2+2)

6.00 (2+4)

All models on this page are equipped with a rubber bush on top, in which the 4,5 mm diameter antenna is grafted.

HT PRO FORCE









silder pre-loaded with 2 or 3 grams of metal spiral fixed on the stem and in-line system to cancel the risk of tangles. Bomb-proof synthetic body with removable hollow antenna. Nice random pattern colouring.

		∆ 12 9
001-25-900/004	8 054393 165688	4.00 (2+2)
001-25-900/006	8 054393 165695	6.00 (2+4)




HT PRO TRITON










SEAMAN SLIDER







		∆1 ∆ 9
001-25-880/010	8 054393 164551	10.00
001-25-880/015	8 054393 164568	15.00
001-25-880/020	8 054393 164575	20.00
001-25-880/025	8 054393 167804	25.00
001-25-880/030	8 054393 167811	30.00

POSEIDON SLIDER







Δ†Δ 9



Slider with an elongated profile, with a 4,5 mm hollow antenna, which can be replaced with a light stick or accommodate a 3 mm one for night fishing. The line's guidance system ensures a perfect slide through the body.

		200
001-25-890/004	8 054393 164582	4.00
001-25-890/006		6.00

001-25-890/008	8 054393 164605	8.00
001-25-890/010	8 054393 164612	10.00
001-25-890/015	8 054393 164629	15.00
001-25-890/020		20.00





All models on this page are equipped with a rubber bush on top, in which the 4.5 mm diameter antenna is grafted.



The line flows into the body through a protective tube; at the base of the stem there is a plastic shock-proof foot, equipped with a line hole..











001-15-355/020

Inline classic upside down pear shaped float with 4,5 mm multicolour plastic antenna replaceable with star light and long fiber stem. Very suitable in the presence of wind or waves.

	∆1∆ 9	001-15
3 054393 156907	1.00	001-15
	1.50	001-15
	2.00	001-15

Fiberglass

		∆1 2 g
001-15-355/030	8 054393 156730	3.00
001-15-355/040	8 054393 156747	4.00
001-15-355/050	8 054393 156754	5.00
001-15-355/060	8 054393 156761	6.00

ONDA ORANGE

Multicolour 4.5mm







Multicolour 4.5mm		Fiberglass
Gr. 1.50		∆1∆ 9
	001-15-345/010	1.00
Inline shaped float ideal for fishing in current, ideal for docks	001-15-345/015	1.50
and canals. multicolor high visibility antenna that can be replaced with 4,5 mm starlight or contain within itself the 3 mm.	001-15-345/020	2.00

Δ**1**Δ g 001-15-345/030 3.00 001-15-345/040 4.00 001-15-345/050 5.00 001-15-345/060 6.00

RIPTIDE







(dt) (i)



Inline model, solution that protects the body during extreme pulls, not rare in saltwater fishing with the bolognese. In case of night fishing, the multicoloured 4,5 mm solid plastic antenna is interchangeable with a light stick.

		<u>δ</u> [δ 9]
001-15-470/010	8 054393 172235	1.00
001-15-470/015	8 054393 172242	1.50
001-15-470/020	8 054393 172259	2.00


		[7]29]
001-15-470/030	8 054393 172266	3.00
001-15-470/040	8 054393 172273	4.00
001-15-470/050	8 054393 172280	5.00
001-15-470/060	8 056393 172297	6.00

NEPTUNE











		<u> </u>
001-15-460/030	8 054393 172198	3.00
001-15-460/040	8 054393 172204	4.00
001-15-460/050	8 054393 172211	5.00
001-15-460/060	8 054393 172228	6.00



decorated with random color veins.







It is destined to long-distance fishing in tough conditions, and for this reason the project has taken into great consideration the visibility needs. Two interchangeable hollow antennas, both with carbon stem for high sensitivity. Light and non-deformable polycarbonate tubular stem and adjustable loading system by means of brass disks.





The insertion of the tubular stem is a critical point for any waggler: problem solved with a special elastic resin and a tailor made collar which seals the top end of balsa body. On right, the top end of the float receives and securely locks



The range of supplied antennas allows you to adopt any style of fishing with the utmost visibility in all weather conditions.



The modular brass disks allow to adapt the float's loading: from the waggler configuration with ultralight rig to a slider with heavy shotting pattern.

		$\Delta \Delta g$
010-94-120	8 054393 181404	12
010-94-140	8 054393 181411	14
010-94-160	8 054393 181428	16
010-94-180	8 054393 181435	18
010-94-200	8 054393 181442	20
010-94-220	8 054393 181459	22
010-94-250	8 054393 181466	25
010-94-300	8 054393 181473	30

GNT ACCURATE

High sensitivity and consistent casting accuracy are main ingredients of Bream fishing at long range. Trabucco GNT Accurate provides all those factors with wings and interchangeable antennas, built on carbon stem to enhance those critical lift bites. Quill made from tubular polycarbonate to be straight forever, while the weight is made with interchangeable disks to adapt rig's weight to fishing conditions. Individual packing in clear bag with hang header.



On top, flights allow to cast at long range with very high accuracy.



Two interchangeable hollow antennas are included with each float. The whistle for extreme long range and the standard, both with carbon stem.

		∆1 ∆ 9
010-92-140	8 054393 168184	14
010-92-160	8 054393 168191	16
010-92-180	8 054393 168207	18
010-92-200	8 054393 168214	20
010-92-220	8 054393 168221	22
010-92-250	8 054393 168238	25
010-92-300	8 054393 168245	30

GNT OPZIONAL ANTENNAS

A specific antenna for each fishing condition! To complement the float range, a selection of spare, optional antennas are available to allow you to adapt sensitivity and visibility to your needs, from hollow models in different diameters to whistles, visible even at very long distances. Packed in practical 3-piece bags. MODEL XXX

			(4444)	
010-91-000	8 054393 150387	Insert 3 mm	3	5
010-91-010	8 054393 150394	Insert 3.5 mm	3	5
010-91-020	8 054393 150400	Insert 4 mm	3	5
010-91-030	8 054393 150417	Fischio 5 mm	3	5



≅ TRABUCCO

GNT ACE

Box 10

GNT Ace is the timeless classic, a reliable and effective allrounder waggler, certainly a float that must never be missing in the selection of the professional angler who needs to get the most from match fishing. The body is made from selected balsa, to offer the best balance between weight and strength, while the quill is obtained through a polycarbonate tube, inside of which is placed an RHC core, synthetic material with exceptionally light weight and completely waterproof. The relatively short length makes it perfect for canal fishing, or for shallow bait presentation, while the antenna with a diameter of 4,50 mm represents the right compromise on many occasions between lightness, visibility and sensitivity.



Most of the loading weight is located inside of the body,
enabling to reach longer distances and achieve faster lift
after dropping down or a recall to stimulate the bite.

		<u>[∆</u> †∆ 9]
010-93-120	8 054393 168252	12
010-93-140	8 054393 168269	14
010-93-160	8 054393 168276	16
010-93-180	8 054393 168283	18
010-93-200	8 054393 168290	20
010-93-220	8 054393 168306	22
010-93-250	8 05 (393 168313	25

GNT PRO BREME



Expressly developed to offer the maximum sensitivity in long distance bream fishing, it offers two interchangeable antennas mounted on carbon stem and an offset whistle style antenna, equipped with long carbon stem that perfectly highlights those critical lift bites. Non-deformable polycarbonate stem.



the antenna's stem.



The insertion of the tubular stem is a critical point for any waggler: problem solved with a special elastic resin and a tailor made collar which seals the top end of balsa body. On right, the top end of the float receives and securely locks



The range of supplied antennas allows you to adopt any style of fishing with the utmost visibility in all weather conditions.



		∆1∆ 9	
010-91-140	8 054393 168825	14	010-91-200
010-91-160	8 054393 168832	16	010-91-220
010-91-180	8 054393 168849	18	010-91-250

XD CARBON MATCH



 $\boxed{\Delta j \Delta g}$ 20 22 25

Hi-Tech waggler with adjustable weight, fitted with a carbon hollow tube instead of the traditional peacock quill. This solutions allows to significantly increase the sensitivity and the stability, thanks to the lower frictions. Therefore ideal for large lakes and canals, where wind and tow may be a problem. Suited for bottom fishing, in particular for bream to detect with ease lift-up bites

		∆† ∆ 9			∆† ∆ 9
010-84-120	-	12	010-84-180	-	18
010-84-140	-	14	010-84-200	-	20
010-84-160	-	16	010-84-250	-	25







XD PRO BREME

Specially developed to provide the maximum sensitivity for long range bream fishing, this waggler is supplied with two interchangeable antennas, fitted on a thin carbon stem: a hollow, large one and a tubular plastic slim version. The quill is made from tubular polycarbonate for lightness, strength and durability, while the brass weight has several removable disks to quickly adapt the shotting weight to fishing conditions.

		₹ \$
010-87-120	-	12
010-87-140	-	14

XD BREME

PC Box 10

PC Box 10

Classic bodied waggler for short and medium distance. The interchangeable antenna allows the
angler to select the color that best suits the envi-
ronmental conditions. Loaded in brass, fitted with
adjustable small discs enables different weights
to be used on the line. Is perfect when fishing for
bream crucian carn and carn

		∆† ∆ 9
010-77-080	-	8
010-77-100	-	10
010-77-120	-	12
010-77-140	-	14
010-77-160	-	16

XD WING

Box 10

 $\Delta \dot{\mathbf{I}} \Delta g$

Bodied waggler with a straight peacock quill, provided with wings to stabilize the float during the cast. The ogival balsa body features an adjustable free corrosion brass weight. It has shotting capacity from 0 up to 5 grs. Supplied with two interchangeable antenna, a 3,5mm and a 6mm side tip for extreme distances.

010-72-120	-	12
010-72-140	-	14
010-72-160	-	16

XD INSERT

The top aluminium bush is designed to accommodate three different diameters antennas, for the maximum customization.



_					
	010-70-010	-	XD Insert 3.0mm	10	1
	010-70-020	-	XD Insert 5.0mm	10	1

TEAM MASTER FLOAT WEIGHTS


Useful float attachment to

increase the loading of your wagglers. Suitable for the World Class and XD series.

3	101-55-100	8 054393 034328	Brass	2,50	2	10
	101-55-200	8 054393 034335	Brass	4,00	2	10
	101-55-300	8 054393 034342	Aluminum	2,50	2	10
	101-55-400		Aluminum	4,00	2	10







HT PRO BLUE BODIED WAGGLER





The classic load system based on brass disks enables to adjust the rig shotting weight, switching from waggler style to slider style with a heavier rig.



The polycarbonate quill carries on top a 4,5 mm hi-visibility multicolour hollow plastic antenna, which can be removed to replace it with a light stick for night fishing, or it can contain a 3 mm light stick to fish in low light conditions, maintaining the orange colour of its tip.

Matching the range of straight HT Pro Blue Wagglers, it provides heavier weights to fish at longer distance or beat strong wind, both in fresh and salt waters. The body is made from EVA to resist any accidental shock, and is completed by removable brass disks to obtain a perfect rig weight.

		$\nabla \mathbf{j} \nabla \mathbf{g}$
010-45-412	8 054393 168115	12
010-45-414	8 054393 168122	14
010-45-416	8 054393 168139	16
010-45-418	8 054393 168146	18
010-45-420	8 054393 168153	20
010-45-425	8 054393 168160	25
010-45-430		30

GHOST MATCH



Waggler floats made with polycarbonate stem and totally waterproof polyurethane body, extremely resistant to heat and shock. Both models are fitted with removable weights, to allow the fine adjustment of the weight depending on conditions. In the model 45 is possible to replace the antenna with a 4.5mm chemical light, while for the model 30 is possible to use a 3mm one. Deadly both in fresh or salt water.

st Match 30		∆1∆ 9
010-81-060	-	6
010-81-080	-	8
010-81-100	-	10
010-81-120	-	12

Ghost Match 45		∆ †∆ 9
010-80-080	=	8
010-80-100	-	10
010-80-120	-	12
010-80-150	-	15
010-80-200	-	20



010-81

010-80

CARP CRYSTAL WAGGLER

Special waggler characterized by very short length, as it is oriented to topwater or shallow carp fishing with live or inert baits. Its completely transparent structure avoids alarming the most shy fish, while the built-in rolling swivel downloads all line's twists. The weight of its solid plexiglass body provides an ideal flight trim and great stability while fishing.


		∆† ∆ 9
010-89-040	8 054393 166128	4
010-89-050	8 054393 166135	6
010-89-080	8 054393 166142	8

XD PELLET WAGGLER



- Specific float for surface commercial waggler fishing
- Perfect for summer fishing with pellet, sweetcorn or other bulky baits
- Balsa body; high visibility antenna with incorporated flights
- Loading system based on interchangeable brass disks and swivel
- Each float is supplied with 2 interchangeable clear disks, designed to slow down the float's penetration in the water, when hitting the surface
- Individual bag with header and Euro slot, to hang it on shop's displays

Above, the classic loading with swivel, including removable brass disks to possibly use heavy hookbaits. Straight from the bag, the Pellet Waggler is loaded to the limit for best sensitivity. The two clear disks supplied with each float act like a parachute to slow down the float's trip through water, after hitting the surface. In such way, float's action is developed on the top layer





		∆1 ∆ 9
010-88-040	8 054393 150318	4
010-88-060	8 054393 150325	6
010-88-080	8 054393 150332	8
010-88-100	8 054393 150349	10

010-88-0 010-45-1 010-88-2 010-45-2 010-45-3 PC Box 10

XD DISTANCE PELLET WAGGLER

Cygar shaped waggler designed for top water fishing in commercial lakes, with Carp as main target. In summer, those fish tend to rise and are attracted by any noise, so, when pellets are dropped in by catapult, the action is immediate. This model doesn't replace existing XD Pellet Waggler, because it offers heavier weights to fish at longer

		∆1∆ 9
010-88-206	8 054393 175175	6
010-88-208	8 054393 175182	8
010-88-210	8 054393 175199	10
010-88-212	8 054393 175205	12



PC λtλq

Box 20

Box 20

λtλ n

HT BLUE LOADED WAGGLER 45

Polycarbonate straight waggler, loaded so that all sizes need same rig's shotting weight of 1 gram down the line. The load includes a rolling type swivel which eases its use as slider. The float offers a multi-coloured hollow plastic antenna of 4,5 mm in diameter, which can be replaced with a light stick of equal diameter or accommodate a 3 mm one inside.

010-45-130	8 054393 166081	2+1
010-45-140	8 054393 166098	3+1
010-45-150	8 054393 166104	4+1
010-45-160	8 054393 166111	5+1

HT BLUE WAGGLER 45

Polycarbonate straight waggler without any loading system, featuring a plastic foot equipped with a hole for the line's passage. The 4,5 mm multicoloured antenna is made from hollow plastic to light up strongly in the daytime; in case of night fishing, it can be replaced with a 4,5 mm light stick, or filled in with a 3 mm one.

		5
010-45-230	8 054393 166159	3
010-45-240	8 054393 166166	4
010-45-250	8 054393 166173	5
010-45-260	8 054393 166180	6

HT BLUE INSERT WAGGLER 30

Polycarbonate straight waggler, equipped with a long insert antenna made from hollow plastic of 3 mm in diameter. At the base, the load consists of brass disks that can be removed and recomposed at will, with a built in rolling type swivel allowing its use as a slider.

		∆1 ∆ 9
010-45-330	8 054393 166197	3
010-45-340	8 054393 166203	4
010-45-350	8 054393 166210	5
010-45-360	8 054393 166227	6



MARKER FLOATS



	MODEL	∆1 ∆ 9	PC
015-85-010 -	Catcher	10	10
015-85-015 -	Catcher	15	10
015-85-020 -	Catcher	20	10
015-85-025 -	Catcher	25	10
015-85-030 -	Catcher	30	10
015-87-010 -	Troller	6	10
015-87-015 -	Troller	8	10
015-87-020 -	Troller	10	10
015-87-025 -	Troller	12	10
015-87-030 -	Troller	15	10
015-87-040 -	Troller	20	10
015-82-006 -	Aggressor W/S	6	10
015-82-010 -	Aggressor W/S	10	10
015-82-015 -	Aggressor W/S	15	10
015-82-020 -	Aggressor W/S	20	10
015-82-030 -	Aggressor W/S	30	10
015-82-040 -	Aggressor W/S	40	10
015-75-006 -	Pike	6	10
015-80-006 -	Aggressor	6	10
015-80-040 -	Aggressor	40	10

ANGLER PLUS & ANGLER PRO



Wide family of floats designed for the pleasure angler, with special attention to strength and high visibility. Unbeatable price for quality.

	MODEL	$\Delta \hat{\mathbf{J}} \Delta \mathbf{g}$
011-00-030/300	Sea Bream Plus	30
011-00-030/500	Sea Bream Plus	50
011-00-030/700	Sea Bream Plus	70
011-00-040/400	Mackrell Plus	40
011-00-040/600	Mackrell Plus	60
011-00-060/300	Persico Pro	30
011-00-060/500	Persico Pro	50
011-00-080	Trota Pro	3+2







GNT MATCH EXPERT

As the new recipes can not be revealed, there is only one way to understand their effectiveness: take them fishing. With its simplicity, the 1 kilo bag eases both the first tests and the subsequent creation of personal mixes. Thanks to the 12 chilos package, the dealer has the opportunity to stock a wide range of GNT groundbaits with a light investment.



			ΔΙΔΚΟ	POP
060-08-100	8 054393 120571	Gnt Match Expert Breme Competition	1	12
060-08-110	8 054393 120588	Gnt Match Expert Breme Competition Black	1	12
060-08-120	8 054393 120595	Gnt Match Expert Big Breme	1	12
060-08-130	8 054393 120601	Gnt Match Expert Big Breme Black	1	12
060-08-140	8 054393 120618	Gnt Match Expert Carpa Plus	1	12
060-08-150	8 054393 120625	Gnt Match Expert Carpa Plus Black	1	12
060-08-160	8 054393 120632	Gnt Match Expert Carpa Gold	1	12
060-08-210	8 054393 135704	Gnt Match Expert Carpa Red Pro	1	12
060-08-170	8 054393 120649	Gnt Match Expert Canal Match	1	12
060-08-230	8 054393 157775	Gnt Match Expert Carassio	1	12
060-08-180	8 054393 120656	Gnt Match Expert Special Fiume	1	12
060-08-190	8 054393 120564	Gnt Match Expert River Mix Cavedano	1	12
060-08-220	8 054393 136473	Gnt Match Expert Peschiera	1	12
060-08-200	8 054393 121806	Gnt Match Expert Alborella Match	1	12

λtλ kn





XP3000 GROUNDBAITS

A nice range of groundbaits, made with selected, finely blended ingredients, extensively tested by our team before release onto the market . Each groundbait has been specially selected for use in our waters, and the handy size of 3kg allows for great savings.

		∆j ∆kg	PC
060-05-100	XP 3000 Carpa Gialla	3	10
060-05-110	XP 3000 Carpa Rossa	3	10
060-05-400	XP 3000 Breme	3	10
060-05-410	XP 3000 Breme Black	3	10
060-05-200	XP 3000 Fiume Formaggio	3	10
060-05-500	XP 3000 Cavedani-Barbi Formaggio Rossa	3	10

XP 3000 LEAM

The Damp Leam is an extremely soft terre de somme with very fine granulometry, therefore ideal for the realization of the "pongo" (plasticine style over dampened leam) or possibly sieved straight from the bag, to create an attractive cloud in the swim. It is available both in classic brown colour and in black. The River Leam is heavier than the previous ones, especially suitable to add weight to any groundbait or to be used in medium fast rivers with frequent baiting action (classic example Medelana venue). The River Leam Heavy Black is extremely heavy and displays a natural black colour; it has been developed to fish the faster canals like the Canal Bianco near Adria, and easily carries to the bottom jokers, worms and casters. The Grey Learn is a bentonite with high binding specification, which can be added to the other leams to create an endless series of different combinations.

	<u>δ</u> įδkg	PCI
062-16-100 8 054393 027115 XP 30	00 Damp Leam 2	10
062-16-200 BUSH SOS OF TIEF XP 3000	Black Damp Leam 2	10
062-16-300 SUBJECT 139 XP 30	000 River Leam 2	10
062-16-600 8 054393 177667 XP 3000	River Leam Black 2	10
062-16-400 8 054393 027146 XP 30	000 Grey Leam 1	10



PELLET GNT FEEDER CARP & F1

Strongly attractive dry pellets, in dark brown colour, with high content of fish meal. Very easy to use. Specially designed for commercial fishing.



060-50-800

060-50-900

060-55-000

060-55-100





has d in with World		
		Δ j δkg
B 054393 02704	Pellet Carpe & Carassi 2 mm	1
B 054393 02705	Pellet Carpe & Carassi 3 mm	1

Pellet Carp Halibut 4 mm

Pellet Carp Halibut 6 mm

PC

12

12

12

12

1

1







	ΔΙΔΚΟ	PC
060-09-500	1	12
060-09-510	1	12
060-09-520	1	12
060-09-530	1	12

GNT MATCH EXPERT FEEDER













Range of groundbaits designed for use in feeder fishing or with the method feeder. Per-
fect, balanced, with medium texture, very easy to prepare and extremely attractive if used
in commercials, as well as in open waters like rivers, canals, reservoirs. It's well known
that in the feeder fishing or method fishing a limited quantity of groundbait is normally
employed, and consequently the compounds that are used must have a great attractive
power, able to draw the fish on our fishing spot and to keep them active in the search
for food. Based on these requirements, the groundbaits that we propose have been pro-
duced only by super selected ingredients to which we combined fine sweet fishmeals or
crustaceans (krill), all of the highest possible quality. These ingredients have as main
characteristic a high nutritional value, combined with a medium caloric intake, so the fish
are extremely attracted by them. These mix guarantee excellent results in all periods of
the year, with any water temperature.

			∆ j ∆kg	POI
060-09-100	8 054393 135803	Gnt Feeder Expert Betaine	1	12
060-09-110	8 054393 135810	Gnt Feeder Expert Krill	1	12
060-09-120	8 054393 135827	Gnt Feeder Expert Halibut	1	12
060-09-130	8 054393 135834	Gnt Feeder Expert Base F1	1	12
060-09-140	8 054393 135933	Gnt Feeder Expert Green Method	1	12
060-09-150	8 054393 135841	Gnt Feeder Expert Carp Method	1	12

XP 3000 SPECIAL SEA













It's a groundbait range intended for fishing in saltwater or river's mouths, and it's packed in practical bags of 1 kilo. In order to ease the selection and use by the anglers, we have created some perfect mixes, each one targeting specific fish species that inhabit the sea. We started from the classic Super Cefalo and Saraghi & Occhiate, in which we have included different types of premium quality cheese; passing to the Superficie and to the Fondo Mare, where we have added attractors and appetite stimulators; to get to the Spigola & Orata and to Gamberetto, for which we have employed best fish meal and shrimp ingredients on the market. For the formulation of these recipes we actually used only the highest quality raw materials, which enabled us to obtain very attractive and easy to prepare compounds. To make up a perfect mix we recommend to add water little at a time to the groundbait, mixing it slowly with your hands until the whole mixture is completely wet and tenacious. The whole thing will be ready when the simple compression exerted with the palm of the hand will be able to create a soft but crumbly ball, ready to be thrown into the water.

			Δ j Δkg	PCI
060-07-100	8 054393 135858	XP 3000 Super Cefalo Bianca	1	12
060-07-110	8 054393 135865	XP 3000 Spigole & Orate	1	12
060-07-120	8 054393 135872	XP 3000 Saraghi & Occhiate	1	12
060-07-130	8 054393 135889	XP 3000 Superficie Mare	1	12
060-07-140	8 054393 135896	XP 3000 Fondo Mare	1	12
060-07-150		XP 3000 Esca per Mazzetta	1	12

STICKY MAGGOT

A range of success, which has gone through decades of intensive use on all European match venues. The Colla Magica has taken its name from the unsurpassed sum of technical features that clearly distinguish it from all competing products. In fact, its grip on the maggots can be modulated by the user to cope with the most disparate conditions of use, while fishing in mid-water or on the bottom, in still or running water, in combination with gravel or without it. When an exceptionally firm compound is needed, to convey on the bottom a mix of maggots and gravel quite unbalanced towards the second, you can take advantage of the gluing properties of the Arabic Gum.

		Δ j Δkg	PC
140-20-300	Arabic Gum	0.5	10
140-30-310	Arabic Gum Refill	0.5	12
140-30-210	Team Master Colla Magica	1	12





324



ADDITIVES AND COLOURANTS

To complement the range of groundbaits, Trabucco offers a series of products that have been developed to achieve a deep customization of the mixes. Being aware that we have a mix that match competitors can't copy makes us feel definitely stronger and increases our ability to concentrate on what happens in our peg, ultimately getting more fish into our keepnets! No miracle recipes, but products of proven effectiveness, which, being of human's food origin, are absolutely safe for the health of fish.

COLOURANTS









		COLOR	∆ i ∆kg	PC
060-10-010	8 054393 157980	White	0.1	12
060-10-020	8 054393 157997	Rubin Red	0.1	12
060-10-030	8 054393 158000	Dark Brown	0.1	12
060-10-040	8 054393 158017	Deep Black	0.1	12

A special attention to the colours of groundbaits and hookbaits has now taken hold in the match fishing world. The Trabucco proposal consists of finely powdered products, packaged in a sealed jar, which are completely devoid of any nutritional power and smell to be used in any mix. Unfortunately, it is not possible to indicate an ideal dosage for these dyes, because the final effect depends on the starting colour of the mix; for example, a white groundbait for Mullet will take on red with great ease, while it will be very difficult to change the colour tone to a Bream mix that is maybe black from the origin. Therefore, it is advisable to proceed by trial and error, building up a personal background of experience. The high colouring power of these products suggests using a teaspoon for the first steps, always wearing disposable silicone gloves so as not to stain the hand's skin. It is very important never to visually judge the dry colour of the groundbait mix, after adding the dye, but to switch to humidification, because the water acts on the dyes, activating their properties and transferring them to the individual feed particles. Moreover, the process takes at least an hour, so the rest of the wet mix into a covered bucket will produce a different effect than the initial one, when the water has just been added.

ADDITIVES









These powdered products are able to strongly characterize the aromatic footprint of any groundbaits, only acting as fish attractors, without affecting the nutritional properties of the mixes. The optimal dosage is 50 grams against one kilo of groundbait. The ideal mixing process starts with dry components and involves the use of a nylon bag the size of about 40x60 cm. It starts by introducing the 50 grams of additive, then you add 100 grams of groundbait. You close the bag and shake it until you get a perfect mixture. Then add 200 grams of groundbait and mix again. The operation must be repeated until the entire kilo of groundbait has been added. This method ensures the perfect distribution of the additive in the groundbait's mass; no drill can let you achieve the same result as well!

		Δ j Δkg	PC
060-10-110	GNT Super Brasem	0.25	10
060-10-120	GNT Super Carpa	0.25	10
060-10-130	GNT Super Big Fish	0.25	10
060-10-140	GNT Sweet Brasem - Caramel	0.25	10





MAGGOT'S DEHYDRATANT

Powdered product that degreases the maggots, deodores them and prevents them from sweating during the time they spend in the bait boxes, in the fridge but also while waiting for fishing. So the maggots are perfect for receiving the glue and, in the case of loosefeeding, they sink perfectly, without being dragged too far downstream by the possible current.

		∆ †∆kg	PC
060-10-210	8 054393 158062	0,5	12

BUCKET TRABUCCO





BUCKET'S LIDS

MODEL

143-00-000

Bucket's Lids 17 litri

XPS WORM SCISSOR TRI-BLADE XL

The XPS Worm Scissor is designed to chop large amount of worms and other baits in a while with ease and effortless. XPS Worm Scissor features longer than usual razor sharp stainless steel blades, log lasting and to improve efficiency.

PC

101-40-015 5

XPS MASTER GROUNDBAIT WHISK

Nowaday's essential for the fast and complete groundbait or leam wetting process, the XPS Master drill's whisks offer great durability and many technical advantages.

- Slim model with 10 blades, specific for all learn and thin texture groundbaits like Alborella
- Wide model with 8 blades, ideal for heavy and medium texture groundbaits. On top end, the blades are linked by a disk, which increases the stiffness of the whole frame
- Stainless steel structure, with hexagonal shaft for a firm grip by the drill's mandrel

MODEL

143-05-200

XPS Groundbait Whisk 35/10 Fine

143-05-210

XPS Groundbait Whisk 35/8 Strong







NEW GNT BLACK RIDDLE

Strong and durable riddles for the serious match angler, with a stainless steel mesh incorporated into the side frame, able to easily sift groundbait, soil and sweetcorn, casters and maggots. The stiff plastic black frame, 38cm in diameter and 10cm deep, fits perfectly on top of 17 litre bucket and is held in place by the handle.

Available in 4 mesh sizes (#4 perfect for casters).

		MODEL	\bigcirc
143-05-300	8 054393 178695	GNT Black Riddle 17 litre #2 mm	38 cm
43-05-310	8 054393 177629	GNT Black Riddle 17 litre #3 mm	38 cm
143-05-320	8 054393 177636	GNT Black Riddle 17 litre #4 mm	38 cm
43-05-330	8 054393 177643	GNT Black Riddle 17 litre #6 mm	38 cm
143-05-340	8 054393 183903	GNT Black Riddle 40 litre #2 mm	47 cm
143-05-350	8 054393 183910	GNT Black Riddle 40 litre #4 mm	47 cm







OFFICIAL DOSER SET

Very useful set of bait's quantity dosers in liters, nowadays indispensable for competitions. They can be also used as simple bait box. The set is made by 5 dosers with capacity of 1,00 lt - 0,75 lt. - 0,25 lt. e 1/8 lt.



		MODEL	XXX	PCI
111-35-110	8 05/383 16 1083	Set Misuratore per Esche Official Doser Set	5	6

OFFICIAL BAIT BOX SET 1,5 & 2L







XPS MAGGOT BOX

High quality bait boxes featuring transparent lids with holes, to store living baits. They feature a rubber edge to form a perfect seal.

	MODEL	(m)
111-15-100	XPS Maggot Box Blue 1L	17x17x3.5

XPS MAGGOT NET BOX

Reticular containers for the maintenance of maggots (moving or glued) in ideal temperature and breathing conditions. For transport, they can be inserted into each other concentrically, matrioska style.



		MODEL	POI
111-25-110	8 054393 163493	XPS Maggot Net Box Micro Mini/80	5
111-25-120	8 054393 163509	XPS Maggot Net Box Micro Small/100	5
111-25-210	8 054393 163516	XPS Maggot Net Box - Medium/120	4

		MODEL	POI
111-25-220	8 054393 163523	XPS Maggot Net Box Large/140	4
111-25-230	8 054393 163530	XPS Maggot Net Box X-Large/180	4
111-25-240	8 054393 163547	XPS Maggot Net Box XX-Large/220	4

XPS MAGGOT NET BOX SQUARE

Reticular containers for the maintenance of maggots (moving or glued) in ideal temperature and breathing conditions.

		MODEL	cm
111-25-310	8 054393 168689	Maggot Net Box Square Small	10x10
111-25-320	8 054393 168696	Maggot Net Box Square Medium	14x14
111-25-330	8 054393 168702	Maggot Net Box Square Large	16x16
111-25-340	8 054393 168719	Maggot Net Box Square Large	18x18
111-25-350	8 054393 168726	Maggot Net Box Square X-Large	22x22



GNT X-CONNECT ROUND BOWL





TRABUCCO POLE POTS SET





TRABUCCO MESH POLE POT

	MODEL	PO
106-15-560	Mesh Pole Pot L	10
106-15-570	Mesh Pole Pot XL	10





MADE IN ITALY

Trabucco Precision Competition Catapult is designed for fishing baits and made with only high quality components. It's designed for maximum accuracy and extreme performance.

- Tangle free Design
- Strong and durable pouchesLong life elastic






PRECISION SPARE ELASTIC

	MODEL	XXX	
141-73-210	Pole Soft	2	5
141-73-220	Pole Medium	2	5
141-73-230	Waggler Soft	2	5
141-73-240	Waggler Medium	2	5
141-73-250	Waggler Distance	2	5

141-73-160

	MODEL	
141-73-110	Pole Soft	5
141-73-120	Pole Medium	5
141-73-130	Pellet Waggler	5
141-73-140	Waggler Soft	5
141-73-150	Waggler Medium	5
141-73-160	Waggler Distance	5
141-73-170	RPL Medium	5 NE
141-73-180	RPL Strong	5 NE



XPS CATAPULT SPARE ELASTIC

		MODEL	\bigcirc	XXX	PCI
141-72-010	393 05 1905	XPS Catapult Pole	2,80	2	10
141-72-020	393 051912	XPS Catapult Pole Strong	3,00	2	10
141-72-030	393 051929	XPS Catapult Match	4,00	2	10
141-72-040	393 051936	XPS Catapult Match Strong	4,50	2	10
141-72-050	393 051943	XPS Catapult Groundbait	5,00	2	10
141-72-060	393 05 1950	XPS Catapult Groundbait Strong	6,00	2	10



SPARE POUCHES



		MODEL	POI
141-72-100	8 054393 051967	Mesh Pouch Small	10
141-72-110	8 054393 051974	Mesh Pouch Medium	10
141-72-120	8 054393 051981	Mesh Pouch Large	10













The best cooperation between sections can be achieved if they are aligned according to printed marks.

Ultra NTX offers total customisation, multiple configurations and technically advanced solutions to improve the fishing action!



ULTRA NTX COMPETITION NET





- Made entirely from NTC Nano Tek carbon, it is thin and low tapered yet extremely light, balanced and stiff.
- The NTX Competition can be used in different lengths, from a minimum of 2.50m to a maximum of 5.40m, thanks to the threaded bush on section 2.
- By removing the first section, extreme rigidity and strength can be achieved, making it the ideal solution for rubber net heads, even large ones, and oversized fish.
- All bushes are made from a combination of brass and aluminium to give an incredible strength to weight ratio.

	cm	m	11	
080-83-210	150	5.40	4	_

ULTRA NTX PERFORMANCE NET





- The Ultra NTX Performance has a tapered profile, extremely stiff even at maximum length, and is made entirely from NTC Nano Tek carbon, which is light and balanced.
- It includes a 1m parallel section that allows for maximum length customisation, so you always have the ideal handle for the job. The length range varies from a minimum of 2.5m to 5m.
- By removing the first section, extreme rigidity and strength can be achieved, making it the ideal solution for rubber net heads, even large ones, and oversized fish.

POSSIBLE COMBINATIONS	LIGHT STRONG	Approx 2.60m> 3.50m> 4.00m> 5.00m Approx 2.50m> 3.00m> 4.00m	

ULTRA NTX POWER MATCH NET





- The Ultra NTX Power Match is the ideal solution for heavy duty fishing, offering an
 extremely slim profile without compromising stiffness and reliability.
- Crossed carbon reinforcements at the base of the sections prevent ovalisation and breakage, even when used at shorter lengths.
- The 1m parallel section allows maximum customisation in length, so you always have the ideal net handle for the action.
- The ideal solution for rubber heads, even large ones.
- All sleeves are made from brass and aluminium to keep weight down.

POSSIBLE LIGHT Approx 2.50m --> 3.60m --> 4.00m --> 5.00m

Approx 2.50m --> 3.00m --> 4.00m

Approx 2.50m --> 4.00m



tapered plugs on top end.

NEW SPECTRUM FAST LITE NET

PUT OVER

TRUM FASTLITE

- Light and stiff put-over competition landing net pole
- High Modulus NTC Nano Tek carbon blank
- Butt section with super slick finish for easy handling (Slick Surface)
- Internal sections with Advanced Slide Easy finish like the best poles
- Intermediate sections featuring EVA tapered plugs on top end
- Top brass screw secured by a rivet and protected by an EVA sleeve

			لستنسا
081-08-34	0	136	3.40
081-08-46	60	136	4.60

SPECTRUM COMPETITION NET



Stiff and balanced stiff put-over competition landing net pole

- Light and reliable High Modulus NTC Nano Tek Carbon blank
- Butt section and next one with super slick finish for easy handling (Slick Surface)
- Internal sections with Advanced Slide Easy finish like the best poles
- Intermediate sections featuring EVA tapered plugs on top end

		cm	m
081-03-470	8 054393 162588	155	4.70

SPECIAL CARP -

DREAM TEAM EDGE CARP NET



• Light and stiff put-over competition landing net pole

- High Modulus NTC Nano Tek carbon blank, reinforced by a spiral carbon band
- Butt section with super slick finish for easy handling (Slick Surface)
- Internal sections with Advanced Slide Easy finish like the best poles
- Intermediate sections featuring EVA tapered plugs on top end
- Short top section, to be removed with net head, to speed up the unhooking operation

DREAM TEAM FOR

Top brass screw secured by a rivet and protected by an EVA sleeve

		cm	m
081-06-510	8 054393 187161	138	3.20

CARP





FORCE NET

SPECIAL SEA

FRANGENTE X-FORCE NET





- High Modulus NTC Nano Tek carbon blank, reinforced by crossed carbon yarn
- Advanced Slide Easy finish on butt section
- Reinforced handle made from crossed carbon strips that make it stiffer and reliable

-FRANGENTE <

· Internal butt cap, protected by a removable EVA overcap

Brass screw bush, incorporated in the top EVA cap.









SCOGLIERA COMPACT NET





XNET3003



- High Resistance carbon telescopic blank
- Extremely compact closed length, 63 cm only
- Provided with removable belt for an easy transport
- The top screw bush is protected by an EVA sleeve, forming a cap to lock the section during transport


SCOGLIERA TL

- Sensi Touch handle finish for a comfortable handling
- Butt cap made from aluminium and rubber
- Ideal for freshwater fishing and street fishing, as well as for sea fishing from piers and rocks

oort		cm	m
080-79-450	8 054393 140791	68	4.50

SCOGLIERA TLX NET





- Super strong construction to also allow the use of weed cutter
- Telescopic configuration for quick opening and closing
- Smooth finish Sensi Touch handle which also enables quick cleaning after use
- Lower aluminium screw cap, with rubber insert



The special finish of the inner sections is water repellent (Slick Surface). Water flows away without weighing down the rod.


Top brass screw secured by a rivet and protected by an EVA sleeve. Intermediate sections featuring EVA tapered plugs on top end.

		cm	m
080-80-300	8 054393 176936	111	3.00
080-80-400	8 054393 176943	111	4.00
080-80-500	8 054393 176950	111	5.00



ZEST PRO NET





- · High Resistance Carbon blank (S.H.M.R.), with Crossed Reinforced joints
- Advanced Slide Easy finish on butt section
- Brass screw bush, incorporated in the top EVA cap
- Screw butt cap, with rubber shock absorber

		<u>cm</u>	m
081-00-300	8 054393 161147	112	3.00
081-00-400	8 054393 161154	112	4.00

HYDRUS XTS NETTER




•	Highly reliable and practical	telescopic landing net pole	with reduced closed length

- High Resistance Carbon blank (S.H.M.R.), with Crossed Reinforced joints
- · Butt section grip made by fine embossed rubber pattern design
- Brass screw bush, incorporated in the top EVA cap
- · Screw butt cap, with rubber shock absorber

		<u>cm</u>	
081-07-260	8 054393 172839	100	2.50
081-07-300	8 054393 172846	100	3.00
081-07-360		100	3.50

HYDRUS NTX LANDING NET





- High Resistance Carbon blank (S.H.M.R.), with Crossed Reinforced joints
- Butt section grip made by fine embossed rubber pattern design
- Brass screw bush, incorporated in the top EVA cap
- Screw butt cap, with rubber shock absorber



	<u>cm</u>	[mmm]
081-01-610	115	3.00
081-01-620	115	4.00
081-01-630	115	5.00

PRECISION RPL NET





LANDING NET

- · Fiber and Carbon Composite Durawall reinforced blanks
- Telescopic models and put-over versions
- Comfortable Sensi Touch handle finish for a firm grip
- Aluminium screw bush fixed by a rivet
- · Rubber butt cap

		MODEL	<u>cm</u>	استسا
080-86-100	8 054393 155122	Tele	115	3.00
080-86-200	8 054393 155139	Tele	115	4.00
080-86-300	8 054393 155146	Put Over	115	3.00
080-86-400	8 054393 155153	Put Over	115	4.00

VENOM TELE NET



VENOM TELE NET 300:

- Structure made from High Resistance composite carbon (HRC), reinforced in all telescopic joints by aluminium collars
- Reasonably compact closed length for convenient transport
- Satin finish on all internal sections for quick and smooth running between hands
- Comfortable Sensi Touch handle for easier handling and cleaning
- Strong brass bush on top end, with universal female screw
- Hard plastic butt cap with incorporated rubber shock absorber

		cm	11-	m
080-73-030	8 054393 179517	115	3	3.00
080-73-040	8 054393 179524	115	4	4.00

VENOM MINI-NET



- Structure made from High Resistance composite carbon (HRC)
- Super compact closed length for convenient transport
- Water repellent satin finish on all internal sections
- Fully decorated section above butt
- Comfortable Sensi Touch handle for easier handling and cleaning
- Strong brass bush on top end, with universal female screw
- Aluminium butt cap with incorporated rubber shock absorber

VENOM THET 300	# TRANSPORTS	TINE	T MINI 300	
		cm		m
080-73-12	5 8 054393 179531	43	7	2.50
080-73-13	0 8 054393 179548	49	7	3.00






NET HEADS

XD5

Innovative range of ultralight and modern XDS heads with "D" profiled aluminum frame, which offer three types of anti-tangle mesh with very resistant ABS block and with ribbed handle, ensuring excellent resistance without suffering from the weight of the largest fish.







The Power Rubber model is equipped with an ABS handle to lift important fish without holding the pole, offering greater speed in match conditions.

EASY SCOOP

		MODEL	L	W	Н	mm
083-69-510	8 054393 173294	XDS Easy Scoop Mono	40	30	30	6x6
083-69-520	8 054393 173300	XDS Easy Scoop Mono	45	35	35	6x6
083-69-530	8 054393 173317	XDS Easy Scoop Mono	50	40	40	6x6

Sturdy ABS spreader block, equipped with fixing

screw, rubber o-ring and ribbed handle to easily lift the

largest fish without any risk for the net pole's integrity.



		MODEL	L	W	Н	mm
083-69-710	8 054393 173355	XDS Power Rubber	40	30	30	4x8
083-69-820	8 054393 173362	XDS Power Rubber	45	35	35	4x8
083-69-830		XDS Power Rubber	50	40	40	4x8


MICRO RUBBER

		MODEL	L	W	Н	mm
083-69-610	8 054393 173324	XDS Micro Rubber	40	30	30	2x3
083-69-620	8 054393 173331	XDS Micro Rubber	45	35	35	2x3
083-69-630	8 054393 173348	XDS Micro Rubber	50	40	40	2x3









GNT NET HEAD GHOST MESH

Made with 8 mm monofilament nylon mesh for fast action in the water and with reinforced stitching able to hold heavy weights. In spite of all developments and trends, the evergreen nylon nets are always unbeatable when the scooping speed is an important factor, especially in match fishing. The nylon monofilament is far thinner than any rubber one, so it cuts water to reach the moving fish in a shorter time.

		MODEL	L	W	$oxed{H}$	mm
083-70-010	8 054393 177018	GNT Net Head * Ghost Mesh	45	35	30	6x6
083-70-020	8 054393 177025	GNT Net Head * Ghost Mesh	50	40	35	6x6



GNT BLACK MATCH FLUO MONO

Ultralight heads featuring "D" cross section aluminum frame to provide maximum rigidity and net in fluorescent yellow nylon. The Silver model, with a spoon shape, is a real feather and is designed to deal with mixed size silver fish. The Bream model, round shape, is an all-rounder that can easily stand those unexpected bonus fish. The Carp model has a larger mesh than the other two, in order to allow a higher scooping speed.



		MODEL	L	W	Н	mm
083-67-510	8 054393 117618	GNT Black E. Head Match Fluo*Mono/Silver	45	40	25	6x6
083-67-610	8 054393 117519	GNT Black E. Head Match Fluo*Mono/Bream	45	40	25	6x6
083-67-620	8 054393 117526	GNT Black E. Head Match Fluo*Mono/Carp	55	45	35	10x10
083-67-710	8 054393 170279	GNT Black Ed. Head Match Fluo*MonoXL/Float	45	40	35	10x10
083-67-720	8 054393 170286	GNT Black Ed. Head Match Fluo*MonoXL/Float	50	40	40	10x10





GNT NET HEAD SPEED RUBBA

Rubber net with double hex holes, #6 on the bottom and #8 on the sides, for fast action in the water, with reinforced stitching able to hold heavy weights. In most commercial waters the only allowed nets are the rubberized ones, for the obvious need to protect fish health. But match anglers need to be fast while scooping Carp, because time lost in this phase breaks the feeding regularity. The best solution to this problem is a rubba net with large mesh.

		(MODEL)	L	W	Н	mm
083-70-110	8 054393 177032	GNT Net Head * Speed Rubba * 45*35/h30	45	35	30	4x8
083-70-120	8 054393 177049	GNT Net Head * Speed Rubba * 50*40/h35	50	40	35	4x8
083-70-130	8 054393 177056	GNT Net Head * Speed Rubba * 55*45/h40	55	45	40	4x8



GNT NET HEAD DUAL RUBBA

Special model built up from two different mesh sizes: 8 mm on sides and 2 mm on the bottom. Such micro mesh prevents the rig from getting through, actually avoiding tangles. For such specification this model gets a lot of likes from feeder anglers, but also from bolognese and waggler fishing experts.

		MODEL	L	W	H	mm
083-70-210	8 054393 177063	GNT Net Head * Dual Rubba * 45*35/h30	45	35	30	4x8 / 2x3
083-70-220	8 054393 177070	GNT Net Head * Dual Rubba * 50*40/h35	50	40	35	4x8 / 2x3
083-70-230	8 054393 177087	GNT Net Head * Dual Rubba * 55*45/h40	55	45	40	4x8 / 2x3



GNT NET HEAD MATCH RUBBA

Designed with Match anglers in mind, either with waggler or feeder rod, this model offers all the advantages of rubba net: fish care, quick drying, no smell. The whole net (sides and bottom) is made from #2 mm micro mesh to sustain the rig and hooklink, avoiding finer parts to get through and inevitably tangle.


		MODEL	L	lacksquare	Н	mm
083-70-310	8 054393 177094	GNT Net Head * Match Rubba * 45*35/h30	45	35	30	2x3
083-70-320	8 054393 177100	GNT Net Head * Match Rubba * 50*40/h35	50	40	35	2x3



GNT MATCH NANO MESH

Heads made from an innovative nylon net with a supercompact nano molecular structure, which prevents the absorption of water without causing any friction with the water. So the scooping speed is maximum, with great advantage for the fishing action, especially in match conditions. Obviously, the net is always dry, even in water!

		MODEL	L	W	Н	mm
083-69-210	8 054393 150592	GNT Match Nano Mesh	38	45	30	12x6
083-69-220	8 054393 150608	GNT Match Nano Mesh	40	50	30	12x6
083-69-230	8 054393 150615	GNT Match Nano Mesh	45	55	30	12x6





GNT BLACK QUICK DRY

Series of heads that combine the extreme respect for the fish with the match fishing needs, primarily the drag reduction once in the water. A soft net that dries quickly, characterized by mesh with rounded corners and by a top edge of nylon fabric, in turn supported by the aluminum sandwich frame. The central block acts as a handle to lift the important fish without holding the net's pole.

		MODEL	L	W	H	mm
083-67-210	8 054393 117571	GNT Black E. Head QuickDry 8/Round	50	40	30	4x4
083-67-310	8 054393 117588	GNT Black E. Head QuickDry 8/Round	50	40	30	4x8







AIRTEK SPECIALIST CAMOU RUBBER

Structured with light and stiff aluminium spoon shaped frames, with "D" cross section, these net heads feature the rubber coated mesh, which dries quickly and does not retain any bad smell. Bottom "V" shaped for housing the fish with the ideal orientation to be easily grabbed. Dark brown colour mesh and camouflage green perimetral band.

	MODEL	L	W	Н	mm
083-68-720	Airtek Specialist Head Camou Rubber	50	60	40	4x4



AIRTEK SPECIALIST PE MESH

Net heads made with highly waterproof PE mesh, whose most important advantage is not the very rapid drying, but the speed with which they cut through the water when the fish must be scooped. Green moss colour; flat bottom with differentiated mesh.

		MODEL	L	W	H	mm
083-68-510	8 054393 121769	Airtek Specialist Head PE Mesh	45	55	35	8x4



TR PRO NET TX sw mono

Round net heads designed with a greater depth than normal to allow to safely bring important fish to the bank. Perfect for sea fishing, both from rocks and piers, as well as from the boat, they feature a nylon net with 20 mm mesh.

	MODEL	L	W	mm
083-66-812	TR Pro Net TX-SW Mono	45	60	20x20
083-66-814	TR Pro Net TX-SW Mono	50	60	20x20
083-66-816	TR Pro Net TX-SW Mono M30	45	40	10x10
083-66-818	TR Pro Net TX-SW Mono M30	50	50	10x10



TR PRO NET TX PVC MESH

Head with waterproof PVC net, which dries instantly, it does not retain bad smells and is particularly "fish friendly". Considerable depth and flat bottom. 6x6 mm net.

		MODEL	L	W	Н
083-66-830	8 054393 150554	TR Pro Net TX PVC Mesh	45	40	30
083-66-840	8 054393 150561	TR Pro Net TX PVC Mesh	55	45	40











PRO RUBBA LANDING NET

Modern landing nets, with a rubberized mesh for maximum respect for the fish health and for quick drying at the end of the fishing session, designed with a generous depth to accommodate the biggest fish in total safety. The aluminum pole is available in two versions: two-piece telescopic and one-piece.





TOP RANGE PRO RUBBER LANDING NET



TOP RANGE PRO LANDING NET

Great range of landing nets with aluminum anodized handle, 10mm PE mesh in black color e ultra-tough ABS locking system. The telescopic handle is available in two or three sections, allowing to reduce the closed length, while the octagonal profile offers a good strength without compromise the weight. Excellent value for money.

		m	TO	mm
084-46-015 ₈	054393 030306	1.50	2	50x50
084-46-020	054393 030313	2.00	2	50x50
084-46-025	054393 030320	2.50	2	50x50
084-46-120	054393 030337	2.00	3	50x50
084-46-125 s	054393 030344	2.50	3	70x70





GNT-X MATCH COMPETITION

- Light and durable keepnets designed for modern competition fishing
- Sturdy angle-tilt locking system
- Top ring with incorporated rod rest Rings for end pegging purpose





		MODEL	لستنسا	
082-61-300	8 054393 176967	GNT-X Match Competition	3.00	50x40
082-61-350	8 054393 176974	GNT-X Match Competition	3.50	50x40
082-61-400	8 054393 176981	GNT-X Match Competition	4.00	50x40



GNT-X COMPACT MATCH CARP

- Strong keepnet designed for commercial carp competition fishing
- Compact design with top ring turned by 90° while fishing to allow positioning multiple keepnets on the seatbox front
- Two weighing loops are fitted inside of the keepnet to allow easy transfer of big volume of carp to the scale containers





		MODEL	m	cm
082-63-300	8 054393 177001	GNT-X Compact Match Carp	3.00	50x40





₹TRABUCCO

GNT MEGA PRO RECTA MATCH

- Fish Friendly PE mesh (Fishery approved)
- High Strength
- Reinforced and Weighted Rings
- Strong Tilt System
- Triple Seams



		MODEL	m	cm
082-60-300	8 054393 029713	GNT Mega Net Pro	3.00	50x40
082-60-350	8 054393 029720	GNT Mega Net Pro	3.50	50x40
082-60-400	8 054393 029737	GNT Mega Net Pro	4.00	50x40



XDS PRO KEEPNET

- Fish Friendly PVC/PE mesh (Fishery approved)
- Hard Wearing
- Reinforced and Weighted Rings
- Strong Tilt System
- Triple Seams



		MODEL	m m	<u>cm</u>
082-07-300	8 054393 166234	XDS Pro Keepnet	3.00	50x40
082-07-350	8 054393 166241	XDS Pro Keepnet	3.50	50x40
082-07-400		XDS Pro Keepnet	4.00	50x40



XDS KEEPNET PE

- Fish Friendly PVC/PE mesh (Fishery approved) and Hard Wearing
- Strong Tilt System

		MODEL		cm
082-26-410	054393 164681	XDS Keepnet PE 5mm	1.00	Ø 40
082-26-415	054393 164698	XDS Keepnet PE 5mm	1.50	Ø 40
082-26-420 ₈	054393 164704	XDS Keepnet PE 5mm	2.00	Ø 40



SMART DIGITAL SCALE

Highly accurate electronic scale, planned to work on every 5 grams up to 10 kilos and 10 grams between 10 and 50 Kilos, has a particularly compact rainproof body. As soon as the fish stops oscillating, the scale blocks the weight indication on the display. Among the various features, the Smart Digital Scale also shows the air temperature.





WEIGHTING NET PE MESH

		cm
083-60-430	8 054393 164711	60x50



WEIGHTING NET **RUBBA MESH**

TOP RANGE

KEEPNET



083-60-410

MATCH

In front of something that generates in us wonder, today we use a nice expression taken from the world of comics: we say "wow" to condense in three letters a mix of enthusiasm, excitement and positive sensations. And this is exactly the comment of all anglers, in front of the state-of-the-art Trabucco GNT36 Match seatboxes, which flank the MATCH X36 top range with more compact and lighter solutions. High-strength aluminium alloy tubular frames play the dual role of giving stability to the whole system and giving it a high-impact aesthetic imprint. The cushions are very well refined, padded by the latest generation's gel to offer the highest comfort even after hours and hours of use, but also finely sewn as the seats of luxury cars and enriched with the embroidered logo. The legs have a diameter of 36 millimeters to accept all the universal accessories of the Connect range and Clamp On range. The large modularity of the drawers and modules gives the most demanding user the opportunity to customize the seatbox, with spaces for match rigs or feeder accessories, even going so far as to modify it over the seasons, possibly reducing its capacity in the cold months, when the commercial

FEATURES



The front shell destined to support the pole's butt end is made from thick rubber with a balanced ratio of elasticity to resistance.



The innovative leg's connection block works by pulling, with a non-marking device that avoids causing any leg's scratches.



The 36 mm legs accept all accessories from the Connect and Clamp On ranges. On their head, an elegant and practical rounded cap.



An orthogonal hubble level system allows the seatbox to be placed on any ground, avoiding lumbar tension's pains for the end user.



Six telescopic legs are a remarkable asset to adapt these seatboxes to the most bumpy of the banks and even to place it directly into the water.



The frame of both models is designed to easily connect the Trollev Kit (item number 116-11-010. available as an optional).

OPTIONAL ACCESSORIES









The seatboxes within MATCH X36 range share drawers with those of the Genius line (S1, S2, etc.). Interesting the two new modules: one with side-scrolling drawer and the other with a combination of side drawer plus two frontal ones.

[MODEL]
Genius Box Module H40
Genius Box Module H80 2x Front Drawers
Genius Box Module H80 1x Side Drawer
Genius Box Cross Drawers 2+1





T-MATCH X36

The drawer's bulk and cushion seem suspended in the air, on top of such fantastic frame designed like an arc. But as soon as you seat down, you feel a superb stability which comes from the advanced engineering which is behind the aluminium structure.



H-MATCH X36

Match and Feeder seatbox offering the same performances of the T-36, plus the adjustable seat height. Some new features, such as the dodecagonal inner legs and footplate closer to the ground bring the general stability up to a better grade.

• Strong yet light aluminium frame and footplate



SS PLATES & COVERS SELF SUPPORT

A solution which every match angler has been waiting since ever: the side plate supports itself! A clever system of support bars downloads the weight to seatboxe's legs, without requiring any extra legs! The versatility is ensured by a set of adaptors which allow to use these plates on round and square legs of the most common sizes. Essential for any modern seatbox, the side plate's covers are designed to provide best protection for baits, groundbaits and accessories from sunrays, wind and rain. In order to leave the angler free to customize his own side plates, we have decided to offer the covers as separate, optional items.





™TRABUCCO

NEW GNT ACCESSORIES



		(LIONE)	
		(MODEL)	
116-25-340	554393 160638	GNT-Pro X-Tough Spray Bar	
116-11-020	954393 160485	GNT Station Rod Rest 36 / Set	
116-12-010		GNT Station Telescopic Leg 36	
116-12-020		GNT Station Telescopic Leg Screw	
116-12-030	160683 160683	GNT Station Leg Locking Knob	
116-12-040	554393 160690	GNT Station Leg Knob Screw	
116-12-050		GNT Station Hinge	
116-12-060	-	GNT Station Shoulder Strap	
116-12-015	54393 182975	GNT Station Pro Telescopic Leg 36 mm	
116-11-060	054393 182531	Tilt Spray Bar	
116-11-120	554393 189301	QR Umbrella Arm 15	N
116-11-130	54393 189318	QR Umbrella Arm 35XL	N
116-11-100		QR Kompass Feeder Arm	N







THE SIGNATURE

Well known among all European match anglers, since long time GNT logo communicates a sense of innovation and reliability: a signature that represents the Trabucco quality.



THE STABILITY

Legs of 36 mm diameter drastically improve the fishing station's stability. So the comfort level raises, and consequently the concentration about fishing action also grows.



THE ACCESSORIES

All accessories and supports have in common two rubber adaptors, which allow its application on any existing leg, either having a square or circular cross section.



180° CONCEPT

The leg's adjustment knobs work by traction and are connected to a non-marking device, but the concept that makes them quite unique is their operability along a 180 degrees arc. This means that they can be rotated to reduce the volume of the seatbox during transport as well



THE DESIGN

The GNT X36 seatboxes born from a project that takes into account the functions, but, being a product of Italian creativity, it puts the elegance of the shapes on the same level of importance.

A shock to the seatbox world comes once again from Trabucco brand, which breaks into the match fishing scene with an extraordinary concept of fishing station: GNT X36, whose name was inspired by the diameter of the legs to communicate with some effectiveness the new, concrete feeling of stability that the product is able to guarantee. The idea, the materials used, the innovative technical solutions and the extreme adaptability to the personal needs of the user make it a cutting-edge seatbox, as already witnessed by the attentions reserved to it from the angling public during the first exhibitions. The everybody's sympathy arose immediately after the announcement that the aluminum frame is available in three different colors: white, red, black, offering fans the embarrassment and pleasure of choice, because the three combinations are all guite attractive. Then it was the turn of the technical details: above all the innovative leg locking system, which is operated by knobs which are active along a 180 degree arc. So you can reduce the volume of the seatbox during transport, but also on the banks, because the knobs don't protrude from the frame profile. Finally, the extreme flexibility of the Connect X36 concept, which provides the possibility of applying the wide range of accessories to any existing seatbox, indifferently with square or round section legs.

FEATURES

- "Innovative aluminium tubular frame
- Six legs Ø 36 mm, four of which are telescopic: the two on back side feature a level and a bush for quick umbrella fitting, with safety screw; the other four carry a screw bush for the application of any accessory.
- Wide, tilting mud feet; beyond the standard models, supplied with the seatbox, special versions are also available with stainless steel feet and grips for steep banks (fitted on optional legs).
- Sliding aluminium footplate, with front hole for keepnet fixing
- · Non-marking screw knobs
- Gel padded cushion with pole recess, decorated by a colour band which definitely marks
- Twin system of air bubble levels: one on top of a leg, the other on back side of the frame
- Padded, adjustable length shoulder strap
- Top accessory drawer 4 cm deep, plus a side drawer 2 cm deep
- Removable drawer stack, made of:
 - upper drawer 4+2 cm deep
 - intermediate drawer 4 cm deep, with 2 front drawers
- lower drawer 2+2 cm deep
- Fittings for Trolley Kit (116-25-220, available separately)
- Compatibility with all existing Genius drawers and modules, including the GNT Roto cushion (item nr. 116-05-080).

OPTIONAL ACCESSORIES

- Seat cushions
- Drawers
- Drawer's partitions
- Trolley kit with pneumatic wheels
- · Pole front bars (standard and wind version)
- Side trays, with and without cover
- · Accessorie's rests (for keepnet, umbrella, bucket, bowl)
- · Pole kit rests
- · Feeder & Match Arm
- · Legs with plastic or stainless steel foot











GNT-X MODULES

A wide range of spare accessories is available as optional.

WATERPROOF LID

116-22-040



MAXI FRONT DRAWER



116-22-070

2X FRONT DRAWER





SPACER STANDARD DRAWER



116-22-010

SIDE DRAWER



116-22-020

40H DEEPER



116-22-060

40H DOUBLE WINDER UNIT



116-22-050

X-36 TROLLEY KIT






BUCCO

LEGS

Four are the optional spare legs. Next to the two with classic high strength ABS foot, shine the two Armor legs, featuring the stainless steel foot, equipped with teeth for optimum grip on the most difficult grounds. Each Armor leg is provided with cover for transport in the car.



116-30-005

116-30-010 116-30-015

116-30-020

116-30-080

SPARE PARTS



		MODEL
116-30-025	8 054393 127006	GNT-X36 Leg Top Threaded Cap
116-30-030	8 054393 127013	GNT-X36 Leg Top Level Cap
116-30-035	8 054593 127020	GNT-X36 Accessory Knob Screw
116-30-040	8 054393 127037	GNT-X36 Spare Leg Screw Knob
116-30-045	8 054393 127944	GNT-X36 Spare Hinge

GNT-X36 Fix Leg

GNT-X36 Tele Leg

GNT-X36 Armor Tele Leg

GNT-X36 Armor Tele Leg

GNT-X36 Leg Extender 2pcs/Set

50

50/35

50

80/40

30



25mm QUICK RELEASE SYSTEM GNT X-Connect is an innovative range of accessories designed to offer a great compatibility, across different seat boxes, and versatility with tremendous easy and fast operations. GNT X-Connect accessories can fit any round leg ranging from 25mm to 36mm in diameter, and the open clamping design let the angler to fit the accessory directly on the leg at any height without needing to slide it from the top, and it can be done without the need of any adap-

ters! The unique tangle-free design and ergonomic knobs complete the GNT X-Connect making this the perfect solution for the most















SIDE PLATFORMS WITH COVER

demanding anglers!



≅TRABUCCO

SIDE TRAYS












BUCKET HOOP & BOWL

BOWLS






GNT-X36 FEEDER ARM & KIT REST


















116-26-100 **GNT-X Connect Front bars with EVA** 116-25-190 GNT-X36 Front Bar Windproof

™TRABUCCO

CUSHION + DRAWER TX RIVER



CUSHION + DRAWER TX



054393 038241 116-05-058

GNT PRO cushion + side drawer



8 054393 038272 116-05-075

SIDE DRAWER + UPPER ROOM



8 054393 038104 116-05-010

GENIUS LID with handle



GENIUS LID WITHOUT HANDLE



PLASTIC DIVIDER FRONT DRAWER



116-10-245


MODULE ORGANISER SET





The Connect logo identifies a wide range of accessories, designed for the application to legs of circular cross section with 25-30-36 mm diameter, but which can also be applied on square cross section legs, with 19-20 mm side, thanks to the adapters supplied. The accessories of the X36 Connect range thus offer a robust and reliable connection which can be used on any existing seatbox. The Tangle-Free design and ergonomic knobs complete the GNT X36 Connect system, making it an ideal solution for the most demanding match anglers.





SIDE TRAYS





	MODEL	cm
116-25-100	GNT-X36 Side tray	51x36

		MODEL	cm
116-25-110	8 054393 127129	GNT-X36 Side tray with bowl	51x36

SIDE TRAY

UMBRELLA ARMS







EVA RIPPLE ARMS



ROD RESTS & UMBRELLA ARMS





The range of accessories, designed for the application to legs of circular cross section with 25 mm diameter.





TO TO A DAPTIVE









Custom mold and attention to detail make these seatboxes unique in their kind. Each element is designed to provide a distinctive and high-quality experience. Lightweight, comfortable, incredibly robust, and remarkably compact during transport: here is the revolutionary Titan XR5 fishing seatbox series by Trabucco. Designed to provide both lightness and stability through its minimalist and innovative structure, this series features a "5X" configuration, making it one of the most modern and captivating solutions on the market, with an impressive quality-to-price ratio. Fully customizable, this series adapts to every need through endless combinations, leveraging the extensive range of compatible accessories and components. The legs, with a 36mm diameter and mud-resistant feet, enable you to establish your fishing spot on any type of terrain. Titan XR5 offers a complete and meticulously crafted fishing station.

NEW TITAN XR5 CROSS DRAWLER



116-13-150

It is certainly the most sophisticated and complete of the Titan XR5, because it offers a multitude of spaces for rigs, accessories and terminal tackle. Starting from the bottom, you will find the base of 13 cm, common to all models. Then a pair of front drawers, a side-scrolling drawer and finally a standard 4-centimeter drawer. Included is the padded shoulder strap.









NEW TITAN XR5 ACCESSORIES

The Titan line of accessories and components offers the possibility to integrate and customize all XR5 seatboxes with interchangeable elements of absolute precision and reliability. Overlapping different modules, the most committed competitors can create an additional drawer with various rigs, always ready to bring along when field conditions are hard to predict.

	MODEL
8 054393 191182	Titan XR5 * Comfort Cushion
8 054393 191205	Titan XR5 * Pole Cushion
8 054393 190963	Titan XR5 * Footplate
8 054393 115874	Titan XR5 / Genius Box * Module H40
8 054393 115881	Titan XR5 / Genius Box * Module H80 / 2x Front Drw
8 054393 115898	Titan XR5 / Genius Box * Module H80 / 1x Side Drw
8 054393 160423	Titan XR5 / Genius Box * Cross Drawers 2+1
8 054393 160485	Gnt Station * Rod Rest 36 / Set
8 054393 160454	Titan XR5 / Genius Box * Fix Leg 36mm
8 054393 160461	Titan XR5 / Genius Box * Telescopic Leg 36mm
	8 054393 191182 8 054393 191182 8 054393 190963 8 054393 115887 8 054393 115887 8 054393 115887 8 054393 116888 8 054393 160423 8 054393 160423



GENIUS SDX36



of line, hook's bags and more.









116-71-16		3
MODEL		
Genius Box Comfort Cushion	8 054393 160430	116-71-060
Genius Box Pole Cushion	8 054393 160447	116-71-070
Genius Box Module H40	8 054393 115874	116-71-010
Genius Box Module H80 2x Front Drawers	8 054393 115881	116-71-020
Genius Box Module H80 1x Side Drawer	8 054393 115898	116-71-030
Genius Box Cross Drawers 2+1	8 054393 160423	116-71-040
GNT X36 Rod Rest 2 pcs Set	8 054393 160485	116-11-020
Genius Box Fix Leg 36 mm	8 054393 160454	116-71-150
Genius Box Telescopic Leg 36 mm	8 054393 160461	116-71-160

116-71-150

GENIUS

A very, very interesting range of seatboxes which stands for the general quality and customization options, created to fulfill the space between the fantastic high-end products and more elementary fishing seats. With the diameter of

25 mm, the legs actually accept any accessory from the Genius and Universal Clamp lines: side trays, rod holders, supports for the keepnet and for the bucket, trays holders and umbrella arms, allowing to definitely increase their level of comfort. Thanks to the available modules, the user can adapt the seatbox configuration to his personal needs.

GENIUS \$102 LIGHT





116-70-300

Model characterized by the back rest, which is padded as well as the cushion and folds down for transport. All other components are identical to those of basic model S1 Light. Due to its general characteristics, stability and practicality, this seatbox is also ideal for boat fishing. Of course you can increase its capacity by inserting modules H40 and H80 (the latter with front drawers or side drawer), available separately

GENIUS S1 LIGHT





but it is the only one to be equipped with carrying handle and clips for attaching the legs to the bottom of the container. Thus the seatbox assumes a compact volume, to find space in the narrower car booth but also on a scooter. The lower compartment, of 40 x 30 cm, 13 cm deep, is able to accommodate accessories and reels. and is closed by the cushion. The seatbox can be customized with modules H40 and H80 (the latter with front drawers or side drawer), available separately.

It's the simplest model of the entire range,

















GENIUS \$101 LIGHT

Born from the S1 Light model, to which a module H40 has been added. The lower compartment is identical, while the middle drawer is 5.5 cm deep. Additional optional modules H40 and H80 can be disserted at later stage, building a seatbox on the basis of personal taste to store ready-made rigs, feeders and any other accessories.



116-70-200

GENIUS BOX S FOOTPLATE

With the creation of a specific footplate, grows the usability of the Genius seatboxes, which can now face the most uncomfortable banks. The footplate is available as optional, and accepts a wide range of accessories, from Clamp 36 to all those of the Connect family, which include adapters for the 25 mm legs, up to the Flexi Chair ones that born for legs of the same diameter.

- Aluminium tubolar frame
- Round legs Ø 25 mm
- · Wide, tilting mud feet
- · No-marking handscrews
- Folding at 90° for easy transport





The footplate folds back at 90° for easy transport.

116-70-000

A simple range of modular units, designed to allow the seatbox to be customized or tuned according to the personal needs of the user. The four clips also act as a hinge, allowing the opening of the drawers from both sides.

		MODEL
116-10-075	8 054393 038524	Rod Rest (2 pcs)
116-71-010	8 054393 115874	Genius Box Module H40
116-71-020	8 054393 115881	Genius Box Module H80 2x Front Drawers
116-71-030	8 054393 115898	Genius Box Module H80 1x Side Drawer
116-71-040	8 054393 160423	Genius Box Cross Drawers 2+1







FEEDER STATION WITH REDUCED DIMENSIONS

30mm

AND GREATER

STABILITY

GENIUS PRO FEEDER STATION

Beautiful fishing chair: large, stable, comfortable and, above all, rotating to follow the user's needs, who while fishing is continually moving to the right and to the left to pick up the bait, to load a feeder, to catapult loose bait, to tie a hook, to bring the landing net. Fitted on top of a sturdy aluminum frame, it has a fully padded cushion and back rest. With folded backrest and legs fixed to the dedicated clips, the chair takes a small volume in any car. The legs of 30 mm diameter, equipped with wide, tilting mud feet, accept all the accessories of the XPS Clamp-On.

- Strong aluminium frame
- Rotating and padded seat, with folding back rest
- Two front telescopic legs Ø 30 mm
- Two back legs Ø 30 mm with fixed length
- Wide, tilting mud feet
- Completely folding for easy transport

116-70-510











eder Chair, which can offer excellent comfort for the larger dimensions of the seat, for the higher ground clearance and the reclining backrest, which culminates with a padded headrest. Unchanged the useful carrying bag that lets you store the chair in the car booth preventing mud and water from damaging it. The four telescopic legs are equipped with tilting feet, while four angled arms, having adjustable height and a diameter of 25 mm, allow the user to apply any accessories. The chair is supplied with a convenient side tray.



Special devices allow you to adjust the extension and The accessorie's sticks orientation of all four side arms.









Two large knobs enable to modify the angle of the back rest.





117-25-200

Simple, lightweight and extremely practical, this feeder chair has already gained the trust of thousands of fans across Europe. It comes in an elegant zippered bag, with carrying handles, and offers four telescopic legs with tilting feet, to easily adapt to any ground profile. Built on aluminum frame, painted in black, has a seat made from rugged fabric, with padded backrest. The package includes four angled arms to fit accessories, one of which is telescopic and adjustable, two rod rest heads (feeder and match) and a comfortable side tray.

GENIUS SPECIALIST FEEDER ARM

The beauty of the feeder chair is the chance to customize it with a thousand of accessories, turning it into a complete fishing station, to have everything at hand. Beyond the feeder arm and practical bowl with adjustable tilting, visible here at right, the Genius Pro Feeder chair accepts all accessories of the Flexy Concept and GNTX36 Connect ranges.



116-15-130







Rod and reel not included.

CL@MP36





Line of multifunctional arms, suitable for any existing seatbox or feeder chair, and useful in any field of sport fishing. Thanks to the innovative "Clamp" system, the body of these accessories opens like a clamp, allowing it to be inserted into the preferred position even if the leg already houses one or more accessories. But there's more. In some accessories. marked with the Easy Switch logo, a removable threaded head allows the accessories to be interchanged.



A practical lever frees the Easy Switch threaded head



The supplied adapter set allows the accessories to be applied on legs with a round section of Ø up to 36 mm, or with a square section of 20 mm





















EASY SWITCH ADAPTER

Easy Switch Adapter is the perfect solution to apply a fast release system to your banksticks or seatboxes accessories. Easy Switch Adapter offers a robust and secure locking system, that will allow you to swap between your accessories in a while. Fitted with a standard thread to be positioned on any bankstick or seatbox accessories.



- · Strong and durable construction.
- Let you switch between your favourite accessories in a while.
- Fits all the Trabucco accessories and not only (Standard 3/8 thread)
- · Corrosion and wear resistant brass thread
- · Individual blister pack.

086-19-100 8 054393 173744 10

BUTT JAW GRIPPER



The soft jaws offer a tight grip in every conditions, reducing the chance to accidentally move the rods and avoid the rods to slide forward, while still allowing you to remove the rod smoothly when a fish is hooked or a recast is required.

BUTT FAST GRIPPER

The oversized mouth let the anglers easily find and position the rods every time in the correct position, without the need to take off the eyes from the tip both of a feeder rod or the float. The rubber gauge offer a tight grip in, avoid the rods to slide forward or to keep the rods in place even during the most powerful of bites.



086-22-310

ANGLE MULTI LOCK

Multi Angle Lock is designed to offer a robust tilt locking system to let anglers position correctly any accessories with ease.

 Fitted with a standard thread to be positioned on a bankstick or any seatbox accessories • 0° and 90° position achievable by button





XPS ADJUSTABLE LOCK NUT

Small but essential accessory to fix any rod rest or bite alarm to the top of a bankstick, obtaining the desired alignment for a comfortable and efficient fishing action. The ergonomic shape of its outer perimeter facilitates its use even at low temperatures, providing good finger's grip.



XPS FEEDER REST EVA RIBBED





The new XPS series is a clever and versatile line of devices, ideal for any fishing style - from pole to waggler, feeder and carp. This series is made from strong and durable ABS material - which remains fully comfortable even at low temperatures. Every device has a smooth edge, on order to prevent line's damage, in addition of a durable bottom brass screw. Each device adopts an "easy to place" solution, that'll help you to find your ideal set up.

XPS PRO REST SET 3 RODS

- Strong yet light aluminium frame with compact design
- User friendly knobs
- Three removable tubes with adjustable angle
- Adoptors included to fit 25 and 36 mm round legs











XPS PRO FEEDER ROD REST-STRAIGHT





Brass screw with adjusting nut and rubber protective can.



086-23-320

XPS PRO FEEDER ROD REST

		cm	POI
086-23-330	8 054393 165275	30	5
086-23-340	8 054393 165282	50	5
086-23-350	8 054393 000330	40	5



XPS FEEDER BUTT REST - MINI U





Et lacillab im rectis quaspero que pedis eris dolorep edignis

		MODEL	
086-22-080	8 054393 117243	Mini U	5

XPS FEEDER BUTT REST

		(MODEL)	
086-22-060	8 054393 117229	XPS Feeder Butt Rest - Mini L	5
086-22-070	8 054393 117236	XPS Feeder Butt Rest - Small L	5

₹TRABUCCO

ROD REST MULTI ANGLE LOCK L



086-22-200

ANGLE MULTI LOCK

Trabucco Multi Angle Lock is designed to offer a robust tilt locking system to let anglers position correctly any rod rest with ease. Just by simply press the button on the

body and tilt the rod rest to the required angle. The rod rest is designed to preserve the line and keep the rod in place in all conditions. Multi Angle Lock with is fitted with a standard thread to be positioned on a bankstick or any seatbox accessories.

ROD REST MULTI ANGLE LOCK U



086-22-210

ROD REST MULTI ANGLE LOCK U



086-22-220 Small 15 cm

086-22-230 Large 20 cm

TRABUCCO

GNT EVA POLE SOCK




			106-15-715
		MODEL	FO
106-15-710	8 054393 150721	Eva Double Sock	5
106-15-715	8 054393 150738	Eva Single Sock	5

22/19 mm

125x220

088-55-920

Ergonomic knurled knobs.



The driver bar is hiding inside.

Point with sturdy steel auger.



GNT POLE ROD REST SYSTEM

Advanced kit rest system, avalaible in set (front and back) or individually. All items match the GNT Tripod, a stable and versatile support also accepting the «V» rollers.

- Windproof EVA slots
- Reinforced corners
- · Ultralight aluminium frame
- Brass screw



086-23-010





086-23-010

Front AW & Back Rest 12 slots -Front XL/AW 15 slots Front XXL/AW w20 slots

MODEL

086-23-030

GNT PRO-TRIPOD x-LARGE 2X

Indispensable for the support of rod rest and "V" pole rollers, this sturdy yet light tripod is structured from tubular aluminum, with conical points for effective penetration into the ground. Telescopic legs have an adjustable length from 60 to 100 cm, while the central stick is adaptable in height by a convenient lever. In case of hard banks, the tripod can be stabilized by hanging a bucket of water on the appropriate hook.

- · Aluminium frame with EVA sleeves
- Telescopic legs with conical point
- Adjustable central stick
- · Hook to apply a counterweight

086-21-710















ANN THURSDAY

XXX

088-56-100

FIBERGLASSUMBRE FORM & PERFORMANCE

GNT-X PRO FIBERGLASS UMBRELLA

- Heavy-duty and lightweight construction
- Windproof 8mm fiberglass ribs for the most adverse weather conditions
- Strong, durable yet lightweight PE fabric with PU backing with highest waterproof rating
- Reinforced and completely waterproof taped seams
- Strong locking system with 'no-fail' mechanism
- · Advanced Angle tilt function entirely alloy built
- Improved design to deliver higher headroom
- D-rings pegging points for secure pegging in windy days (pegs and ropes are provided as standard)
- Heavy duty central pole with screw drive tip
- Nylon carry bag included



		(MODEL)
108-52-700	8 054393 003331	PE 250
108-52-710	8 054393 003348	PE 270









GNT-X SUN TEK FIBERGLASS UMBRELLA

- Octagonal design to offer four convenient long sides
- · Heavy-duty and lightweight construction.
- Windproof 6mm fiberglass ribs for the most adverse weather conditions
- Strong, durable lightweight PE fabric with UV-Proof backing for additional protection.
- Triple reinforced seams.
- Strong locking system with "none-fail" mechanism.
- Advanced Angle Tilt Function entirely alloy built.
- Improved design to deliver higher headroom.
- · D-rings pegging points for secure pegging in windy days (pegs and ropes provided).
- Heavy duty central pole with screw drive top.
- · Nylon carry bag included.





cm 250x250 108-52-720



Sturdy 6 mm **FIBERGLASS**





The metal pegs and the rope anchor the umbrella to the ground, securing it from gusts of wind.



Some rings at the end of the ribs are useful to connect the umbrella to the safety pegs supplied.

GNT MATCH UMBRELLA PE

It is much more than a good umbrella. The sheet is water repellent, thanks to the PE fabric, while the provision of the steel auger pole and the fixing pegs to the ground allow you to deal with any weather condi-







Supplied with a metal stick to be inserted in the dedicated hole to easily operate the auger

The pole ends with a steel auger point, which is designed to penetrate the hardest grounds.

MODEL

PE 250

GNT X-PRO SIDE TRAY UMBRELLA



- Heavy-duty and lightweight construction.
- Windproof solid steel ribs for the most adverse weather conditions.
- Strong, durable lightweight PE fabric with PU backing and highest waterproof rating.
- Reinforced and completely waterproof taped seams.
- Strong locking system with "none-fail" mechanism.
- Advanced Angle Tilt Function with dual coverage options.
- Improved design to deliver improved protection.
- D-rings pegging points for secure pegging in windy days.
- Heavy duty central pole.





COMPETITION UMBRELLA PU

- · Heavy-duty and lightweight construction
- Windproof solid steel ribs for the most adverse weather conditions
- Strong, durable yet lightweight 190D fabric rain-proof
- Reinforced seams

- · Strong locking system with 'no-fail' mechanism
- · Advanced Angle tilt function
- · Heavy duty central pole
- · Nylon carry bag included





108-52-410



UMBRELLA HALF TENT PU

- · Heavy-duty and lightweight construction
- Windproof solid steel ribs for the most adverse weather conditions
- 5/8 side panels with clear windows
- Removable side panels with zippers
- Strong, durable yet lightweight 190D rain-proof fabric
- Reinforced seams
- Strong locking system with 'no-fail' mechanism
- Advanced Angle tilt function
- Heavy duty central pole
- Nylon carry bag included





108-52-300















ULTRA SHELL FIBERGLASS

- Heavy-duty and lightweight construction
- Windproof solid 6mm fiberglass ribs for the most adverse weather conditions
- Strong, durable yet lightweight 210D fabric with PU backing with highest waterproof rating
- Reinforced and completely waterproof taped seams
 Strong locking system with 'no-fail' mechanism
- Advanced Angle tilt function
- D-rings pegging points for secure pegging in windy days (pegs and ropes are provided as standard)
- Heavy duty central pole
- · Nylon carry bag included









		MODEL
108-52-600	8 054393 004000	PE 250
108-52-610	8 054393 004017	PE 270

XTR SURF SHELTER

- Heavy-duty and lightweight construction
- · Windproof solid steel ribs for the most adverse weather conditions
- Strong, durable yet lightweight 210D fabric rain-proof with UV protection backing
- · Triple reinforced seams
- Side ventilations panels
- Improved wind resistant design to deliver higher headroom
- Strong locking system with 'no-fail' mechanism
- Advanced Angle tilt function
- · D-rings for secure pegging in windy days (pegs and ropes are provided as standard)
- Heavy duty central pole
- · Nylon carry bag included







HEAVY DUTY



LONG NOSE





Featuring textured jaws for a more secure hold, split-ring opener, built-in crimper, lure tuner grooves and a mono/wire cutter.



Featuring textured jaws for a more secure hold, built-in crimper, lure tuner grooves and a mono/wire cutter.

		MODEL	cm	
101-48-110	8 054393 166456	HEAVY DUTY 6"	16	6
101-48-120	8 054393 166463	LONG NOSE 8"	20	6

X-LONG NOSE



Featuring textured jaws for a more secure hold, these are ideal for dealing with toothy fish, the extra length will help to dehook fish

HD WIRE CUTTER



Featuring heavy duty hardened jaws for a longer cutting life, the jaws will help you to cut everything you may need to, from wire to treble hooks.

		MODEL	cm	PCI
101-48-130	8 054393 166470	X-LONG NOSE 11"	28	6
101-48-140	8 054393 166487	HD WIRE Cutters 7"	18	6



HI-STRETCH HYBRID ELASTIC SOLID CORE

Manufactured from the very highest quality raw materials available and to the strictest quality standards, using the solid core hybrid technology. Super smooth and extra soft even when under pressure, Trabucco Hybrid Elastic is designed to land big fish with ease, delivering progressive power with low diameters.

- · Hi-Stretch & Endurance
- Progressive Power
- Controlled Stretch
- Super Soft & Smooth
- Solid Core Natural Latex
 Wear & Flements Resistant
- Ultra Slick Surface
- Self-Lubricated

		m	mm@	ภ	PCI
		milli	[IIIII]	<u> </u>	
102-04-010	8 054393 004208	5	1.00		5
102-04-012	8 054393 004215	5	1.20		5
102-04-014	8 054393 004222	5	1.40		5
102-04-016	8 054393 004239	5	1.60		5
102-04-018	8 054393 004246	5	1.80		5
102-04-020	8 054393 004253	5	2.00		5
102-04-022	8 054393 004260	5	2.20		5
102-04-024	8 054393 004277	5	2.40		5
102-04-026	8 054393 181381	5	2.60		5
102-04-028	8 054393 181398	5	2.80		5



HOLLOW ELASTIC MATCH POV

In pole fishing, the elastic is a vital element, replacing the rod's lack of elasticity when it's time to protect the hooklink from breakage risk under extreme tension. That's why we have taken advantage from latest technologies to deliver a top quality product.

- Super Soft & Smooth
- Controlled Stretch
- Double Core Natural Latex
- Wear and elements resistant
- High Visible colours
- Self-Lubricated





Made from self lubricating natural latex with Double Core structure which adapts the reaction to the applied stress



Individually packed in aluminium bags for complete protection; bags are easily sealable after using part of the content.

HI-LAYER MATCH

Designed for silver fish or winter commercial carp, it's super soft and smooth even under high tension, to keep the fish more quiet and avoid those detestable hook pulls.

- Hi-Performance Match Grade
- Designed for Silver Fish
- Super Soft & Smooth

		mmn	mm⊘	POI
101-96-120	8 054393 175373	5	1.25	5
101-96-150	8 054393 175380	5	1.50	5
101-96-180	8 054393 175397	5	1.80	5
101-96-200	8 054393 175403	5	2.05	5



HI-LAYER POWER

Perfect for commercial Carp or any other big fish in open waters, it's made with different layer's thicknesses to provide high stopping power and never ending protection.

- Designed for Carp & Big Fish
- High Tensile Strength Power
- Micro Bore



5_m

		mlimi	mm	0	PCI
101-97-190	8 054393 175410	5	1.90		5
101-97-210	8 054393 175427	5	2.10		5
101-97-230	8 054393 175434	5	2.30		5
101-97-250	8 054393 175441	5	2.50		5
101-97-270	8 054393 175458	5	2.75		5
101-97-300	8 054393 175465	5	3.00		5



XPS POWER CORE HOLLOW ELASTIC

Manufactured from the very highest quality raw materials available and to the strictest quality standards, using the twin core hollow system. The core is strong and durable, making it more powerful, while the outer layer increase smoothness. Power Core not only stretches further than any other elastic on the market, but also retracts faster, which is without doubt a massive benefit on landing bonus fish faster.

- · Double Core Latex
- Smoother Surface
- High Stretch
- · Retracts Faster
- **Dualphase Action**
- · Self Lubricated

		m	[mmØ]	SIZE	
102-05-230	8 054393 034946	3	2.3	10-14	5
102-05-250	8 054393 034953	3	2.5	12-16	5
102-05-270	8 054393 034960	3	2.7	14-18	5











XPS FLUORO POWER LATEX

Super silicon treated solid elastic, supple and forgiving on the strike and produced by pure latex. The innovative extruding process allows to obtain a perfectly round profile, with an high and progressive stretch factor and it retracts faster inside the pole. Supplied in 10 or 7.5m spools according to the size, produced in high visibility colors and ultra-resistant to wear, it's the first choice of the Ravanelli Team Trabucco.

- 100% Pure Latex
- Super Smooth with Slip Silicon treatment
- Highly visible fluorescent colours
- High action
- Retr
- · Produced to be more forgiving on the
- Supplied in 10m or 7.5m spools

 High factor stretch and dual-phase action Retract faster inside the pole 	,	styles		Sizes to	cover all fishing	
	mim)	mmØ	SIZE	PCI		APS FLUOR
102-02-080	10	0.8	4	10		7.5 METERS
102-02-090	10	0.9	5	10		POWER
102-02-100	10	1.0	6	10		FLUCT
102-02-120	10	1.2	8	10		TOURINAMEN S
102-02-140	10	1.4	10	10		7.5m FLU POWER
102-02-160	7,5	1.6	12	10		Auto (association in the state of the state
102-02-180	7,5	1.8	14	10		
102-02-210	7,5	2.1	16	10		warm 3

POWER LATEX HYPER STRETCH

With its unique ability to display a smooth, endless stretch, this solid elastic is ideal for big fish, especially when their capture occurs close to the bank or on top water. Immediately after the strike, the fish exhibits a fast and powerful run, which of course can break the line; with Hyper Stretch, however, the stress of the first impact is totally absorbed, and the subsequent movement of the fish is slowed down, with lower risk that it disturbs the other fish feeding in the same swim.

- 100% Hyper Stretch Pure Latex
- Super Smooth with Slip Silicon treatment
- Highly visible fluorescent colours
- · High factor stretch and dual-phase action
- · Retract faster inside the pole
- · Produced to be more forgiving on the
- · Supplied in 10m or 7.5m spools

	mini	mm⊘	POP
102-03-220	5	2.2	10
102-03-240	5	2.4	10
102-03-260	5	2.6	10

XPS DOUBLE FLUORO LATEX

This high quality latex elastic has been developped to make the threading of the popular Double Elastic easier. You can now elastic your top kit as you did with a single strand and once threaded the Double Fluoro can be easily separated into a perfect Double Elastic System. Comes in 6m spools to elasticatate up to two top 3.

- 100% pure latex
- Developed to make elastication easy
- Strands can be separated once fitted
- Produced to be more forgiving on the strike
- Highly visible fluorescent colours
- Super smooth
- Supplied in 6 metre spools
- Available in 5 sizes to cover all fishing styles

		m	mmØ	PCI
102-00-070	8 054393 034748	6	0.7 x 2	10
102-00-080	8 054393 034755	6	0.8 x 2	10
102-00-090	8 054393 034762	6	0.9 x 2	10
102-00-100	8 054393 034779	6	1.0 x 2	10
102-00-120	8 054393 034786	6	1.2 x 2	10



XPS ELASTIC PROTECTOR

When the pole top kit is disassembled for transport, the elastic rubs against the top and second section's walls, thus risking to get damaged. The best way to avoid such danger is to use an elastic protector, a plastic clip which features a smooth canal in which the elastic is totally safe. Beyond this primary role, the clip also holds the two sections together with its arms. XPS Elastic Protector differs from standard models because it features extra long arms, which avoid losing it.

· Made from soft and smooth plastic compound

- Programmed elasticity and extra long arms enable it to
- · Designed to accept any elastic diameter, solid or hollow
- When the kit is stored vertically in the holdall, the elastic doesn't touch the bottom, getting extra protection
- · Assorted colours to help elastic's identification

		SIZE	XXX	PCI
104-00-000	8 054393 176332	XL	5	10



XPS ROD ELASTIC HOOK HOLDER

The easiest and quickest way to fix the hook to the rod when it's not in use, keeping the line tight enough to prevent tangles and to protect the hook from snagging on the bank. he hard wearing rubber which they are made from can be easily stretched at least up to double diameter, while the band can be moved up and down the rod's butt to look for the best position. The available sizes suit any rod's diameter, from a super slim Lake Trout model to a large pole section.

		MODEL	mm⊘	XXX	PO
104-00-011	8 054393 176349	S	13.5	10	10
104-00-012	8 054393 176356	М	18.5	10	10
104-00-013	8 054393 176363	L	25.0	10	10



POWER SILICONE SLEEVE

Designed for the demanding angler and made from selected material to guarantee high performance and long life, this silicone tube is made in natural colour to be unobtrusive under water and to maximise stretch.

- Hi-Quality Silicone
- Accurate Diameters
- · Robust & Easy to Use
- · Available In Popular Diameters
- Uncut To Allow Custom Lengths



COMPETITION
X-FINE SILICONE

Designed for the competition angler and made from selected material to guarantee high performance and long life, this silicone tube is colour coded to allow immediate identification by the user while tying rigs.

- Hi-Quality Silicone.
- Accurate Diameters.
- · Colour Coded for Easy Identification
- · Fits All Stem Materials and Diameters
- Uncut To Allow Custom Lengths.

	RECOMMENDED BY
JS.	SIZE 0.3mm
	Length 1m
	Conger in
	100000000000000000000000000000000000000
	X-25-0-0
	2.27
	20 - 1000000
	300
tion.	(C-2000)
ieters.	
	1
	www.TR/
	m mma (

		استسا	[mmØ]	PCI
100-16-303	8 054393 177179	1m	0.3	10
100-16-305	8 054393 177186	1m	0.5	10
100-16-308	8 054393 177193	1m	0.7	10
100-16-310	8 054393 177209	1m	1.0	10
100-16-312	8 054393 177216	1m	1.2	10
100-16-315	8 054393 177223	1m	1.5	10

TEAM MASTER BUNG EXTRACTOR

Made from high quality plastic. The set includes cone, extractor and winder.



		mmini	mmØ	MODEL	PCI
100-16-103	8 054393 177117	1m	0.3	Red	10
100-16-104	8 054393 177124	1m	0.4	Green	10
100-16-105	8 054393 177131	1m	0.5	Orange	10
100-16-106	8 054393 177148	1m	0.6	Light Blue	10
100-16-108	8 054393 177155	1m	0.8	Pink	10
100-16-110	8 054393 177162	1m	1.0	Black	10

EASY LOOP TYER

Perfect loops the same size every time. The loop tyer provides two sizes of loop to suit your fishing situation.









Pure PTFE internal bushes for a smooth and safe elastic running. Made with rounded upper end to protect the elastic even when the pole top kit is vertical for landing operation. Produced in six sizes, identified by different packaging colour. Each blister containing 2 identical bushes.



PTFE 100%





		mm⊘	XXX	PC 1
102-07-210	8 054393 121455	2.30	2	10
102-07-220	8 054393 121462	2.60	2	10
102-07-230	8 054393 121479	3.00	2	10
102-07-240	8 054393 121486	3.40	2	10
102-07-250	8 054393 121493	3.80	2	10
102-07-260	8 054393 121509	4.20	2	10

XPS PULLA & TOP BEAD





XPS CLUSTER BUSHES

Pure PTFE internal bushes for a smooth and safe elastic running. Made with rounded upper end to protect the elastic even when the pole top kit is vertical for landing operation. Set of three bushes, which allow to adapt the bore to elastic size, keeping the same tip bore, so the elastic can be changed while the feeling, action and length of top kit remain the same. Two models: Match & Carp with different bore size. Blister containing 2 identical sets.




PTFE 100%





		MODEL	XXX	PC
102-07-310	8 054393 121516	Match	2	10
102-07-320	8 054393 121448	Carp	2	10

XPS ELASTIC CONNECTOR



XPS COMPETITION PTFE BUSH



115-30-310




≣R	ADER	POLE ELASTIC THR

10

10

TRABUCCO FISHING PANCE 2024

GNT HOLLOW ANTENNA



Hollow





New series of hollow antenna perfect to face any situation where you need to customize your floats. Especially during competition, it can happen that you need to change quickly the antenna depending on fishing conditions, this product is wath you need. This Competition series are made using high visibility painting, wich makes possible to detect even the most delicate bite

		(MODEL)	mm	mm⊘	(XXX)	PC
001-05-415	8 054393 157249	GNT Hol- low XL	100	1.5	6	10
001-05-418	8 054393 157256	GNT Hol- low XL	100	1.8	6	10
001-05-420	8 054393 157416	GNT Hol- low XL	100	2.0	6	10
001-05-422	8 054393 157423	GNT Hol- low XL	100	2.2	6	10
001-05-425	8 054393 157430	GNT Hol- low XL	120	2.5	6	10
001-05-430	8 054393 157447	GNT Hol- low XL	120	3.0	6	10
001-05-435	8 054393 157454	GNT Hol- low XL	120	3.5	6	10

SLIDING HOOKED SNAP







FIX WAGGLER CONNECTOR



STRONG SLIDER CONNECTOR FEEDER





POWER BEAD & ANTI-TANGLE MICRO







DISGORGERS

		MODEL	XXX	
103-76-200	8 054393 149855	Small	2	20
103-76-210	8 054393 149862	Large	2	20

DISGORGERS

		MODEL	XXX	PC
103-76-150	8 054393 035677	Small	1	10
103-76-100	8 054393 035660	Large	1	10

XPS FLUO WINDERS RED

WINDER anchor

	XXX	PCI		3
104-20-100	10	10		

WINDERS

	MODEL	cm	PCI
V7 0009 07 02	Winder Narrow	25	100
V7 0009 06 00	Winder Large	20	100
V7 0009 07 00	Winder Large	22	100
V7 0009 07 01	Winder Large	25	100
V7 0009 08 00	Winder Large	30	100
V7 0009 08 01	Winder Maxi	30	100
V7 0009 09 00	Winder Maxi	35	100

SHOT TESTING TUBE



115-30-200 110cmx8cm



110-40-100	8 054393 148759	Orange	11.5x8x3.5	5
110-40-110	8 054393 148766	Lime	11.5x8x3.5	5



		WIODEL	لسلسا	
110-40-200	8 054393 148773	L	27x17x5	5
110-40-210	8 054393 148780	XL	35,5x22x5	5

385

GNT HOOKLENGTH MATCH WALLET

GNT HOOKLENGTH METHOD WALLET



		cm	PC	14
103-54-500	8 054393 152282	10x23x2	10	
103-54-510	8 054393 152299	10x33x2	10	



GNT READY HOOK CASE











GNT TACKLE CASE

Multi-purpose tackle box, useful to any fresh or saltwater angler. Two trays allow storing every sort of terminal tackle, floats, rigs, feeders, lures, lines, and reel's spools, but even catapults, thanks to removable partitions. A strong carrying handle and precise locking system make this box highly protective and user's friendly.

- Strong yet light handy tackle box with customizable compartments.
- Made from heavy duty ABS and Polycarbonate to last for life.
- Upper tray (5 cm deep) with transparent lid and removable partitions. Lower tray (7 cm deep) with removable partitions to get a single space.
- Feet designed to stack two or more boxes and to let the box stand up.
- Practical, collapsible handle and four safe locking clips.







8 054393 193553 39x27x13 112-10-010

RIG STORAGE WALLET 70&45





		MODEL	cm	PC
103-54-700	8 054393 152305	Wallet 6/70	9x24x3	3
103-54-710	8 054393 152312	Wallet 8/70	9x32x3	3
103-54-715	8 054393 152329	Spare Spool	Ø 70	10
103-54-750	8 054393 152336	Wallet 16/45	11x22x3	4
103-54-755	8 054393 152343	Spool 20/45	Ø 4.5	10
103-54-715 103-54-750	8 054393 152329	Wallet 16/45	11x22x3	10



103-54-000







10x15x7

MATCH SHOT & SINKERS



MASCOTTE GNT MATCH SHOT

High precision lead shots with calibrated softness to grant perfect grip along the line. Convenient plastic boxes with compartments.





SIZE	∆1∆ 9
8	0.06
9	0.04
10	0.035
11	0.03
12	0.02



		INOBEL	OILL	
092-10-510	8 054393 175472	S / Fine Round	8/9/10/11 /12	10

MASCOTTE GNT s / Large square

SIZE	∆† ∆ g
3	0.22
4	0.17
5	0.13
6	0.11
7	0.08



092-10-600	8 054393 175489	S / Large Square	3/4/5/6/7	10

MASCOTTE GNT XL / FINE SIZE $\left[\Delta \mathbf{j} \Delta g\right]$ 0.11 0.08 8 0.06 9 0.04 10 0.035 0.03 12 0.02 MODEL SIZE 6/7/8/9/10/ 092-10-610 XL / Fine







DISPENSER TEAM MASTER PRO-SHOT



		SIZE	∆† ∆ g	POI
092-06-080	8 054393 031662	8/0	2.000	30
092-06-070	8 054393 031655	7/0	1.500	30
092-06-060	8 054393 031648	6/0	0.960	30
092-06-050	8 054393 031631	5/0	0.790	30
092-06-040	8 054393 031624	4/0	0.680	30
092-06-030	8 054393 031617	3/0	0.470	30
092-06-020	8 054393 031600	2/0	0.420	30
092-05-000	8 054393 031464	0	0.390	30
092-05-001	8 054393 031471	1	0.295	30
092-05-002	8 054393 031488	2	0.271	30
092-05-003	8 054393 031495	3	0.221	30
092-05-004	8 054393 031501	4	0.177	30
092-05-005	8 054393 031518	5	0.135	30
092-05-006	8 054393 031525	6	0.112	30
092-05-007	8 054393 031532	7	0.088	30
092-05-008	8 054393 031549	8	0.070	30
092-05-009	8 054393 031556	9	0.055	30
092-05-010	8 054393 031563	10	0.040	30
092-05-011	8 054393 031570	11	0.035	30
092-05-012	8 054393 031587	12	0.022	30
092-05-013	8 054393 031594	13	0.020	30

DISPENSER PALLINI TFL COATED



	SIZE	Δ 1 Δ 9	
092-00-002	2	0.271	30
092-00-007	7	0.088	30
092-00-008	8	0.070	30
092-00-009	9	0.055	30
092-00-010	10	0.040	30
092-00-011	11	0.035	30



		₹ 2 g	POI
090-55-000	8 054393 031433	80	10
090-55-100	8 054393 031440	120	12

STAR DROPS WITH SILICONE TUBE





		∆1 ∆ 9	XXX	PCI
090-16-010	8 054393 031174	1.0	12	10
090-16-015	8 054393 031181	1.5	12	10
090-16-020	8 054393 031198	2.0	12	10
090-16-025	8 054393 031204	2.5	12	10
090-16-030	8 054393 031211	3.0	12	10
090-16-040	8 054393 031228	4.0	10	10
090-16-050	8 054393 031235	5.0	10	10
090-16-060	8 054393 031242	6.0	10	10
090-16-080	8 054393 031259	8.0	8	10
090-16-100	8 054393 031266	10.0	6	10
090-16-120	8 054393 031273	12.0	5	10
090-16-150	8 054393 031280	15.0	4	10





		∆1 ∆ 9	XXX	PCI
090-18-010	8 054393 031297	1.0	20	10
090-18-015	8 054393 031303	1.5	20	10
090-18-020	8 054393 031310	2.0	20	10
090-18-025	8 054393 031327	2.5	20	10
090-18-030	8 054393 031334	3.0	20	10
090-18-040	8 054393 031341	4.0	15	10
090-18-050	8 054393 031358	5.0	15	10
090-18-060	8 054393 031365	6.0	15	10
090-18-080	8 054393 031372	8.0	15	10
090-18-100	8 054393 031389	10.0	15	10
090-18-120	8 054393 031396	12.0	10	10
090-18-150	8 054393 031402	15.0	10	10





700		[<u>A</u>]	(XXX)	1201
093-05-020	8 054393 031846	2.0	5	10
093-05-040	8 054393 031877	4.0	5	10
093-05-060	8 054393 031891	6.0	5	10
093-05-080	8 054393 031907	8.0	5	10
093-05-100	8 054393 164643	10.0	5	10

XPS PRECISION LEAD PLIER





	∆† ∆ 9	XXX	PC
090-30-040	4.00	5	10
090-30-050	5.00	5	10
090-30-060	6.00	5	10
090-30-080	8.00	5	10
090-30-100	10.00	5	10



STYL PLIER	
101-40-560	10





STAR SPHERE INLINE

Calibrated lead balls, painted in matt black so as not to disturb the fish and cut to accommodate a silicone tube that protects the line way through and facilitates their movement even when they are locked. The ease of opening and closing the cut makes it possible to replace the sphere with another one having different weight, depending on the evolution of the fishing conditions, without having to break the main line. Originally developed for the rig's shotting of sliding wagglers or pole lollipops, they are also useful in deadbaiting, vertical spinning, river trout bottom fishing. In case of need, you can use multiple balls on the line at the same time, leaving them connected by a single tube's segment, a solution that prevents them from rotating around the line's axis.





		∆1 ∆ g	XXX	PO
090-20-020	8 054393 157003	2.0	6	10
090-20-025	8 054393 157010	2.5	6	10
090-20-030	8 054393 157027	3.0	6	10
090-20-040	8 054393 157034	4.0	6	10
090-20-050	8 054393 157041	5.0	6	10
090-20-060	8 054393 157058	6.0	5	10
090-20-070	8 054393 157065	7.0	5	10
090-20-080	8 054393 157072	8.0	5	10
090-20-100	8 054393 157089	10.0	5	10
090-20-120	8 054393 157096	12.0	4	10
090-20-150	8 054393 157102	15.0	4	10
090-20-180	8 054393 157119	18.0	3	10
090-20-200	8 054393 157126	20.0	3	10
090-20-220	8 054393 157133	22.0	3	10
090-20-250	8 054393 157140	25.0	2	10
090-20-300	8 054393 157157	30.0	2	10

TORPILLE RUN DROP

Thanks to their compact silhouette, these olivettes are perfect for shallow and fast running waters, where turbulence can affect rig's stability. Inner pipe and outer skin are made from durable rubber.



4,00

ME SILICONE TUBE ACCURATE DLIVETTE

5

10

ACCURATE OLIVETTE

090-21-040

In-Line machine cut lead olivettes, extremely accurate in weights for precise shotting. The line is threaded through the centre and silicone tube helps to protect the mainline.





VARY WEIGHT FEEDER DISTANT CAGE



The Vary Weight Feeders let you change the weight of the feeder in a while, choose different weights to adapt your approach and create a number of combinations between cages and weights. The weight forward design helps you to reach distances and the flat inner design helps your groundbait to work properly. Sizes Small, Medium and Large are all compatibles, while the XL features dedicated weights, designed to bait-up your fishing spot.

DISTANCE PAGE

	SIZE	لستسا	Δ <u>[</u> Δ 9]	PC
140-72-100	s	27x29	20+30	10
140-72-110	М	27x36	30+40	10
140-72-120	L	27x43	30+40	10
140-72-200	XL	33x50	20+35	10



140-72-110

140-72-100

Feeders and weight's sets are packed in nice and neat, colourful blisters.



140-72-120

140-72-200

The link to the rig is made by a strong, snag free



the weight is axial to the cage.



To reach great distances, the center of gravity of The end of the cage body is screwed to accept interchangeable weights.

VARY WEIGHT FEEDER WEIGHT SPARE SET



27m	nm VARY WEIGHT FEEDER	SIZE	MODEL	XXX	PCI
140-72-150	8 054393 174086	S/M/L	Light: 20g+30g+40g	3	10
140-72-160	8 054393 174093	S/M/L	Heavy: 30g+40g+50g	3	10
33m	nm VARY WEIGHT FEEDER	SIZE	MODEL	XXX	PO
140-72-250		XL	20g+35g+50g	3	10






AIRTEK FEEDER

A really wide choice of feeder that are useful for a number of fishing situations but that has been designed to always perform at best and helping you to get really big fish. Every shape, every size and weight, even every colour, has been carefully selected after a long time field testing made by our consultants in Italy and in the whole Europe.

AIRTEK OVAL WIRE CAGE



cts two wing to ht/volu-	140-59-
are also canals,	140-59-
danger	140-59-
its end the risk	140-59-
	140-59-
	440.50

		SIZE	$\Delta I \Delta g$	XXX	PC
40-59-310	8 054393 129222	S	20	2	5
40-59-320	8 054393 129239	S	30	2	5
40-59-330	8 054393 129246	М	30	2	5
40-59-340	8 054393 129147	M	40	2	5
40-59-350	8 054393 129154	L	40	2	5
40-59-360	8 054393 129161	L	50	2	5
40-59-370	8 054393 129178	XL	60	2	5
40-59-380	8 054393 129185	XL	70	2	5

AIRTEK BLACK WIRE CAGE FEEDER



Series of feeders featuring a high ratio between lead weight and body's volume, which makes it ideal for running waters, even particularly fast. Its strong structure protects it from hitting the stones and from the inevitable abrasions due to rubbing against sandy bottoms. The connection to line is cushioned by the twisted arm which links the swivel to lead's base.

		SIZE	₫ ₫ g	PCI
140-63-150	8 054393 118097	S	30	10
140-63-160	8 054393 118103	S	40	10
140-63-180		M	25	10



AIRTEK CAGE



This model features a limited volume/weight ratio, therefore it keeps the bottom also when the river is pushing hardly. The plastic frame can bear any shock, while the rubber o-ring absorbs the stress otherwise destined to the line. The internal teeth grip the groundbait during the most powerful casts.

		(SIZE)		PO
140-60-310	3 050885	S/20	2	5
140-60-320	3 050892	S/30	2	5
140-60-330	3 050908	M/40	2	5
140-60-340	3 05 09 15	M/50	2	5

AIRTEK WIRE CAGE FEEDER



			SIZL
t I	140-59-010	8 054393 050694	S
9	140-59-020	8 054393 050700	S
	140-59-030	8 054393 050717	М

140-59-050

 $\Delta \dot{\mathbf{J}} \Delta g$

30

20

30

40

XXX

2

2

2

PC

5

5

5

5

5

AIRTEK PRO ROCKET cage distance



	SIZE	<u>Δ</u> [Δ g	POI
140-71-810	S	20	10
140-71-820	S	30	10
140-71-830	S	40	10
140-71-840	M	20	10
140-71-850	M	30	10
140-71-860	M	40	10
140-71-870	М	50	10
140-71-880	L	30	10
140-71-890	L	40	10
140-71-900	L	50	10

AIRTEK PRO BAIT-UP cage







		mm	<u>Δ</u> † Δ g	
140-71-910	8 054393 165169	60x40	20	10
140-71-920	8 054393 165176	60x40	30	10
140-71-930	8 054393 165183	70x50	20	10
140-71-940	8 054393 165190	70x50	30	10

AIRTEK BLACK WIRE BULLET FEEDER



	SIZE	$\Delta \!$	PO
140-63-320	Micro	30	10
140-63-330	Micro	40	10
140-63-350	S	60	10
140-63-380	М	40	10

The growing popularity of Bullet Feeders has nothing to do with fashion, but it's based on real casting performance, because their forwarded weight makes them fly beautifully. That's why they are modern match angler's favorite all over Europe. The connection to the line is made via a strong monofilament arc.

AIRTEK LONG RANGE ROCKET FEEDER



Designed for extreme range fishing thanks to the compact, aerodynamic weight which is forwarded from body's centre to let it fly as a rocket. The weight is linked to frame through two arms only, so that the filling operation is quite easy by fingers. The connection is created by a strong monofilament loop.

		SIZE	△† ∆ g	XXX	PC
140-60-910	8 054393 051103	S	20	2	5
140-60-920	8 054393 051110	S	30	2	5
140-60-930	8 054393 051127	s	40	2	5
140-60-940	8 054393 051134	М	20	2	5
140-60-950	8 054393 051141	М	30	2	5
140-60-960	8 054393 051158	М	40	2	5



AIRTEK LONG RANGE OPEN END FEEDER



Feeder designed for stillwater's long range fishing. In order to obtain the ideal flight attitude, the lead is located on container's front end, and the feeder is further stabilized by the side fins. Once on the bottom, this feeder stands upright, thus giving a great sensitivity to the whole rig. The connection to the line is done by swivel and snap through the arc of monofilament, which in recent years has established itself as safe, trouble free solution.

		SIZE	Δ1Δ g	XXX	PCI
140-61-210	8 054393 117250	М	20	2	5
140-61-220	8 054393 117267	М	30	2	5
140-61-230	8 054393 117274	M	40	2	5
140-61-240	8 054393 117281	L	20	2	5
140-61-250	8 054393 117298	L	30	2	5
140-61-260	8 054393 117304	L	40	2	5
140-61-270	8 054393 117311	L	50	2	5

AIRTEK PRO WINDOW close





		SIZE	$\boxed{\Delta \underline{\uparrow} \Delta g}$	PCI
140-71-610	8 054393 164940	s	20	10
140-71-620	8 054393 164957	S	30	10
140-71-630	8 054393 164964	s	40	10
140-71-640	8 054393 164971	М	30	10
140-71-650	8 054393 164988	М	40	10
140-71-660	8 054393 164995	М	50	10

AIRTEK PRO WINDOW CAGE





		SIZE	Δ 1 Δ 9	PCI
140-71-710	8 054393 165008	S	20	10
140-71-720	8 054393 165015	S	30	10
140-71-730	8 054393 165022	s	40	10
140-71-740	8 054393 165039	М	30	10
140-71-750	8 054393 165046	М	40	10
140-71-760	8 054393 165053	М	50	10

BLACK HEAD FEEDER





Classic blockend featuring limited volume per weight ratio, which gives the feeder high stability on the bottom, specially in running waters. Thanks to an elastic connection to the body's bottom, the cap shuts down almost automatically, easing the single hand's operability.

		SIZE	<u>Δ</u> [Δ 9]	PC
140-63-010	8 054393 051240	М	20	10
140-63-020	8 054393 051257	М	30	10
140-63-030	8 054393 051264	М	40	10
140-63-040	8 054393 051271	L	30	10
140-63-050	8 054393 051288	L	40	10
140-63-060	8 054393 051295	L	50	10

AIRTEK ROUND



		SIZE	$\Delta \dot{\mathbf{I}} \Delta g$	PC
140-60-210	8 054393 050854	S	2	5
140-60-220	8 054393 050861	M	2	5
140-60-230	8 054393 050878	L	2	5



AIRTEK FEEDER ROUND INLINE





		[SIZE]	<u>Δ</u> Δ 9	PO
140-60-250	8 054393 164919	SM	20	10
140-60-260	8 054393 164926	ST	30	10
140-60-270	8 054393 164933	LR	40	10

AIRTEK FLAT



		SIZE	$\Delta \Delta g$	XXX	POI
140-60-110	8 054393 050809	М	35	2	5
140-60-120	8 054393 050816	М	50	2	5
140-60-130	8 054393 050823	L	60	2	5
140-60-140	8 054393 050830	L	80	2	5
140-60-150	8 054393 050847	XL	100	2	5

PELLET FEEDER

The Pellet Feeder has been designed to be used with pellets. The pellets must be dampened and then gently pressed into the feeder and then blocked with a groundbait stopper. The action of the water will dissolve the groundbait stopper and will consequentially allow the pellets to come out towards the hook length.





		₹ 10 €	XXX	PO
140-65-210	8 054393 051349	28	2	5
140-65-220	8 054393 051356	56	2	5
140-65-230	8 054393 051363	84	2	5
140-65-240	8 054383 051370	112	2	5

SPECIALIST OPEN END

The Airtek Specialist Open End is equipped with a wide shaped lead to increase the stability. The link between the feeder and the main line is semi-rigid, to obtain an anti tangle effect. The camo colour hides the feeder to the spooky fish, melting its shape with the natural colour of the surrounding environment.





		₹ 10 0	XXX	POI
140-65-010	8 054393 051301	28	2	5
140-65-020	8 054393 051318	56	2	5
140-65-030	8 054393 051325	84	2	5
140-65-040	8 054393 051332	112	2	5



AIRTEK PRO MATCH cage swivel

Perfect for all season commercial and canal fishing situation, this cage feeder offers a wide range of sizes, with three different bodies made from plastic material with a semi-transparent camouflage colour. The connecting arm is robust yet flexible, and incorporates an anti-tangle rolling swivel.



		SIZE	$\Delta \!$	
140-69-520	8 054393 149152	М	20	10
140-69-530	8 054393 149169	М	30	10
140-69-540	8 054393 149176	М	40	10
140-69-560	8 054393 149183	М	60	10
140-69-625	8 054393 149190	L	25	10
140-69-640	8 054393 149282	L	40	10
140-69-660	8 054393 149299	L	60	10

AIRTEK OPEN END FLYING FEEDER

From the point of view of the body, it's a classic open end, made from sturdy plastic for long life. But it's the weight pattern to give it a strong personality, because it is parti-cularly heavy in relation to the container's volume. With a mixed load of bait, trapped between two groundbait plugs, this feeder keeps the fish active with smaller amounts of food, when the bites slow down or totally disappear after the initial bonanza. The connection to the line is made via a durable shock absorbing power gum ring, whose elasticity allows to implement an ever winning change: getting hooklink's breaking strain down to very low levels.



		SIZE	$\Delta \dot{\mathbf{I}} \Delta g$	PCI
140-63-510	8 054393 127648	М	10	10
140-63-520	8 054393 127655	М	20	10
140-63-530	8 054393 127662	М	30	10
140-63-540	8 054393 127679	М	40	10
140-63-550	8 054393 127686	М	50	10
140-63-560	8 054393 127693	М	60	10

AIRTEK OPEN END FINNED FEEDER

Ideal to convey to the bottom groundbait or leam, with live or inert baits locked in the center of the body, this feeder is made of sturdy plastic, coloured in the compound to make it matt and camouflage. Its ideal application field consists of still or moderately running waters, including sea. The name draws the attention on to the triangular fins, which help to stabilize its flight path, solving a problem which is common to all cylindrical feeders. The connecting device to the fishing line is made by a power gum ring, infallible aid both during cast and strike.



		SIZE	∆1 ∆ 9	ROI
140-63-610	8 054393 127709	М	10	10
140-63-620	8 054393 127716	М	20	10
140-63-630	8 054393 127723	М	30	10
140-63-640	8 054393 127730	М	40	10
140-63-650	8 054393 127747	М	50	10
140-63-660	8 054393 127754	M	60	10



AIRTEK OPEN END



		$\Delta \dot{I} \Delta g$	XXX	
140-60-410	8 054393 050922	30	2	5
140-60-420	8 054393 050939	40	2	5
140-60-430	8 054393 050946	50	2	5
140-60-440	8 054393 050953	70	2	5

AIRTEK OPEN END oval



		SIZE	∆1 ∆ 9	POI
141-35-310	8 054393 051691	S	14	10
141-35-320	8 054393 051707	s	28	10
141-35-330	8 054393 051714	М	21	10
141-35-340	8 054393 051721	M	32	10
141-35-350	8 054393 051738	L	28	10
141-35-360	8 054393 051745	L	42	10

AIRTEK INLINE CAGE FEEDER

Cage Feeder with flat bottom and shockproof plastic body, characterized by the Inline concept that makes it suitable for Method mode use, with a short hooklink that can be inserted into the groundbait or left free to work outside. The rubber connector cone protects the line from abrasion and prevents tangling.



		SIZE	∆1∆ 9	POI
140-69-220	8 054393 149145	М	20	10
140-69-230	8 054393 149206	М	30	10
140-69-240	8 054393 149213	М	40	10
140-69-325	8 054393 149220	L	25	10
140-69-340	8 054393 149237	L	40	10
140-69-360	8 054393 149244	L	60	10

AIRTEK INLINE OPEN END





		SIZE	Δ 1 Δ g	PC
140-60-710	8 054393 051004	30	2	5
140-60-720	8 054393 051011	40	2	5
140-60-730	8 054393 051028	50	2	5





		SIZE	$\Delta \!$	XXX	PCI
140-59-210	8 054393 129192	М	30	2	5
140-59-220	8 054393 129208	М	40	2	5
140-59-230	8 054393 129215	М	50	2	5

AIRTEK FLOATING FEEDER



Designed for summer fishing in canals or commercial lakes, when fish feed just below water's edge, or in shallow waters, during colder months, these floating feeders download your bait just above the hook, with maximum precision. Ideal for groundbalt, maggots, seeds and pellets, they are individually packed in bil-ster. In order to concentrate the food pattern in the smallest possible area, the use of reel's line clip is highly recommended.

		MODEL	SIZE	ROP
140-62-000	8 054393 051202	Open	М	10
140-62-100	8 054393 051219	Open	L	10
140-62-210	8 054393 051226	Closed	М	10
140-62-220	8 054393 051233	Closed	L	10

MICRO PELLET FEEDER SET





LONG	DISTANCE	MOULD
		SIZE

		SIZE	PCI
140-68-000	8 054393 051479	S	10





		SIZE	<u> </u>	PCI
140-68-215	8 054393 051523	s	2	10
140-68-230	8 054393 051530	L	2	10
140-68-245	8 054393 051547	L	2	10



AIRTEK PRO FLAT METHOD

Available in the Inline or Elasticated version. The Inline is equipped with a swivel for self strike rigging or for sliding rigging, used in combination with a Fast Change Bead. The Elasticated version allows you to use much thinner hook lengths. For both the versions the flat bed grants a strong grip on the bottom, while the peculiar ribbed design keeps the groundbait right in position.





		MODEL	$\Delta \dot{\mathbf{I}} \Delta \mathbf{g}$	XXX	PCI
140-69-000	8 054393 149091	Quick Mould	-	1	10
140-69-030	8 054393 149107	L-Inline	30	1	10
140-69-045	8 054393 149114	L-Inline	45	1	10
140-69-060	8 054393 149121	L-Inline	60	1	10
140-69-080	8 054393 149138	L-Inline	80	1	10



AIRTEK PRO FEEDER SPECIALIST METHOD KIT

Method Feeder featuring an innovative shape, designed to securely hold groundbait during the cast and supplied with a matching quick release mould within every pack. The flatbed profile offers a unique grip on any bottom, while the ribbed design leaves the hookbait sitting in the dead centre, with no possibility to get the hookbait trapped on the frame, providing the perfect presentation every time, since the fed area is so confined. When fully loaded, the unique shape creates a perfect weight forward aerodynamic set up, which delivers fantastic casting accuracy and increases range.







		SIZE	$\left[\Delta \mathbf{j} \Delta \mathbf{g}\right]$	PG
140-70-010	8 054393 149305	S	30	12
140-70-020	8 054393 149312	L	40	12
140-70-030	8 054393 149329	XL	60	12
140-70-040	8 054393 149336	XXL	90	12

AIRTEK PRO FLATBED SPECIALIST INLINE METHOD

Method Feeder featuring an innovative shape, designed to securely hold groundbait during the cast and supplied with a matching quick release mould within every pack. The flatbed profile offers a unique grip on any bottom, while the ribbed design leaves the hookbait sitting in the dead centre, with no possibility to get the hookbait trapped on the frame, providing the perfect presentation every time, since the fed area is so confined. When fully loaded, the unique shape creates a perfect weight forward aerodynamic set up, which delivers fantastic casting accuracy and increases range.

		SIZE	$\Delta \Delta g$	POI
140-70-110	8 054393 149343	S	20	10
140-70-120	8 054393 149350	S	30	10
140-70-130	8 054393 149374	S	40	10
140-70-140	8 054393 149367	L	30	10
140-70-150	8 054393 149381	L	40	10
140-70-160	8 054393 149398	L	50	10
140-70-170	8 054393 149404	XL	60	10
140-70-180	8 054393 149411	XL	80	10
140-70-190	8 054393 149428	XXL	90	10
140-70-200	8 054393 149435	XXL	110	10







AIRTEK MAGGOT & PELLET METHOD FEEDER

These compact inline feeders have been designed histo compact infine receirs have been designed to carry on the bottom pellets or sticky maggots, which get a quick hydration thanks to the micro holes around the body. In the commercial lakes or in slow moving waters, they attract fish downloading the hookbait in the middle of the other baits. The unobtrusive light green colour involves the lead, too, which has some 3D dots underside for better grip on the bottom. The rubber cone, located on top of the body, gets the swivel or stops the Fast Change Bead which connects the very short hooklink to main line, while, at the same time, avoids line tangles with its elongated shape. The product is packed in a stylish blister containing two pieces, and is available in two different volumes (Medium and Large).

		SIZE	∆† ∆ 9		POI
140-59-110	8 054393 050748	М	20	2	5
140-59-120	8 054393 050755	М	30	2	5
140-59-130	8 054393 050762	М	40	2	5
140-59-140	8 054393 050779	L	30	2	5
140-59-150	8 054393 050786	L	40	2	5
140-59-160	8 054393 050793	L	50	2	5

FAST CHANGE BEADS MATCH

With a more compact profile than the previous model, these beads for rapid exchange of the hooklink are absolutely essential to use all Method Feeders. Their shape eases the manual separation of the two parts, discovering the hook that connects main line and hooklink. Among other things, they also play an important role as knot saver.



		XXX	PC
101-57-010	8 054393 113375	5	10

FAST CHANGE BEAD

Born to complement any Method Feeder, the Fast Change Beads protect the hooklink knot from any damage coming from the feeder's weight and, at the same time, enable to quickly interchange several hooklinks without cutting it.







SLIDING HOOKED SNAP





	(XXX)	PCI
101-55-680	8	10

POWER BEAD & ANTI-TANGLE MICRO


101-57-000







FEEDER PROTECTION SLEEVE





The sleeve fits on the hooklink's swivel's body, while the tapered portion protects the line from abrasion due to the snap. The step acts as shock absorber while loading the cast.





XPS NIGHT LIGHT SUPPORT

XPS Night Light Support offers an easiest way to apply a light stick to your rod in a while. The soft rubber cushion offers a great grip and protection on the tip. While the tapered design inner sleeve can be fitted to the majority of the rods, from feeder to specialist and many others. The Small size fits rod tip diameter ranging from 1 to 2.2mm and it's ideal in combination with 3mm light stick, while the L size fits on 2.5 up to 3.5mm diameters and 4.5mm light stick.











XPS COMPETITION FAST LINK SWIVELS

Swivel with the central rolling body and bracket system for quick hooklink connection. The hooklink is secured to the bracket of the swivel by means of a rubber cone that safely locks it. Ideal for waggler fishing and bolognese, as well as for feeder fishing, since it allows to rapidly change the hooklink without cutting the line.



STRONG SLIDER CONNECTOR FEEDER



		SIZE	XXX	PC
101-55-600	8 054393 034434	s	5	10
101-55-610	8 054393 034441	M	5	10

FEEDER READY HELI-KIT

Set consisting of four elements:

- Two soft rubber stoppers
- A rolling swivel, with clip for quick connection to a hooklink or to paternoster arm
- A rubber tapered sleeve, which also acts as an anti-tangle device, because it takes the arm to 90° to the main line.

The whole set is mounted on a convenient binder that allows to transfer the entire set on to the main line, without the risk of losing any single component.



		SIZE	XXX	POI	
101-55-850	8 05/383 127617	М	6	10	

SWIVEL & BEADS

		SIZE	(XXX)	FCI
101-55-830	8 054393 129123	S	10	10
101-55-840	8 054393 129130	M	10	10




		SIZE	XXX	
101-55-800	8 054393 127594	S	6	10
101-55-810	8 054393 127600	М	6	10

SLIDER FEEDER LINK



A great solution to solve a long list of problems of the feeder rigs. A segment of Power Gum, featuring a swivel snap on top and a swivel on the opposite end, lays flat on the bottom and provides elasticity, resistance and anti-tangle safety. Other advantage raises from the central snap, as it ensures speed and simplicity on bomb or feeder changes. Thanks to the oval rubber stoppers, the snap position can vary along the Powergum link according to fishing conditions. It can be used also connecting the feeder to the end of the link and hooklength to the central snap.

		mm⊘	XXX	PCI
102-81-100	8 054393 035417	1.0	2	10
102-81-110	8 054393 035424	1.3	2	10
102-81-120	8 054393 035431	1.5	2	10



POWERGUM

Powergum is a clear and elastic line, well known among feeder anglers for rig and stopper knot's making.




AIRT	EK FE	EDER	TRACE

Ready to use feeder links, designed to provide a semi-stiff connection to be used when a sliding paternoster link is requested. Made of twisted monofilament, they are able to reduce the tangles during the long distance casting, and also acts as a shock absorber. The upper bead offers fantastic smoothness, while the strong snap at the other end helps to offer a fast connection to the feeder or the bomb.



			PCI
102-81-010	8 054393 035387	1.0	10
102-81-020	8 054393 035394	1.3	10
102-81-030	8 054393 035400	1.5	10

AIRTEK TWISTED FEEDER LINK



Simple and helpful for the newcomer, quick and efficient for the expert feeder angler. These new rig links offer everybody something good, with their controlled elasticity and anti-tangle properties of the twisted monofilament structure and the convenience of the two swivels at both ends, one of which is also fitting a snap. They can be employed in two ways, as they can become paternoster links for fixed or sliding feeder set-ups, or inserted between main line and hooklength to stiffen the area and act as shock buffer just below the feeder. In this case, a rubber bead should be added to protect knot from being hammered by the feeder itself. The green colour adds camouflage effect to avoid scaring shy fish.

HEAVY DUTY ANTI TANGLE TUBE



Strongly hated by feeder experts and conversely loved by millions of newcomers or pleasure anglers, who appreciate their efficiency and their anti-tangle properties in fresh and also salt water fishing. The main line gets through the bent tube, which protects it from any abrasion, and is knotted to the swivel of the hooklink. Just above the swivel, a rubber bead is highly recommended to protect the knot. The safety snap is ready to accept bomb or feeder: less than one minute and it's ready to fish! Three sizes are available: generally, the closer casting distance (or boat fishing) require the shortest tube, while longer range sees the longer tube getting into play.

		السلسا	XXX	PC
101-55-650	8 054393 034458	55	2	10
101-55-660	8 054393 034465	85	2	10
101-55-670	8 054393 034472	120	2	10




XPS RAPID BAIT SPIKES

The innovative metal Bait Spikes are a versatile solution to the problem of quick connection of the bait to hair rig. Once fixed to hair rig, they can dramatically reduce the baiting time, especially with small baits like meat, corn, mini boilies, pellets and dumbell. Just lightly press the Spike into the bait and this will do the job, keeping it next to the hook. Once inserted, the Bait Spike acts like a real bait stopper. Available in 3 sizes to be used according to the size of the bait.











The final presentation is perfect, and the Bait Spike can be reused.

		SIZE	XXX	PC
101-58-410	8 054393 127907	XS	10	10
101-58-420	8 054393 127914	S	10	10
101-58-430	8 054393 127921	М	10	10

PASTE SPRING SET



XPS RAPIDSTOP

The innovative Rapid Stops are an important step forward in the design of the bait stoppers. Fixed to hair rig, they can dramatically reduce the time needed to hook the bait, especially with small baits like meat, corn, mini boilies, pellets and dumbell. Just tie the Rapid Stop to the hair rig and with the dedicated needle introduce it inside the bait. Once you have inserted it, the Rapid Stop acts like a real bait stopper. Each pack includes a needle and 56 Rapid Stops, which are also available as spares in different sizes.






Pass the Hair Rig through the Rapid Stop hole and make a simple loop with it.



Gently push the needle (with the Rapid Stop on top) through the hookbait.



Plug the Rapid Stop onto the needle that's supplied with each Complete Set



The final presentation is perfect, and the Rapid Stop can be reused.

		MODEL	[SIZE]	XXX	PC
101-58-300	8 054393 127860	COMPLETE SET RAPIDSTOP & NEEDLE	S	10	10
101-58-310	8 054393 127877	COMPLETE SET RAPIDSTOP & NEEDLE	М	10	10
101-58-320	8 054393 127884	RAPID STOP REFILL	S	56	10
101-58-330	8 054393 127891	RAPID STOP REFILL	М	56	10

PASTE GRIPPER

Paste fishing made it easy! They're designed to alleviate missing bites and the paste coming off during the cast, two most common problems associated with paste fishing. It is basically a small rubber ball that has a stem attached to it, though which the hook point is passed. The paste is then moulded around the ball, stem and shank of the hook, leaving the point and part of the bend exposed. The Paste Gripper can be positioned at any point on the hook, to suit the anglers requirements eg. with the hook point coming out of the side or top of the ball of paste. It can be easily removed from barbless or semi-barbless hooks, and re-used many times. Suitable for almost all hook sizes.







		(XXX)	POI
101-58-100	8 054393 034519	10	10

ULTRA SHIELD POLE HARDCASE & TOP KIT HARDCASE

Superlight, strong, highly protective and, of course, extremely elegant and trendy! In other words, the ultimate rod carriers for the professional angler. Designed to store poles and kits, they can equally accept match and feeder rods, as well as whips and bolognese.

• Two models: one for the pole and one for spare top kits Light yet stiff and reasonably compact
Round corners to be nicely stored in the car booth Convenient carry handles and removable shoulder strap Internal soft cloth lining, with mesh pockets and Velcro straps High quality zipper with customized rubber handles 3D logo and name for easy identificatio 15x14x190 cm 048-37-910 048-37-920 12x18x175 cm

















404







LUGGAGE GNT MATCH TEAM

The range of bags and rod holdalls called "Match Team", is the most technically advanced that exists in today's market - designed to carry all the necessary equipment on long fishing trips. In particular, this range is dedicated to all those who devote themselves entirely to fishing contests and to those for who fishing is a hobby. All these products are water-resistant, and technically the products are water-resistant, and are a rigid reinforced base, foam handles and adjustable shoulder strap for easier carrying. All seams are made with triple thread of wire. Brand new design and colour scheme.



MATCH ROD 4+1



(cm

048-37-040

40x28x170

MATCH ROD PRO CASE 3/150 & XXL



17x10x150

26x15x170







FEEDER PRO TIP TUBE



™TRABUCCO





DUAL THERMIC BAG



35x20x32 048-37-240

CATAPULT BAG



23x30x9 048-37-192

GNT X-CONNECT ROUND BOWL

37x19x29



8 054393 014184

048-37-120

116-26-190

MODEL

116-26-190 116-26-200

GNT-X Connect Groundbait Bucket with Hoop GNT-X Connect Groundbait Bucket with Hoop XL (zippered cover)



KEEPNET BAG



cm

60x15x45 048-37-100

WATERPROOF KEEPNET BAG



3 054393 014177 048-37-110

60x15x60



TACKLE BAG

Hermetically sealed bag, totally waterproof, suitable for carrying any material on the bank or on the boat, such as accessories, rigs, groundbaits, wet waders, rainproof suit, or even to carry living baits, as the cover carries two fixed studs that allow you to leave it only partially opened to insert the oxygenator tube. It features comfortable handles and shoulder strap that facilitate the transport and a zip to close the lid, which makes it completely airtight. Designed in the size needed to fully contain the two models Groundbait Mini Bowl Set 1 + 4 and Bait System.









UMBRELLA PRO CASE



cm

30x45x29

048-37-315

048-37-390



140x15x15

A brilliant solution for storing the wet umbrella during transport by car, avoid wetting the trunk. The generous dimensions of this waterproof bag allow you to add a spare umbrella plus many banksticks as well. Carrying handles and shoulder strap are included in the product.

KEEPNET BAG

Completely waterproof bags, designed to carry the keepnet and landing net heads. The welding seams and the excellent sealing provided by the top zipper prevent water and smell to get inside the car. The XL version has double capacity to store two keepnets or add side trays of the seatbox. The product features handles and shoulder strap for easy transport.



DROP BUCKET

Very useful to pick up water when fishing from a raised position, a steep bank or a boat guard, this bucket has a capacity of 8 liters and is equipped with a 6 meters long rope with a practical winder. Its bottom perimeter has been hot sealed to resist any abrasion and ensure long term waterproofness.



cm

048-37-360

20x20x20



60x60x15 60x60x30

GROUNDBAIT BOWL SET 1+2

Ideal to mix and store groundbaits, leams, pellets, this set of three semi-rigid EVA bowls is made of two containers of 9 liters which are placed inside a third one of 20 liters capacity. Easy to clean, they have rounded corners and welded joints, making them all completely waterproof.



40x30x17 20x30x15

054303 113732 048-37-320

GROUNDBAIT MINI BOWL SET 1+4



tain groundbaits, leams. pellets, this set of five EVA semi-rigid squared bowls is composed of two Medium and two Small containers, which during transport find place inside of a fifth, largest one. Smell free and easy to clean, they feature rounded corners and heat sealed joints, making them completely waterproof.

Ideal to mix and con-

048-37-325



38x24x15 - 22x17x14 20x16x13

BAIT SYSTEM





048-37-370

38x27x9

Set consisting of a waterproof container and four smaller trays, designed to carry live bait or static baits, pellets, small amounts of groundbait, all ready to use in a very short time once on the fishing site. The container is equipped with transparent PVC cover, closed by a two-way zipper, complete with handle. Inside are placed two trays size Small (11x9x7 cm), a Medium (17x11x7 cm) and a Long (36x11x7 cm).

JGGAGE

Useful for any fishing style, in fresh and saltwater field, the Ultra Dry Waterproof Luggage Series is designed to meet the demand about storing all sort of accessories, while keeping your equipment clean and extra dry!

Made from EVA for lightness, durability and easy cleaning, the Ultra Dry Luggage Series provides bags which are completely waterproof and dirt repellent. Designed to be sturdy and water resistant, these superior-quality luggages are versatile and useful in any kind of fishing site. From fresh to saltwater, every angler will be able to keep their equipment dry and clean, while mantaining it neat and fresh.

- Waterproof EVA material
- · High frequency welded
- Sturdy and water resistant zippers
- Stays dry and dirt free
- · Grip extra strong and durable







		чини
048-37-610	8 054393 175267	39x25x25
048-37-620	8 054 393 175274	45x30x29



DROP BUCKET



- 6 meters long rope to pick up water when fishing from a raised position
- Capacity of 6 liters

REEL&ROD SLEEVE



- Designed for carrying rod+reel
- Rubber carrying handles and shoulder strap
- · Rubber net window on top-end to allow air circulation



		cm Ludiud
048-37-510	8 054393 175212	140
048-37-520	8 054393 175229	155
048-37-530	8 054393 175236	170



≅TRABUCCO

BAIT SYSTEM

4 containers included



048-37-700

38x24x15

ROD SLEEVE



		cm
048-37-540	8 054393 175243	115
048-37-550	8 054393 175250	170

EVA PLANNER BAGS



EVA ACCESSORIES BAGS



EVA COOLER BAG

Essential to any angler, in fresh and saltwater, the Cooler Bag can protect food, drinks or baits on the fishing site, but also carry home some nice fish. The generous capacity of these bags can satisfy the most demanding user, who will appreciate their good thermal insulation, which is due to the padded walls and also to the tight zippers, not to forget the clear colour, able to reflect sunrays.







		cm
048-37-410	8 054393 173935	36x23x20
048-37-420	8 054393 173942	41x26x24

LUGGAGE & SURF ACCESSORIES



The Surf casting match circuit is now quite important in width and depth. In other words, there aren't numbers only, but also quality, and the natural consequence is that Trabucco brand is highly considered

SURFCASTING PRO TEAM among the top anglers.

The Trabucco expert and testimonial team in this field is unique in Europe, so it's natural that the company always keep investing in product's development, as proved by the launch of this technical luggage range. The XTR items are quite rich in features and show a neat cosmetic imprint, with black and chartreuse combination which gives the market a strong signal. Using a waterproof and washable material weighing 1200 denier, bags, rucksacks and rod holdalls are built to last. The addition of plastic boxes with many compartments enables to take full advantage of the inside room to neatly store all accessories. The special paddings, the stiff bottoms, the handles and shoulder belts, the zippers and seams are made with great care and precision. Taking advantage from its wonderful success, now XTR range expands with some new products and with an interesting family of EVA containers.



MATCH HOLDALL 1+1 COMPARTMENTS HARD ROD CASE 2+1 COMPARTMENTS **HARD ROD CASE** HARD ROD & REEL CASE

048-42-180







048-42-180 175x23x15 165x37x16 048-42-015

		لسلسا
048-42-010	8 054393 014313	186x37x16
048-42-020	8 054393 014320	186x20x16
048-42-030	8 05 4 3 9 3 0 1 4 3 3 7	186x34x16

™TRABUCCO

COMPETITION CARRYALL



PRO ORGANIZER



MATCH CARRYALL



www.trabucco.it 413

RUCKSACK EXPEDITION



RUCKSACK



BACK PACK MATCH



≅TRABUCCO





RIG STATION







SPOOL BIN



ROD BELTS



LEAD ORGANIZER

Designed to contain the lead weights, this small padded bag made from durable 1200 denier waterproof fabric, with internal adjustable divider and transparent lid. Dimensions 19x14x6,5 cm.

EVA WHITE PREMIUM LUGGAGE SALTWATER RESISTANT

A fantastic series of semi-rigid EVA containers, destined to gain the trust of thousands of Trabucco XTR luggage users. First of all, the water resistance, also obtained through the chance to weld the seams. Then the possibility to reduce the overall volume of the containers, folding them, due to the semi-rigidity of the material. Finally, the ease of cleaning, the extreme durability and elegant appearance, which enhance their value.

- · Made from EVA for lightness, durability and easy cleaning
- Waterproof and tear resistant material
- Thermal sealed seals
- Water resistant zippers
- Salt and sand proof zippers
- Reinforced handles and carrying straps



Waterproof and tear resistant material.



Thermal sealed seals.



ced handles & carrying straps.



Practical, versatile, user's friendly, but extremely fashionable at the same time, their white colour keeps the content fresh even under sunshine. These bags are completely waterproof, so they can be brought on the fishing site to protect food, camera, reels, spare clothing, etc. Available in two different volumes, with the smaller one storable inside the larger one.

		(m)
048-42-430	8 054393 173850	39x25x25
048-42-440	8 054393 173867	45x30x29

EVA WHITE TACKLE BAGS

These multi-purpose bags keep neat and dry anything we like to protect, no matter the waves or water's spray. Thanks to tight zippers, no smell can affect our car's cockpit while going back home. The lid can be rolled to one side and fixed by a dedicated button. When filled in by water, these bags can become brilliant containers for livebaits

		cm
048-42-410	8 054393 173836	39x25x25
048-42-420	8 054393 173843	45x30x29







≅TRABUCCO

EVA WHITE TACKLE ORGANIZER



EVA WHITE TACKLE ORGANIZER PRO



EVA WHITE ACCESSORIES BAGS







EVA WHITE ACCESSORIES BAGS

		(m)
048-42-490	8 054393 173911	24x16x10
048-42-500	8 054393 173928	35x23x10





TR FINGER PROTECTOR





EVA DROP BUCKET

• 6 meters long rope to pick up water when fishing from a raised position



ROD SLEEVE





XTR SURF TRIPOD T3 EVO+



XTR SURF TRIPOD T2 EVO



SURF BOX

This seat box is made to face any situation of surf casting or sea boat fishing. Thanks to the 70 liters capacity (54x37x40cm) it can carry big quantity of bulky product or hold a good number of tackle boxes for bits and pieces. The special plastic material used is extremely strong, easy to wash and keep all the stored items perfectly dry. It's sold with removable pillow and is possible to fit a bait bowl in three different position.



117-00-000

SURF BOX SIDE TRAY





117-00-010

XTR SURF SAND POD 150



™TRABUCCO

XTR SURF TRIPOD T2



XTR MAG-WHEEL SURF TROLLEY



OVERCAST SAND ROD POD



TRIPODE TOP RANGE



BITE INDICATOR PRO SURF

This is the latest innovation in surfcasting bite detection. The device must be applied on the reel line between the first and second guide from the butt, adjusting the weight according to the sea conditions: the heavier the weight, the less sensitive the indicator. The surf indicator can be used either by day, fitting the specially provided multicolor antenna, or by night, fitting a 4.5 mm





OVERCAST SAND POD TRAY

105-10-100

Practical trays to be applied to the Overcast Sand Rod Pod. They are equipped with a locking device which, in addition to allow the fixing along the stem, enables to adjust the inclination in order to obtain the correct orientation even when the pod is tilted.

		SIZE
088-65-660	8 054393 129079	L
088-65-670	8 054393 129086	XL



AGGRESSOR TERMIC BOX



		POI
110-40-030	8 054393 037329	10

VALIANT HOOK BOX



		cm	PCI
110-40-040	8 054393 037336	4x3x1	10

POCKET LAMP SWIVEL



CAP LIGHT



101-20-900





COMPETITION TRABUCCO PRO LUGGAGE

Along with GNT range, which is located on top of Trabucco line-up, now we introduce a new assortment of luggage, featuring better prices even though the quality is certainly high.

Born to offer nice solutions to club anglers or pleasure anglers who like the best, is made from a 600 denier fabric, which is located above the average in term of thickness, waterproofing and durability. The balanced combination of lightness and stiffness is destined to draw the attention of every sort of fresh and salt water anglers; people skilled enough to recognize Trabucco quality in rods and reels, thus like to adequately protect their jewels. As always, graphic is particularly young, and technical solutions oriented to simplicity.

COMPETITION SURF ROD & REEL HOLDALL 2 HARD BOTTOM

COMPETITION SURF ROD & REEL HOLDALL 2+1 COMPETITION SURF ROD & REEL HOLDALL 2



048-45-020







		لستنسا
048-45-030	8 054393 014436	170x45x28
048-45-040	8 054393 014443	170x30x28

170x25x20

ACCESSORIES BAG

COMPETITION CARRYALL







COMPETITION ROD HOLDALL

048-45-070

COMPETITION ROD & REEL HOLDALL DLX 1+1/155

27x7x18

COMPETITION ROD & REEL HOLDALL 2/165 & 2/155

048-45-120

COMPETITION ROD & REEL HOLDALL DLX 2+1/155

048-45-140









		PCI
048-45-060	8 054595 014467	155x20x10
048-45-130	8 054393 110053	155x22x17









048-45-010





PC

160x25x20



ROD PVC PROTECTIVE TUBES



		MODEL	cm	PC
108-20-125	8 054393 037176	Tubo Prisma Pole	188x6	10
108-20-110	8 054393 037145	Tubo Prisma Top Kit	180x5	10
108-20-150	8 054393 037190	Tubo Oval Top Kit	180x5x8	10

PCI

10

TRABUCCO NO





100-06-010 PLIERS HOLDER

ROD TIP & BELT SET

EVA pocket to carry a multipurpose plier and have it at your hand. It can be connected to the belt through the appropriate slots.





sections.

Set consisting of a soft cap that protects the apical part of the rod and a Velcro band

to wrap the butt section

and the base of the other

100-06-020 10

PC 32x54x36

SPOOL PROTECTIVE BAND

Elasticated bands to protect the line on reel's spools. Two sizes: Small for spinning or match reels and Large for surf or carp fishing models.

112-10-000



		SIZE	XXX	PCI
100-06-050	8 054393 135513	S	2	10
100-06-060	8 054393 135520	L	2	10



Elasticized EVA band designed to fix the eye glasses to the head, avoiding losing them.

100-06-030 10

BOTTLE HOLDER

Soft EVA case to carry a half-liter bottle, zipped and complete with snap for the connection to the belt or fishing vest.

100-06-040





PRO SURF ACCESSORIES

In a fishing technique where the waiting time for a bite can be long, it is essential to be sure that the rigs are completely tangle-free. This is why we have created a range of small accessories, which are able to raise the efficiency of rigs, hooklinks and hookbaits. The rig's segment includes beads and mini trave, intelligent solutions for fast connections; for the leads and hooklinks we offer the excellent clips and rubber cones; in case of hookbaits the panorama is very wide, with needles, elastic line, pop up sticks and fluorescent beads, actually able to increase the attractiveness and the mobility of any natural bait.

DISTANCE

PROSURF MINI TRAVE BLACK



		SIZE	XXX	POI
105-01-080	8 054393 165237	S	3	10
105-01-082	8 054393 176295	М	3	10
105-01-085	8 054393 165244	L	3	10

PROSURF MINI TRAVE DISTANCE

Mini-Rig for surf casting, made with stainless steel arm. It allows long distances and limit the tangles. Available in two different sizes in order to adapt to different types of presentation.







		SIZE	(XXX)	PCI
105-01-040	8 054393 117335	S	3	10
105-01-050	8 054393 117342	L	3	10

PROSURF MINI TRAVE IMPACT

The Pro Surf Mini Trave range grows with a special model, which favors the trend towards the use of ever thin-ner lines with an incorporated shock absorber system that reduces stress in the crucial moment of cast loading. The stainless steel structure houses a rolling type swivel, accompanied by two beads, while the two ends are covered with heat-shrinking rubber sleeves to prevent tangles with line and hooklinks. The sachet contains three



	0	SIZE	XXX	
105-01-065	8 054393 176318	S	3	10
105-01-070	8 054393 145857	M	3	10
105-01-075	8 054393 176325	L	3	10

PROSURF MINI TRAVE MICRO

Mini-Rig for light surf fishing or beach legering, made with stainless steel arm. It allows to reach long distances and limits the tangles.







PROSURF MINI TRAVE COMPETITION

The strongest of the family; the closure is made with a steel tube covered by a shrink tube so that tangles are minimized and maximum strength is guaranteed. Designed to withstand the most powerful casts.





		SIZE	XXX	PCI
105-01-055	8 054393 176301	s	3	10
105-01-060	8 054393 117359	М	3	10

COMPETITION

PROSURF SS POWERCLIP

- Stainless steel clips for surf casting
- Super strong with preformed shrink tube, thicker than traditional one to ensure reliability and longer life

		SIZE	XXX	PO
105-01-100	8 054393 117366	s	10	10
105-01-110	8 054393 117380	L	10	10



PROSURF SS FAST CLIP SWIVEL


- Rolling swivel with stainless steel safety snap, whose connection is covered by a rubber heat shrink sleeve to ensure the linearity and avoiding tangles.
- · Very simple and fast operating lead connection; very high tensile strength.

		XXX	FC
105-01-200	8 054393 129093	100	10



HYPER GLOW SURF BEADS

- Super soft oval beads to be hooked
- Ideal for surf casting and boat fishing
- All Lumi coloring i.e. phosphorescent
- Two sizes available
- Floating action





		SIZE	MODEL	XXX	PCI
105-12-010	8 054393 113801	М	White	30	10
105-12-020	8 054393 113818	М	Yellow	30	10
105-12-030	8 054393 113825	М	Pink	30	10
105-12-040	8 054393 113832	М	Red	30	10
105-12-110	8 054393 113849	L	White	25	10
105-12-120	8 054393 113856	L	Yellow	25	10
105-12-130	8 054393 113863	L	Pink	25	10
105-12-140	8 054393 113870	L	Red	25	10



PROSURF KNOT CONES

LUMINOUS		SIZE	x xx	PC
105-01-010	8 054393 036612	S	20	10
105-01-020	8 056393 030629	L	20	10



Crystal beads of exceptional transparency, available in three different sizes not only in the outside diameter, but also in the internal one, which is characterized by the extreme consistency of precision. Packed in resealable small boxes.

		\bigcirc IN	Ø0UT	
104-52-010	8 054393 153197	0.4 mm	1.5 mm	10
104-52-020	8 054393 153203	0.5 mm	1.6 mm	10
104-52-030	8 054393 153210	0.6 mm	1.8 mm	10













PRO SURF BEADS

		⊘I N	Ø0UT	MODEL	XXX	
104-51-900	8 054393 036551	0.6 mm	1.0 mm	White	100	10
104-51-910	8 054393 036568	0.6 mm	1.0 mm	Red	100	10
104-51-920	8 054393 036575	0.9 mm	2.0 mm	White	100	10
104-51-930	8 054393 036582	0.9 mm	2.0 mm	Red	100	10


SURFCASTING BAITING NEEDLE



Special selection of high quality baiting needles, essential for surf casting. If the bait is badly positioned on the hook, it happens very frequently that the fish approaching it refuses to bite. That's why we offer you a series of selected premium needles, useful to always position your bait in the best and more natural possible way. The 0.6 mm diameter stainless steel needle (both ends blunt) is perfect with all the thinner worms, such as Mediterranean Arenicola and sandworm. The 0.9 mm diameter (both ends blunt) is available in two different length (20 and 30 cm) and it is perfect for baiting bigger worms such as lugworm, bibi, etc. The 1.4 mm needle is made of brass and features one pointy end. It is the good one for baiting dead fish slices.

	MODEL	mmØ	mm	XXX	PC
105-10-300	Brass Needle	Ø 1.4	200	5	10
105-10-310	S.Steel Needle	Ø 0.9	200	5	10
105-10-320	S.Steel Needle	Ø 0.9	300	5	10
105-10-330	S.Steel Needle	Ø 0.6	200	5	10

SURF POP-UP STICK



ELASTIC LINE

Baits elastic line, transparent and very thin, it is excellent to tie the softer and most delicate baits on the hook. Supplied in 200m spools, or in the practical dispenser.



		m	PO
105-00-000	8 054393 036599	200	10

EVA SPOOLS & BOX



		MODEL	(XXX)	PCI
105-11-000	8 054393 036759	Eva Spool Box 36	36	5
105-11-010	8 054393 036766	Eva Spool Box 72	72	5
105-11-050	8 054393 036773	Eva Spool Set	20	10

HAWAIAN SNAP W/EASY LINK




SPARE BODY X ROLLARM

		SIZE		POI
104-50-640	8 054393 036179	07	6	10
104-50-650	8 054393 036186	05	6	10


HIGH SPEED DOUBLE ROLLING



LUMINOUS FLOAT STOP ROUND



ROLLING WITH PEARL BEADS & STOPPERS



3 WAY CROSS SWIVELS



WIRE BAIT CLIP REVERSED



SPARE ARM X ROLLARM




LUMINOUS FLOAT STOP OVAL



		SIZE	mm	(XXX	POI
104-51-710	8 054393 036476	#1	4.7x10	6	10
104-51-720	8 054393 036483	#2	5.6x11	6	10
104-51-730	8 054393 036490	#3	6.3x13	6	10
104-51-740	8 054393 036506	#4	7.3x15	6	10


DIAMOND ROLLING WITH GREEN BEADS & STOPPERS







ROLLING HS2 HOOKED SNAP



		SIZE	RO		XXX	PCI
100-69-160	8 054393 032928	16	20	44	6	10
100-69-180	8 054393 032935	18	12	26	6	10
100-69-200	8 054393 032942	20	12	26	6	10
100-69-220	8 054393 032959	22	9	20	6	10

BARREL INTERLOCK SNAP




		SIZE	R		XXX	
100-62-040	8 054393 032416	04	25	55	12	12
100-62-060	8 054393 032423	06	18	40	12	12
100-62-080	8 054393 032430	08	14	31	12	12
100-62-100	8 054393 032447	10	14	31	12	12
100-62-120	8 054393 032454	12	12	26	12	12
100-62-140	8 054393 032461	14	10	22	12	12
100-62-160	8 054393 032478	16	8	18	12	12
100-62-180	8 054393 032485	18	7	15	12	12
100-62-200	8 054393 032492	20	6	13	12	12

XXX

PO

10

ROLLING GERMAN SNAP



		(SIZE)	(Rg)		XXX	PC
100-67-100	8 054393 032805	08	40	88	5	10
100-67-120	8 054393 032812	12	30	66	5	10
100-67-140	8 054393 032829	14	25	55	5	10
100-67-160	8 054393 032836	16	15	33	5	10
100-67-180	8 054393 032843	18	10	22	5	10
100-67-200	8 054393 032850	20	10	22	5	10
100-67-220	8 054393 032867	22	7	15	5	10

HEAVY DUTY SLIDER CONNECTOR

Ideal to build up rigs with sliding and interchangeable lead for beach legering or bolentino, it consists of a safety snap with rolling swivel, to which is connected a plastic tube that gently runs along the main line.

100-89-500



ROLLING HS3 SAFETY SNAP



18	20	2
10	20	

		SIZE	(kg)		XXX	POI
100-71-180	8 054393 033017	18	5	11	6	10
100-71-200	8 054393 033024	20	5	11	6	10
100-71-220	8 054393 033031	22	3	7	6	10

BARREL




		SIZE	[kg]		XXX	POI
100-61-040	8 054393 032324	04	30	66	12	12
100-61-060	8 054393 032331	06	27	60	12	12
100-61-080	8 054393 032348	08	20	44	12	12
100-61-100	8 054393 032355	10	16	35	12	12
100-61-120	8 054393 032362	12	14	31	12	12
100-61-140	8 054393 032379	14	10	22	12	12
100-61-160	8 054393 032386	16	8	18	12	12
100-61-180	8 054393 032393	18	7	15	12	12
100-61-200	8 054393 032409	20	6	13	12	12

ROLLING 3 JOINTED



		SIZE	(kg)		XXX	POI
100-82-200	8 054393 033482	20	14	30	10	10
100-82-220	8 054393 033499	22	9	20	10	10
100-82-240	8 054393 033505	24	4	9	10	10

BARREL SAFETY SNAP



		SIZE	<u>kg</u>		XXX	PCI
100-63-040	8 054393 032508	04	15	33	12	12
100-63-060	8 054393 032515	06	13	29	12	12
100-63-080	8 054393 032522	08	9	20	12	12
100-63-100	8 054393 032539	10	9	20	12	12
100-63-120	8 054393 032546	12	7	15	12	12
100-63-140	8 054393 032553	14	7	15	12	12
100-63-160	8 054393 032560	16	5	11	12	12
100-63-180	8 054393 032577	18	5	11	12	12
100-63-200	8 054393 032584	20	5	11	12	12

ROLLING INTERLOCK SNAP



		SIZE	kg		XXX	
100-80-100	8 054393 033369	10	14	30	12	12
100-80-120	8 054393 033376	12	14	30	12	12
100-80-140	8 054393 033383	14	12	27	12	12
100-80-160	8 054393 033390	16	12	27	12	12
100-80-180	8 054393 033406	18	7	15	12	12
100-80-200	8 054393 033413	20	7	15	12	12

MINI ROLLING ROUND



		SIZE	kg		XXX	PC
100-65-200	8 054393 032690	20	14	31	12	12
100-65-220	8 054393 032706	22	9	20	12	12
100-65-240	8 054393 032713	24	4	9	12	12




ROLLING HOOKED SNAP




		SIZE			XXX	PC
100-66-080	8 054393 032720	08	40	88	12	12
100-66-100	8 054393 032737	10	40	88	12	12
100-66-120	8 054393 032744	12	35	77	12	12
100-66-140	8 054393 032751	14	28	62	12	12
100-66-160	8 054393 032768	16	20	44	12	12
100-66-180	8 054393 032775	18	12	26	12	12
100-66-200	8 054393 032782	20	12	26	12	12
100-66-220	8 054393 032799	22	9	20	12	12

ROLLING HS2



		SIZE	[RG]		XXX	PCI
100-68-160	8 054393 032874	16	22	49	6	10
100-68-180	8 054393 032881	18	19	42	6	10
100-68-200	8 054393 032898	20	14	31	6	10
100-68-220	8 054393 032904	22	9	20	6	10
100-68-240		24	4	9	6	10

ROLLING HS3



		SIZE	<u>[kg]</u>		XXX	PCI
100-70-160	8 054393 032966	16	22	49	6	10
100-70-180	8 054393 032973	18	19	42	6	10
100-70-200	8 054393 032980	20	14	31	6	10
100-70-220	8 054393 032997	22	9	20	6	10
100-70-240	8 054393 033000	24	4	9	6	10

ROLLING 3 JOINTED SAFETY SNAP



		SIZE	[kg]		XXX	POI
100-83-200	8 054393 033512	20	5	11	10	10
100-83-220	8 054393 033529	22	5	11	10	10
100-83-240	8 054393 033536	24	3	7	10	10

ROLLING ROUND X-PATTERN



		SIZE	(kg)		(XXX)	PCI
100-64-040	8 054393 032591	04	47	104	12	12
100-64-060	8 054393 032607	06	43	95	12	12
100-64-080	8 054393 032614	08	40	88	12	12
100-64-100	8 054393 032621	10	35	77	12	12
100-64-120	8 054393 032638	12	32	71	12	12
100-64-140	8 054393 032645	14	27	60	12	12
100-64-160	8 054393 032652	16	22	49	12	12
100-64-200	8 054393 032669	20	14	31	12	12
100-64-220	8 054393 032676	22	9	20	12	12
100-64-240	8 054393 032683	24	4	9	12	12


XPS COMPETITION FAST LINK



Perfect for the quick connection and the rapid exchange of the hooklinks in the bolognese, waggler or feeder fishing, this rolling swivel is equipped with a small hook that is closed by a rubber sliding sleeve.


		SIZE	(Rg)		XXX	PCI
101-55-718	8 054393 128010	18	20	44	6	10
101-55-720	8 054393 128027	20	12	26	6	10
101-55-722	8 054393 128034	22	12	26	6	10
101-55-724	8 056 393 128 06 1	24	9	20	6	10

DIAMOND INSURANCE SNAP



		SIZE	[kg]		XXX	PC
100-78-040	8 054393 033307	4/0	55	120	10	10
100-78-030	8 054393 033291	3/0	40	90	10	10
100-78-020	8 054393 033284	2/0	30	65	10	10
100-78-010	8 054393 033277	1/0	15	33	10	10
100-78-000	8 054393 033260	0	10	22	10	10

GERMAN B SNAP



		SIZE	(Rg)		XXX	POI
100-79-020	8 054393 033352	2/0	25	55	10	10
100-79-010	8 054393 033345	1/0	15	33	10	10
100-79-002	8 054393 033338	0	10	22	10	10
100-79-001	8 054393 033321	00	7	15	10	10
100-79-000	8 054393 033314	000	6	13	10	10

SLEEVE TUBES




2.00 1.80 1.60 1.40 1.20 1.00 0.75 0.50

		mmØ	XXX	EO
100-44-200	8 054393 032256	2.00	10	10
100-44-180	8 054393 032249	1.80	10	10
100-44-160	8 054393 032232	1.60	10	10
100-44-140	8 054393 032225	1.40	10	10
100-44-120	8 054393 032218	1.20	10	10
100-44-100	8 054393 032201	1.00	10	10
100-44-075	8 054393 032195	0.75	10	10
100-44-050	8 054393 032188	0.50	10	10



EGG SNAPS



		SIZE	[kg]		XXX	PCI
100-88-040	8 054393 033789	4	55	120	10	10
100-88-030	8 054393 033772	3	40	88	10	10
100-88-020	8 054393 033765	2	30	66	10	10
100-88-010	8 054393 033758	1	15	33	10	10
100-88-005	8 054393 033741	0	10	22	10	10

BENT HEAD FAST SNAP



Special safety snap made from stainless steel, ideal for spinning, feeder fishing, surfcasting and beach legering. The connection of a lead, a lure or a feeder becomes so quick and safe, because it is not necessary to open the snap, but just insert the accessory eye through the 90° bent end and push it inside.

		SIZE	XXX	PCI
100-89-200	8 054393 127990	М	6	10
100-89-210	8 054393 128003	L	6	10


WRAPPING SNAPS



		SIZE	(kg)		XXX	POI
100-89-010	8 054393 033796	S	12	27	10	10
100-89-020	8 054393 033802	М	18	40	10	10
100-89-030	8 054393 033819	L	25	55	10	10



COMPETITION FLOAT STOPPER OVAL




FLOAT STOPPER BLACK




		SIZE	PC
105-65-000	8 054393 036780	Combined	10
105-65-010	8 054393 036797	S	10
105-65-020	8 054393 036803	М	10
105-65-030	8 054393 036810	L	10
105-65-040	8 054393 036827	XL	10

FLOAT STOPPER MULTICOLOUR 200



		SIZE	POF
105-65-210	8 054393 036889	S	10
105-65-220	8 054393 036896	M	10
105-65-230	8 054393 036902	L	10

COMPETITION FLOAT STOPPER STICK



FLOAT STOPPER NATURAL



		SIZE	POI
105-65-100	8 054393 036834	Combined	10
105-65-110	8 054393 036841	S	10
105-65-120	8 054393 036858	M	10
105-65-130	8 054393 036865	L	10
105-65-140	8 054393 036872	XL	10

FLOAT STOPPER MULTICOLOUR 400



		SIZE	POI
105-65-310	8 054393 036919	S	10
105-65-320	8 054393 036926	M	10
105-65-330	8 054393 036933	L	10

OVAL ALUMINIUM CRIMPS




		[OIN]	لستتسا	[ØLINE]	XXX	PO J
100-44-500	8 054393 032263	0.8/1.7	6.5	0.45~0.70	20	10
100-44-510	8 054393 032270	1.0/2.0	10.0	0.60~0.90	20	10
100-44-520	8 054393 032287	1.2/2.4	10.0	0.90~1.10	20	10
100-44-530	8 054393 032294	1.4/2.8	10.0	1.00~1.30	20	10
100-44-540	8 054393 032300	1.6/3.2	10.0	1.20~1.40	20	10
100-44-550	8 054393 032317	1.8/3.6	18.0	1.40~1.70	20	10

CROSSLINE CRANE



2/0	1/0		01			02	04
		SIZE	Ø			XXX	PCI
8 054393	33116	2/0	2.5	75	165	6	10
8 054393	33123	1/0	2.3	60	135	8	10
8 054393	33130	01	2.1	47	105	8	10
8 054393	33147	02	1.9	3	95	10	10
8 054393	33154	04	1.4	35	77	10	10
	8 05439310 8 05439310 8 05439310 8 05439310	8 054393 033116 8 054393 033123 8 054393 033130 8 054393 033130	SIZE 2/0 3/05/2393/033110 1/0 3/05/2393/033123 01 3/05/2393/033123 02 3/05/2393/033127 02	SIZE 2/0 2.5	SIZE	SIZE Ø 60 165	SIZE

BB SWIVEL WITH SOLID RINGS



		SIZE	(kg)		XXX	PCI
100-87-010	8 054393 033680	01	20	44	6	10
100-87-020	8 054393 033697	02	25	55	6	10
100-87-030	8 054393 033703	03	35	77	6	10
100-87-040	8 054393 033710	04	50	110	6	10
100-87-050	8 054393 033727	05	65	143	6	10
100-87-060	8 054393 033734	06	80	176	6	10

BB SWIVEL COSTLOCK SNAP



		SIZE	(kg)		XXX	PO
100-76-080	8 054393 033192	08	110	245	5	10
100-76-070	8 054393 033185	07	90	200	6	10
100-76-060	8 054393 033178	06	70	155	7	10
100-76-050	8 054393 033161	05	55	120	8	10

X-STRONG CRANE



		SIZE			(XXX	PCI
100-74-006	8 054393 033048	4/0	135	300	6	10
100-74-007	8 054393 033055	3/0	100	220	6	10
100-74-008	8 054393 033062	2/0	75	165	8	10
100-74-009	8 054393 033079	1/0	60	135	10	10
100-74-010	8 054393 033086	01	47	105	12	10
100-74-020	8 054393 033093	02	43	95	12	10
100-74-040	8 054393 033109	04	35	77	12	10

X-STRONG CRANE COASTLOCK SNAP



		SIZE	<u>kg</u>		XXX	PO
100-77-007	8 054393 033208	3/0	70	155	8	10
100-77-008	8 054393 033215	2/0	55	120	8	10
100-77-009	8 054393 033222	1/0	45	100	10	10
100-77-010	8 054393 033239	01	45	100	10	10
100-77-020	8 054393 033246	02	35	75	10	10
100-77-040	8 054393 033253	04	22	50	10	10


X-STRONG CRANE





		SIZE	(kg)		XXX	PC
100-85-008	8 054393 033543	2/0	360	800	8	10
100-85-009	8 054393 033550	1/0	275	600	8	10
100-85-010	8 054393 033567	01	225	500	8	10
100-85-030	8 054393 033574	03	140	310	10	10
100-85-050	8 054393 033581	05	100	220	10	10
100-85-070	8 054393 033598	07	82	180	10	10
100-85-100	8 054393 033604	10	68	150	10	10
100-85-120	8 054393 033611	12	45	100	10	10

X-STRONG ROLLING INSURANCE SNAP



X-STRONG CRANE COASTLOCK SNAP



The Yummy Baits are the trout's favourite of all times! Their texture is really super soft, so soft you've never seen a similar bait. Fish will bite with confidence such a sweety! Yummy Baits are elastic too, so they are super resistant and can be used and used again. The lifelike texture has been super charged with fish scent for extra trigger action. You never had such a powerful bait on your hook!



FALCETTO



In contrast to many other grubs, the Falcetto generates an high-efficient rotation movement thanks to its broad and short tail. Trout can thus easily detect these vibrations and smell the scent of the lure. Falcetto is anise scented in white colour and fish scented in all other colours. Eight pieces in a resealable plastic bag.





The broad and short tail generates a rotation and high frequency vibrations.

		COLOR	XXX	POI
182-12-010	8 054393 073495	White	8	10
182-12-020	8 054393 073501	Natural	8	10
182-12-030	8 054393 073518	Cream	8	10
182-12-040	8 054393 073525	Blood Red	8	10
182-12-050	8 054393 073532	Bubble Gum	8	10
182-12-060	8 054393 073549	Yellow	8	10
182-12-070	8 054393 073556	Orange	8	10
182-12-080	8 054393 073563	Green Char- treuse	8	10

BRUCONE



The Brucone is a perfectly shaped rotating lure which twists around its own axis during the retrieve and produces strong trout reactions. Less experienced anglers can use a baiting needle to correctly position this lure on the hook. The Brucone worms are delivered per 8 pieces in a resealable plastic bag. The white colour is anise scented, while all the other colours are fish scented.





Perfect hooking of the Brucone. This rigging generates an active rotation with intensive vibrations.

		COLOR	XXX	PCI
182-10-010	8 054393 073358	White	8	10
182-10-020	8 054393 073365	Natural	8	10
182-10-030	8 054393 073372	Cream	8	10
182-10-040	8 054393 073389	Blood Red	8	10
182-10-050	8 054393 073396	Bubble Gum	8	10
182-10-060	8 054393 073402	Yellow	8	10
182-10-070	8 054393 073419	Orange	8	10
182-10-080	8 054393 073426	Green Char- treuse	8	10

≅TR ΔBUCCO

TAIL TWISTER




The Tail Twister is a preformed trout lure, which is rotating around its own axis during the retrieve and generates extraordinary intensive vibrations thanks to its round flat belly, driving crazy the laziest trout. A great trout and perch lure that can't be missing in any lure box. The Tail Twister is delivered per 8 pieces in a resealable plastic bag. The white colour is anise scented, while all the other colours are fish scented. From today, a smaller size is also available to widen the chances of this fantastic lure.



Perfect rigging of the Tail Twister with active rotation, the hook is buried within the body close to its round flat belly.



In order to increase rotation and the vibration's frequency, just bring the hook point out of the first part of the tail. But not too low!





CAMOLA



A true replica of an honey worm, one of the most appreciated trout baits. The camola is delivered per 8 pieces in a resealable plastic bag. The white colour is anise scented while the other colours are fish scented.



Two Camola Worms generate an intense rotation with strong vibrations.





Single-camola hookbait: fast baiting for fast action. The hook is completely buried inside camola's body. When the trout attacks, it is automatically hooked.

		COLOR	XXX	
182-11-010	8 054393 073433	White	8	8
182-11-020	8 054393 073440	Natural	8	8
182-11-030	8 054393 073457	Cream	8	8
182-11-050	8 054393 073464	Bubble Gum	8	8
182-11-060	8 054393 073471	Yellow	8	8
182-11-070	8 054393 073488	Orange	8	8




Trabucco's Soft Lures are made of superior quality material, soft but still durable. These powerful scented lures are packed in a preserving oil that will maintain their outstanding performance. Every and each Soft Lure has its own design which is specific effective, tested and improved by our Pro Team for long time before launching it in the market. We are committed to achieve details perfection and absolute quality to get the best performance. Try them and you won't regret!

HONEY WORM



Honey Worms are available in two sizes, Regular and XL. These floating baits have a bent shape to increase the twisting action needed to appeal the trout and other predators. They can be used alone or in combination with other soft or live bait. The Honey Worms texture is really similar if not the very same of the live honey worms but they will always be available and they will not be spoiled after the first catch, being able to be re used several times before substitution.



STANDARD		COLOR	XXX	
182-00-210	8 054393 073143	Natural White	30	10
182-00-220	8 054393 073150	Yellow Glitter	30	10
182-00-230	8 054393 073167	Fluo Glitter	30	10
182-00-240	8 054393 073174	Red Glitter	30	10
182-00-250	8 054393 073181	Pink Glitter	30	10
182-00-260	8 054393 073198	Silver Glitter	30	10



XL >		COLOR		PCI
182-00-310	8 054393 073204	Natural White	25	10
182-00-320	8 054393 073211	Yellow Glitter	25	10
182-00-330	8 054393 073228	Fluo Glitter	25	10
182-00-340	8 054393 073235	Red Glitter	25	10
182-00-350	8 054393 073242	Pink Glitter	25	10
182-00-360	8 054393 073259	Silver Glitter	25	10

FAT TROUT WORM

It's a short, fat worm, which mimics the chopped earthworm. It can be used in combination with other bait when fishing with bombardas, or hooked on a jig head to let it dance on the bottom and trigger the predatory instinct of lake and river trout; it may even be hooked wacky style (i.e. with the hook placed in the middle of the body) with no weight, to obtain a very natural fall to the bottom. The Fat Worm are flavored with fish taste: when the trout takes the bait, stops to taste it, allowing to strike with the right timing.





		COLOR	XXX	PCI
182-00-510	8 054393 073297	White Glitter	10	10
182-00-520	8 054393 073303	Black Glitter	10	10
182-00-530	8 054393 073310	Pinky	10	10
182-00-540	8 054393 073327	Fluo Green	10	10
182-00-550	8 054393 073334	Flame	10	10
182-00-560	8 054393 073341	Pearl & Brown	10	10
182-00-570	8 054393 113641	Pearl Green	10	10
182-00-580	8 054393 113658	Meat	10	10










EARTHWORM


A realistic imitation of an earthworm, with the elongated body made from "fish-frendly" synthetic materials that allow to obtain a very similar texture to that of the natural worm, but with the great advantage of being safe from easy damage, either during the hooking process or during the fight. It can be used in combination with other baits when fishing with the bombarda; hooked on a jig head to make it dance on the bottom and unleash the instincts of all predators; it can even be hooked at the center of the body, "wacky" style, to get a very natural fall to the bottom. The Earthworm are powered with fish flavour: when a predator bites, feels the taste and does not stop to bite the bait, allowing you to strike with the right timing.





FALCETTO SHAD

Internally scented grub, which features a paddle tail designed to increase the vibrations produced during the retrieve. The lure moves a volume of water twice as big than a normal grub, allowing the fish to detect its presence at a much higher distance. Its ideal field is the lake, where it tempts Trout and Perch in all seasons of the year. Use it on long shank hooks, pushing the point out of the body just before the start of the tail, in order to ensure the rotation of the whole hookbait: such is the right way to get the very best from it.



MICRO JIG HEAD







T-SHAD

Small silicone minnow for trout fishing in the streams and lakes, with a paddle tail that creates wide oscillations and vibrations during the retrieve. Its light weight requires the association to a Micro Jig Head, which provides the necessary weight to carry it on the bottom and make it work, maintaining the line's tension to let the rod tip detect bites. When fishing from a boat or from the belly boat, it can be hooked by Drop Shot or Split Shot styles, two techniques involving the passage of the hook through the head, with body and tail free to move. Also great for Perch, is scented internally.



10/White









90/Fluo Yellow

	SPLIT SHOT			
	DROPSHOT			
		COLOR	XXX	PC
182-00-610	8 054393 113665	White	10	10
182-00-620	8 054393 113672	Natural White	10	10
182-00-630	8 054393 113689	Yellow Glitter	10	10
182-00-640	8 054393 113696	Red Glitter	10	10
182-00-650	8 054393 113702	UV Purple	10	10
182-00-660	8 054393 113719	Bubble Gum	10	10
182-00-670	8 054393 113726	Pink Ghost	10	10
182-00-680	8 054393 113733	Chartreuse Ghost	10	10
182-00-690	8 054393 113795	Fluo Yellow	10	10

BLOOD WORM

Slurp! Blood Worm is the perfect imitation of the Ver de Vase, the typical and most natural bait that normally lives in lakes and canals. So they are the most convenient baits for a large variety of fish, such as carp, crucian carp, bream etc. Available in its peculiar blood red colour.



7					
		COLOR	XXX		
182-00-110	8 054393 073136	Blood Red	50	10	

HOW TO RIG

MAGGOTS

The Maggots are imitations of the natural fly larvae, the bait used throughout Europe, both in fresh and saltwater. The Slurp are produced with a silicone compound, which is soft and floating, therefore excellent to balance the hook's weight and create a natural presentation. The new colour Natural Red replicates the one used for the dyed maggots, commercially available in any shop: with the white (Natural White) it forms a pair of highly effective bait for all kind of fish and for all seasons. Beyond the convenience and easy storage, these baits can be used in water where







STANDAID		COLOR	(XXX	PCI
182-00-010	8 054393 073082	Natural White	50	10
182-00-020	8 054393 073099	Blood Red	50	10
182-00-030	8 054393 073105	Yellow	50	10
182-00-040	8 054393 073112	Orange Glitter	50	10
182-00-050	8 054393 073129	Natural Red	50	10

XL				
		COLOR	(XXX)	PCI
182-00-061	8 054393 157164	Natural White	30	10
182-00-062	8 054393 157171	Blood Red	30	10
182-00-063	8 054393 157188	Yellow	30	10
182-00-064	8 054393 157195	Orange Glitter	30	10

SPAGHETTI

Spaghetti is a classic lake trout bait, but with the addition of the inner scent and oil, the Spaghetti Slurp! become irresistible and capable of ensuring a lot of catches even where many other baits fail. All colours are very bright and vivid, suitable to stimulate the most lazy trout. The new fluorescent colors recall the paste hookbait's tones, while the Blood Red is very effective in clear



10 / W	hite	20 / Orar	nge Glitter	3	0 / Yellow
	,			lament of	
40/Fluo	Pink	50/Blo	ood Red	70,	Fluo Green
	4			•	
			COLOR	XXX	
182-00-410	8 054393	73266	White	12	10
182-00-420	8 054393	 	Orange Glitter	12	10
182-00-430	8 054393	73280	Yellow	12	10
182-00-440	8 054393	13610	Fluo Pink	12	10
182-00-450	8 054393	13627	Blood Red	12	10
182-00-470	8 054393	13634	Fluo Green	12	10

CORN

The Slurp Bait Corn is the perfect imitation of a sweetcorn grain, proposed in three assorted sizes within the package for maximum versatility. It has been produced from "fish-frendly" synthetic materials which allowed to obtain a very similar texture to the real one, but with the great advantage of being much more resistant, both through hooking process and during fish fight. Extremely soft and semi-floating, this bait is impregnated with fish based attractors that make it extremely good to entice big cyprinidae like Carp, Barbel, Tench, Chub. Excellent when used individually, either on the hook shank or on the hair rig, it's also perfect to make cocktails with any other alive or static natural bait.

		COLOR	(XXX	PCI
182-00-810	8 054393 133274	Yellow	50	10
182-00-820	8 054393 133281	Natural White	50	10
182-00-830		Red	50	10






















		MODEL	POF
101-25-210	8 054 383 034 137	Deep Diver 87	5

NATURAL BAIT NEEDLE



NATURAL BAIT CAGE



SEA JIGGER


Jig designed to catch bottom feeders and predators in medium and deep waters. It has Glow head for extra appeal in deep, a large skirt and it's fitted an high quality japanese treble hooks. This provides higher hook-up ratio. Sea Jigger must be worked on or just off the bottom, in particular in sandy bottom where the retrieve and the fall create a cloud that naturally attracts inquisitive fish.

		∆† ∆ g	COLOR	HOOK	POI
186-90-000	8 054393 074812	80	Blue	3/0	5
186-90-010	8 054393 074829	80	Green	3/0	5
186-90-020	8 054393 074836	80	Orange	3/0	5





Fierce Squid Jig is a real winning weapon available to squid and cuttlefish anglers, also known as Eginger. Carefully crafted from selected materials, they are decorated with particularly nice colors; Fierce Squid Jig carefully replicates the most common prey of cephalopods, combining excellent casting attitude with attractive swimming and darting under jerk action that can trigger predator's attack. These Eqi lures are definitely ideal for solving complicated situations, perfect both for fishing from the boat or from piers and cliffs.



3D FYFS

The oversized and three-dimensional eyes increase the attractiveness power in low light conditions Their colours are designed in combination with the body to increase attack's chances.



CLOTH BODY

The body is dressed with a particular fabric that mimics the forage of cephalopods, thus providing a higher number of attacks and greater chance to be retained by the predator.



GLOW TAIL

Some details of the hook's crowns and body are made with fluorescent finishes, capable of emitting light radiation particularly sensitive to the sight of squid and cuttlefish.





FEATHER

Lateral feathers mimic the appendages of prawns and the fins of cephalopods, stimulating the attack of the artificial lure also through the perception of vibrations in addition to visual attraction.



SNAGLESS SINKER

The lead profile is designed to reduce friction in water, thus easing fishing action, minimize the chances of snagging and stabilize the swimming of the Egi, even in the presence of current.



HOOKS

The double hook's crown is light, sharp and durable at the same time. While the rounded shape guarantees excellent striking power and ensures a firm grip of the cephalopod.



CLOTHING

Range of fishing clothing developed to perform at its best on the roughest conditions. The accurate selection of details and fabrics allows us to create garments with innovative design and technologically advanced. Designed with the very latest in material technology. The highest comfort level, breathability and thermal insulation well as freedom of movement are guaranteed along the whole range.





GNT TECNIK MAX BREATH SUIT

Lightweight suit designed for comfortable fishing in any weather condition, structured with highly breathable and waterproof fabric, characterized by great flexibility to facilitate movement and casting action. The jacket is wide and short enough not to hinder the possibility of sitting on the seatbox, with a practical, adjustable extension hood and with a wide band covering the zipper, preventing the passage of cold air. Large diagonal-opening pockets, two inner pockets; practical pectoral bellows, closed with Velcro bands. Adjustable amplitude cuffs. The trousers are equipped with elasticated suspenders and waistline, to always dress perfectly; in addition to the two classic zipper pockets, they offer two extra ones on the sides of the thighs. The

leggings can be opened to facilitate the insertion of the feet in the boots and their low end is adjustable by Velcro bands. Large Trabucco logo on the back side.

		SIZE
049-38-100	8 054393 166661	М
049-38-200	8 054393 166678	L
049-38-300	8 054393 166685	XL
049-38-400	8 054393 166692	2XL
049-38-500	8 054393 166708	3XL
049-38-600	8 054393 166715	4XL



GNT TECNIK SOFTSHELL JACKET

Perfect in the intermediate seasons, this light and soft jacket completely protects against wind and light rain. The presence of sizes 3XL and 4XL in the range is surely in a position to satisfy any user, also offering the adaptability of the cuffs, via Velcro bands. The two classic zipper pockets are flanked by a side-opening pocket, equipped with a rubber membrane to ensure the water tightness, protecting documents or the mobile phone. The soft inner lining makes it particularly comfortable. Large Trabucco logo on the back

		SIZE
049-39-100	8 054393 166722	М
049-39-200	8 054393 166739	L
049-39-300	8 054393 166746	XL
049-39-400	8 054393 166753	2XL
049-39-500	8 054393 166760	3XL
049-39-600	8 054393 166777	4XL









GNT TECNIK BODYWARMER

This ultralight, but warm and protective garment at the same time, has been designed to offer a hooded alternative to the classic bodywarmer. It can be worn over a sweatshirt in the middle seasons or in the early hours of the morning; it can integrate a raincoat when the rain is accompanied by the wind; it can also be used while driving the car, given the complete freedom of movement for the arms. In addition to the two normal zipper pockets, it offers a small pocket for documents and mobile phone, designed with a practical side opening. Large Trabucco logo on the back.

		SIZE
049-37-100	8 054393 166012	М
049-37-200	8 054393 166029	L
049-37-300	8 054393 166036	XL
049-37-400	8 054393 166043	2XL
049-37-500	8 054393 166050	3XL
049-37-600	8 054393 166067	4XL

GNT PRO SOFTSHELL VEST

Extremely practical garment, suitable for any moment of the fishing day, including the car trip, when the arm's freedom of movement is essential. A classic vest redesigned according to current style, produced from water repellent softshell fabric and equipped with a raised windproof collar. In addition to the document and mobile phone's pocket, the product offers two front zipped pockets, internally padded to perform the function of hand warmers and two additional internal pockets. Large Trabucco logo on the back side.



		OIZE
049-32-100	8 054393 134998	М
049-32-200	8 054393 135001	L
049-32-300	8 054393 135018	XL
049-32-400	8 054393 135025	2XL
049-32-500	8 054393 135032	3XL

SI7E

GNT PRO BODYWARMER

Lightweight as a feather, this excellent vest is a valid alternative to the Pro Softshell when temperatures become much more rigid.

The generous padding includes air chambers that achieve a high level of insulation, while a refined touch of elegance is generated by the thin bands of reflective fabric, visible during night fishing. Anti-wind raised collar, two large pockets on the front and a small zippered pocket for storing documents or a mobile phone. Large Trabucco logo on the back.

		SIZE
049-35-200	8 054393 141644	L
049-35-300	8 054393 141651	XL
049-35-400	8 054393 141668	2XL



During spring and autumn it can be worn alone, while during the winter becomes an intermediate layer, to be combined with a softshell jacket. It 'a soft, warm and comfortable micro-fleece polo shirt, brushed and anti-pilling, available in five sizes with a generous 3XL.

		SIZE
049-28-100	8 054393 120427	М
049-28-200	8 054393 120373	L
049-28-300	8 054393 120380	XL
049-28-400	8 054393 120397	2XL
049-28-500	8 054393 120403	3XL



GNT PRO WTP SUIT

Dedicated to the most committed match angler, whose season lasts twelve months, this suit comes off sharply from the rest due to its great wearability, breathability, lightness and freedom of movement. This last feature makes it ideal also for the enthusiast boat angler and for the surfcaster of a certain level, who on the beach has the best opportunities during the cold season. The garment is produced in a special anti-tear fabric that is used in the gliding sector for its qualities of lightness and strength, coupled with a transparent membrane that increases its resistance to abrasion. All joints are thermo-taped for complete waterproofing, while air circulation inside the jacket is ensured by a mesh fabric lining and two zippered windows, located under the armpits. The product consists of two items, not available separately. The jacket is equipped with a raised wind proof collar and a hood with a built-in visor, adjustable and foldable backwards with a Velcro fastening; two zippered pockets plus a small pocket for documents or a mobile phone. The cuffs of the sleeves are adaptable by means of practical Velcro bands. The bib and brace has the same general characteristics of the jacket; the straps are adjustable and fastened by clips; the knees are equipped with protective inserts, while the legs have a long zipper to be opened when wearing boots. Two front zipped pockets, protected by an eyelid; Velcro bands to adjust the width of the trousers at waist height.

SIZE 049-34-200 L 049-34-300 XL2XI 049-34-400









GNT PRO ZIP HOODY

Soft hooded sweatshirt jacket, great for the match angler and for the hobbyist in all fields of sport fishing. Ideal in all seasons to protect yourself from the humidity of the early morning or from sudden gusts of wind when you are on the boat, it fits perfectly without hindering the freedom of arm's movement. The elasticated cuffs and the possibility to adjust the closure of the hood prevent the cold air from passing inside. In case of cold temperatures, the onion style protection can be achieved by combining the jacket with the

the front is appreciated.

		SIZE
049-31-100	8 054393 134950	М
049-31-200	8 054393 134967	L
049-31-300	8 054393 134974	XL
049-31-400	8 054393 134981	2XL
049-31-500	8 054393 155238	3XL





GNT TECNIK THERMO FLEECE

At the first contact, it immediately conveys a feeling of warm protection and entices you to try it. It is a super thermal sweatshirt, created with fabric of a certain consistency, but still soft, with the new mixed colour that attracts attention. The front zipper allows it to be fully opened, and continues on the raised neck. Three zip pockets: two classic and a smaller one for documents. Also available in extremely large sizes, it has all the logos, including the large one on the back, finely embroidered to add fashion and last long time.



		SIZE
049-41-100	8 054393 168375	М
049-41-200	8 054393 168382	L
049-41-300	8 054393 168399	XL
049-41-400	8 054393 168405	2XL
049-41-500	8 054393 168412	3XL
049-41-600	8 054393 168429	4XL

GNT TECNIK SWEATER

A classic polo shirt, equipped with short zipper and raised neck, which is one of the ideal solutions to dress a competition fishing team, where everyone finds the right size because the 3XL and 4XL are also available. The large Trabucco logo on the top area of the back side leaves free a large space on the grey field, to print or embroider the team's logo. The cuffs are stretched for complete comfort.



049-43-100			SIZE
049-43-400	049-43-100	8 054393 168436	М
049-43-400	049-43-200	8 054393 168443	L
049-43-600	049-43-300	8 054393 168450	XL
049-43-600	049-43-400	8 054393 168467	2XL
	049-43-500	8 054393 168474	3XL
	049-43-600	8 054393 168481	4XL

GNT PRO SOFT SHELL

Light and strong technical jacket, suitable for fishing at low temperature, wind or under light rain. Made with breathable fabric, keeps warm and dry inside, giving the user total freedom of arm's movement. The adjustable hood, featuring a visor, is extremely practical. Very wide range of available sizes.

- Material: 100% lined Soft Shell
- · Water repellent and Windproof
- Breathable
- Elasticated cuffs
- Double sided zippered pockets
- Welded mobile phone pocket
- Adjustable hood with visor



SIZE 049-30-000 S 049-30-100 М 049-30-200 1

GNT PRO FLEECE

Designed for a demanding angler, this beautiful zip jacket offers a package of high grade technical features. First of all, the upper part, coloured in black, is made from Softshell fabric, which makes it actually rainproof (Stay Dry). The raised collar and adjustable cuffs with a Velcro band help prevent cold air from getting inside, in case of wind. Two zippered front pockets plus a document pocket complete the set-up, while a large Trabucco logo on the back side adds a sporty touch.



		(SIZE)
049-33-100	8 054393 141538	М
049-33-200	8 054393 141545	L
049-33-300	8 054393 141552	XL
049-33-400	8 054393 141569	2XL
049-33-500	8 054393 141576	3XL





GNT TECNIK THERMO HOODIE

Thin and light hooded jacket, designed for the intermediate seasons but equipped with an adjustable amplitude hood to cope with any sudden changes in temperature. Designed in the classic black and red colours of the GNT logo, it offers the two zippered closed pockets and a wide choice of sizes. Large Trabucco logo printed on the back. ted on the back.



		SIZE
049-42-100	8 054393 166609	М
049-42-200	8 054393 166616	L
049-42-300	8 054393 166623	XL
049-42-400	8 054393 166630	2XL
049-42-500	8 054393 166647	3XL
049-42-600	8 054393 166654	4XL

GNT TECK POLO SHIRT

Polo shirt made by cotton, extremely comfortable also in the hottest days.



			SIZE
2	049-44-100	8 054393 173157	М
	049-44-200	8 054393 173164	L
	049-44-300	8 054393 173171	XL
	049-44-400	8 054393 173188	2XL
	049-44-500	8 054393 173195	3XL
	049-44-600	8 054393 173201	4XL

GNT TECK T-SHIRT

T-Shirt made by cotton, extremely comfortable also in the hottest days.



		SIZE
049-46-100	8 054393 175748	М
049-46-200	8 054393 175755	L
049-46-300	8 054393 175762	XL
049-46-400	8 054393 175779	2XL
049-46-500	8 054393 175786	3XL
049-46-600	8 054393 175793	4XL



XTR PRO K-HOODIE

By popular demand, now Surf Casting enthusiasts also have a dedicated clothing range. In keeping with the black and lime colours of the XTR luggage and the homonymous cap, this sweatshirt attracts the attention of the youngest with its soft hood and practical hand-warmer pocket, which are not only a touch of fashion but respond to real needs on the beaches, during the day as well as in the night. Elasticated knit cuffs and large Trabucco logo on the back.



		SIZE
049-50-100	8 054393 168498	М
049-50-200	8 054393 168504	L
049-50-300	8 054393 168511	XL
049-50-400	8 054393 168528	2XL
049-50-500	8 054393 168535	3XL
049-50-600	8 054393 168542	4XL

XTR PRO F-ZIP SWEATER

Light but protective, this practical jacket is characterized by the complete opening, made possible by the long front zipper. The great freedom of movement meets the needs of Surf Casting enthusiasts, who also recognize the aggressive black and lime colour scheme of the very famous XTR luggage range. Raised neck, elasticated knit cuffs and large Trabucco logo on the back complete this garment. The most robust users will welcome the large sizes 3XL and 4XI



		SIZE
049-51-100	8 054393 168559	M
049-51-200	8 054393 168566	L
049-51-300	8 054393 168573	XL
049-51-400	8 054393 168580	2XL
049-51-500	8 054393 168597	3XL
049-51-600	8 054393 168603	4XL

GNT & XTR PRO DRY-TECK JERSEY

Sporty, young and light, this t-shirt is quite interesting for the sum of its technical features. In fact, it has been created with a very fine knitted fabric, elastic in all directions, which maintains its specifications even after endless washing cycles. So it is perfect for the match angler, who makes intensive use of it. A wide range of sizes is available.



200 200 200	THE RESERVE TO SHARE THE PARTY OF THE PARTY	
		SIZE
049-45-100	8 054393 173218	М
049-45-200	8 054393 173225	L
049-45-300	8 054393 173232	XL
049-45-400	8 054393 173249	2XL
049-45-500	8 054393 173256	3XL
049-45-600		4XL

		SIZE
049-52-100	8 054393 168610	М
049-52-200	8 054393 168627	L
049-52-300	8 054393 168634	XL
049-52-400	8 054393 168641	2XL
049-52-500	8 054393 168658	3XL
049-52-600	8 054393 168665	4XL

MICROPILE GNT

Lightweight and very soft, the GNT micro fleece is ideal to wearing in midseason or under a thermal suit for added protection. The elasticized cuffs, the high open collar, the embroidered logo make it complete.



		SIZE
049-25-300	8 054393 015464	XL
049-25-400	8 054393 015471	XXL

FELPA GNT

Very soft and comfortable sweatshirt made from cotton and polyester mixture. Round neck, elasticized cuffs and bottom, with stylish embroidered logo.



		SIZE
049-26-300	8 054393 015495	XL
049-26-400		XXL

POLO GNT DRY-TEK

The Gnt Dry-Tek Polo are designed to keep you cool and dry in warm weather, by wicking sweat away from the body. The Dry-Tek fabric is also breathable, lightweight, easy to care and super soft to offer the maximum comfort.



		SIZE
042-10-100	8 054393 013385	М
042-10-200	8 054393 013392	L
042-10-300	8 054393 013408	XL
042-10-400	8 054393 013415	XXL

T-SHIRT TRABUCCO GNT




TEAM BAND

With a fantastic combination of comfort and style, the Trabucco Team Bands have been designed to protect the face and neck from sun and wind, repelling 95% of dangerous UV rays and moisture, while also keeping the skin quite dry, even in extreme conditions. Produced in a thin, breathable, ultrasoft and lightweight fabric, Team Bands are decorated with particularly modern designs and are perfect for any outdoor activity. Very resistant and durable, the Trabucco Team Band offer a total multi-functionality, which allows you to wear them in a wide range of different ways. Two versions are available: Competition with a pleasant series of Trabucco logos; Saltwater with illustrations of Tuna, Amberjack and Dentex, which are easy to combine with the Trabucco caps to give the user a strong sporty identity. We recommend cleaning them in the washing machine with cold water and ironing at low temperature, protecting the band between two cloth sheets; so it will not lose the brilliance of the colors and









SURF TEAM SHIRT SHORT SLEEVE

Created to celebrate the second consecutive gold medal in the World Surf Team Championship (Team Trabucco El Perdigal, Spain), this brilliant and sporting short sleeve shirt is perfect for those who like a technical clothing with strong identity.

		SIZE
040-91-100	8 054393 147912	М
040-91-200	8 054393 147929	L
040-91-300	8 054393 147936	XL
040-91-400	8 054393 147943	XXL



MATCH TEAM SHIRT SHORT SLEEVE

Superlight short sleeve shirt, dedicated to the match angler who likes to feel different. Perfect on the peak of hot summer, it can be worn anyway on top of any other clothing to face the intermediate season's weather.

		SIZE
040-93-100	8 054393 147950	М
040-93-200	8 054393 147967	L
040-93-300	8 054393 147 9 74	XL
040-93-400	8 054393 147981	XXL



SW PRO TEAM SHIRT SHORT SLEEVE

Inspired to the classic sea colours, this short sleeve shirt makes a brilliant alternative to Match model, sharing with it the shape, material and finish details. As light as a feather, it dresses without limiting the movement's freedom.

	SIZE
8 054393 147998	М
8 054393 148001	L
8 054393 148018	XL
8 054393 148025	XXL
	8 054393 148001 8 054393 148001





GNT TECNIK BEANIE

Stylish and minimal knitted beanie designed to keep you warm during the coldest sessions.



049-40-110

XTR CAP

With the large XTR logo embroidered on the brim and the recall to lime green of the homonymous luggage range, it was conceived for Surf Casting fans, but the sharpness of its design has suddenly conquered a wide array of young match anglers who have immediately adopted it and are unlikely to change their minds.



040-13-021



GNT TECNIK PEACKED BEANIE

For those extra-cold days, this knitted beanie features a comfy peak to keep the sun out of your eyes and a soft and elastic fabric for increased comfort and warmth.



054393 173287 049-40-120

GNT BLACK CAP

Without taking anything away from the other Trabucco caps, this is the much waited model by match anglers, who love the black colour for the sense of seriousness and high technical level.



040-13-019







™TRABUCCO

GNT DRY-TEK CAP

Soft, lightweight and breathable baseball cap entirely made from Dry-Tek fabric. The Dry-Tek material is designed to keep you cool, dry and comfortable in warm weather. Featuring overlapping Velcro closure, pre-curved bill with contrast color and sewn eyelets.



040-13-016



GNT RED CAP

Cheerful and extremely sporty, it goes perfectly with the entire GNT clothing and luggage range, thanks to the colour scheme and the large logo embroidered on the brim.



040-13-020



GNT FLEECE NECKWARMER

Soft band designed to protect the neck or the head from harsh temperatures or strong winds, typical of winter. Made of fleece fabric, it features a lanyard to tighten one of the two ends, turning it into a very warm bonnet. The interior and exterior have different colors, so as to perfect the combination with the other items of the Trabucco clothing range.





TRABULE

GNT CAP

The GNT Cap is made from 100% hard wearing cotton. A metal clasp allows easy adjustment and one size fits all.



040-13-015

TRABUCCO TEAM APRON





040-12-110

040-12-120

 MODEL
 Common (minum)

 Waist Apron
 50x70

 Full Apron
 80x70


040-12-120

NOTES







FOLLOW OUR SOCIAL PROFILES



























FRAME & SCAN QR-CODES

Open the camera app on your phone, frame and scan the QR codes, tap the pop up notification and enjoy tons of new, exclusive contents posted every day on our social media profiles - lots and lots of tutorials, tips and new products sneak peaks are waiting for you!



















From the long experience of Roberto Trabucco on rivers and seas all over the world, quality equipment for fly fishing and spinning is born, designed and tested personally to guarantee reliability and precise compliance with the most current needs of the specialists. The balanced value for money encourages the beginners to approach fishing, and at the same time amazes all experts, who immediately understand the technical merits of LmF rods, reels, lines and accessories.



K-Karp is a brand committed to creating the best fishing gear for carp anglers. It's a well known fact that there is no carpfishing expert more qualified than a carper, and that's why ideas for the developement of K-Karp new gears come from its partners - anglers who spend most of their time fishing, while looking for innovative solutions to improve their fellow carpers fishing experience.



Catgear's line of professional catfishing gears was born as response to the growing following that catfishing gained over the years. Catgear collects, under its name, a complete selection of professional fishing equipment — starting from rods to reels, accessories, clothings and fishing bags, the wide range of solutions designed by Catgear will satisfy any catfishing enthusiast!





Trabucco International Srl Via Atene, 7 - Zona CEPIM Interporto 43010 Bianconese di Fontevivo (PR) Italy Tel.: +39 0521 618000 r.a. Fax: +39 0521 617032

E-mail: info@trabucco.it

FOLLOW US:

