TRABUCCO

FORM & PERFORMANCE

TRABUCCO FISHING RANGE

CONCEPT CATALOGUE 2021

ATOMIC
XR
ENERGY
Hypnotica
SURF
SUPREME
LANCER LTX
SURF 8000
SALTWATER RESISTANT
AVS
ANTI VIBRO SYSTEM
TRABUCCO
COMPETITION
GP
XPS
TAPER LINE
SURFCASTING
SLK X8
ULTRA HMPE BRAID
TOURNAMENT CLASS
DYNA TEX
HOLLOW ELASTIC
HI-LAYER
POWER
5m

OUR PRO TEAM

FRESH WATER

MATCH FISHING

ROBERTO TRABUCCO

ANDREA TRABUCCO

GIANLUIGI SORTI

STEFANO BOSI

STEFANO PREMOLI

MARIO BAPTISTA

GORAN RADOVIC

GIANNI FENU

LAKE TROUT

DANIELE BONETTI

FEEDER

ANDREA VENTURINI

NÉMETH BALÁZS

MAURIZIO BIOLCATI

ANGELO CANTONI

PIERPAOLO MARINI

ANDREA CANACCINI

DOMENICO SALVATORI

ROBERTO BATTELLINI

GIANNI PAZZINI

ANDREA BALDUINI

SALT WATER

SURFCASTING

EMILIANO TENERELLI

ROBERTO ACCARDI

GIUSEPPE ALESI

SALVATORE BONACCORSO

ROBERTO RIPAMONTI

RICCARDO MISERENDINO

WALTER SARRET

MICHAEL MELONI

MARCELLO MESSINA

CARLO SCHIAVONE

BIG-GAME FISHING

SAVERIO ROSA

MARIO BARROS

SIMONE CHIARIGLIONE

CIRO AFELTRA

IVAN FAEDI

SHORE FISHING

TEODORO DI PAOLA

INDEX*

01 RODS

LONG POLE	06
TELESCOPIC WHIPS	13
BOLO RODS	21
TELEMATCH	37
MATCH RODS	43
FEEDER RODS	49
SPECIALIST FEEDER	60
LAKE & RIVER TROUT	65
RIVER TROUT RODS	71
CARP & SPECIMEN	73

01 RODS

SURFCASTING 3 SECTIONS	77
SURFCASTING 2 SECTIONS	92
SURFCASTING TELE	95
LIGHT SURF & BEACH LEGERING	101
TELESCOPIC BOLENTINO RODS	107
BOLENTINO & LIGHT DRIFTING	114
SQUID EGING & SABIKI	123
TROLLING RODS	126
HOBBY RODS	130

02 REELS

FRONT DRAG	132
FEEDER	162
CARP RUNNER	168
MICRO	170
REAR DRAG	171
SURFCASTING & BIG PIT	173
SW POWER GAME	188
TROLLING & JIGGLING	192

ICONS KEY

	LENGTH (m)		CASTING WEIGHT
	LENGTH (ft)		LINE CLASS
	DIAMETRE (mm)	MATERIAL	MATERIAL
	CLOSED LENGTH	ACT ACTION	ACTION
	NR. SECTIONS	MODEL	MODEL
	WEIGHT	EGI	C.W. (g)

	WEIGHT
	BREAKING STRENGTH (Kg)
SIZE	SIZE
TYPE	TYPE
	CAPACITY DIAMETRE
	GEAR RATIO
	BALL BEARINGS
	SPARE SPOOL

03 MONO & BRAIDED LINE

BRAIDED LINES	200
XPS FLUOROCARBON	207
FLUOROCARBON & SOFT PLUS	211
T-FORCE XPS	212
XSP MATCH & FEEDER	216
DIAMOND	218
WINTER ICE	219
SUPER ELITE	220
T-FORCE SPECIALIST	222
T-FORCE	224
S-FORCE	228
SURFCASTING	230
SPECIAL SALTWATER	235
MAX PLUS	238

	DIAMETRE (mm)	PE	PE LINE
	BREAKING STRENGTH (lb)	PC	TRADE BOX
	BREAKING STRENGTH (Kg)		

04 HOOKS & RIGS

XPS SUPERCARBON HOOKS	242
MATCH & FEEDER HOOKS	247
SHINKEN HOOKS	252
SHINKEN DOUBLE & TREEBLE HOOKS	259
HISASHI HOOKS	261
HISASHI SNELLED HOOKS	266
AKURA HOOKS	258
AKURA SNELLED HOOKS	269
PRE TIED HOOKS	277
SABIKI HOOKS	281

HOOK	HOOK SIZE
ARM LINE Ø	BRANCH LINE DIAMETRE
LINE Ø	LINE DIAMETRE
WIRE Ø	WIRE DIAMETRE

05 FLOATS

MATCH PRO & BOLO RHC	285
GNT FLOATS	286
FLAT FLOATS	289
CARP MATCH RHC	290
NT RHC	291
MATCH FLOATS	292
SUPREME RHC	294
NIGHTLIGHT & SLIDERS	296
WAGGLERS	300

	ANTENNA MATERIAL
	STEM MATERIAL
	SIZE AVALAIBLE
MODEL	MODEL

06 ACCESSORIES, NETS & GROUNDBAITS

GROUNDBAITS	306
GROUNDBAITS ACCESSORIES	310
FEEDING ACCESSORIES	311
CATAPULT	313
NET HANDLE	314
NET HEADS	317
LANDING NETS	319
KEEPNETS	320

- DIMENSION/ LENGTH (m)
- LENGTH/WIDTH/HEIGHT
- CLOSED LENGTH (cm)
- DIAMETRE (mm)
- WEIGHT
- SECTIONS NR.
- MESH SIZE
- MODEL

07 SEATBOXES & CHAIRS

GNTX36 SEATBOXES	322
X36 ACCESSORIES	328
GNT MATCH36 SEATBOXES	336
GENIUS X36 LITE	340
CLAMP 36	346
FEEDER CHAIRS & ACCESSORIES	348

- DIAMETRE (mm)
- CLOSED LENGTH (cm)
- MODEL
- TRADE BOX

08 ACCESSORIES

XPS ROAD RESTS	352
ROLLERS & ROD RESTS	356
UMBRELLAS	360
PRO PLIER	361
POLE ELASTICS	362
COMPETITION ACCESSORIES	364
MATCH & SHOT SINKERS	369
FEEDER	372
FEEDER ACCESSORIES	364

- LENGTH
- CLOSED LENGTH (cm)
- DIAMETRE (mm)
- WEIGHT
- SIZE
- COLOR
- MODEL
- CAGE SIZE
- BOX CONTENT
- TRADE BOX

09 LUGGAGE & BAGS

GNT MATCH TEAM	384
GNT MATCH EVA	388
ULTRA DRY EVA	390
XTR SURFCASTING	392
XTR EVA WHITE PREMIUM	396
COMPETITION PRO LUGGAGE	401

- DIMENSIONS (cm)
- MODEL
- TRADE BOX

10 SWIVELS & SURF ACCESSORIES

SURF POD	398
PRO SURF ACCESSORIES	400
SEA RIG TACKLE	405
SWIVELS	408

- LENGTH (mm)
- DIAMETRE (mm)
- SIZE
- INNER DIAMETRE
- OUTER DIAMETRE
- BREAKING STRENGTH
- COLOR
- BOX CONTENT
- TRADE BOX

11 ARTIFICIAL BAITS

YUMMY BAIT	416
SLURP BAIT	418
SALTWATER LURES	421
FIERCE SQUID JIG	422

- LENGTH (mm)
- WEIGHT
- SIZE
- COLOR
- SINKING RATE
- RUNNING DEPTH
- HOOK SIZE
- BOX CONTENT
- TRADE BOX

12 CLOTHING

GNT CLOTHING	424
XTR SERIES	429
T-SHIRT	429
HATS	432

- SIZE
- MODEL

RODS TECHNOLOGIES

X-JOINT

It's well known that all joints connecting rod's sections are weak points, both from strength and action's point of view, as they cause those "dead spots" which are risky in term of breakage, beyond the bad looking. The solution is hidden in the X-JOINT technology, which means that - on joints area - carbon cloths are laid by 45° angle instead of 90°.

- Perfect curve, without dead spots.
- Unique coexistence of flexibility and stiffness.
- Less oscillations at the end of casting, which means quicker re-alignment of guides.
- Higher structural strength, because stress is dispersed through the blank, instead of being concentrated on joint's ends.

Within X-Joint by Trabucco, the carbon cloth is wound by two directions, and such construction is visible on top end of each section.

TWIST FREE

On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So all the rod with Twist Free technology perform like a knife, rather than - in a mess - like a whip.

ANTI GRIP SECTIONS

In the rods produced with the computer assistance, the joint's precision is so high that, when they are wet, it is possible to form the vacuum, resulting in very tight section's locking. The problem is prevented by creating thin air chambers through cross bands milled on the male side of each joint.

JTS JOINT SYSTEM

On the recent surfcasting rods shines the new Trabucco section's alignment system, which is based on three lines instead of two, exactly as in the most advanced tracking devices and in high precision optics. The concept starts from the physical characteristics of the human eye, which has a higher bisection capacity rather than alignment. Only laser can do the job better!

STS SPIRAL TIP SYSTEM

The best rods for saltwater boat fishing feature a special solution around the solid tip, which is a part subject to breakages, not only because it is intended to be dramatically curved under heavy loads. STS is a spiral winding which protects it from any risk, but such reinforcement doesn't affect the sensitivity of the tip, because the spiral follows the bend elastically, actually distributing the stress along the entire structure.

CX2 CARBON NANO-TEK LRC LOW RESIN CONTENT

It's the most sophisticated material employed in the production of Trabucco rods: a super high modulus carbon, whose layers are carefully assembled with exclusive nano-technological resins to obtain extremely light, compact, resistant sheets which are able to provide a sharp reaction in front of any sort of strain. Its proven strength enables our engineers to even use it in the most advanced surf casting rods.

CX2 CARBON NANO-TEK

High modulus carbon material, located very close to the fantastic LRC-CX2 in the list of high grade materials. Since the resin distribution is less dramatic, it's possible to combine it with lower modulus materials, to generate light and strong rods with size by size programmed action to face the most various fishing conditions.

CX1 CARBON MICRO-PITCH

Before getting through the curing process, the carbon blanks are wound by a special tape, which is free from any elasticity to contrast the expansion of the metallic mandrel. In such way, the resins are well distributed within carbon layers. The narrower the tape's pitch, the lower the resin content, and consequently the rod's blank will be lighter and reactive, thus perfect to create high grade fishing rods.

CX-1 CARBON

The super sharp actioned rods aren't needed in all fishing styles: for example, bolognese or telescopic poles differ from carp fishing or boat rods, where reaction times are slower and the stress is heavier and longer. That's why CX1 is so important, with its special balance between strength and lightness which, compared to Micro Pitch version, gives the rod a lower reactivity both during cast and strike.

CW CROSS WINDING

The rod's blank is carefully wound by a carbon yarn braiding, which contrasts the ovalization under stress. As a consequence, the tubular is far stronger and, at the same time, the whole rod is definitely sharper. Both results are achieved without any sensible weight increase.

HRC HIGH RESISTANCE COMPOSITE

The high end technology is not purely concentrated on top of the range products, but also gives the best in case of intermediate ones, where price counts. Made from a blend of carbon and fibreglass, it finds place in all branches of sport fishing.

XCW CROSS WRAP

When the rod has to be able to cope with the strong pulls and withstand the accidents of hard life at sea side, a special armor is needed for the carbon blank. Here come into play filaments or carbon bands, to form a highly protective wrapping.

S.H.M.R. CARBON

It is the most widely used material for medium range rods, because it's perfect to solve at the same time all problems linked to costs and performances. The final products are nice to handle and quite durable, even if called to face hard life on the water.

POWER FIBRE

A special fibreglass material, able to develop outstanding strength in front of extreme stress, but also to bear the inevitable abuse due to inexperienced handling. This is the perfect material for rods destined to occasional or novice anglers.

HVE HIGH VOLUME EPX-FIBER

Based on fiberglass, this material shows layers linked by an advanced system of epoxy resins. As a consequence, its structure is extremely compact, and generate tubular blanks which are particularly strong and durable.

Zero Friction Blank ZERO FRICTION

A special finish of blank's surface repels water droplets which inevitably wet the rod, both during rainy or sunny days. This prevents line from sticking to the blank, an inconvenience which heavily affects casting distances, specially with light rigs.

NANO RESIN TREATMENT NRT

Carbon fibers are the active core of any rod, but nothing would be possible without the contribution of the resins that cement its layers. The finest the resins are, the better they fill the spaces; in case of nanometer resins, the level is maximum.

HTR HIGH TORQUE RESISTANCE

Carbon fibers oriented according to an innovative concept are able to contrast torsional stresses, which are the worst enemy for any rod's blank. In fact, in addition to putting its integrity at risk, they negatively affect casting accuracy and distance.

CROSSED REINFORCED

When a rod is designed to face extreme stress and maybe some shocks, its joints need to be adequately protected to last long time. We solve this problem with High Resistance carbon bands, applied orthogonally to longitudinal fibers.

high precision control

Within any telescopic rods, the joint's precision is quite important to grant absence of play, not only to avoid noise, but mainly for a complete power transfer. For this reason, Trabucco rods are produced under the computer assistance.

In the today's global market, the raw materials and components for rod's production are available to everybody, but is the technology that makes a difference. In other words, the way to handle the materials varies from company to company, leading to different results. Our core technologies are here illustrated and identified by icons that are used within the catalogue pages.

SS SUPER SLIM BLANK

In some segments of sport fishing, the super slim profiled rods are very much appreciated for their natural lightness and for easy handling. In order to give these rods the required level of strength, Trabucco employs the most advanced production's technologies.

ULTRA CONIC BLANK

The taper of the blank provides balance and the right power to cast and drive the fighting fish to the landing net. Some special Trabucco rods show faster taper than the average, in order to develop a certain behaviour while in action.

SUPER PROGRESSIVE JOINT

In all sort of fishing rods, both telescopic and put over, joints are the most critical areas. Our own joints sweetly follow the rod's action, avoiding those "flat spots" which cause bend imperfections and seriously prejudice rod's strength.

X Power Joint

This technology gives strength to the rod's joints, but without exceeding in weight. This is possible because it takes advantage from high modulus carbon used to create crossed reinforcements, which bear the stress peaks in those areas.

MULTi LENGTH SYSTEM

In the river trout telescopic rods, as well as in some sea boat rods, the length is adjustable thanks to special rubber collars, which are fixed on top of sections to lock them to the below one. This is a careful job, done with hand craft precision.

2x FLEX TIP 3x FLEX TIP

The great sensitivity and the resistance to traction of the interchangeable tips are important assets to influence boat rod's performance. The small single leg guides are well aligned and then carefully wrapped.

TELE TIP

In the segment of sea boat rods, this icon marks the models which aren't supplied with interchangeable tips, but only have a solid fiberglass telescopic tip. No difference regarding sensitivity and durability.

SENSi TOUCH

A fantastic sensation of smoothness and a greater control of the rod comes from the special finish of carbon rod handles. Apart from improving the fishing pleasure, this finish helps rod's cleaning after each fishing session.

The advanced high modulus carbon sheet, which gives enormous power to the rod's blank, sweetly blends into softer materials to provide the right sensitivity to detect fish bites. But the conversion is gradual, within the tubular top section, and this requires high class technology to avoid weak points and curve imperfections, which would cause poor looking but also a bad power transfer, with some risks of sudden breakage for the structure. All over the world, this concept is well known as "multi-action tip", but it's not equally common the process of layer's overlapping and fusion which bring to a perfect result, inch by inch. The technology which leads to the perfection of final product can give the best only in case the engineering and design process are assisted by computer, which can evaluate the stress point by point and realistically simulate the reaction of the material according to the fixed specifications.

The concept behind the Hybrid Tip arises from the need to obtain a good tip action on all models in our surf casting range, in order to compare the performance between the lower and the higher level rods. We then managed to get the unsurpassed sensitivity of a solid carbon tip design matching perfectly with the power of a tubular carbon blank, whatever the modulus of the carbon used to build the rod itself. With this hybrid solution, the blank takes care of the part inherent to the casting action, charging power before releasing it during the lash, while the tip takes care of directionality, of the accuracy and, obviously, of the identification of even the lightest fish bites at very long range. The crucial part is obviously the transition between the tubular carbon blank and the solid tip, subject where we have applied all our famous design capabilities.

Some Big Game rods differ from all the other by a peculiar guide's configuration, which is known worldwide as "Acid" or "Spiral Wrapping". Instead of being in line, they follow a spiral which surrounds the blank, getting aligned only in the top area, with the last guides and the top guide oriented downward. So the line never touches the blank, when the power of a big fish bends it to the limit, without inducing abnormal twists and reducing fatigue with the user.

LONG POLE

NEW GNT ULTRA PLUS	COMPETITION	7
NEW	ALLROUNDER	8
NEW	MATCH CARP	9
NEW	POWER CARP	10
GNT 775 XTR	MATCH CARP	11
DREAM TEAM FSX	MATCH CARP	12
SUPREME CRX	CARP MATCH	12
	CARP MARGIN	12

ICONS LIST

Length	Closed Length	Model
Diametre	Sections Nr	
Weight		

Reglass

FEATURES

AFS ANTI-FRICTION-SYSTEM
The Anti-Friction System is a particular process that during the production "prints" on the section a microscopic rough mat layer. This layer offers several improvements to the pole, such as easier shipping and unshipping, lighter section and improves the long-lasting.

Nanolith
Nanolith is a special resin with a nanometric particles, who can easily insert themselves into carbon filaments and epoxy resin assuring this way an improvement of the mechanical characteristics. This to obtain an even more prompt action which results more stable and lighter pole.

FUSION
Fusion is two high modulus carbons fused together as one whilst wrapped on the mandrel. The end result being ultra rigid top kits with no tip bounce, allowing the angler to hit lightening fast bites with ease.

TJ TEFLON JOINT
The Teflon Joints consists in a Teflon coating resin applied onto the male joint. This coating prevent a longer lasting on the section and a perfect precision of the fittings. it also avoid the joints to get stuck when wet or dirty. This concept is applied both on the original sections of the poles and the spare kits.

MAGIC STEPS PATENT PENDING
Present in the 2 and 1 sections, this new technology is an industry first providing the angler with a silky smooth elastic system. A series of teflon coated inner steps prevents the elastic from making contact with the inner wall of the pole sections, substantially reducing elastic stick, allowing the elastic to gather quickly.

Clean Cap System
The Clean Caps are made of medium density foam, and have a double utility: every time the male section is fitted, the lips of the Clean Caps clean the inner part of the joint, avoiding dangerous scratches by the sand or dust. In addition to that, once fitted in the male joint, they seal the section avoiding them to sink.

SUN CORE
A carbon and resin treatment providing an anti-friction finish that enables the pole to be shipped with incredible ease during wet or dry conditions. This revolutionary surface not only adds strength, but also protects the overall fishing action during hot and cold temperatures

NEW GNT ULTRA PLUS COMPETITION

MADE IN ITALY

Holdall GNT Match Team | Pole with 2 parallel butts | 2 kit 4-Competition 1 kit 5-Competition | Safety Sections n. 5-6-7 | Cupping kit of 3 Sections | 2 Mini Extension

- Top of the range pole for competition fishing
- Pole 12,80 m (in three separate tubes)
- Structure made by 8 sections of High Modulus carbon
- Parallel butt sections (sections nr. 8 and 7)
- AB Tip 150 cm long, with Ø 2,2 mm top bore

POLE PACK

- 1x GNT Ultra Plus Competition 13 m
- 2x Kit 4 Competition (AB/3-4 = 4,20 m)
- 1x Kit 5 Competition (AB/3-4-5 = 5,80 m)
- 1x Safety Sections 5, 6 & 7
- 1x Mini Extension for 13 m butt
- 1x Mini Extension for sections 6 & 7
- 1x Cupping Kit 3 sections (4,20 m)
- 1x Set of Pole Pots
- 1x Set of 4 EVA caps for sections nr. 3-4-5-6
- Protective tubes & holdall GNT Match Team

REGLASS

PARALLEL SECTIONS CONCEPT

MULTI-TIP SYSTEM

MINI EXTENSION

		m	mm Ø	cm	
139-59-600	GNT Ultra Plus Competition Full Package	13.00	-	-	-
139-59-610	GNT Ultra Plus Competition 13.00m & Mini	13.00	43	185	8

			m
139-59-501	GNT ULTRA PLUS * TOP KIT 4 COMPETITION	3	4,20
139-59-511	GNT ULTRA PLUS * TOP KIT 5 COMPETITION	4	5,80
139-59-502	GNT ULTRA PLUS * TOP KIT 4 ALLROUND	3	4,20
139-59-512	GNT ULTRA PLUS * TOP KIT 5 ALLROUND	4	5,80
139-59-503	GNT ULTRA PLUS * TOP KIT 4 MATCH CARP	3	4,20
139-59-513	GNT ULTRA PLUS * TOP KIT 5 MATCH CARP	4	5,80
139-59-504	GNT ULTRA PLUS * TOP KIT 4 POWER CARP	3	4,20
139-59-514	GNT ULTRA PLUS * TOP KIT 5 POWER CARP	4	5,80
139-59-532	GNT ULTRA PLUS * SUPER FAST AB	1	1,85
139-59-530	GNT ULTRA PLUS * CUP KIT 2	2	-
139-59-522	GNT ULTRA PLUS * MULTI SECTION 4	1	-
139-59-520	GNT ULTRA PLUS * SHORT 4	1	-
139-59-550	GNT ULTRA PLUS * SAFETY SECTION 5&6&7	3	-
139-59-540	GNT ULTRA PLUS * MINI EXT.4/5 REV	1	-
139-59-542	GNT ULTRA PLUS * MINI EXT. 6/7 REV	1	-
139-59-544	GNT ULTRA PLUS * MINI EXTENSION 13 (8/9)	1	-
139-59-546	GNT ULTRA PLUS * HALF EXTENSION 13 (8/9)	1	-
139-59-548	GNT ULTRA PLUS * POLE PROTECTOR 13	1	-

NEW GNT ULTRA PLUS ALLROUNDER

MADE IN ITALY

Holdall GNT Match Team | Pole with 2 parallel butts | 2 kit 4-Match 1 kit 5-Match | Cupping kit of 3 Sections | 2 Mini Extension

- High quality pole, designed as Allround version of sister model GNT COMPETITION (interchangeable sections with all GNT ULTRA)
- Structure made of 8 sections of High Modulus Carbon
- Parallel butts (sections nr. 8 and 7)
- AB tip 150 cm long with Ø 2,2 mm top bore
- Pole 12,80 m long (in three different tubes)

POLE PACK

- 1x GNT Ultra Plus Allrounder 13 m
- 2x Kit 4 Match (AB/3-4 = 4,20 m)
- 1x Kit 5 Match (AB/3-4-5 = 5,80 m)
- 1x Mini Extension for 13 m butt
- 1x Mini Extension for sections 6 & 7
- 1x Cupping Kit 3 sections (4,20 m)
- 1x Set of Pole Pots
- 1x Set of 4 EVA caps for sections nr. 3-4-5-6
- Protective tubes & holdall GNT Match Team

Reglass

PARALLEL SECTIONS CONCEPT

MULTI-TIP SYSTEM

MINI EXTENSION

		m	mm Ø	cm	
139-59-620	GNT Ultra Plus Allrounder Full Package	13.00	-	-	-
139-59-630	GNT Ultra Plus Allrounder 13.00m & Mini	13.00	43	185	8

			m
139-59-501	GNT ULTRA PLUS * TOP KIT 4 COMPETITION	3	4,20
139-59-511	GNT ULTRA PLUS * TOP KIT 5 COMPETITION	4	5,80
139-59-502	GNT ULTRA PLUS * TOP KIT 4 ALLROUND	3	4,20
139-59-512	GNT ULTRA PLUS * TOP KIT 5 ALLROUND	4	5,80
139-59-503	GNT ULTRA PLUS * TOP KIT 4 MATCH CARP	3	4,20
139-59-513	GNT ULTRA PLUS * TOP KIT 5 MATCH CARP	4	5,80
139-59-504	GNT ULTRA PLUS * TOP KIT 4 POWER CARP	3	4,20
139-59-514	GNT ULTRA PLUS * TOP KIT 5 POWER CARP	4	5,80
139-59-532	GNT ULTRA PLUS * SUPER FAST AB	1	1,85
139-59-530	GNT ULTRA PLUS * CUP KIT 2	2	-
139-59-522	GNT ULTRA PLUS * MULTI SECTION 4	1	-
139-59-520	GNT ULTRA PLUS * SHORT 4	1	-
139-59-550	GNT ULTRA PLUS * SAFETY SECTION 5&6&7	3	-
139-59-540	GNT ULTRA PLUS * MINI EXT.4/5 REV	1	-
139-59-542	GNT ULTRA PLUS * MINI EXT. 6/7 REV	1	-
139-59-544	GNT ULTRA PLUS * MINI EXTENSION 13 (8/9)	1	-
139-59-546	GNT ULTRA PLUS * HALF EXTENSION 13 (8/9)	1	-
139-59-548	GNT ULTRA PLUS * POLE PROTECTOR 13	1	-

STRIPPA SYSTEM

All GNT-X pole generation kits (Match and Strong) feature a reinforced woven carbon segment. It is located at the base of the third section, and is intended to house the Strippa System bush, whose application must be carried out by the user. It is advisable to start by making a very small hole (1 mm), to be gradually widened with an abrasive tip with a conical profile. In this way it will be easier to obtain a hole of the desired diameter, fractures will be avoided and the margin of the round window will be perfectly smooth.

NEW GNT ULTRA PLUS SHORT 4

Stefano Premoli e Andrea Guzzoli

Reglass

GNT

An interesting solution for the professional match angler, who needs to adapt the pole's length to the physical configuration of the peg. It is a fourth section much shorter than standard one (75 cm), to be used in cases of short range fishing or to expand the 3 section's kit from 2,55 to 3,20 m. Moreover, its superfast taper design sharpens the blank's responsiveness. Structured from High Modulus Nanolith Carbon, it is suitable to all poles belonging to GNT Ultra and GNT Ultra Plus generation.

NEW GNT ULTRA PLUS MATCH CARP

MADE IN ITALY

Holdall GNT Match Team | Pole with 2 parallel butts | 2 kit 4-Power 1 kit 5-Power | Cupping kit of 3 Sections | 2 Mini Extension

		m	mm Ø	cm	
139-59-640	GNT Ultra Plus Match Carp Full Package	13.00	-	-	-
139-59-650	GNT Ultra Plus Match Carp 13.00m & Mini	13.00	43	185	8

- High grade pole, marketed as Match & Carp version within GNT ULTRA PLUS range (interchangeable sections with all ULTRA).
- Pole 12,80 m long (in three different tubes)
- Structure made of 8 sections from High Modulus Carbon
- Parallel butts (sections nr. 8 and 7)
- AB tip 150 cm long, with top bore Ø 4,0 mm

POLE PACK

- 1x GNT Ultra Plus Match Carp 13 m
- 2x Kit 4 Power (AB/3-4 = 4,20 m)
- 1x Kit 5 Power (AB/3-4-5 = 5,80 m)
- 1x Mini Extension for 13 m butt
- 1x Mini Extension for sections 6 & 7
- 1x Cupping Kit 3 sections (4,20 m)
- 1x Set of Pole Pots
- 1x Set of 4 EVA caps for sections nr. 3-4-5-6
- Protective tubes & holdall GNT Match Team

Reglass

PARALLEL SECTIONS CONCEPT

MULTI-TIP SYSTEM

MINI EXTENSION

			m
139-59-501	GNT ULTRA PLUS * TOP KIT 4 COMPETITION	3	4,20
139-59-511	GNT ULTRA PLUS * TOP KIT 5 COMPETITION	4	5,80
139-59-502	GNT ULTRA PLUS * TOP KIT 4 ALLROUND	3	4,20
139-59-512	GNT ULTRA PLUS * TOP KIT 5 ALLROUND	4	5,80
139-59-503	GNT ULTRA PLUS * TOP KIT 4 MATCH CARP	3	4,20
139-59-513	GNT ULTRA PLUS * TOP KIT 5 MATCH CARP	4	5,80
139-59-504	GNT ULTRA PLUS * TOP KIT 4 POWER CARP	3	4,20
139-59-514	GNT ULTRA PLUS * TOP KIT 5 POWER CARP	4	5,80
139-59-532	GNT ULTRA PLUS * SUPER FAST AB	1	1,85
139-59-530	GNT ULTRA PLUS * CUP KIT 2	2	-
139-59-522	GNT ULTRA PLUS * MULTI SECTION 4	1	-
139-59-520	GNT ULTRA PLUS * SHORT 4	1	-
139-59-550	GNT ULTRA PLUS * SAFETY SECTION 5&6&7	3	-
139-59-540	GNT ULTRA PLUS * MINI EXT.4/5 REV	1	-
139-59-542	GNT ULTRA PLUS * MINI EXT. 6/7 REV	1	-
139-59-544	GNT ULTRA PLUS * MINI EXTENSION 13 (8/9)	1	-
139-59-546	GNT ULTRA PLUS * HALF EXTENSION 13 (8/9)	1	-
139-59-548	GNT ULTRA PLUS * POLE PROTECTOR 13	1	-

NEW SUPER FAST AB

Special top section designed for shallow fishing in commercial lakes. In fact, it is coloured in light gray so as not to scare the fish that, looking towards the sky, would clearly distinguish it if it were dark in color. The Superfast AB is so called because it actually is a long, fast-tapered AB tip, which fits on top of section 4 and replaces the kit made from AB tip + section 3. Its taper is very fast, going from about 19 mm of its base to about 4,2 mm of the upper end, in 185 cm of length. Suitable for all GNT Ultra and Ultra Plus, on the bottom area it features the reinforcement for the Strippa hole's drilling.

Reglass

Stefano Bosi

NEW GNT ULTRA PLUS POWER CARP

MADE IN ITALY

Holdall GNT Match Team | Pole with 2 parallel butts | 2 kit 4-Power 1 kit 5-Power | Cupping kit of 3 Sections | 2 Mini Extension

- High grade pole, marketed as Match & Carp version within GNT ULTRA PLUS range (interchangeable sections with all ULTRA).
- Pole 12,80 m long (in three different tubes)
- Structure made of 8 sections from High Modulus Carbon
- Parallel butts (sections nr. 8 and 7)
- AB tip 150 cm long, with top bore Ø 4,0 mm

POLE PACK

- 1x GNT Ultra Plus Power Carp 13 m
- 2x Kit 4 Power (AB/3-4 = 4,20 m)
- 1x Kit 5 Power (AB/3-4-5 = 5,80 m)
- 1x Mini Extension for 13 m butt
- 1x Mini Extension for sections 6 & 7
- 1x Cupping Kit 3 sections (4,20 m)
- 1x Set of Pole Pots
- 1x Set of 4 EVA caps for sections nr. 3-4-5-6
- Protective tubes & holdall GNT Match Team

REGLASS

PARALLEL SECTIONS CONCEPT

MULTI-TIP SYSTEM

MINI EXTENSION

		m	mm Ø	cm	
139-59-660	GNT Ultra Plus Power Carp Full Package	13.00	-	-	-
139-59-670	GNT Ultra Plus Power Carp 13.00m & Mini	13.00	43	185	8

			m
139-59-501	GNT ULTRA PLUS * TOP KIT 4 COMPETITION	3	4,20
139-59-511	GNT ULTRA PLUS * TOP KIT 5 COMPETITION	4	5,80
139-59-502	GNT ULTRA PLUS * TOP KIT 4 ALLROUND	3	4,20
139-59-512	GNT ULTRA PLUS * TOP KIT 5 ALLROUND	4	5,80
139-59-503	GNT ULTRA PLUS * TOP KIT 4 MATCH CARP	3	4,20
139-59-513	GNT ULTRA PLUS * TOP KIT 5 MATCH CARP	4	5,80
139-59-504	GNT ULTRA PLUS * TOP KIT 4 POWER CARP	3	4,20
139-59-514	GNT ULTRA PLUS * TOP KIT 5 POWER CARP	4	5,80
139-59-532	GNT ULTRA PLUS * SUPER FAST AB	1	1,85
139-59-530	GNT ULTRA PLUS * CUP KIT 2	2	-
139-59-522	GNT ULTRA PLUS * MULTI SECTION 4	1	-
139-59-520	GNT ULTRA PLUS * SHORT 4	1	-
139-59-550	GNT ULTRA PLUS * SAFETY SECTION 5&6&7	3	-
139-59-540	GNT ULTRA PLUS * MINI EXT.4/5 REV	1	-
139-59-542	GNT ULTRA PLUS * MINI EXT. 6/7 REV	1	-
139-59-544	GNT ULTRA PLUS * MINI EXTENSION 13 (8/9)	1	-
139-59-546	GNT ULTRA PLUS * HALF EXTENSION 13 (8/9)	1	-
139-59-548	GNT ULTRA PLUS * POLE PROTECTOR 13	1	-

NEW HOLLOW ELASTIC HI-LAYER MATCH & POWER

Find out more on page 362

- Super Soft & Smooth
- Controlled Stretch
- Double Core Natural Latex
- Wear and elements resistant
- High Visible Visible colours
- Self-Lubricated

STRETCH FACTOR 750% MIN

TENSIL STRENGHT 3500 PSI

TENSIL MEMORY ≤ 2%

GNT 775 XTR MATCH CARP

- High quality pole 12,75 m long, designed as Match & Carp model
- Structure made by 8 sections of NTC Nano Tek Carbon
- AB tip 150 cm long, with Ø 2,2 mm top bore
- Parallel butts (sections nr. 8 and 7)
- ASEF finish on sections from 5 to 8
- Interchangeable sections with those of GNT XTR 975

POLE PACK

- GNT 775XTR Match Carp 13 m
- 3x Kit 4 Carp
- 1x Mini Extension for 13 m butt
- 1x Mini Extension for sections 6 & 7
- 1x Cupping Kit
- 1x Set di Pole Pots
- Protective tubes & GNT Holdall

Holdall GNT Match Team 6 | Pole with 2 parallel butts | 3 kit 4 section Carp | Cupping kit of 2 Sections | 2 Mini Extension

Stefano Bosi

			m	mm ∅	cm	g	
139-49-200	8 054393 120069	GNT 775 XTR Match Carp Full Pack	13.00	-	-	-	-
139-49-210	8 054393 120076	GNT 775 XTR Match Carp 13.00 m	13.00	45	185	970	8

139-49-010	8 054393 119827	GNT XTR X75 Competition Top Kit 4	4	4,35
139-49-020	8 054393 119834	GNT XTR X75 Competition Top Kit 5	5	5,95
139-49-030	8 054393 119896	GNT XTR X75 Carp Top Kit 3 (PW Kit+4)	3	4,35
139-49-040	8 054393 119902	GNT XTR X75 Carp Top Kit 4 (PW Kit+4+5)	4	5,95
139-49-050	8 054393 119933	GNT XTR X75 Power Kit 2	2	2,95
139-49-055	8 054393 119964	GNT XTR X75 * Cup Kit 2	2	2,95
139-49-060	8 054393 119971	GNT XTR X75 * Safety Section Set (5/6/7)	3	-
139-49-070	8 054393 119988	GNT XTR X75 * Mini Extension 13	1	-
139-49-080	8 054393 119995	GNT XTR X75 * Mini Extension 6/7	1	-

JOINT & SECTION ALIGNMENT

All pole's sections are produced by rolling the carbon sheet around a mandrel. Such operation leaves an external trace along the section, just where the carbon sheet has been cut. That visible line is known as "spine", because it's a stiffer area, playing same role of the human's backbone. Fishing with those indicators facing upwards makes the pole far more sharp and definitely stronger.

STRIPPA SYSTEM



In order to be competitive in carp commercials and waters that hold extra large fish, it's worth to install the elastic under Strippa mode, with the chance to adjust its tension during the fight. The elastic gets through the top sections of the pole and get off the side hole, located at the base of the section 3. The tension of the elastic is adjusted instant by instant, by pulling it out from the hole with the free hand or releasing it when the fish reacts with a sudden run.

DREAM TEAM FSX MATCH CARP

- Allround pole able to face most fishing conditions
- Composite carbon put over blank
- ASEF slide finish for smooth handling

POLE PACK

- 1x Dream Team FSX Match Carp 11.00 m
- 1x Kit 4 Match (4,20 m)
- 1x Kit Power/Cupping 2 sections
- 1x Mini Extension

		MODEL	m	mm Ø	cm	g	
131-88-100	8 054393 151412	FSX Match Carp Full Package	11.00	42	-	-	8
131-88-010	8 054393 151382	FSX Match Carp Match Top 3	3.20	-	-	-	3
131-88-020	8 054393 151391	FSX Match Carp Match Top 4	4.60	-	-	-	4
131-88-030	8 054393 151407	FSX Match Carp Power/Cup Kit	2.60	-	-	-	2

SUPREME CRX CARP MATCH

STRIPPA SYSTEM

- Specially developed for commercial carp job
- Put over blank made from NFT carbon
- ASEF satin finish for a smooth handling
- Conical EVA caps on top of all sections
- Top section with Ø 4,5 mm top bore, supplied with Cluster bushes
- SiC lined Strippa hole on bottom area of 2nd section
- All optional kits have the Strippa System and are protected by a clear plastic tube

POLE PACK

- 1x Supreme CRX Carp Match 8.00 m
- 1x Kit 2 Carp Match with Strippa System

		MODEL	m	mm Ø	cm	g	
131-92-100	8 054393 166586	SUPREME CRX Carp Match Full Optional	8.00	40	140	820	6
131-92-010	8 054393 166562	SUPREME CRX Carp Match Top Kit 2	2.60	-	128	70	2
131-92-020	8 054393 166579	SUPREME CRX Carp Match Top Kit 3	3.80	-	135	155	3

SUPREME CRX CARP MARGIN

STRIPPA SYSTEM

- Specially developed for commercial carp job
- Put over blank made from NFT carbon
- ASEF satin finish for a smooth handling
- Conical EVA caps on top of all sections
- Top section with Ø 5,4 mm top bore, supplied with Cluster bushes
- SiC lined Strippa hole on bottom area of 2nd section
- All optional kits have the Strippa System and are protected by a clear plastic tube

POLE PACK

- 1x SUPREME CRX Carp Margin 7.00 m
- 1x Kit 2 Carp Margin with Strippa System

		MODEL	m	mm Ø	cm	g	
131-91-100	8 054393 166555	SUPREME CRX Carp Margin Full Optional	7.00	40	140	820	6
131-91-010	8 054393 166531	SUPREME CRX Carp Margin Top Kit 2	2.60	-	128	70	2
131-91-020	8 054393 166548	SUPREME CRX Carp Margin Top Kit 3	3.80	-	135	155	3

TELESCOPIC WHIPS

ENERGHIA XR	MASTER-T	14
NEW ATOMIC XR	POWER LITE	15
ASTORE	TX POLE	15
TITAN	TLS FORCE	15
GNT COMPETITION	SPEED ALBORELLA	16
SPECTRUM	ALBORELLA	17
DREAM TEAM	XTR ALBORELLA FAST	17
PRESTIGE	POLE MASTER	18
ZEST	POLE	18
HEAVEN	TLS EXTREME	18
FLARE	LS POWER	19
	TLS MASTER	19
	TLS EXTREME	19
HYDRUS	TLS MASTER	20
VENOM	RS ENERGY POLE	20

ICONS LIST

Length | Weight | Sections Nr

Diametre | Closed Length | Model

ENERGHIA XR MASTER-T

CX2 CARBON NANO-TEK · X-JOINT · ANTI GRIP SECTIONS · SENSI TOUCH

- Telescopic whip with lightweight blank, ideal for fishing with medium-light rigs and fine lines of 0,20 mm maximum diameter
- Sharp and flexible action at the same time, able to absorb the most unexpected pulls
- Special joints with 45° carbon bands allowing for a flawless curve (X-Joint)
- Rod provided with two tips, one tubular and the other spliced with carbon solid tip.
- Hi-Tech joints to prevent blockage in the presence of moisture (Anti Grip)
- Each rod is supplied with a special connector, which prevents line from tangling around the tip end
- Ultra lightweight aluminum butt cap with rubber shock absorber
- Velcro band for fixing the rig's winder during transport

X-JOINT TECHNOLOGY

It's well known that all joints connecting rod's sections are weak points, both from strength and action's point of view, as they cause those "dead spots" which are risky in term of breakage, beyond the bad looking. The solution is hidden in the X-JOINT technology, which means that - on joints area - carbon cloths are laid by 45° angle instead of 90°. It is applied both on Energhia XR Master-T and Atomic FR Power Lite, with the consequent advantages here after listed.

TRADITIONAL REINFORCEMENT

- Stress is concentrated at both ends
- Dead spots, risk of breakage

45° REINFORCEMENT (X-JOINT)

- Stress is dispersed along the blank
- Perfect curve, no breakage risk

- Perfect curve, without dead spots.
- Unique coexistence of flexibility and stiffness
- Higher structural strength, because stress is dispersed through the blank, instead of being concentrated on joint's ends.
- Less oscillations at the end of casting, which means quicker re-alignment of guides.

Within X-Joint by Trabucco, the carbon cloth is wound by two directions, and such construction is visible on top end of each section.

0° UNI-DIRECTIONAL CARBON

The carbon fibers oriented along the longitudinal rod's axis (0° unidirectional carbon) provide great resistance to linear traction.

90° SCRIM CARBON

The carbon fibers oriented at 90° to longitudinal rod's axis enable the cross section to resist the compression caused by strong flexion.

X-JOINT ± 45° CARBON TECHNOLOGY

The X-Joint carbon fibers, oriented at ±45° to rod's axis, are able to absorb and disperse the torque, improving the joint's performance and saving the rest of the section.

In addition to the classic spliced top section, with the solid carbon tip and the tangle free line connector, the Energhia XR is equipped with a second tubular top, suitable for sea fishing or to create a super-light bolo.

		m	cm	g	
134-36-060	8 054393 139467	6.00	129	150	6
134-36-070	8 054393 139474	7.00	129	210	7
134-36-080	8 054393 139481	8.00	129	270	8
134-36-090	8 054393 139498	9.00	129	360	9

the rods produced with the computer assistance, the joint's precision is so high that, when they are wet, it is possible to form the vacuum, resulting in very tight section's locking. The problem is prevented by creating thin air chambers through cross bands milled on the male side of each joint, and this is one of the new technology specifications that enrich Energhia XR Master-T.

THE FANTASTIC ROLLING CONNECTOR

Each Energhia XR Master-T rod comes with a special line connector, to be glued on top tip, that eliminates line tangles thanks to a rotating device, similar to a microscopic swivel, which is connected to a string that ends with a slight head. The weight of such connector is absolutely irrelevant, but its benefits can be immediately seen.

The swivelling connector enables to link the rig without tangle risk.



HOW TO CONNECT THE RIG LINE

1. Make two loops on top of the rig line; one large, the other fairly small.
2. Wrap the main loop around the tip string and tighten it.
3. To remove the rig, simply pull the small loop and it will be released.



THE VELCRO BAND

A light Velcro band, supplied with the rod, enables to fix the rig's winder to the butt, when it's stored in the holdall with the rig on.

NEW ATOMIC XR POWER LITE

- Telescopic rod with lightweight and powerful blank
- Ideal for use in both fresh and salt water with medium lightweight rigs and lines with a maximum diameter of 0,25 mm
- Tubular top section, lightweight and strong
- Each rod include a wonderful rotating connector to be glued at the top end of the tip, preventing the line from tangling around it

The Atomic XR Power Lite belongs to the hi-tech whips, thanks to the X-Joint technology applied on the joints. The special 45° carbon weaving is visible on the top of the butt section, while in the other joints it is hidden below the X-Cross Wrap carbon filament.

		m	cm	g	
134-24-170	8 054393 174000	7.00	124	330	6
134-24-180	8 054393 174017	8.00	124	400	7
134-24-190	8 054393 174024	9.00	124	520	8

The Atomic offers the same fantastic line connector that enriches the top of the range Energhia XR series. Its body is made from stainless steel and includes a sort of super-swivel. On top side, it ends with a soft segment of braided line that allows you to connect the line, zeroing the risk of line tangles.

ASTORE TX POLE

- Telescopic whip with fast action, ideal for use with rigs up to 6/8 g and lines with a maximum diameter of 0,20 mm
- Section joints are further reinforced by special carbon bands (Cross Winding)
- Optimal weight distribution for a perfect balance
- Handle coated with Sensi Touch material for a comfortable grip and easy cleaning at the end of the fishing session
- Spliced top section allowing maximum strike speed and precision
- Ultralight butt cap with inner screw

		m	cm	g	
134-21-600	8 054393 045638	6.00	130	220	6
134-21-700	8 054393 045645	7.00	130	270	7
134-21-800	8 054393 045652	8.00	130	365	8
134-21-900	8 054393 045669	9.00	130	490	9

A strong High Resistance carbon filament protects the Atomic FR blank from sudden shocks and excessive ovalization under stress, which could drastically compromise its career.

TITAN TLS FORCE

- Slim telescopic rod with great power
- Ideal for both fresh and salt water with rigs up to 10 g and lines with a maximum diameter of 0,25 mm
- Each rod include a wonderful rotating connector to be glued at the top end of the tip, preventing the line from tangling around it
- Extremely sensitive tubular carbon top section
- Aluminum and rubber butt cap

The Titan offers the same fantastic line connector that enriches the top of the range Energhia XR series. Its body is made from stainless steel and includes a sort of super-swivel. On top side, it ends with a soft segment of braided line that allows you to connect the line, zeroing the risk of line tangles.

		m	cm	g	
134-38-600	8 054393 139474	6.00	124	280	6
134-38-700	8 054393 139481	7.00	124	380	7
134-38-800	8 054393 139498	8.00	124	490	8

HOW TO CONNECT THE RIG LINE 1 .
Make two loops on top of the rig line; one large, the other fairly small.
2. Wrap the main loop around the tip string and tighten it.
3. To remove the rig, simply pull the small loop and it will be released.



GNT COMPETITION SPEED ALBORELLA

SUPER SLIM BLANK CX2 CARBON NANO-TEK

- Telescopic whips designed for speed fishing of Bleaks and other small sized fish
- Balanced and extremely manoeuvrable, with slim sections and joints reinforced by crossed carbon bands
- Spliced top section with solid carbon tip for high sensitivity (very thin tip end for neat hook setting)
- Ultralight yet strong aluminium butt cap with shock absorbing rubber insert

The Competition Speed are equipped with an additional set, made of a top and second section, which can be used when targeting relatively heavy fish, such as roach, small carassios and baby carp, because its action is faster than the original one.

The Competition Speed feature a very fine solid tip, whose apical diameter is half a millimeter only. This gives the rod a particular action delicacy, which is useful to increase strike precision and smoothen the subsequent fish lift from the water.

		m	cm	g	
134-46-250	8 054393 132437	2.50	121	50	3
134-46-300	8 054393 132444	3.00	121	70	4
134-46-350	8 054393 132451	3.50	121	85	4
134-46-400	8 054393 132468	4.00	121	110	5
134-46-450	8 054393 132475	4.50	121	125	5
134-46-500	8 054393 132482	5.00	121	160	5

XPS HOOKS & FLOATS

XPS HOOKS

- It eases the baiting and fast unhooking operations
- It offers long lever to ensure an excellent penetration even in the absence of a true strike
- With the cooperation of the angled curve, it keeps the maggot or pinkie in place to ensure multiple catches without replacing it
- It is reinforced by high carbon content steel and a chemically sharpened point

Find out more on page 242

021-...



FLOATS

GNT BLEAK 001-24-090/...
- Specific for bleak fishing and for margin scratch when small fish are the day's target.

T2 001-28-030/.....
- Classic "Tesse" shaped float, suitable for all the fishing situations both in rivers and in the lake due to its high water penetration.

GNT SPEED 001-24-300/...
- Stable and sensitive, it cocks very quickly due to its fairly short overall length.

Find out more on page 288

SPECTRUM ALBORELLA

CX2 CARBON NANO-TEK · LRC LOW RESIN CONTENT · SLICK SURFACE

- Telescopic whips with fast action for speedy catch of small fish
- Tapered blanks made from CX-2 Nano-Tek carbon with low resin content
- Telescopic solid carbon tip
- Comfortable grip handle, covered by a thin rubber film (Slick Surface)
- Aluminium butt cap with rubber insert

		m	cm	g	
134-48-200	8 054393 161475	2.00	95	50	3
134-48-250	8 054393 161482	2.50	104	60	4
134-48-300	8 054393 161499	3.00	104	70	4
134-48-350	8 054393 161505	3.50	104	90	5
134-48-400	8 054393 161512	4.00	104	105	5
134-48-450	8 054393 161529	4.50	107	115	6

The special finish of the inner sections is water repellent (Slick Surface). Water flows away without weighing down the rod.

DREAM TEAM XTR ALBORELLA FAST

CX2 CARBON NANO-TEK · SS SUPER SLIM BLANK · SENSI TOUCH

- Telescopic whips designed for speed fishing of Bleaks and other small sized fish
- Spliced top section with fine solid carbon tip
- Ultralight butt cap directly screwed into the rod's wall
- Complete series of 5 rods available in a practical holdall

Sensitive solid carbon tip, inserted from top, glued and finely wrapped.

		MODEL
134-47-000	8 054393 136657	Complete Set 2.50 - 3.00 - 3.50 - 4.00 - 4.50 metri

		m	cm	g	
134-47-250	8 054393 136350	2.50	120	60	3
134-47-300	8 054393 136367	3.00	120	90	4
134-47-350	8 054393 136329	3.50	120	110	4
134-47-400	8 054393 136336	4.00	120	135	5
134-47-450	8 054393 136343	4.50	120	165	5

Ultralight solution with the butt cap directly screwed in the butt section's wall.

The EVA cap has a groove which lets the rig line pass through during transport.

PRESTIGE POLE MASTER

CX1 CARBON MICRO-PITCH

- Rod with stiff action, great for both freshwater and sea fishing
- Super Slim blank made from High Modulus CX-1 Micro Pitch Carbon
- Reinforced joints by carbon crossed bands
- Tubular carbon top section, great for use with rigs up to 8/10 g and lines with a maximum diameter of 0,22 mm
- Comfortable Sensi Touch handle grip with fine embossed ribs
- Internal butt cap with rubber o-ring

		m	cm	g	
134-30-060	8 054393 161727	6.00	130	255	6
134-30-070	8 054393 161734	7.00	130	340	7
134-30-080	8 054393 161741	8.00	135	450	7

The handle is covered by a soft rubber sleeve, finely knurled according to an elegant design.

ZEST POLE

S.H.M.R. CARBON | CW CROSS WINDING | CROSSED REINFORCED | high precision control | SENSI TOUCH

- Powerful, manoeuvrable and balanced telescopic rod
- Great for use with rigs up to 6/8 g and lines with a maximum diameter of 0,20 mm
- Made from SHMR high strength carbon with reinforced sections from an external bands that avoids compression and ovalization (Cross Winding)
- Internal joints are protected by carbon bands (Crossed Reinforced)
- Tubular carbon top section, extremely sensitive and excellent for use in both fresh and salt water
- Aluminum butt cap with rubber bumper

		m	cm	g	
134-42-500	8 054393 149745	5,00	135	215	5
134-42-600	8 054393 149752	6,00	135	275	6
134-42-700	8 054393 149769	7,00	135	370	7
134-42-800	8 054393 149776	8,00	135	485	8
134-42-900	8 054393 149783	9,00	135	570	9

HEAVEN TLS EXTREME

S.H.M.R. CARBON | CROSSED REINFORCED | high precision control | SENSI TOUCH

- Progressive parabolic telescopic rod for use with rigs up to 8/10 g and lines with a maximum diameter of 0,22 mm
- Blanks with short closed length, made from high strength S.H.M.R. carbon
- Section joints are further reinforced by crossed carbon bands
- Soft material coated handle that allows a comfortable grip and eases cleaning at the end of the fishing session (Sensi Touch)
- Robust and sensitive tubular carbon top section
- Aluminum butt cap with rubber insert

		m	cm	g	
134-41-050	8 054393 161796	5.00	120	184	5
134-41-060	8 054393 161802	6.00	120	255	6
134-41-070	8 054393 161819	7.00	120	310	7

All Zest and Heaven joints are reinforced by carbon crossed bands, which are designed to protect those critical areas when the stress is particularly high.

FLARE TLS POWER

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Very fast action telescopic rod, ideal for both sea and freshwater with 6/8 g rigs and hooklinks max 0,20 mm
- High Resistance Carbon S.H.M.R. blanks, with joints of sections further reinforced by crossed carbon bands
- Tubular carbon top section, extremely sensitive
- Aluminum butt cap with rubber insert

		m	cm	g	
134-44-060	8 054393 162007	6.00	125	310	6
134-44-070	8 054393 162014	7.00	130	425	7
134-44-080	8 054393 162021	8.00	140	470	7

FLARE TLS MASTER

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Telescopic rod with peculiar short closed length, ideal for the use of rigs up to 6 g and lines with a maximum diameter of 0,20 mm
- Blank made from high resistance carbon S.H.M.R that provides maximum compression resistance
- Section joints are further reinforced by crossed carbon bands
- Progressive action, great for fishing both in fresh and salt waters
- Soft material coated handle that allows a comfortable grip and eases cleaning at the end of the fishing session (Sensi Touch)
- Tubular carbon top section, extremely sensitive
- Aluminum butt cap with rubber insert

		m	cm	g	
134-41-500	8 054393 151957	5,00	113	210	5
134-41-600	8 054393 151964	6,00	113	270	6
134-41-700	8 054393 151971	7,00	113	360	7

FLARE TLS EXTREME

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Progressive parabolic telescopic rod for use with rigs up to 6/8 g and lines with a maximum diameter of 0,20 mm
- Section joints are further reinforced by crossed carbon bands
- Robust and sensitive tubular carbon top section
- Aluminum butt cap with rubber insert

		m	cm	g	
134-39-500	8 054393 138996	5.00	121	170	5
134-39-600	8 054393 139009	6.00	121	240	6
134-39-700	8 054393 139016	7.00	121	320	7

All Flare joints are reinforced by carbon crossed bands, which are designed to protect those critical areas when the stress is particularly high.

HYDRUS TLS MASTER

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Fast and powerful telescopic rod, ideal for both sea and freshwater with rigs up to 8/10 g and lines with a maximum diameter of 0,22 mm
- High Resistance Carbon S.H.M.R. blanks, with joints reinforced by crossed carbon bands
- Soft material coated handle that allows a comfortable grip and eases cleaning at the end of the fishing session (Sensi Touch)
- Tubular carbon top section, extremely sensitive
- Aluminum butt cap with rubber insert

		m	cm	g	
134-40-040	8 054393 161758	4.00	120	150	4
134-40-050	8 054393 161765	5.00	120	220	5
134-40-060	8 054393 161772	6.00	120	310	6
134-40-070	8 054393 161789	7.00	120	420	7

VENOM RS ENERGY POLE

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Very fast action telescopic rod, ideal for both sea and freshwater
- High Resistance Carbon S.H.M.R. blanks, with joints of sections further reinforced by crossed carbon bands
- Soft material coated handle that allows a comfortable grip and eases cleaning at the end of the fishing session (Sensi Touch)
- Tubular carbon top section, extremely sensitive
- Aluminum butt cap with rubber insert

		m	cm	g	
134-43-500	8 054393 152459	5.00	120	210	5
134-43-600	8 054393 152466	6.00	120	270	6
134-43-700	8 054393 152473	7.00	120	360	7

BOLO RODS

GNT-X	BLS COMPETITION	22
ENERGHIA	XLT BOLO	21
	RBX RACE BOLO	24
SUPREME	BLS PRO LITE	26
	BLS MASTER	26
SPECTRUM	PRO BOLO	27
	NEW PWR BOLO	27
NEW SCOGLIERA	BLX POWERLITE	28
FRANGENTE	X-MASTER BOLO	28
	BOLO X-TREME	29
	X-LIGHT BOLO	29
NEW ATOMIC XR	NEW COMPETITION	30
	NEW ENERGY MASTER	30
	NEW MASTER POWER	31
	NEW POWER PLUS	31
	NEW FOUR FIGHT	31
SLIVER	BOLO	32
PRESTIGE	BOLO MASTER	32
	BOLO MATCH	32
TITAN	BLS FORCE	33
SELENIA	BLX POWER BOLO	33
ZEST	BOLO	33
HEAVEN	BLS EXTREME	34
NEW VIGOR	HYPER-X	34
HYDRUS	BLS MASTER BOLO	35
	NEW BLS TWIN FORCE	35
NEW SLIVER	SH BOLO	36
NEW PRESTIGE	MINI BOLO	36
VENOM	FX	36
FLARE	COMPACT ALLROUND	36

ICONS LIST

- Length
- Casting Weight
- Model
- Diametre
- Weight
- Action
- Closed Length
- Sections Nr

GNT-X BLS COMPETITION

SS SUPER SLIM BLANK — MADE IN ITALY

- Made in Italy by Reglass under concept by Roberto Trabucco
- Perfectly balanced and extremely manoeuvrable, it develops a progressive tip action
- Born to be used in competitions, it is also perfect at sea with fine hooklinks for seabass fishing
- Blanks made from S.H.M. Nanolith, which by means of a special resin seals the carbon layers for high wall strength
- Joints reinforced with crossed carbon bands allowing a perfect action curve
- Available without components only, to enable the customization according to the user's own taste
- AFS finish for comfortable grip and easy cleaning after fishing
- Lower screw cap with rubber insert

THE SLIDING GUIDES

In the production process of tubular blanks, the overlap of the carbon sheet margins generates a visible line on the outside, which is called "spine" because it's comparable to our dorsal spine. Therefore, it's actually a line of strength, not a weak point, which can be exploited to get the best performance from the rod. In reality, it is a band, rather than a line, with a few millimeters width. You should keep this detail in mind, only to know that a slight error in the positioning of the guides does not result in a significant loss of rod's performance.
The alignment of the spines of all sections is basic for a perfect assembly of the bolognese rod. When the spines are all aligned, the sections work together optimally. The rod is more robust, more reactive and much, much more accurate in the cast. While on the large diameter sections the spine is clearly visible, on the top and second section it must be found by manually flexing the section. To obtain the best result, the spines must be aligned upwards, and the guides must be fixed on the opposite side, at 180 ° from spine, as shown here aside.



The visible part of the spine looks like a line. In reality, it is a band. The illustration here aside exasperates the proportions to make the concept understandable.





THE SLIDING GUIDES

The presence of adequate sliding guides avoids the contact of the line with the rod's blank, which reduces casting distances especially in wet conditions, distributes the load due to large fish traction and eases the reel's drag job. In addition to the classic sliding guides on top section, it is advisable to fit another one on section number 2 and one for element number 3; in case of the eight meters, another sliding guide can also be placed on the element number 4. The use of carbon pipes minimizes the extra weight on the rod and, at the same time, optimizes the grip on rod's blank.

		m	cm	g	
120-98-600	8 054393 140869	6.00	140	190	6
120-98-700	8 054393 140876	7.00	140	290	7
120-98-800	8 054393 140883	8.00	140	380	8

Reglass

Nanolith — A special production process that imprints, through a microscopic roughness, an opaque finish on the surface of the rod's blank. In the absence of lacquering, the blank itself is neither damaged nor weighed down, while its appearance remains unchanged over time.

AFS ANTI-FRICTION-SYSTEM — It is an exclusive, advanced resin with nanometric particles, whose extreme refinement allows it to reach the most microscopic recesses between the carbon fibers, creating very compact and reactive walls for a precise action and the complete damping of the oscillations.

The technical data refer to naked blanks, without guides nor reel seat.

ENERGHIA XLT

EXTREME LIGHTNESS

Without missing to comply to the high standards of strength, these rods offer an impressive lightness in relation to lengths and actions.

- Ultra lightweight competition rods, perfectly balanced, developed in three distinct actions
- Ultra Slim Blank made from CX-2 Nano-Tek carbon, with low resin content (LRC)
- Smooth and comfortable handle grip, made by a special rubber finish
- Joints reinforced by bias carbon sheet for a perfect curve (X-Joint)
- Internal butt cap with removable EVA knob, which protects it from abrasion and any other damage
- Rods supplied without guides and reel seat, to let the user customize it
- Reel Seat Position: line guide to fix the reel seat at 180° from butt section's spine
- Velcro band to fix the rig's winder during transport
- Limited Edition: serial number to make each rod unique in the world

ENERGHIA XLT BOLO

CX2 CARBON NANO-TEK · LRC LOW RESIN CONTENT · X JOINT

LITE

XLT LITE - It is the lightest action among the Energhia XLT, soft enough and fine in the profile to sharply cut the air and push the smallest floats at considerable distances. With reel's drag set at slow pressure, the fun is guaranteed, but when it's time to close, the central sections display a perfect curve with respect to the others. Suggested hooklinks up to 0,16 mm.

ENERGY

XLT ENERGY - The red colour gives an immediate sense of sporting challenge, which the rod interprets with a balanced mix of strength and sweetness, to give and to ask in the right moments, carrying out prolonged fights with important fish. And when it is vertical, with the landing net doing its duty, it calls the third section to help. Suggested hooklinks up to 0,18 mm.

FORCE

XLT FORCE - When you need some "body" to cast a 20 grams float, when it urges authority to change direction to a fish that wants to reach an underwater snag or gain the current of the river, then the green becomes indispensable, with its great strength that however does not exclude a certain finesse in the head. Suggested hooklinks up to 0,20 mm.

	m	cm	g		MODEL
121-15-600	6.00	140	185	6	LITE
121-15-700	7.00	140	245	7	LITE
121-16-600	6.00	140	190	6	ENERGY
121-16-700	7.00	140	250	7	ENERGY
121-16-800	8.00	140	315	8	ENERGY
121-17-600	6.00	140	200	6	FORCE
121-17-700	7.00	140	255	7	FORCE
121-17-800	8.00	140	340	8	FORCE

The Energhia XLT are available just as blanks, thus without guides and reel seat, in order to allow their customization.

A screen-printed line on the handle area makes it easy to wrap the plate reel seat at exactly 180° to the Energhia logo.

In addition to the internal butt cap, the Energhia XLT are equipped with a lightweight EVA cap to protect it from impacts and scratches.

Rods produced in limited edition and numbered one by one in the special window on the handle.

ASSEMBLY SET

Since the Energhia XLT are only available in the naked version, it is possible to buy separately an assembly set, prepared for rods of 6 to 7 meters length. The set consists of Sea Guide long-leg guides and top guide with SiC ring and stainless steel frame protected against corrosion by the PVD process (Physical Vapor Deposition). The size 6 plate reel seat is an ALPS stainless steel model with rubber lined hoods and rubber shock absorber.

	MODEL
121-15-006	ENERGHIA XLT BOLO 6,00 ASS. SET
121-15-007	ENERGHIA XLT BOLO 7,00 ASS. SET

SiC · sea·guide · PVD FRAME · CORROSION FREE

ENERGHIA RBX

CNX Carbon Nano Tubes it is an extreme material, characterized by an incomparable compactness, due to a very high ratio between the ultrafine High Modulus carbon sheets and the resins that cement the multiple layers. The nanometric resins are the only ones capable of penetrating into infinitesimal spaces, optimizing the cohesion between the fibers to obtain an extremely precise elastic response and an exceptional resistance.

X-Joint Technology
Thanks to the use of multi-axial carbon sheets, the X-Joint allow to obtain perfect action curves, absorbing all the torsions to which the blank is subjected, increasing the structural resistance and the response to stresses. X-Joint is therefore able not only to improve the section's links, but rather assist the whole structure for maximum performance. Definitely the best joints ever made!

The guides fitted on Energhia XR rods take advantage from a special production process, referred to as PVD, English acronym of "Physical Vapor Deposition", which allows to obtain a very high resistance to corrosion and aggressive agents. All this takes place through the deposition of a protective film on the frame, which seals and protects the steel without changing its structure, weight and technical specifications. All accompanied by SiC rings. A further step forward for rods with very high performance and more reliable in every part!

In the rods produced with the computer assistance, the joint's precision is so high that, when they are wet, it is possible to form the vacuum, resulting in very tight section's locking. The problem is prevented by creating thin air chambers through cross bands milled on the male side of each joint.

The plate reel seat is the best you can actually ask for, the tried and tested PacBay. Made entirely of stainless steel with protective rubber profiles, it is resistant to wear and external agents, and is ergonomic and stylish at the same time.

A light Velcro band, supplied with the rod, enables to fix the rig's winder to the butt, when it's stored in the holdall with the rig on.

A name that has made the history of the Trabucco bolognese, which still today summarizes his great experience in rod design. From the early fifties to today, the bolognese style has brought around the world the image of Italy as a country with a strong fishing vocation. Everyone talks about it, everyone appreciates Energhia rod's quality.

- Super Slim Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- Joints with X-Joint technology for an impeccable curve
- Anti-locking male joints (Anti-Grip)
- Sensi Touch handle for a comfortable grip and easy cleaning at the end of fishing
- High leg Sea Guide SiC guides with PVD protection against rust (Physical Vapor Deposition)
- Pacific Bay size 6 stainless steel plate reel seat with rubber profiles
- EVA inner spacer designed to protect the guide's wrappings
- Aluminum butt cap with rubber insert
- Velcro band to fix the rig's winder to the rod butt during the trip to fishing venue

ENERGHIA RBX PRO LIGHT

It's the lightest action, capable of solving the most difficult days allowing the use of thin hooklinks. In addition, it is essential in the short range fishing or with light weight float rigs, one of the most exciting situations because fish plays its cards with a fast start. Recommended rig's weight within 12/15 grams and maximum hooklink's diameter 0,16 / 0,18 mm.

		m	cm	g		MODEL
121-13-150	8 054393 161673	5.00	135	140	5	PRO LIGHT
121-13-160	8 054393 161680	6.00	135	180	6	PRO LIGHT
121-13-170	8 054393 161697	7.00	136	250	7	PRO LIGHT

SiC sea·guide® PVD FRAME CORROSION FREE

ENERGHIA RBX ACCURATE

Expands the range with ultralight but surprisingly powerful blanks, if compared to the slimness of their geometric profile. Thanks to the construction with one section less than the tradition, the weight has been strongly reduced, but the CX2 carbon technology grants same sharpness. Recommended rig's weight within 12/15 grams and maximum hooklink's diameter 0,16 / 0,18 mm.

		m	cm	g		MODEL
121-13-260	8 054393 161703	6.00	150	215	5	ACCURATE
121-13-270	8 054393 161710	7.00	150	265	6	ACCURATE

SiC sea·guide® PVD FRAME CORROSION FREE

ENERGHIA RBX COMPETITION

Versatile as a top match angler, able to perform a mixed bag fishing at medium range, but also to quickly adapt to the sudden pull of a bonus fish which must absolutely be landed. The presence of the eight meters rod in the series is important to tackle fairly deep rivers. Recommended rig's weight within 15/20 grams and maximum hooklink's diameter 0,18 / 0,20 mm.

		m	cm	g		MODEL
121-13-350	8 054393 162212	5.00	138	160	5	COMPETITION
121-13-360	8 054393 162229	6.00	141	210	6	COMPETITION
121-13-370	8 054393 162236	7.00	141	290	7	COMPETITION

SiC sea·guide® PVD FRAME CORROSION FREE

ENERGHIA RBX ALLROUND

Highly reactive blanks, able to put in trouble Barbel and Carp, but also the more powerful marine fish. At first check, they give a feeling of power, but under load they draw a perfect curve. Great authority, therefore, both in casting and during the fight. Recommended rig's weight within 15/25 grams and maximum hooklink's diameter 0,18 / 0,25 mm.

		m	cm	g		MODEL
121-13-450	8 054393 162243	5.00	137	180	5	ALLROUND
121-13-460	8 054393 162250	6.00	139	260	6	ALLROUND
121-13-470	8 054393 162267	7.00	141	340	7	ALLROUND

SiC sea·guide® PVD FRAME CORROSION FREE

SUPREME BLS

An important project, with relevant impact on rod's performance, has generated these great Bolognese series very well designed and hand crafted. The Supreme BLS are optimally balanced to deal with any fishing condition in fresh water or sea.

CNX Carbon Nano Tubes it is an extreme material, characterized by an incomparable compactness, due to a very high ratio between the ultrafine High Modulus carbon sheets and the resins that cement the multiple layers. The nanometric resins are the only ones capable of penetrating into infinitesimal spaces, optimizing the cohesion between the fibers to obtain an extremely precise elastic response and an exceptional resistance.

The special finish of the inner sections is water repellent (Slick Surface). Water flows away without weighing down the rod.

The Supreme fits the fantastic Sea Guide SiC with stainless steel frame, protected against corrosion by a special process called PVD (Physical Vapor Deposition).



NEW SUPREME BLS PROLITE

- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- High leg Sea Guide SiC guides with PVD protection against rust (Physical Vapor Deposition)
- Second section's sliding guide wrapped on to a carbon pipe
- Plate reel seat size 6 made from stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Comfortable grip handle, covered by a thin rubber film (Slick Surface)
- Internal butt cap with removable protective EVA cap

SiC sea·guide — PVD FRAME CORROSION FREE

		m	cm	g	
121-22-060	8 054393 173010	6.00	140	240	6
121-22-070	8 054393 173027	7.00	140	320	7

NEW SUPREME BLS MASTER

- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- High leg Sea Guide SiC guides with PVD protection against rust (Physical Vapor Deposition)
- Second section's sliding guide wrapped on to a carbon pipe
- Plate reel seat size 6 made from stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Comfortable grip handle, covered by a thin rubber film (Slick Surface)
- Internal butt cap with removable protective EVA cap

SiC sea·guide — PVD FRAME CORROSION FREE

		m	cm	g	
121-21-060	8 054393 172990	6.00	138	240	6
121-21-070	8 054393 173003	7.00	140	320	7

T-FORCE SUPER CAST & SUPER SOFT

Find out more on pag 226

150m / 300m / 500m — 200m / 500m

052-40-... / 052-45-... / 052-47-...

- This monofilament has been developed for the reel fishing
- Great softness and very high linear strength
- Special smooth running through rod's guides
- Parallel spooling (TPS)

Available Diameter: 0,128 mm - 0,500 mm

TPS

052-55-... / 052-57-...

- Super soft monofilament designed for bolognese
- Very long casts and perfect bait presentation
- Good visibility for the angler
- Parallel spooling (TPS)

Available Diameter: 0,148 mm - 0,400 mm

TPS

SPECTRUM PRO BOLO

- Reliable bolo with powerful and progressive action
- Recommended rig's weight within 15/20 grams and maximum hooklink's diameter 0,16 / 0,20 mm
- SiC guides with vibration free "Y" frame
- Second section's sliding guide wrapped on to a carbon pipe
- Plate reel seat size 6 made from stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Internal butt cap with removable protective EVA cap

SiC sea·guide

PVD FRAME CORROSION FREE

		m	cm	g	
121-04-060	8 054393 161383	6.00	145	265	6
121-04-070	8 054393 161390	7.00	147	340	7
121-04-080	8 054393 161406	8.00	147	380	7

In addition to the internal butt cap, the Spectrum Bolo are equipped with a lightweight EVA cap to protect it from impacts and scratches.

NEW SPECTRUM PWR BOLO

- Reliable bolo with powerful and progressive action
- Recommended rig's weight within 15/20 grams and maximum hooklink's diameter 0,16 / 0,20 mm
- SiC guides with vibration free "Y" frame
- Second section's sliding guide wrapped on to a carbon pipe
- Plate reel seat size 6 made from stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Internal butt cap with removable protective EVA cap

SiC sea·guide

PVD FRAME CORROSION FREE

		m	cm	g	
121-04-150	8 054393 000015	5.00	140	200	5
121-04-160	8 054393 172952	6.00	140	260	6
121-04-170	8 054393 172969	7.00	140	340	7

Steel and rubber size 6 plate reel seat. The handle is covered by a soft rubber sleeve, finely knurled according to an elegant design.

NEW SCOGLIERA BLX POWERLITE

- Very fast action rods, developed for sea fishing
- Handle reinforced by crossed carbon bands
- Size 7 stainless steel wrapped plate reel seat
- EVA tower to correctly space guides during transport
- Ultralight butt cap directly screwed into the butt's wall

Reinforced handle made from crossed carbon strips that make it stiffer and reliable.

The Scogliera fits the fantastic Sea Guide SiC with stainless steel frame, protected against corrosion by a special process called PVD (Physical Vapor Deposition).

SiC sea·guide — PVD FRAME CORROSION FREE

		m	cm	g	
121-08-060	8 054393 172976	6.00	145	290	6
121-08-070	8 054393 172983	7.00	145	340	7

FRANGENTE X-MASTER BOLO

- Balanced and reliable rod with semi-parabolic action, designed for sea fishing from piers and rocks
- Recommended rig's weight within 20 grams and maximum hooklink's diameter 0,20 / 0,25 mm
- Reinforced handle made from crossed carbon strips that make it stiffer and reliable
- Second section's sliding guide wrapped on to a carbon pipe
- Pacific Bay plate reel seat size 6 in stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Lower aluminum cap with rubber insert

SiC sea·guide — PVD FRAME CORROSION FREE

New carbon layer's distribution system (High Torque Resistance) limits the torque of individual sections during the tough casting and retrieve phases.

		m	cm	g	
121-06-060	8 054393 157690	6.00	131	275	6
121-06-070	8 054393 157706	7.00	131	340	7

FRANGENTE BOLO X-TREME

- Balanced and reliable rod with progressive action, designed for sea fishing from piers and rocks
- Recommended rig's weight within 20 grams and maximum hooklink's diameter 0,20 / 0,25 mm
- Reinforced handle made from crossed carbon strips that make it stiffer and reliable
- Second section's sliding guide wrapped on to a carbon pipe
- Pacific Bay plate reel seat size 6 in stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Lower aluminum cap with rubber insert

		m	cm	g	
121-07-600	8 054393 153371	6.00	131	270	6
121-07-700	8 054393 153388	7.00	131	340	7

SiC sea·guide® — PVD FRAME CORROSION FREE

FRANGENTE X-LIGHT BOLO

- Balanced and reliable rod with light action, designed for sea fishing from piers and rocks
- Recommended rig's weight within 15 grams and maximum hooklink's diameter 0,16 / 0,20 mm
- Reinforced handle made from crossed carbon strips that make it stiffer and reliable
- Second section's sliding guide wrapped on to a carbon pipe
- Pacific Bay plate reel seat size 6 in stainless steel with rubber profiles
- Internal EVA tower for guide's spacing
- Lower aluminum cap with rubber insert

		m	cm	g	
121-07-060	8 054393 153357	6.00	131	250	6
121-07-070	8 054393 153364	7.00	131	310	7

SiC sea·guide® — PVD FRAME CORROSION FREE

Pacific Bay plate reel seat size 6 in stainless steel with rubber profiles. Wonderful from the aesthetic point of view, the interweaving of crossed carbon bands that wraps the handle plays the important role of making it indestructible.

Special guides are wrapped on Frangente rods; they are able to resist saltwater corrosion much longer than any other guide in the market. The stainless steel frame is protected by the PVD coating, and fits SiC ring for top performance.

Lower aluminum cap with rubber insert.

ATOMIC XR

Since ever, Atomic by Trabucco means power for long range casting and strength to successfully drive big fish to the landing net. But such tremendous power is not without control, as each single action has been engineered with accurate target, according to Trabucco's experience. Select your own Atomic and bring it to the water: fish will immediately realize who is the leader! Each one of these rods is designed to target a certain job. In fact, when loaded by same test weight, the five series react in a different way, confirming that they have been built to develop a specific power range.

"Y" frame SiC guides. All guides feature SiC ring to provide maximum protection to the line and dissipate heat developed during fish fight.

The nice cap, including a protective rubber insert, is made from aluminium to provide lightness and strength. In order to correctly space the guides when the rod is closed, an ultralight EVA tower has been added in the rod's butt.

Pacific Bay reel seat. The plate reel seat is made from stainless steel, featuring protections for reel's foot and rubber base. Size 7 to accept big sized reels.

The top guide has a frame with two arms to provide the necessary resistance, but also to avoid overlapping of the line at the top tip end.

X-Cross Wrap carbon braiding. The whole blank af Atomic bolos, except top section, is wound by an high modulus carbon yarn protects it from accidental shocks. In addition, it contrasts the blank's deformation under heavy load, actually stiffening it.

Anti-grip joint's finish. The male side of all joints has been finely sanded with computer aided machine to obtain maximum precision. This prevents sticking when joints are wet, while at the same time it grants complete contact, avoiding any vibration.

NEW ATOMIC XR COMPETITION



- Medium strong action; max lifting weight 1,5+ kg
- Plate reel seat size 7 (Pacific Bay)

SiC

		m	cm	g		
122-48-150	8 054393 174732	5.00	130	240	5	0-25
122-48-160	8 054393 174741	6.00	132	310	6	0-25
122-48-170	8 054393 174758	7.00	134	390	7	0-25

NEW ATOMIC XR ENERGY MASTER

- Medium strong action; max lifting weight 2,0+ kg
- Plate reel seat size 7 (Pacific Bay)

SiC

		m	cm	g		
122-48-250	8 054393 174765	5.00	130	250	5	0-30
122-48-260	8 054393 174772	6.00	132	340	6	0-30
122-48-270	8 054393 174789	7.00	134	450	7	0-30

- Blanks made from CX-2 Nano Tek
- Joints with X-Joint technology for an impeccable curve
- Medium leg SiC guides, with “Y” shape stainless steel frame
- Plate reel seat size 7 (Pacific Bay)
- Ultra smooth Sensi Touch finish on handle
- EVA tower for correct guide’s spacing during transport
- Aluminium butt cap with rubber insert



	Max Load	Casting
XR FOUR FIGHT	4 kg+	0-80 g
XR POWER PLUS	3 kg+	0-60 g
XR MASTER POWER	3 kg	0-40g
XR ENERGY MASTER	2 kg+	0-30 g
XR COMPETITION	1,5 kg+	0-25 g

NEW ATOMIC XR MASTER POWER

- Medium strong action; max lifting weight 3,0 kg
- Plate reel seat size 7 (Pacific Bay)

SiC

122-48-350	5.00	140	270	5	0-40
122-48-360	6.00	142	400	6	0-40

NEW ATOMIC XR POWER PLUS



- Powerful and highly reliable rods, max lifting weight 3,0+ kg
- Medium leg Sea Guide SiC guides, with tangle-free stainless steel K frame

122-48-450	5.00	140	300	5	0-60
122-48-460	6.00	142	430	6	0-60
122-48-470	7.00	144	520	7	0-60

NEW ATOMIC XR FOUR FIGHT



- Stiff action rods, max lifting weight 4,0+ kg
- Medium leg Sea Guide SiC guides, with tangle-free stainless steel K frame

122-48-550	5.00	140	330	5	0-80
122-48-560	6.00	142	450	6	0-80

SLIVER BOLO

- Rod with fast action, great for both freshwater and sea fishing
- Recommended rig weights within 10-12 grams and maximum hooklink's diameter 0,16-0,18 mm
- SiC guides with medium leg frame
- Steel and rubber size 6 plate reel seat
- Aluminum butt cap with rubber insert

SiC

		m	cm	g	
120-52-500	8 054393 153395	5.00	135	190	5
120-52-600	8 054393 153401	6.00	137	275	6

The sliding guide fitted on second section, wrapped on a carbon pipe, is a vital element for the distribution of the stress.

PRESTIGE BOLO MASTER

- Rod with semi-parabolic action, great for both freshwater and sea fishing
- Recommended rig weights within 12-15 grams and maximum hooklink's diameter 0,16-0,20 mm
- SiC guides with vibration free medium leg "Y" frame
- Steel and rubber size 6 plate reel seat
- Internal butt cap with removable EVA overcap for extra protection

S-SiC

		m	cm	g	
120-54-050	8 054393 162432	5.00	137	225	5
120-54-060	8 054393 162159	6.00	140	300	6
120-54-070	8 054393 162166	7.00	141	390	7
120-54-080	8 054393 162173	8.00	146	480	7

In addition to the internal butt cap, the Prestige Bolo are equipped with a lightweight EVA cap to protect it from impacts and scratches.

PRESTIGE BOLO MATCH

- Rod with fast and powerful action, great for both freshwater and sea fishing
- Recommended rig weights within 12-15 grams and maximum hooklink's diameter 0,16-0,20 mm
- Sliding guides on all sections for long casting even in wet conditions (wrapped on to carbon pipe)
- Steel and rubber size 6 plate reel seat
- Comfortable Sensi Touch handle grip with fine embossed ribs
- Internal butt cap with removable EVA overcap for extra protection

S-SiC

		m	cm	g	
120-55-050	8 054393 162182	5.00	130	220	5
120-55-060	8 054393 162199	6.00	134	330	6
120-55-070	8 054393 162205	7.00	149	420	6

In addition to the internal butt cap, the Prestige Bolo are equipped with a lightweight EVA cap to protect it from impacts and scratches.

TITAN BLS FORCE



- A powerful and fast allround bolo, perfectly balanced and easy to handle, ideal for both fresh and sea water
- Recommended rig weights within 20/25 grams and maximum hooklink's diameter 0,22 / 0,25 mm
- Stainless steel and rubber size 6 plate reel seat
- Internal EVA tower for guide's spacing
- Lower aluminum cap with rubber insert

S-SiC

		m	cm	g	
122-62-500	8 054393 138613	5.00	130	230	5
122-62-600	8 054393 138620	6.00	130	320	6
122-62-700	8 054393 138637	7.00	132	430	7

Stainless steel wrapped plate reel seat with rubber inserts; anti-vibration "Y" frame guides.

SELENIA BLX POWER BOLO

- Rod with fast and powerful action, great for both freshwater and sea fishing
- Recommended rig weights within 15-20 grams and maximum hooklink's diameter 0,18-0,22 mm
- Steel and rubber size 6 plate reel seat
- Comfortable Sensi Touch handle grip with fine embossed ribs
- Aluminium butt cap with rubber insert

SiC

		m	cm	g	
120-53-050	8 054393 162403	5.00	136	190	5
120-53-060	8 054393 162410	6.00	138	300	6
120-53-070	8 054393 162427	7.00	141	390	7

The handle is covered by a soft rubber sleeve, finely knurled according to an elegant design.

ZEST BOLO

- Semi-parabolic action bolo, designed to fish with hooklinks about 0,16-0,20 mm diameter
- Recommended rig weights within 15-18 grams and maximum hooklink's diameter 0,20 mm
- Medium leg SiC guides with "Y" anti-vibration stainless steel frame
- Sliding guide on second section for a safe distribution of loads
- Steel and rubber plate reel seat
- Aluminum butt cap with rubber insert

S-SiC

		m	cm	g	
120-51-500	8 054393 149718	5.00	140	235	5
120-51-600	8 054393 149725	6.00	140	320	6
120-51-700	8 054393 149732	7.00	140	380	7

The carbon filament which wraps the blank protects it from breakages under extreme stress.

HEAVEN BLS EXTREME

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Rod with tip action, balanced and small footprint, great for both freshwater and sea fishing
- Recommended rig weights within 15 grams and maximum hooklink's diameter 0,20 mm
- Steel and rubber plate reel seat
- Innovative Sensi Touch handle grip with special embossed ribs
- Aluminum butt cap with rubber insert

S-SiC

		m	cm	g	
120-46-050	8 054393 162342	5.00	126	205	5
120-46-060	8 054393 162359	6.00	128	275	6
120-46-070	8 054393 162366	7.00	131	360	7

NEW

VIGOR HYPER-X

S.H.M.R. CARBON · high precision control · XCW CROSS WRAP · SENSI TOUCH



- Fast actioned rod, excellent for both sea and fresh water
- Recommended rig weights within 20/25 grams and maximum hooklink's diameter 0,22 / 0,25 mm
- Stainless steel and rubber plate reel seat size 6
- Aluminum butt cap with rubber insert

S-SiC

		m	cm	g	
120-49-050	8 054393 172907	5.00	126	240	5
120-49-060	8 054393 172914	6.00	128	330	6
120-49-070	8 054393 172921	7.00	130	470	7

Extremely pleasant and firm grip, thanks to the elegant 3D design that characterizes the soft rubber which wraps the handle area.

HYDRUS BLS MASTER BOLO

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH



- Really reliable, fully progressive rod, excellent for both sea and fresh water
- Recommended rig weights within 15/20 grams and maximum hooklink's diameter 0,18/0,20 mm
- Reinforced joints by carbon crossed bands
- Stainless steel and rubber plate reel seat size 6
- Aluminum butt cap with rubber insert

S-SiC

		m	cm	g	
120-47-040	8 054393 162373	4.00	126	165	4
120-47-050	8 054393 162380	5.00	128	255	5
120-47-060	8 054393 162397	6.00	128	375	6

NEW

HYDRUS BLS TWIN FORCE

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SS SUPER SLIM BLANK · SENSI TOUCH



- Fast actioned rod, excellent for both sea and fresh water
- Recommended rig weights within 20/25 grams and maximum hooklink's diameter 0,22 / 0,25 mm
- Stainless steel and rubber plate reel seat size 6
- Aluminum butt cap with rubber insert

S-SiC

		m	cm	g	
120-48-040	8 054393 172860	4.00	124	160	4
120-48-050	8 054393 172877	5.00	126	240	5
120-48-060	8 054393 172884	6.00	128	330	6
120-48-070	8 054393 172891	7.00	130	460	7

NEW SLIVER SH BOLO

CX-1 CARBON MICRO-PITCH · SENSI TOUCH

SiC

		m	cm	g	
120-52-050	8 054393 172938	5.00	105	220	6
120-52-060	8 054393 172945	6.00	108	280	7

- Blanks made from CX-1 Micro Pitch
- Very short closed length, ideal for traveller anglers
- Size 6 plate reel seat, wrapped
- Ultra smooth Sensi Touch finish on handle

NEW PRESTIGE MINI BOLO

CX-1 CARBON MICRO-PITCH · SENSI TOUCH

SiC

		m	cm	g	
124-82-640	8 054393 173409	4.00	7	150	8
124-82-645	8 054393 173416	4.50	70	190	9
124-82-650	8 054393 173423	5.00	70	230	10

- Blanks made from CX-1 Micro Pitch
- Fast action rods, also suitable for river trout fishing
- Very short closed length, ideal for traveller anglers
- Size 6 plate reel seat, wrapped

VENOM FX

SHRC · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Sharp action rods with high reliability and short closed length
- Size 6 plate reel seat, wrapped
- EVA tower to correctly space guides during transport
- Aluminium butt cap with rubber insert

S-SiC

		m	cm	g	
124-81-030	8 054393 136664	3.00	72	145	5
124-81-035	8 054393 136671	3.50	74	195	6
124-81-040	8 054393 136688	4.00	77	245	7

The stainless steel plate reel seat is rubber lined for reel protection.

FLARE COMPACT ALLROUND

CX-1 CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Telescopid rod made from CX-1 carbon, with rigid action and perfect for trout in narrow streams, also great for lake trout
- Very short closde length, ideal to travel, able to be stored in a backpack
- Stainless steel plate reel seat with rubber profiles
- Ultralight butt cap, directly screwed into butt's wall

SiC

		m	cm	g		ACT
124-83-010	8 054393 151636	3.60	64	150	8	M (10-30 g)
124-83-020	8 054393 151643	4.20	66	185	9	M (10-30 g)
124-83-110	8 054393 151650	3.40	64	160	8	H 15-45 g)
124-83-120	8 054393 151667	4.00	66	185	9	H (15-45 g)

TELEMATCH

FRANGENTE	PWR TELEMATCH	38
VANADIA	XT-MATCH	38
NEW PRESTIGE	SLIM MATCH	38
TITAN	TELEMATCH	39
	XT-MATCH	39
ATOMIC	TELEMATCH	39
ZEST	T-MATCH	40
FLARE	NRG-MATCH	40
	TELEMATCH ALLROUND	40
NEW SELENIA	STX MATCH	41
PULSE	MATCH ALLROUNDER	41
	TELEMATCH POWER	41
HYDRUS	T-MATCH	42
	NEW XTS ALLROUND FLOAT	42
REVENTON	ALLROUND SLIM	42

ICONS LIST

Length
Casting Weight
MODEL Model
Diametre
Weight
Closed Length
Sections Nr

FRANGENTE PWR TELEMATCH



- Telescopic rods designed for saltwater fishing with heavy floats or bombardas
- Ultra fast action for long range casting
- Natural cork handle, with aluminium and rubber screw butt cap
- Medium leg SS SiC guides, with stainless steel frame
- Sliding guides wrapped on carbon pipes, fitted on all sections
- Stainless steel screw reel seat with rubber lined hoods

		m	cm	g		
150-36-450	8 054393 152770	4.50	135	320	5	max 80
150-36-500	8 054393 152787	5.00	140	360	5	max 100

S-SiC SS Frame

Stainless steel frame guides help Frangente to succeed in saltwater fishing with heavy bombardas or floats; sliding guides wrapped on carbon pipe on all intermediate sections.

VANADIA XT-MATCH

- Rods with allround action for fresh and saltwater fishing
- Tubolar top section
- Carbon yarn reinforcement wrapping.
- Plate reel seat size 6
- Aluminium butt cap with rubber insert

		m	cm	g		
150-34-450	8 054393 052254	4.50	130	202	7	10-60
150-34-455	8 054393 052261	4.50	130	208	7	20-80

SiC

Blanks made from Micro Pitch Carbon CX-1 (Super Slim). Carbon yarn reinforcement wrapping.

NEW PRESTIGE SLIM MATCH

- Telematch rods with fast action, ideal for floats or bombardas in fresh and salt water
- Handle coated with a transparent matt film allowing comfortable grip, also easing cleaning at the end of fishing session
- Medium leg HD SiC guides for fast heat dispersion
- Steel plate reel seat with rubber shock absorbers
- Aluminium butt cap with rubber insert

		m	cm	g		
150-30-400	8 054393 173430	4.50	130	195	7	10-30
150-30-500	8 054393 173447	4.50	130	202	7	20-50
150-30-600	8 054393 173454	4.50	130	210	7	30-80

SiC

X-Cross Wrap carbon braiding. The whole blank af Prestige, except top section, is wound by an high modulus carbon yarn protects it from accidental shocks. In addition, it contrasts the blank's deformation under heavy load, actually stiffening it.

TITAN TELEMATCH

- Rods with allround action for fresh and saltwater fishing
- Tubolar top
- New reel seat with Sensi Touch window
- Aluminium butt cap with rubber insert

SiC

		m	cm	g		
150-32-420	8 054393 052216	4.20	129	275	7	30
150-32-450	8 054393 052223	4.50	131	280	8	50

TITAN XT-MATCH

- Ideal rods for use in both fresh and salt water, thanks to the tippy action
- Extremely fast and sensitive slim tubular tip, able to handle heavy floats
- Aluminum screw cap with rubber insert

SiC

		m	cm	g		
151-90-400	8 054393 139719	4.00	116	247	4	40
151-90-405	8 054393 139726	4.00	116	262	4	60
151-90-420	8 054393 139733	4.20	116	315	5	80

ATOMIC TELEMATCH

- Rod with fast progressive action, ideal for fresh and salt water
- Extremely quick and sensitive tapered tubular tip, able to cast heavy floats or bombardas
- Medium leg S-SiC guides with sliding guides on each section, wrapped on to carbon pipes
- Wrapped plate reel seat, with rubber shock absorber
- Aluminum internal screw cap, with removable EVA overcap for extra protection

S-SiC

All guides feature SiC ring to provide maximum protection to the line and dissipate heat developed during fish fight.

Shock absorber reel seat and non slip rubber painted handle.

Beyond the lower cap threaded directly into the blank, the Atomic Telematch are equipped with a lightweight EVA cap that protects it from impact.

		m	cm	g		
150-37-420	8 054393 161826	4.20	125	240	4	20-100
150-37-450	8 054393 161833	4.50	130	280	5	30-120

ZEST T-MATCH

S.H.M.R. CARBON · XCW CROSS WRAP · CROSSED REINFORCED · high precision control · sea·guide



- Rod with fast progressive action, ideal for fresh and salt water
- Extremely quick and sensitive slim tubular tip, able to cast heavy floats or bombardas
- Medium leg SiC guides with tangle-free K frame design
- Sliding guides on each section, wrapped on to carbon pipes
- Ergonomic Sea Guide graphite screw reel seat, with contact windows on the blank

SiC

		m	cm	g		
151-83-420	8 054393 162441	4.20	127	305	4	10-30
151-83-425	8 054393 162458	4.20	127	330	4	20-60
151-83-450	8 054393 162465	4.50	135	340	4	10-45
151-83-455	8 054393 162472	4.50	130	350	5	10-60

FLARE NRG-MATCH

S.H.M.R. CARBON · CW CROSS WINDING · CROSSED REINFORCED · high precision control

- Telescopic rods with progressive parabolic action, perfect for use in both fresh and salt water
- Extremely fast and sensitive tubular tip, capable of casting heavy weights
- Anatomic graphite screw reel seat, large enough to accept size 6000 reels
- Aluminum butt cap with rubber insert

SiC · sea·guide

		m	cm	g		
151-82-420	8 054393 137456	4.20	127	360	4	10-40
151-82-425	8 054393 137463	4.20	127	370	4	20-60
151-82-450	8 054393 137470	4.50	131	380	4	20-60

FLARE TELEMATCH ALLROUND

CX-1 CARBON · SS SUPER SLIM BLANK

- Telescopic rods with progressive parabolic action, perfect for use in both fresh and salt water
- Extremely fast and sensitive tubular tip, capable of casting heavy weights
- S-SiC guides, with sliding guides on each section, wrapped on to carbon pipes
- Natural cork handle, with anti-slip EVA inserts for excellent grip and easy cleaning after use
- Graphite screw reel seat

S-SiC

		m	cm	g		
124-36-110	8 054393 162502	4.00	129	170	4	max 15
124-36-120	8 054393 162519	4.00	129	210	4	max 20
124-36-130	8 054393 162526	4.00	129	220	4	max 30

NEW SELENIA STX MATCH

- Rods with allround action, suitable both for fresh and saltwater fishing
- Tubular top section with sliding guides wrapped on carbon pipes
- Medium leg SiC guides with stainless steel frame
- Innovative handle grip, rubberized and ribbed according to a fine design
- Wrapped plate reel seat size 6, made from steel and rubber

Ultralight guides featuring stainless steel frame and sliding guides on all sections.

		m	cm	g		
150-38-420	8 054393 166395	4.20	115	185	5	max 30
150-38-450	8 054393 166401	4.50	120	215	5	max 30

Selenia STX Match are equipped with a lightweight EVA cap that protects it from impact.

PULSE MATCH ALLROUNDER



- Rods with allround action, suitable both for fresh and saltwater fishing
- Tubular top section with sliding guides wrapped on carbon pipes
- Medium leg SiC guides with stainless steel frame
- Innovative handle grip, rubberized and ribbed according to a fine design
- Wrapped plate reel seat size 6, made from steel and rubber

Ultralight guides featuring stainless steel frame and sliding guides on all sections.

		m	cm	g		
124-19-050	8 054393 151513	4.00	130	135	4	15
124-19-060	8 054393 151520	4.00	130	145	4	20
124-19-070	8 054393 151537	4.00	130	155	4	25
124-19-080	8 054393 151544	4.00	130	175	4	30

PULSE TELEMATCH POWER

- Rods with medium power action, suitable both for fresh and saltwater fishing
- Tubular top section with sliding guides wrapped on carbon pipes
- Medium leg S-SiC guides
- Natural cork grip, with EVA inserts
- Screw reel seat made from steel and rubber

		m	cm	g		
151-99-040	8 054393 161123	4.00	125	280	5	10-80
151-99-042	8 054393 161130	4.20	128	330	6	10-80

HYDRUS T-MATCH

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control

- Telematch rods with perfect parabolic action, suitable for use in both fresh and salt water
- Blanks made from S.H.M.R. High Resistance carbon
- Extremely sensitive tubular tip, able of holding weights up to 50 grams
- Wrapped S-SiC guides, with sliding guides wrapped on to carbon pipes
- Cork handle with graphite and steel screw reel seat
- Aluminum butt cap with rubber insert

S-SiC

		m	cm	g		
151-84-360	8 054393 162486	3.60	112	240	5	50
151-84-390	8 054393 162493	3.90	125	260	5	50
151-84-420	8 054393 162509	4.20	130	340	6	50

NEW HYDRUS XTS ALLROUND FLOAT

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SS SUPER SLIM BLANK · SENSI TOUCH

- Telematch rods with perfect parabolic action, suitable for use in both fresh and salt water
- Blanks made from S.H.M.R. High Resistance carbon
- Extremely sensitive tubular tip
- Wrapped S-SiC guides, with sliding guides wrapped on to carbon pipes

S-SiC

		m	cm	g		
150-01-010	8 054393 173102	4.00	128	180	4	3-15
150-01-020	8 054393 173119	4.00	128	180	4	5-20
150-01-030	8 054393 173126	4.00	128	180	4	5-30

REVENTON ALLROUND SLIM

- Rods with allround action, suitable both for fresh and saltwater fishing
- Short tubular top section, free from any sliding guide

S-SiC

		m	cm	g		
151-97-200	8 054393 112361	3.30	98	310	6	20-60
151-97-300	8 054393 112378	3.30	98	330	6	40-80
151-97-400	8 054393 112385	3.60	98	330	6	20-60
151-97-500	8 054393 112392	3.60	98	350	6	40-80

MATCH RODS

ENERGHIA XR	SUPREME MATCH	42
	DYNAMIC MATCH	42
	ENERGY MATCH	43
	NEW POWER MATCH	43
ENERGHIA 2K	MATCH POWER	44
	MATCH EXTREME	44
SPECTRUM	XTA MATCH	44
SELEKTOR	XS ACTIVE MATCH	44
SYGNUM XS	NEW CARP WAGGLER	45
	PRO WAGGLER	45
	PRO ENERGY	45
	PRO DISTANCE	45
PRECISION RPL	MATCH PLUS	46
	MATCH CARP	46
	CARP PLUS	46
	ALLROUNDER	46

ICONS LIST

Length	Casting Weight	MODEL Model
Diametre	Weight	ACTION Action
Closed Length	Sections Nr	

ENERGHIA XR

Despite the Energhia Match rods already occupied the highest step of the quality podium, today they rise to an even higher level, thanks to the Twist Free and X-Joint technologies, capable of transfiguring the blank's reactivity to any load and stress. In action, their compliance to user's impulses is incomparable, while an explosive force starts from the heart of butt section to drive the power to the middle section.

Twist Free is the special carbon technology which arranges the outer layers at 45° and 135°. Its function is to contrast the torque occurring in the cast, raising blank's resistance while improving both casting accuracy and distance.

The X-Joint carbon fibers, oriented at ±45° to rod's axis, are able to absorb and disperse the torque, improving the joint's performance and saving the rest of the section.

Thanks to the use of multi-axial carbon sheets, the X-Joint allow to obtain perfect action curves, absorbing all the torsions to which the blank is subjected, increasing the structural resistance and the response to stresses. X-Joint is therefore able not only to improve the section's links, but rather assist the whole structure for maximum performance. Definitely the best joints ever made!

All Energhia XR fit match SiC guides offering exceptional properties of friction reduction and heat dispersion. The butt ring is a double leg model, while all the others are single legs, with anti-vibration "Y" frame.

The Fuji original screw reel seat is nicely set between the high-density EVA front grip and natural cork handle. The butt grip of Energhia XR is made from EVA, and ends with an excellent rubber knob.

ENERGHIA XR SUPREME MATCH

- Fast action rods, perfect for medium range canal fishing or with the slider
- Blanks made from High Modulus carbon, with Twist Free technology to contrast torque generated during the cast
- High precision spigot joints made by X-Joint technology for a perfect action curve
- Light and strong Match SiC guides, able to reduce line friction and dissipate heat
- Natural high grade cork handle with high density EVA grips
- Fuji IPS graphite screw reel seat, with stainless steel hood
- Rubber butt fighting cap

SiC

		m	cm	g		g
153-31-420	8 054393 152992	4.20	144	175	3	5-20

ENERGHIA XR DYNAMIC MATCH

- Fast action rods, perfect for long range match fishing with extreme accuracy
- Blanks made from High Modulus carbon, with Twist Free technology to contrast torque generated during the cast
- High precision spigot joints made by X-Joint technology for a perfect action curve
- Light and strong Match SiC guides, able to reduce line friction and dissipate heat
- Natural high grade cork handle with high density EVA grips
- Fuji IPS graphite screw reel seat, with stainless steel hood
- Rubber butt fighting cap

SiC

		m	cm	g		g
153-32-420	8 054393 153005	4.20	144	190	3	8-22
153-32-450	8 054393 153012	4.50	155	200	3	8-22

ENERGHIA XR ENERGY MATCH

- Powerful action rods, designed for extreme range match fishing without missing the top section's sweeteness
- Blanks made from High Modulus carbon, with Twist Free technology to contrast torque generated during the cast
- High precision spigot joints made by X-Joint technology for a perfect action curve
- Light and strong Match SiC guides, able to reduce line friction and dissipate heat
- Natural high grade cork handle with high density EVA grips
- Fuji IPS graphite screw reel seat, with stainless steel hood
- Rubber butt fighting cap

SiC

		m	cm	g		
153-33-450	8 054393 153029	4.50	155	200	3	8-25

NEW ENERGHIA XR POWER MATCH

- Powerful action rods, designed for extreme range match fishing without missing the top section's sweeteness
- Blanks made from High Modulus carbon, with Twist Free technology to contrast torque generated during the cast
- High precision spigot joints made by X-Joint technology for a perfect action curve
- Light and strong Match SiC guides, able to reduce line friction and dissipate heat
- Natural high grade cork handle with high density EVA grips
- Fuji IPS graphite screw reel seat, with stainless steel hood
- Rubber butt fighting cap

SiC

		m	cm	g		
153-34-450	8 054393 000200	4.50	155	210	3	10-30
153-34-480	8 054393 000217	4.80	165	240	3	10-30

ENERGHIA 2K MATCH POWER

H.M.R. CARBON



- Fast action rods with casting power up to 30g weight
- Fuji Match Alconite BMYAG single leg guides on top and middle section, to limit weight and allow the blank to fully display its power, without oscillations after the cast
- Fuji Match Alconite BNMVAG double leg guide on butt section
- Fuji IPS graphite screw reel seat, with stainless steel hood

Alconite



		m	cm	g		g
153-21-450	8 054393 053745	4.50	155	200	3	10-30

ENERGHIA 2K MATCH EXTREME

H.M.R. CARBON



- Very fast action rods, with more casting power than current Energhia 2K Match Power
- Fuji Match Alconite BMYAG single leg guides on top and middle section, to limit weight and allow the blank to fully display its power, without oscillations after the cast
- Fuji Match Alconite BNMVAG double leg guide on butt section
- Fuji IPS graphite screw reel seat, with stainless steel hood

Alconite

		m	cm	g		g
153-22-450	8 054393 053752	4.50	155	210	3	10-35

SPECTRUM XTA MATCH

CX-1 CARBON MICRO-PITCH · TWIST FREE · X JOINT

- Rods with fast and progressive action, with Casting weight up to 25 g
- Blanks made from CX-1 Micro Pitch High Modulus carbon, with Twist Free technology to contrast torsion while casting
- Precise, reinforced X-Joint joints that allow to absorb stress and protect them during traction
- Sea Guide SiC Match single leg guides (double legs in the lower area)
- Natural cork handle with EVA inserts
- Tapered butt grip made from EVA, with durable hybrid cork cap including Trabucco medal

SiC sea·guide

		m	cm	g		ACTION
157-74-420	8 054393 162311	4.20	144	175	3	5-20
157-74-450	8 054393 162328	4.50	155	185	3	5-20
157-74-455	8 054393 162335	4.50	155	195	3	8-25

On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So Hidrogen performs like a knife, rather than - in a mess - like a whip.

SELEKTOR XS ACTIVE MATCH

CX-1 CARBON MICRO-PITCH

- Powerful action rods, able to bear high stress
- Tubular top section
- Screw reel seat embedded into the cork handle

SiC sea·guide

		m	cm	g		ACTION
157-76-450	8 054393 111951	4.50	155	250	3	MH 8-25 g
157-76-455	8 054393 111968	4.50	155	260	3	H 10-30 g

SYGNUM

NEW SYGNUM XS CARP WAGGLER

- Rods with classic waggler action (wagglers up to 20 g)
- SiC Match single leg guides (double leg on butt section)
- Tubular top section

SiC

		m	cm	g		
157-71-030	8 054393 176370	3.00	152	129	2	5-20
157-71-033	8 054393 176387	3.30	167	144	2	5-20
157-71-036	8 054393 176394	3.60	182	158	2	5-20

SYGNUM XS PRO WAGGLER

- Rods with classic waggler action (wagglers up to 25 g)
- SiC Match single leg guides (double leg on butt section)
- Tubular top section

SiC
sea·guide

		m	cm	g		
157-71-450	8 054393 116145	4.50	155	210	3	8-25

SYGNUM XS PRO ENERGY

- Powerful action rod (wagglers up to 30 g)
- SiC Match single leg guides (double leg on butt section)
- Tubular top section

SiC
sea·guide

		m	cm	g		
157-72-450	8 054393 111647	4.50	155	220	3	10-30

SYGNUM XS PRO DISTANCE

- Super powerful action rod (wagglers up to 40 g)
- SiC Match single leg guides (double leg on butt section)
- Tubular top section

SiC
sea·guide

		m	cm	g		
157-73-450	8 054393 111654	4.50	155	230	3	15-40

PRECISION RPL MATCH PLUS

S.H.M.R. CARBON CROSSED REINFORCED Power Joint

- Three section put over match rod, with progressive tip action
- Screw reel seat with rubber lined satin steel hoods
- Ribbed Precision EVA handle grip for high control

S-SiC

		m	cm	g		
152-33-390	8 054393 125552	3.90	137	186	3	8-25
152-33-420	8 054393 125569	4.20	145	220	3	8-25
152-33-450	8 054393 125576	4.50	155	249	3	10-30

PRECISION RPL MATCH CARP

S.H.M.R. CARBON CROSSED REINFORCED Power Joint



- Three section put over match rod, with parabolic action
- Screw reel seat with rubber lined satin steel hoods
- Ribbed Precision EVA handle grip for high control

S-SiC

		m	cm	g		
152-34-360	8 054393 125583	3.60	126	182	3	5-20
152-34-390	8 054393 125590	3.90	137	210	3	5-20
152-34-420	8 054393 125606	4.20	145	235	3	5-20

PRECISION RPL ALLROUNDER

S.H.M.R. CARBON CROSSED REINFORCED Power Joint

- Three section put over match rod, with progressive action
- Ribbed Precision EVA handle grip for high control
- Folding metal hook retainer

S-SiC

		m	cm	g		
152-27-330	8 054393 136893	3.30	115	260	3	15-40
152-27-360	8 054393 136909	3.60	125	295	3	15-40
152-27-365	8 054393 136916	3.60	125	300	3	20-60
152-27-395	8 054393 136923	3.90	135	335	3	20-60

PRECISION RPL CARP PLUS

S.H.M.R. CARBON CROSSED REINFORCED Power Joint

- Two section put over match rod, with progressive action
- The right tool for shallow lakes and canals, or for topwater with pellet wagglers up to 20 g weight
- Folding metal hook retainer

S-SiC

		m	cm	g		
152-26-300	8 054393 136862	3.00	155	163	2	5-20
152-26-330	8 054393 136879	3.30	168	176	2	5-20
152-26-360	8 054393 136886	3.60	183	222	2	5-20

FEEDER RODS

SPECTRUM XTC	COMPETITION FEEDER	50
	STILLWATER FEEDER	50
TRINIS FX	ACCURATE FEEDER	51
	COMPETITION FEEDER	51
	LONG DISTANCE FEEDER	51
	ADVANCED POWER FDR	52
	BARBEL FEEDER	52
ULTIMATE	COMPETITION FEEDER	52
	PROFESSIONAL MASTER	53
	MASTER FEEDER	53
	STILLWATER FDR 300-330	53
	STILLWATER FDR 360-390	53
	DISTANCE FEEDER	54
	GIANT BARBEL TWIN TIP	54
SYGNUM	MRX-V FEEDER	54
	TXL STILLWATER FEEDER	54
INSPIRON FD	COMPETITION STILL	55
	COMPETITION MULTI	55
	ADVANCED MASTER	56
	MASTER CARP METHOD	56
	CARP COMMERCIAL	54
	DISTANCE CARP METHOD	56
	DISTANCE CARP	57
SELEKTOR XS	SUPREME FEEDER	57
	DISTANCE METHOD	57
KOMPASS XS	WINKLE PICKER	57
	STILLWATER FEEDER	57
	MASTER CARP FDR	58
PRECISION RPL	PICKER PLUS	59
	BOMB PLUS	59
	QUIVER PLUS	59
	FEEDER PLUS	60
	SPECIMEN & SPOD	60
	DISTANCE POWER	60
	EXTREME DISTANCE	60
	METHOD FEEDER	61
	CARP FEEDER	61
	BARBEL & CARP FDR	61
	EXTREME RIVER	61
	RIVER FEEDER	62
	SSW SENSOR FEEDER	62
	SSW MASTER FEEDER	62
	FEEDER EVO	62
	COMBI TIP	63
FLARE	TELE FEEDER	63
HYDRUS	TELE FEEDER	63
SYGNUM	SPECIMEN TWIN-TIP	64
ULTIMATE	SPECIALIST MULTI-TIP	64
ERION XT	SPECIALIST	64

ICONS LIST

Length
Closed Lenght
Sections nr
Test Curve
Line class
Weight
MATERIAL Material
ACTION Action

SPECTRUM XTC COMPETITION FEEDER

CX1 CARBON MICRO-PITCH · Power Joint



- Two rods with hyper parabolic progressive ML action, ideal for fine hooklinks and casting within 50 m range
- Supplied with 3 spineless solid carbon quiver tips with different actions, contained in a protective tube to prevent breakages during transport.
- Screw reel seat with matt rubber finish
- Hook keeper made of reclining ring, allowing easy hook fit without creating any obstacles during the cast
- Special padded bag, with zipper

		ft/m	cm		ACTION
150-81-100	8 054393 151988	10'8" (3,25)	137	2+3	ML 30 g
150-81-200	8 054393 151995	11'8" (3,55)	152	2+3	ML 40 g

	ACTION	cm
150-81-001	XTC N1 L	62
150-81-002	XTC N2 L	57
150-81-003	XTC N3 L	52
CARBON SPARE TIPS - mm ∅ 2.0		

SiC · sea·guide®

- Three rods with parabolic progressive MP and PW action, ideal for casting within 80-90 m range
- Supplied with 3 spineless solid carbon quiver tips with different actions, contained in a protective tube to prevent breakages during transport.
- Screw reel seat with matt rubber finish
- Hook keeper made of reclining ring, allowing easy hook fit without creating any obstacles during the cast
- Special padded bag, with zipper

		ft/m	cm		ACTION
150-81-300	8 054393 152008	11'8" (3,55)	148	2+3	MP 60 g
150-81-400	8 054393 152015	12'8" (3,85)	134	3+3	MP 60 g
150-81-500	8 054393 152176	12'8" (3,85)	134	3+3	PW 80 g

	ACTION	cm
150-81-011	XTC N1	70
150-81-012	XTC N2	70
150-81-013	XTC N3	70
CARBON SPARE TIPS - mm ∅ 2.6		

SiC · sea·guide®

SPECTRUM XTS STILLWATER FEEDER

CX1 CARBON MICRO-PITCH · Power Joint



- Series designed for competition feeder, with four rods offering different actions and power
- Supplied with 3 spineless solid carbon quiver tips with different actions, contained in a protective tube to prevent breakages during transport.
- Screw reel seat with matt rubber finish
- Hook keeper made of reclining ring, allowing easy hook fit without creating any obstacles during the cast
- Special padded bag, with zipper

		ft/m	cm		ACTION
150-82-300	8 054393 152183	10'0" (3,00)	128	2+3	ML 45 g
150-82-330	8 054393 152190	11'0" (3,30)	143	2+3	M 60 g
150-82-360	8 054393 152206	12'0" (3,60)	127	3+3	M 60 g
150-82-390	8 054393 152213	13'0" (3,90)	139	3+3	MP 80 g

	ACTION	cm
150-82-001	XTS N1	54
150-82-002	XTS N2	54
150-82-003	XTS N3	54
CARBON SPARE TIPS - mm ∅ 2.2		

SiC · sea·guide®

TRINIS FX ACCURATE FEEDER

CX1 CARBON MICRO-PITCH Power Joint



- Semi-parabolic action, ideal for medium and long range casting within 60-80 m.
- Supplied with 3 spineless solid carbon quiver tips with different actions, contained in a protective tube to prevent breakages during transport.
- Hook keeper made of round ring
- Screw reel seat with matt rubber finish

		ft'in"	cm		ACTION
150-70-330	8 054393 152794	11'0" (3,30)	117	2+3	M / 75 g
150-70-360	8 054393 152800	12'0" (3,60)	126	3+3	M / 75 g
150-70-365	8 054393 152817	12'0" (3,60)	126	3+3	M / 90 g
150-70-390	8 054393 152824	13'0" (3,90)	137	3+3	MH / 90 g

	ACTION	cm
150-70-001	ACC 1	56
150-70-002	ACC 2	56
150-70-003	ACC 3	56
CARBON SPARE TIPS - mm ∅ 2.0		

SiC K-Guide sea·guide

TRINIS FX COMPETITION FEEDER

CX1 CARBON MICRO-PITCH Power Joint



- Powerful and progressive action, specially designed for medium to long distance fishing within 60-80 m
- Supplied with 4 spineless solid carbon quiver tips with different actions, contained in a protective tube to prevent breakages during transport.
- Hook keeper made of round ring
- Screw reel seat with matt rubber finish

		ft'in"	cm		ACTION
150-71-360	8 054393 152831	12'0" (3,60)	126	3+4	MP / 90 g
150-71-390	8 054393 152855	13'0" (3,90)	137	3+4	MP / 120 g

	ACTION	cm
150-71-001	TRINIS 1	53
150-71-002	TRINIS 2	53
150-71-003	TRINIS 3	53
150-71-004	TRINIS 4	53
CARBON SPARE TIPS - mm ∅ 2.6		

SiC K-Guide sea·guide

TRINIS FX LONG DISTANCE FEEDER

CX1 CARBON MICRO-PITCH Power Joint

- Powerful and progressive action specially designed for long distance fishing with feeders up to 130g
- Supplied with 4 spineless solid carbon quiver tips with different actions, contained in a protective tube to prevent breakages during transport.
- "Minimal" naked handle with EVA butt handle
- Hook keeper made of round ring
- Screw reel seat holder with matte rubber finish

		ft'in"	cm		ACTION
150-72-390	8 054393 152862	13'0" (3,90)	137	3+4	H / 130 g
150-72-420	8 054393 152879	14'0" (4,20)	149	3+4	H / 130 g

	ACTION	cm
150-71-001	TRINIS 1	53
150-71-002	TRINIS 2	53
150-71-003	TRINIS 3	53
150-71-004	TRINIS 4	53
CARBON SPARE TIPS - mm ∅ 2.6		

SiC K-Guide sea·guide

TRINIS FX ADVANCED POWER FEEDER

- Powerful and progressive action specially designed for fast running rivers and canals, also suitable to long range lake fishing
- Supplied with 4 spineless solid carbon quiver tips with different actions
- Colouring system for the final part of the tip, which increases visibility, instantly sensing even the slightest movements in case of shy bites.
- "Minimal" naked handle with EVA butt handle
- Hook keeper made of round ring
- Screw reel seat holder with matte rubber finish

		ft/m	cm		ACTION
150-73-390	8 054393 152886	13'0" (3,90)	137	3+4	HH / 160 g
150-73-420	8 054393 152893	14'0" (4,20)	149	3+4	HH / 160 g

	ACTION	cm
150-71-002	TRINIS 2	53
150-71-003	TRINIS 3	53
150-71-004	TRINIS 4	53
150-71-005	TRINIS 5	53
CARBON SPARE TIPS - mm ∅ 2.6		

SiC K-Guide sea-guide

TRINIS FX BARBEL FEEDER

- Extremely powerful action, specially designed to face fast running canals and rivers or fishing with heavy feeders up to 200 g
- Supplied with 3 solid carbon tips with different actions in a protective tube for easy and safe transport.
- "Minimal" naked handle with EVA butt handle
- Hook keeper made of round ring
- DPS screw real seat for excellent hold, also with medium and large size reels

		ft/m	cm		ACTION
150-74-420	8 054393 152909	14' (4,20)	147	3+3	XXH / 200 g
150-74-450	8 054393 152916	15' (4,50)	155	3+3	XXH / 200 g

	ACTION	cm
150-71-003	TRINIS 3	53
150-71-004	TRINIS 4	53
150-71-005	TRINIS 5	53
CARBON SPARE TIPS - mm ∅ 2.6		

SiC K-Guide sea-guide

ULTIMATE COMPETITION FEEDER

- Progressive parabolic action developed for the competition, able to face almost all the requirements of the vast world of feeder
- New colouring system for the final part of the tip, which increases visibility
- Supplied with 4 spineless solid carbon quiver tips with different actions, contained in a protective tube to prevent breakages during transport.
- Screw reel seat with matt rubber finish

		ft/m	cm		ACTION
150-95-330	8 054393 131775	11' (3,30)	115	3+4	ML / 50 g
150-95-360	8 054393 131782	12' (3,60)	125	3+4	M / 75 g
150-95-390	8 054393 131799	13' (3,90)	135	3+4	M / 75 g

	ACTION	cm
150-95-010	Ult-Comp 0	51
150-95-020	Ult-Comp 1	51
150-95-030	Ult-Comp 2	51
150-95-040	Ult-Comp 3	51
CARBON SPARE TIPS - mm ∅ 2.0		

SiC

ULTIMATE PROFESSIONAL MASTER FEEDER

- Semi-parabolic action with rapid and progressive output, specially designed for competition
- New high visibility coloring system for the final part of the tips
- Screw reel seat with matt rubber finish and carbon inserts

		ft/m	cm		ACTION
150-86-010	8 054393 137425	11' 8" (3,55)	114	3+4	M / 60 g
150-86-020	8 054393 137432	12' 8" (3,85)	125	3+4	M / 60 g
150-86-030	8 054393 137449	12' 8" (3,85)	125	3+4	MP / 80 g

	ACTION	cm
150-86-001	ULT-PM 1	71
150-86-002	ULT-PM 2	71
150-86-003	ULT-PM 3	71
150-86-004	ULT-PM 4	71
CARBON SPARE TIPS - mm ∅ 2.6		

ULTIMATE MASTER FEEDER

- Parabolic and progressive action, designed for competition at medium and long distance, with maximum weights 90/110 g
- Natural cork handle flattened in the middle for greater control, with EVA butt and fore grips
- Screw reel seat with matt rubber finish

		ft/m	cm		ACTION
150-93-360	8 054393 111890	12' (3,60)	127	3+4	MP / 90 g
150-93-390	8 054393 111906	13' (3,90)	136	3+4	XP / 110 g

	ACTION	cm
150-91-100	Ultimate 1UL	72
150-91-110	Ultimate 1	72
150-91-120	Ultimate 2	72
150-91-130	Ultimate 3	72
150-91-140	Ultimate 4	72
CARBON SPARE TIPS - mm ∅ 2.8		

ULTIMATE STILLWATER FEEDER 300-330

- Parabolic and progressive action, designed for competition fishing, both at short and medium distance, with weights within 75 g
- Supplied with 4 solid carbon tips in a protective tube for safe
- Screw reel seat with matt rubber finish

		ft/m	cm		ACTION
150-92-300	8 054393 111852	10' (3,00)	155	2+4	M / 75 g
150-92-330	8 054393 111869	11' (3,30)	170	2+4	M / 75 g

	ACTION	cm
150-91-010	Ultimate 1S	72
150-91-020	Ultimate 2S	72
150-91-030	Ultimate 3S	72
150-91-040	Ultimate 4S	72
CARBON SPARE TIPS - mm ∅ 2.4		

ULTIMATE STILLWATER FEEDER 360-390

- Parabolic and progressive action, designed for competition fishing, both at short and medium distance, with weights within 90 g
- Supplied with 4 solid carbon tips in a protective tube for safe
- Screw reel seat with matt rubber finish

		ft/m	cm		ACTION
150-92-360	8 054393 111876	12' (3,60)	127	3+4	MP / 90 g
150-92-390	8 054393 111883	13' (3,90)	136	3+4	MP / 90 g

* Ultimate Stillwater Feeder 360 and 390 Tips Array: Action 1UL, 1, 2 and 3.
The spare tips for Ultimate Stillwater feeder are also available separately.

	ACTION	cm
150-91-100	Ultimate 1UL	72
150-91-110	Ultimate 1	72
150-91-120	Ultimate 2	72
150-91-130	Ultimate 3	72
150-91-140	Ultimate 4	72
CARBON SPARE TIPS - mm ∅ 2.8		

ULTIMATE DISTANCE FEEDER

- Parabolic and progressive action, designed for competition at medium and long distance, with maximum weights 90/110 g
- Supplied with 4 solid carbon tips in a protective tube for safe
- Screw reel seat with matt rubber finish

		firm	cm		ACTION
150-94-360	8 054393 111920	12' (3,60)	128	3+4	MH / 100 g
150-94-390	8 054393 111937	13' (3,90)	135	3+4	H / 130 g

* Ultimate Distance Feeder Tips Array: Action 1, 2,3 and 4

	ACTION	cm
150-91-100	Ultimate 1UL	72
150-91-110	Ultimate 1	72
150-91-120	Ultimate 2	72
150-91-130	Ultimate 3	72
150-91-140	Ultimate 4	72
CARBON SPARE TIPS - mm ∅ 2.8		

ULTIMATE GIANT BARBEL TWIN TIP

- Powerful, parabolic progressive action, perfect to fish in the deep and fast rivers with heavy feeders
- Supplied with 2 long tips: one spliced with solid carbon tip, inserted and wrapped; the other straight tubolar
- Handle dressed with rubber sleeve, shaped on top to form a fighting grip and on the bottom to create a firm casting grip
- Screw reel seat, reversed to resist extreme pulls

		firm	cm		ACTION
150-85-420	8 054393 152848	14' (4,20)	147	2+2	XH / 180 g

	Struttura
150-85-420-R01S	Spliced Tip
150-85-420-R01H	Hollow Tip

SYGNUM MRX-V FEEDER

- Progressive semi-parabolic action, specially designed for medium and long distance competition fishing with feeders up to 125 g
- Natural cork handle with oval palming grip area and rounded bottom end for a secure grip
- Ergonomic screw graphite reel seat with steel hood

		firm	cm		ACTION
151-16-360	8 054393 052513	12' (3,60)	125	3+3	M / 75 g
151-16-390	8 054393 052520	13' (3,90)	135	3+3	MP / 125 g

		ACTION	cm
151-16-360 R01 Feeder 12'		MRX-V 3/4 oz	54
		MRX-V 1 oz	52
		MRX-V 1 1/2 oz	51
CARBON SPARE TIPS - mm ∅ 2.1			
151-16-390 R01 Feeder 13'		MRX-V 2 oz	54
		MRX-V 3 oz	54
		MRX-V 4 oz	54
CARBON SPARE TIPS - mm ∅ 2.6			

SYGNUM TXL STILLWATER FEEDER

- Progressive semi-parabolic action, specially designed for short and medium-range fishing with feeders within 90 g
- Screw graphite reel seat with EVA fore grip and steel hoos
- Natural cork handle with oval palming grip area and rounded bottom end for a secure grip

		firm	cm		ACTION
150-89-040	8 054393 126344	10'6" (3,23)	115	2+3	PW / 90 g

	ACTION	cm
150-89-001	LIGHT	72
150-89-002	MEDIUM	72
150-89-003	HEAVY	72
CARBON SPARE TIPS - mm ∅ 3.2		

INSPIRON FD COMPETITION STILL

- Fast and progressive action designed for match fishing, with feeders within 75/90 g
- New coloring system for the top end of the tips that increases visibility
- Tape Grip is applied around the joints to facilitate the assembling and dismantling
- New hook keeper made of reclining round ring

		ft-in	cm		ACTION
153-03-330	8 054393 137296	11' (3,30)	127	3+3	M / 75 g
153-03-360	8 054393 137302	12' (3,60)	127	3+3	M / 75 g
153-03-365	8 054393 137319	12' (3,60)	127	3+3	MH / 90 g
153-03-390	8 054393 137326	13' (3,90)	136	3+3	MH / 90 g

	ACTION	cm
153-02-001		47
153-02-002		47
153-02-003		47
CARBON SPARE TIPS - mm ∅ 2.0		

INSPIRON FD COMPETITION MULTI

- Perfect parabolic and progressive action to face canals, lakes or rivers with slow current, ideal for thin line's fishing
- Provided with a 30 cm extension to be fitted on top of butt section, allowing to modify the length from 3,30 to 3,60 m and from 3,60 to 3,90 m
- New coloring system for the top end of the tips that increases visibility
- Tape Grip is applied around the joints to facilitate the assembling and dismantling
- New hook keeper made of reclining round ring, allowing easy hook fit



The mini extension supplied with each rod adds 30 cm to its length.

		ft-in	cm		ACTION
153-02-360	8 054393 137265	12' (3,60)	127	3+1+3	M / 75 g
153-02-390	8 054393 137289	13' (3,90)	128	3+1+3	M / 75 g
153-02-395	8 054393 140425	13' (3,90)	128	3+1+3	MH / 90 g

	ACTION	cm
153-02-001	LIGHT	47
153-02-002	MEDIUM	47
153-02-003	HEAVY	47
CARBON SPARE TIPS - mm ∅ 2.0		

AIRTEK CARBON FEEDER TIPS

- Universal Quiver tips for feeder rods
- High Modulus Carbon blanks
- Single leg micro guides with SiC ring
- Technical data (diameter, length, action, power) printed on each quiver
- Individual packing with Euro slot

		cm	mm∅	ACTION	PWR	PC
101-00-010	8 054393 148087	55	2.2	0	UL	5
101-00-020	8 054393 148094	50	2.2	1	L	5
101-00-030	8 054393 148100	50	2.2	2	ML	5
101-00-110	8 054393 148117	70	2.85	0	UL	5
101-00-120	8 054393 148124	70	2.85	1	L	5
101-00-130	8 054393 148131	60	2.85	2	ML	5
101-00-140	8 054393 148148	60	2.85	3	M	5
101-00-210	8 054393 148155	60	3.2	1	L	5
101-00-220	8 054393 148162	60	3.2	2	ML	5
101-00-230	8 054393 148179	60	3.2	3	M	5

INSPIRON FD ADVANCED MASTER

- Powerful and progressive action able to handle feeders within the 75/90 g, great in large lakes, ideal for canals or rivers with medium current
- Supplied with 3 Full Carbon HQ spineless tips, stored in a protective tube that protects them and eases their transport
- New coloring system for the top end of the tips that increases visibility
- Tape Grip is applied around the joints for assembling and dismantling
- Screw reel seat with matt rubber finish for a comfortable grip
- New hook keeper made of reclining round ring

		ft/m	cm		ACTION
153-04-360	8 054393 137333	12' (3,60)	127	3+3	M / 75 g
153-04-390	8 054393 137357	13' (3,90)	136	3+3	MH / 90 g

	ACTION	cm
153-04-360-R01L	LIGHT	55
153-04-360-R01M	MEDIUM	54
153-04-360-R01H	MED. HEAVY	52
CARBON SPARE TIPS - mm ∅ 2.0		
153-04-390-R01L	LIGHT	55
153-04-390-R01M	MEDIUM	54
153-04-390-R01H	MED. HEAVY	52
CARBON SPARE TIPS - mm ∅ 2.4		

INSPIRON FD MASTER CARP METHOD

- Semi-progressive action designed for the method or pellet feeder, with weights within 90 g and casting over 60 m
- New coloring system for the final part of the tips that increases visibility
- Tape Grip is applied around the joints to facilitate the assembling and dismantling
- New hook keeper made of reclining round ring

		ft/m	cm		ACTION
153-08-300	8 054393 152718	10' (3,00)	153	2+3	MP / 90 g
153-08-330	8 054393 152725	11' (3,30)	166	2+3	MP / 90 g

	ACTION	cm
153-06-001	LIGHT	60
153-06-002	MEDIUM	60
153-06-003	HEAVY	60
CARBON SPARE TIPS - mm ∅ 2.8		

INSPIRON FD CARP COMMERCIAL

- Progressive parabolic action for commercial fishing, able to handle feeders up to 90 g
- New coloring system for the final part of the tips that increases visibility, enhancing the slightest bite
- A special Tape Grip is applied around the joints to ease assembling and dismantling
- New hook keeper made of a reclining round ring, allowing easy hook fit

		ft/m	cm		ACTION
153-07-310	8 054393 137401	10'2" (3,10)	154	2+3	MP / 90 g
153-07-340	8 054393 137418	11'2" (3,40)	170	2+3	MP / 90 g

	ACTION	cm
153-06-001	LIGHT	60
153-06-002	MEDIUM	60
153-06-003	HEAVY	60
CARBON SPARE TIPS - mm ∅ 2.8		

INSPIRON FD DISTANCE CARP METHOD

- Semi-progressive action designed for the method or pellet feeder, with weights within 90 g and casting over 60 m
- New coloring system for the final part of the tips that increases visibility, enhancing the slightest bite
- A special Tape Grip is applied around the joints to ease assembling and dismantling
- New hook keeper made of a reclining round ring, allowing easy hook fit

		ft/m	cm		ACTION
153-09-360	8 054393 161628	12' (3,60)	127	3+3	MP 90 g

	ACTION	cm
153-05-001	LIGHT	55
153-05-002	MEDIUM	55
153-05-003	HEAVY	55
CARBON SPARE TIPS - mm ∅ 2.6		

INSPIRON FD DISTANCE CARP

- Semi Parabolic Action capable of handling 90 g feeders even at distances over 60/80 m, specially designed for commercial lakes
- Hook keeper made of round ring, allowing easy hook fit without creating any obstacles during the cast
- A special Tape Grip is applied around the joints to facilitate the assembly and dismantling

153-05-390	8 054393 137371	13' (3,90)	136	3+3	MH / 90 g

	ACTION	cm
153-05-001	LIGHT	55
153-05-002	MEDIUM	55
153-05-003	HEAVY	55
CARBON SPARE TIPS - mm ∅ 2.6		

The fantastic natural cork handle ends with an ergonomic contoured grip made from hybrid cork for a firm hold and infinite duration.

Near the joints a superfine rough finish facilitates their disassembly when the hands are wet.

Sea Guide high quality single and double leg guides ring to resist abrasion and overheating caused by braided lines.

Here aside, the hi-visibility tip top area. Below, the reel seat is rubberized and hidden in the hybrid cork handle. In the illustration you can see the structural braiding made by a carbon filament, which has helped to keep the diameters of the blanks to the bare minimum.

SELEKTOR XS SUPREME FEEDER

- Semi-parabolic action rod, able to handle, depending on model and length, feeders up to 80 and 100 g, allowing casts up to 60 and 90 m
- Model 10' and 11' made in 2 sections plus tips, 12 'and 13' versions in 3 sections plus tips
- Natural cork handle with EVA butt grip
- Screw reel seat with EVA fore gri

152-63-300	8 054393 141482	10' (3,00)	123	2+3	MP / 80 g
152-63-330	8 054393 141491	11' (3,30)	138	2+3	MP / 80 g
152-63-360	8 054393 141507	12' (3,60)	128	3+3	MP / 80 g
152-63-390	8 054393 141514	13' (3,90)	135	3+3	MP / 80 g

	ACTION	cm
152-63-001	LIGHT	65
152-63-002	MED. LIGHT	65
152-63-003	HEAVY	65
CARBON SPARE TIPS - mm ∅ 3.4		

SELEKTOR XS DISTANCE METHOD

- Progressive parabolic action able to handle feeders up to 100 g weight
- Grip Line to helps assembling and dismantling of the sections
- Natural cork handle with EVA grip for a good control and screw reel seat with EVA fore grip

152-64-360	8 054393 151452	12' (3,60)	128	3+3	PW / 100 g
152-64-390	8 054393 151469	13' (3,90)	135	3+3	PW / 100 g

	ACTION	cm
152-64-001	LIGHT	56
152-64-002	MED. LIGHT	56
152-64-003	HEAVY	56
CARBON SPARE TIPS - mm ∅ 2.6		

KOMPASS

KOMPASS XS WINKLE PICKER

- Progressive hyper-parabolic action able to handle feeders up to 35 g weight and ideal for extremely thin lines
- Natural cork handle with nice tapered EVA grip for a good control and easy cleaning at the end of the fishing session
- SiC guides with K design tangle-free frame, perfect for use of braided lines
- Special ergonomic screw reel seat with contact windows on the blank and EVA fore grip

		ft/m	cm		ACTION
153-72-270	8 054393 164124	9' (2,70)	138	2+3	ML / 35 g
153-72-300	8 054393 164131	10' (3,00)	153	3+3	ML / 35 g

	ACTION	cm
153-72-270-R01A	LIGHT	54
153-72-270-R01B	MED. LIGHT	49
153-72-270-R01C	HEAVY	44
CARBON SPARE TIPS - mm ∅ 2.0		

SiC K Frame

KOMPASS XS STILLWATER FEEDER

- Progressive hyper-parabolic action able to handle feeders up to 35 g weight and ideal for extremely thin lines
- Natural cork handle with nice tapered EVA grip for a good control and easy cleaning at the end of the fishing session
- SiC guides with K design tangle-free frame, perfect for use of braided lines
- Special ergonomic screw reel seat with contact windows on the blank and EVA fore grip

		ft/m	cm		ACTION
153-73-330	8 054393 164148	11' (3,30)	116	3+3	M / 50 g
153-73-360	8 054393 163837	12' (3,60)	128	3+3	M / 50 g
153-73-365	8 054393 163844	12' (3,60)	128	3+3	MP / 75 g

	ACTION	cm
153-73-330-R01A	LIGHT	54
153-73-330-R01B	MED. LIGHT	48
153-73-330-R01C	HEAVY	43
CARBON SPARE TIPS - mm ∅ 2.0		

SiC K Frame

KOMPASS XS MASTER CARP FEEDER

- Progressive action able to handle feeders up to 75 g weight
- Natural cork handle with nice tapered EVA grip for a good control and easy cleaning at the end of the fishing session
- SiC guides with K design tangle-free frame, perfect for use of braided lines
- Special ergonomic screw reel seat with contact windows on the blank and EVA fore grip

		ft/m	cm		ACTION
153-71-270	8 054393 164094	9' (2,70)	109	2+2	MP / 75 g
153-71-300	8 054393 164100	10' (3,00)	124	2+2	MP / 75 g
153-71-330	8 054393 164117	11' (3,30)	138	2+2	MP / 75 g

	ACTION	cm
153-71-270-R01A	LIGHT	62
153-71-270-R01B	MED. LIGHT	60
FIBREGLASS SPARE TIPS - mm ∅ 3.4		

SiC K Frame

PRECISION

THE PRECISION PERFORMANCE

In a segment that is significantly growing, it's normal that the widest range is the one with the most convenient prices, because all those who want to experience the feeder fishing emotions should find the right solution without investing a fortune. For the same reason, the Trabucco brand even offers a nice Precision reel, equipped with a double line clip!

PRECISION RPL PICKER PLUS

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

- Progressive, super parabolic action, able to handle extremely combative fish, perfect for marginal fishing
- Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		ft m	cm		ACTION
152-35-270	8 054393 125613	9' (2,70)	142	2+2	M / 35 g

	ACTION	MATERIAL	cm
152-35-270-R01	LIGHT	FIBREGLASS	50
	MEDIUM	CARBON	50
SPARE TIPS - mm ∅ 2.0			

S-SiC

PRECISION RPL BOMB PLUS

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

- Progressive parabolic action, able to cast feeders or leads up to 70 g beyond 50 m range and fight extremely powerful fish; perfect for margin fishing
- Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		ft m	cm		ACTION
152-35-300	8 054393 125620	10' (3,00)	105	3+3	M / 70 g

	ACTION	MATERIAL	cm
152-35-300-R01	LIGHT	FIBREGLASS	53
	MEDIUM	FIBREGLASS	53
	HEAVY	CARBON	53
SPARE TIPS - mm ∅ 3.0			

S-SiC

PRECISION RPL QUIVER PLUS

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

- Progressive parabolic action for commercial fishing with feeders up to 70 g and casts over 60 m, perfect for margin fishing
- Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		ft m	cm		ACTION
152-35-330	8 054393 126122	11' (3,30)	116	3+3	M / 70 g

	ACTION	MATERIAL	cm
152-40-330-R01	LIGHT	FIBREGLASS	53
	MEDIUM	FIBREGLASS	53
	HEAVY	CARBON	53
SPARE TIPS - mm ∅ 3.0			

S-SiC

PRECISION RPL FEEDER PLUS

- Fast and progressive action, ideal for fishing in rivers or lakes with weights up to 100 g
- Natural cork handle with EVA grip for good control and easy cleaning
- Steel and rubber screw reel seat, integrated into the handle

		ft/in	cm		ACTION
152-35-360	8 054393 126139	12' (3,60)	125	3+3	MH / 90 g
152-35-365	8 054393 126146	12' (3,60)	125	3+3	H / 100 g
152-35-390	8 054393 126153	13' (3,90)	137	3+3	MH / 60 g
152-35-395	8 054393 126160	13' (3,90)	137	3+3	H / 100 g

	ACTION	MATERIAL	cm
152-35-360-R01	LIGHT	FIBREGLASS	60
	MED.LIGHT	FIBREGLASS	60
	HEAVY	CARBON	60
SPARE TIPS - mm ∅ 3.0			

PRECISION RPL SPECIMEN & SPOD

- Super-powerful action, perfect for fast river fishing for Barbel, Carp and Catfish
- Designed for heavy pre-baiting with large size feeders (5x7 cm), even at great distance
- Precise and reinforced joints with crossed carbon bands that absorb stress and protect them during cast or traction
- Steel and rubber screw reel seat, integrated into the handle

		ft/in	cm		ACTION
152-23-360	8 054393 161598	12' (3,60)	125	3+2	HH / 150 g
152-23-390	8 054393 161604	13' (3,90)	135	3+2	HH / 150 g
152-23-395	8 054393 161611	13' (3,90)	135	3+2	XH / 200 g

	ACTION	cm
152-23-360-R01	HEAVY	59
	X-HEAVY	59
CARBON SPARE TIPS - mm ∅ 3.0		

PRECISION RPL DISTANCE POWER

- Extremely powerful action designed for long distance fishing with feeders up to 180/230 g
- Natural cork handle with EVA grip for good control and easy cleaning
- Steel and rubber screw reel seat, integrated into the handle

		ft/in	cm		ACTION
152-17-390	8 054393 136732	13' (3,90)	135	3+3	HH / 180 g
152-17-395	8 054393 136749	13' (3,90)	135	3+3	HH / 230 g

	ACTION	cm
152-17-390-R01	LIGHT	54
	MEDIUM	54
	HEAVY	54
CARBON SPARE TIPS - mm ∅ 3.4		

PRECISION RPL EXTREME DISTANCE

- Extremely powerful action designed for extreme distance fishing with feeders up to 180/230 g, keeping high bitesensitivity
- Naked handle with shaped EVA butt grip that allows great casting control
- Precise and reinforced joints with crossed carbon bands that absorb stress and protect them during cast or traction
- Steel and rubber screw reel seat, integrated into the handle

		ft/in	cm		ACTION
152-22-390	8 054393 161574	13' (3,90)	135	3+3	HH / 180 g
152-22-395	8 054393 161581	13' (3,90)	135	3+3	XH / 230 g

	ACTION	cm
152-22-390-R01	LIGHT	54
	MEDIUM	55
	HEAVY	56
CARBON SPARE TIPS - mm ∅ 3.4		

PRECISION RPL METHOD FEEDER

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

- Fast and progressive action, designed for short and medium range fishing with weights up to 75 gr, perfect for method and pellet feeders
- Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		ft/m	cm		ACTION
152-18-300	8 054393 136756	10' (3,00)	155	2+3	M / 75 g
152-18-330	8 054393 137050	11' (3,30)	170	2+3	M / 75 g

	ACTION	MATERIAL	cm
152-18-330-R01	LIGHT	FIBREGLASS	52
	MEDIUM	FIBREGLASS	52
	HEAVY	CARBON	52
SPARE TIPS - mm ∅ 3.2			

S-SiC

PRECISION RPL CARP FEEDER

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

- Powerful and progressive action, ideal for driving carp in river, canals or large lakes with feeders up to 120 g
- Short natural cork handle with ribbed EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		ft/m	cm		ACTION
152-36-360	8 054393 126252	12' (3,60)	125	3+2	H / 120 g
152-36-390	8 054393 126269	13' (3,90)	135	3+2	H / 120 g

	ACTION	cm
152-36-360-R01	MEDIUM	60
	HEAVY	60
FIBREGLASS SPARE TIPS - mm ∅ 3.0		

S-SiC

PRECISION RPL BARBEL & CARP FEEDER

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

- Extremely powerful action designed for long distance fishing with feeders up to 180/230 g, keeping high sensitivity
- Naked handle with EVA butt grip
- Steel and rubber screw reel seat, integrated into the handle

		ft/m	cm		ACTION
152-19-360	8 054393 137067	12' (3,60)	125	3+2	HH / 150 g
152-19-390	8 054393 137074	13' (3,90)	125	3+2	HH / 150 g
152-19-395	8 054393 137081	13' (3,90)	135	3+2	XH / 200 g
152-19-420	8 054393 137098	14' (4,20)	147	3+2	XH / 200 g

	ACTION	cm
152-19-360-R01	MEDIUM	60
	HEAVY	60
CARBON SPARE TIPS - mm ∅ 3.0		

S-SiC

PRECISION RPL EXTREME RIVER

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint



- Extremely powerful action designed for fast river fishing with feeders up to 200/250 g, keeping high bite sensitivity
- Precise and reinforced joints with crossed carbon bands that absorb stress and protect them during cast or traction
- Steel and rubber screw reel seat, integrated into the handle

		ft/m	cm		ACTION
152-21-390	8 054393 161550	13' (3,90)	135	3+2	HH / 200 g
152-21-395	8 054393 161567	13' (3,90)	135	3+2	XH / 250 g

	ACTION	cm
152-21-390-R01	HEAVY	54
	X-HEAVY	54
CARBON SPARE TIPS - mm ∅ 3.4		

S-SiC

PRECISION RPL RIVER FEEDER

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint



- Powerful action designed to face fast running rivers or canals with feeders up to 150 g, also ideal for sea feeder fishing
- Natural cork handle with EVA grip non-slip ribs
- Steel and rubber screw reel seat, integrated into the handle

S-SiC

		ft/mm	cm		ACTION
152-37-360	8 054393 126276	12' (3,60)	125	3+2	HH / 150 g
152-37-390	8 054393 126283	13' (3,90)	135	3+2	HH / 150 g

	ACTION	cm
152-37-360-R01	HEAVY	58
	EXT. HEAVY	58
FIBREGLASS SPARE TIPS - mm ∅ 3.0		

PRECISION RPL SSW SENSOR FEEDER

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

- Progressive parabolic action, designed for sea fishing both from shore and from boat, with feeders up to 75 g
- Naked handle with EVA butt gri
- Steel and rubber screw reel seat, integrated into the handle

		ft/mm	cm		ACTION
152-20-275	8 054393 137104	9' (2,70)	140	2+2	M / 75 g

	ACTION	cm
152-20-275-R01	LIGHT	52
	MEDIUM	52
FIBREGLASS SPARE TIPS - mm ∅ 3.0		

		ft/mm	cm		ACTION
152-20-300	8 054393 137111	10' (3,00)	105	3+2	M / 75 g
152-20-330	8 054393 137128	11' (3,30)	116	3+2	M / 75 g

	ACTION	cm
152-20-360-R01	LIGHT	59
	HEAVY	59
FIBREGLASS SPARE TIPS - mm ∅ 3.0		

S-SiC

PRECISION RPL SSW MASTER FEEDER

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

		ft/mm	cm		ACTION
152-20-360	8 054393 137135	12' (3,60)	125	3+2	MH / 90 g
152-20-365	8 054393 137142	12' (3,60)	125	3+2	H / 120 g
152-20-390	8 054393 137159	13' (3,90)	135	3+2	H / 120 g
152-20-395	8 054393 136855	13' (3,90)	135	3+2	HH / 150 g

- Progressive, powerful action designed for fishing both at sea and in freshwater with feeders up to 90/120 g
- Naked handle with EVA butt grip

	ACTION	cm
152-20-360-R01	LIGHT	59
	HEAVY	59
FIBREGLASS SPARE TIPS - mm ∅ 3.0		

S-SiC

PRECISION RPL FEEDER EVO

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

- Powerful and progressive action designed for feeders up to 90-120 g weights, great for use both in fresh and sea water
- Full EVA handle with ribbed butt grip for a secure grip
- Steel and rubber screw reel seat, integrated into the handle

		ft/mm	cm		ACTION
152-38-360	8 054393 126290	12' (3,60)	125	3+2	MH / 90 g
152-38-365	8 054393 126306	12' (3,60)	125	3+2	H / 120 g

	ACTION	cm
152-38-360-R01	MEDIUM	60
	HEAVY	60
FIBREGLASS SPARE TIPS - mm ∅ 3.0		

S-SiC

PRECISION RPL COMBI TIP

S.H.M.R. CARBON · CROSSED REINFORCED · Power Joint

- Match and feeder fishing rods in three put-over sections, with progressive action
- Two fiberglass feeder tips with Medium and Heavy action
- Tubular top section for match fishing
- Steel folding hook retainer
- Cork handle with EVA anti-slip inserts and satin steel screw reel seat

		ft/mm	cm		ACTION
152-28-360	8 054393 136930	12' (3,60)	125	3+1+2	MH / 90 g

	ACTION	cm
152-28-360-R01S	MEDIUM	60
	HEAVY	60
FIBREGLASS SPARE TIPS - mm ∅ 3.0		

S-SiC

TELESCOPIC SERIES

FLARE CARP TELE FEEDER

S.H.M.R. CARBON · CROSSED REINFORCED · 2 FLEX X TIP

- Allround action rod, designed to fish with feeders up to 60 g weight
- Telescopic carbon structure
- Joints reinforced by carbon crossed bands
- Two interchangeable carbon quiver tips, with protective tube
- Naked handle, with rubber butt grip and screw reel seat
- Medium leg SiC wrapped guides
- Aluminium butt cap with rubber insert

		m	cm		ACTION
152-70-360	8 054393 162038	3.60	116	3+2	Heavy 100 g

	ACTION	cm
152-70-360-R01	LIGHT	61
	HEAVY	61
CARBON SPARE TIPS - mm ∅ 3.1		

SiC

HYDRUS TELE FEEDER

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · 2 FLEX X TIP

- Allround action rods, suitable for fresh and saltwater fishing with feeders up to 60 g weight
- Telescopic carbon structure
- Joints reinforced by carbon crossed bands
- Two interchangeable fibreglass quiver tips, with protective tube
- Rubber dressed handle, with ergonomic reel seat
- Single leg SiC guides with incorporated rubber o-ring
- Aluminium butt cap with rubber insert

		m	cm		ACTION
152-66-030	8 054393 161895	3.00	99	4+2	Allround 10-60 g
152-66-033	8 054393 161901	3.30	99	5+2	Allround 10-60 g
152-66-036	8 054393 161918	3.60	99	5+2	Allround 10-60 g

	ACTION	cm
152-66-030-R01	MEDIUM	52
	HEAVY	52
FIBREGLASS SPARE TIPS - mm ∅ 3.1		

SiC

SYGNUM SPECIMEN TWIN-TIP

CX1 CARBON MICRO-PITCH · Power Joint

- Powerful and progressive action, made for specialist fishing of barb or carp in canals or rivers with fast current
- Two "Avon" tips in tubular carbon with different power: 2.25 and 2.75 lbs, with the tip top painted in the classic white color
- Natural cork handle with hybrid cork butt end
- Steel and rubber DPS screw reel seat with EVA fore grip

SiC · sea·guide

		ft/m	cm		lb
151-43-200	8 054393 136695	12' (3,60)	186	1+2	2,25-2,75

	ACTION	MATERIAL
151-43-200-R01A	AVON TIP 2,25 lb	CARBON
151-43-200-R01B	AVON TIP 2,75 lb	CARBON

ULTIMATE SPECIALIST MULTI-TIP

CX1 CARBON MICRO-PITCH · Power Joint

- Powerful and progressive action, specially designed for specialist fishing for barbel, tench or carp in canals, rivers or large lakes
- Avon tubular top section, with 2.25 lbs test curve
- Multi-quiver top section of 1.75 lbs with two interchangeable Full Carbon tips of 2 and 5 ounces, contained in a protective tube
- Natural cork handle with rubber cork butt grip
- DPS screw reel seat with hybrid cork fore grip

SiC · sea·guide

		ft/m	cm		lb
151-43-100	8 054393 141071	12' (3,60)	186	1+2	1,75-2,25

	ACTION	MATERIAL
151-43-100-H01	AVON TIP 2,25 lb	TUBULAR CARBON
151-43-100-R02S	CARRIER SECTION 1,75 lb	TUBULAR CARBON
151-43-100-R01S	ULT-SMT SOLID TIP 3 oz	SOLID CARBON
	ULT-SMT SOLID TIP 5 oz	SOLID CARBON

ERION XT SPECIALIST

CARBON S.H.M. DURAWALL · CROSSED REINFORCED · Power Joint

- Allround action rod built by three sections, able to fish with 45 g rigs (1,5 oz)
- Natural cork handle and hybrid cork fighting butt cap
- Graphite screw reel seat with rubber lined steel hoods

SiC · sea·guide

		m	cm	g		lb
151-48-360	8 054393 112095	3.60	127	240	3	10-45
151-48-390	8 054393 112101	3.90	137	270	3	10-45

LAKE & RIVER TROUT

3 SECTIONS RODS

PLATINUM	MATCH LAKE TROUT	66

TELE LAKE TROUT RODS

NEW SWITCH	SLIM LAKE TROUT	67
ASTORE	SLIM LAKE TROUT	68
FLARE	LAKE TROUT	68
PULSE	LAKE SENSE	69
NEW HYDRUS	XTS LAKE TROUT	69
	NEW XTS LAKE BOMB	69

TROUT FLOAT RODS

NEW SWITCH	TROUT FLOAT SENSE	70
	TROUT FLOAT POWER	70
ASTORE	SENSE TROUT FLOAT	70
	MATCH TROUT FLOAT	70

RIVER TROUT RODS

DREAM TEAM	XPS RIVER TROUT	71
SLIVER	TRL STRONG	71
ANTRAX	BLS STREAM	72
NEW PRESTIGE	MINI BOLO	72
VENOM	FX	72
FLARE	COMPACT ALLROUND	72

ICONS LIST

Lenght · Casting Weight · Model
Diametre · Weight · Action
Closed Lenght · Sections nr

PLATINUM MATCH LAKE TROUT

CX2 CARBON NANO-TEK · LRC LOW RESIN CONTENT · ULTRA CONIC BLANKS

- Three section's structure with spigot joints
- Accurate parabolic actions
- Blanks made from CX2 Nano-Tek carbon with low resin content, featuring tapered butt section
- Spliced top section with hi-sensitive solid carbon tip, inserted from top and wrapped
- Single leg SiC guides
- Steel and rubber plate reel seat (size 6)
- Info window to take note of rig's specifications

S-SiC

PLATINUM MATCH LAKE TROUT

Integral single-leg SiC guide's configuration, with light and rigid Y-shaped anti-vibration frames. Coloured bands for action's identification.

Lightweight and resistant wrapped plate reel seat, fitted on the ultra-conical profile handle which has the task of conferring balance to the rod.

		m	cm	g		g	MODEL	
124-40-010	8 054393 152923	4.20	148	230	3	6-12	L	
124-40-020	8 054393 152930	4.20	148	230	3	8-15	LH	
124-40-030	8 054393 152947	4.20	148	230	3	10-20	ML	
124-40-040	8 054393 152954	4.50	156	245	3	8-20	L	
124-40-050	8 054393 152961	4.50	156	260	3	10-20	ML	
124-40-060	8 054393 152978	4.50	156	280	3	15-30	MH	

TRABUCCO TROUT PRO BOMB

Coming soon the new series of bombardas TT PRO Bomb.

NEW SWITCH SLIM LAKE TROUT

CX2 CARBON NANO-TEK LRC LOW RESIN CONTENT SS SUPER SLIM BLANK



ASSEMBLY KIT

Each Switch is equipped with an assembly kit, which allows an excellent level of customization of the rod. The set of Sea Guide SiC guides, with single leg K-profile anti-tangle frame, includes a stripper guide which is relatively wider than the others, to accommodate the large line's coils coming from the reel and convey them in a smoothened way towards the smaller guides. The kit includes three custom-made carbon pipes to wrap sliding guides, as well as an excellent low-profile size 6 plate reel seat for an exceptional stability.

- Parabolic and super-parabolic actions, designed for modern Lake Trout fishing style
- Models for short range fishing (T) and for long distance job (B)
- Super slim telescopic blanks made from High Modulus CX2 Nano-Tek Carbon with low resin content (LRC)
- Spliced top section with carbon solid tip inserted from top
- Spliced top section with telescopic carbon solid tip on models B5, B6, B7 and B8
- Handle grip area coated with rubber and finely embossed according to a nice pattern design
- Reel Seat Position line for a correct placement of the plate reel seat
- Ultralight butt cap, screwed into the wall and including balancer weight
- Each rod is supplied with a guide's set, plus carbon pipes for sliding guides and size 6 plate reel seat
- Plastic guide cover included

REEL SEAT POSITION. A line mark on the handle makes it easier to fix the plate reel seat exactly at 180-degree to the Switch logo.

BALANCER WEIGHT. The butt cap includes a cylindrical weight, adjustable or removable at will, which neatly improves the rod's balance.

SOFT TOUCH. The handle area of butt section is coated with a fine layer of rubber, which makes it particularly comfortable.

TREMARELLA & BOMBARDA. The series is made of two families of rods, according to the use they have been designed for. The letter "T" and the red colour identify the models for short-range fishing with normal leads or glass sinkers. The letter "B" and the orange colour distinguish the rods specific to the fishing with bombardas at relevant distances and depths.

		m	cm	g		g
NEW	124-43-000	4,00	114	105	7	T0 (ULLS) 1-3
	124-43-010	1-3	114	110	7	T1 (ULL) 1-3
	124-43-020	4.00	114	110	7	T2 (UL) 1-4
	124-43-030	4.00	114	115	7	T3 (LLS) 2-5
	124-43-040	4.00	114	115	7	T4 (LL) 2-6
	124-43-050	4.00	114	115	7	T5 (L) 3-8
NEW	124-43-100	4,40	114	125	7	B0 (LLS) 5-10
	124-43-110	4.20	114	100	7	B1 (ML) 6-12
	124-43-120	4.30	114	130	7	B2 (L) 5-15
	124-43-130	4.30	114	140	7	B3 (LH) 8-20
	124-43-140	4.50	114	145	7	B4 (ML) 10-20
	124-43-150	4.50	114	170	8	B5 (L) 12-20
	124-43-160	4.50	119	170	8	B6 (ML) 15-25
	124-43-170	4.80	121	230	8	B7 (LD) 20-35
	124-43-180	5.00	121	235	8	B8 (LLD) 25-40

Rod's weights include balancer weights.

ASTORE LAKE TROUT SS

CX2 CARBON NANO-TEK · CROSSED REINFORCED · SUPER SLIM BLANK · SENSI TOUCH



- Accurate parabolic and super-parabolic actions
- Spliced top section with hi-sensitive solid carbon tip
- Medium leg SiC guides with"Y" shape frame
- Steel and rubber plate reel seat (size 6)
- Info window to take note of rig's specifications
- Folding metal hook retainer on left side of the handle

		m	cm	g		g	MODEL	
124-34-010	8 054393 120786	4.00	128	160	7	1-3	UL	
124-34-020	8 054393 120793	4.00	128	160	7	2-6	LL	
124-34-030	8 054393 120809	4.00	128	160	7	2-8	L	
124-34-040	8 054393 120816	4.20	128	165	7	6-12	L	
124-34-050	8 054393 120823	4.20	128	170	8	10-15	ML	
124-34-060	8 054393 120830	4.20	128	180	8	12-20	M	
124-34-070	8 054393 120847	4.50	128	195	8	10-20	ML	

S-SiC

Just above the reel seat, the INFO window enables to write down rig's details by a permanent marker, which at the end of the match can be deleted by alcohol.

In the foreground, the stainless steel reel seat with rubber profiled hoods. On the right, wrappings and coloured bands identify the actions one by one.

FLARE LAKE TROUT

S.H.M.R. CARBON · CROSSED REINFORCED · SUPER SLIM BLANK

- Parabolic and super-parabolic accurate actions
- Spliced top section with carbon solid tip inserted from top and wrapped
- Medium leg wrapped SiC guides with "Y" anti-vibration frame
- Info window to take note of rig's specifications
- Stainless steel plate reel seat with rubber inserts (size 6)
- Innovative handle grip, rubberized and ribbed according to a fine design
- Ultralight butt cap with internal screw

		m	cm	g		g	MODEL	
124-39-050	8 054393 149022	4.10	129	168	7	6-15	ML	
124-39-060	8 054393 149039	4.30	129	180	7	10-20	M	
124-39-070	8 054393 149046	4.30	129	215	7	15-30	MH	
124-39-080	8 054393 149053	4.50	129	235	7	12-25	M	
124-39-090	8 054393 149060	4.50	129	235	7	15-30	MH	
124-39-100	8 054393 149077	4.70	129	235	7	15-35	MH	S
124-39-110	8 054393 149084	4.70	129	240	7	20-40	LD	

S-SiC

NEW

HYDRUS XTS LAKE BOMB

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SUPER SLIM BLANK · SENSI TOUCH



- Lake trout rods with perfect parabolic action, blanks made from S.H.M.R. High Resistance carbon
- Wrapped S-SiC guides, with sliding guides wrapped on to carbon pipes
- Extremely sensitive tubular tip

S-SiC

		m	cm	g		g
124-36-210	8 054393 174666	4.00	128	180	4	4-10
124-36-220	8 054393 174673	4.00	128	180	4	8-20
124-36-230	8 054393 174680	4.00	128	180	4	10-30

PULSE LAKE SENSE

CX-1 CARBON · SS SUPER SLIM BLANK

- Parabolic and super-parabolic accurate actions
- Spliced top section with carbon solid tip inserted from top and wrapped
- Medium leg wrapped SiC guides with "Y" anti-vibration Stainless Steel frame
- Colour bands to quickly identify the rod's action
- Stainless steel plate reel seat with rubber inserts (size 6)
- Innovative handle grip, rubberized and ribbed according to a fine design
- Ultralight butt cap with internal screw

S-SiC SS Frame

	m	cm	g		g	MODEL
124-19-010	4.00	105	145	8	2-6	ULL
124-19-020	4.00	105	145	8	3-8	UL
124-19-030	4.00	105	145	8	4-10	LL
124-19-040	4.00	105	145	8	6-12	L

NEW HYDRUS XTS LAKE TROUT

S.H.M.R. CARBON CROSSED REINFORCED · high precision control · SS SUPER SLIM BLANK · SENSI TOUCH



- Parabolic and super-parabolic actions
- Ultra Slim blanks with remarkably thin handles
- Spliced top section with carbon solid tip inserted from top and wrapped
- Medium leg wrapped SiC guides
- Guide's set extremely compact and perfect in every detail
- Colour band for immediate action/length identification
- Stainless steel plate reel seat with rubber inserts (size 6)
- Ultralight butt cap with internal screw

Find out more on pag 222

	m	cm	g		g	MODEL
124-38-910	3.90	127	130	6	2-8	UL
124-38-920	3.90	127	135	6	3-10	LL
124-38-930	4.10	127	135	6	4-12	L
124-38-940	4.10	127	160	6	6-15	ML
124-38-950	4.20	127	160	6	10-20	M
124-38-960	4.20	127	175	6	15-30	MH
124-38-970	4.20	127	180	6	20-40	H

S-SiC

HYDRUS FRONT & REAR DRAG REELS

- Long Cast Superlight Spool
- Balanced Handle with Soft Ergonomic Knob
- Anti Twist line roller
- Micro-adjusting front drag
- Max Plus line already loaded on the reel

GRAPHITE BODY · SUPER LIGHT · 5.2:1 GEAR RATIO · 1 BB SYSTEM

Super Balance System · ROLLER ANTITWIST SYSTEM · MULTI STOP SYSTEM · CROSS WINDER

Find out more on page 161 about the Front Drag and 171 the Rear Drag

NEW SWITCH TROUT FLOAT SENSE & POWER

- Spliced top section with carbon solid tip inserted from top and wrapped
- Adjustable length thanks to a special device fitted on the section above butt
- Medium leg SiC guides, with "Y" anti-vibration frame made from stainless steel
- Stainless steel plate reel seat with rubber inserts (size 6)
- Innovative handle grip, rubberized and ribbed according to a fine design
- Ultralight butt cap with internal screw

SiC K-Guide sea-guide

FLOAT SENSE		m	cm	g	
124-44-150	8 054393 174697	4,00-5,00	128	185	5
124-44-160	8 054393 174703	5,00-6,00	130	240	6

FLOAT POWER		m	cm	g	
124-44-250	8 054393 174710	4,00-5,00	128	185	5
124-44-260	8 054393 174727	5,00-6,00	130	240	6

ASTORE SENSE TROUT FLOAT

- Spliced top section with carbon solid tip inserted from top and wrapped
- Adjustable length thanks to a special device fitted on the section above butt
- Medium leg SiC guides, with "Y" anti-vibration frame made from stainless steel
- Stainless steel plate reel seat with rubber inserts (size 6)
- Innovative handle grip, rubberized and ribbed according to a fine design
- Ultralight butt cap with internal screw

		m	cm	g	
124-41-100	8 054393 151940	3,80-4,80	128	185	5
124-41-200	8 054393 152145	4,80-5,80	130	240	6

ASTORE MATCH TROUT FLOAT

- Superlight tubolar top section
- Adjustable length thanks to a special device fitted on the section above butt
- Medium leg SiC guides, with "Y" anti-vibration frame made from stainless stee
- Stainless steel plate reel seat with rubber inserts (size 6)
- Innovative handle grip, rubberized and ribbed according to a fine design
- Ultralight butt cap with internal screw

		m	cm	g	
124-41-300	8 054393 152152	3,80-4,80	128	185	5
124-41-400	8 054393 152169	4,80-5,80	130	240	6

Identification colours of the rod's model: red for the Match with tubular tip, orange for the Sense with solid tip.

The reglable system fitted on the section above butt, enables to reduce the length of these rods by one meter, adapting it to the fishing conditions.

Sliding guides on all sections of the rods, wrapped on ultralight carbon pipes. All wrappings include coloured threads recalling the rod's type (red, orange).

Info window to take note of rig's specifications.

DREAM TEAM XPS RIVER TROUT

MULTi LENGTH SYSTEM · CX2 CARBON NANO-TEK · LRC LOW RESIN CONTENT · SENSI TOUCH

- Extremely lightweight, perfectly balanced, fast action rod for river trout fishing
- Reinforced joints with cross carbon bands
- Metric scale on the base to help fish measurement
- Adjustable length system allowing to fish at different lengths (Multi Length System)
- Lightweight, high-strength SiC medium leg guides
- Stainless steel plate reel seat with rubber cushion
- Internal EVA spacer designed to protect the guide's wrappings during transport
- Aluminum butt cap with rubber insert

SiC

		m	cm	g	
124-49-100	8 054393 041579	10.00	160	499	8

SLIVER TRL STRONG

MULTi LENGTH SYSTEM · CX1 CARBON MICRO-PITCH · SENSI TOUCH

- Lightweight rod with fast action and nice balance
- Metric scale on the butt section to help fish measurement
- Adjustable length system allowing to fish at different lengths (Multi Length System)
- Ultra lightweight, stainless steel medium leg guides, with incorporated ring
- Stainless steel plate reel seat with rubber profiles
- Internal screw cap with removable EVA overcap for additional protection

S-SiC SS Frame

In addition to the internal butt cap, the Prestige Bolo are equipped with a lightweight EVA cap to protect it from impacts and scratches.

		m	cm	g	
124-44-050	8 054393 161536	4.00-5.00	136	275	5
124-44-060	8 054393 161543	4.00-5.00 6.00	138	325	6

ANTRAX BLS STREAM

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

	m	cm	g	
124-80-380	3.80	104	175	5
124-80-450	4.50	108	230	6

- Strong and fast polyvalent rod, also good for river trout fishing
- Plate reel seat size 6
- Butt cap directly screwed into the wall

S-SiC

NEW

PRESTIGE MINI BOLO

CX-1 CARBON MICRO-PITCH · SENSI TOUCH

	m	cm	g	
124-82-640	4.00	7	150	8
124-82-645	4.50	70	190	9
124-82-650	5.00	70	230	10

SiC

- Blanks made from CX-1 Micro Pitch
- Fast action rods, also suitable for river trout fishing
- Very short closed length, ideal for traveller anglers
- Size 6 plate reel seat, wrapped

VENOM FX

SHRC · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Sharp action rods with high reliability and short closed length
- Size 6 plate reel seat, wrapped
- EVA tower to correctly space guides during transport
- Aluminium butt cap with rubber insert

S-SiC

	m	cm	g	
124-81-030	3.00	72	145	5
124-81-035	3.50	74	195	6
124-81-040	4.00	77	245	7

The stainless steel plate reel seat is rubber lined for reel protection.

FLARE COMPACT ALLROUND

CX-1 CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Telescopid rod made from CX-1 carbon, with rigid action and perfect for trout in narrow streams, also great for lake trout
- Very short closde length, ideal to travel, able to be stored in a backpack
- Stainless steel plate reel seat with rubber profiles
- Ultralight butt cap, directly screwed into butt's wall

SiC

	m	cm	g		ACT
124-83-010	3.60	64	150	8	M (10-30 g)
124-83-020	4.20	66	185	9	M (10-30 g)
124-83-110	3.40	64	160	8	H 15-45 g)
124-83-120	4.00	66	185	9	H (15-45 g)

CARP & SPECIMEN

SPECIAL CARP - SEPARATE SECTIONS

NEW INFINIUM	X2	74
	X3	74
LEGEND CARP	X2	74
	X3	74

SPECIAL CARP - TELE

INDULGENCE	SPECIMEN	75
INSOLENCE	CARP	75
REVENTON	ALLROUND SLIM	75

SPECIAL STURGION & COREGONE

MAXXIS	STORIONE	76
ATOMIC	X- POWER STURGEON	76
FLARE	COREGONE	76

ICONS LIST

Lenght
Casting Weight
Line Class
Diametre
Weight
MODEL Model
Closed Lenght
Sections nr

NEW INFINIUM X2

S.H.M.R. CARBON

- Reinforcement wrapping at the base of the top section
- DPS graphite screw reel seat with steel and rubber hoods
- Smart Line clip fixed to the right side of the handle
- Super-slim lower rubber grip and metal cap with Trabucco logo

SiC Top + Mininal

		m	cm		lb
156-31-036	8 054393 176264	3.60	188	2	3.00

NEW INFINIUM X3

S.H.M.R. CARBON

- Reinforcement wrapping at the base of the top section
- DPS graphite screw reel seat with steel and rubber hoods
- Smart Line clip fixed to the right side of the handle
- Super-slim lower rubber grip and metal cap with Trabucco logo

SiC Top + Mininal

		m	cm		lb
156-32-036	8 054393 176271	3.60	125	3	3.00

LEGEND CARP X2

S.H.M.R. CARBON

- Reinforcement wrapping at the base of the top section
- Alignment marks for proper rod assembling
- DPS graphite screw reel seat with steel and rubber hoods
- Smart Line clip fixed to the right side of the handle
- Super-slim lower rubber grip and metal cap with Trabucco logo

SiC

		m	cm		lb
156-37-360	8 054393 054005	3.60	188	2	3.00

LEGEND CARP X3

S.H.M.R. CARBON

- Reinforcement wrapping at the base of the top section
- Alignment marks for proper rod assembling
- DPS graphite screw reel seat with steel and rubber hoods
- Smart Line clip fixed to the right side of the handle
- Super-slim lower rubber grip and metal cap with Trabucco logo

SiC

		m	cm		lb
156-38-360	8 054393 054012	3.60	125	3	3.00

INDULGENCE SPECIMEN

S.H.M.R. CARBON

Metal Ring SiC

- Short length configuration based on 6 sections
- Tubolar top section
- Graphite screw reel seat
- Rubber handle grip and butt grip

		m	cm		lb
156-30-200	8 054393 053947	3.60	78	6	3.50
156-30-300	8 054393 053954	3.60	78	6	4.00

INSOLENCE

S.H.M.R. CARBON

Metal Ring S-SiC

- Seven sections blank for compact closed length
- Tubular top section without sliding guides
- Rubber grips located just below the reel seat and at the butt lower end

		m	cm		lb
156-29-360	8 054393 053909	3.60	84	7	3.00
156-29-365	8 054393 053916	3.60	84	7	3.50

REVENTON ALLROUND SLIM

S-SiC

- Rods with allround action, suitable both for fresh and saltwater fishing
- Short tubular top section, free from any sliding guide

		m	cm	g		lb
151-97-200	8 054393 112361	3.30	98	310	6	20-60
151-97-300	8 054393 112378	3.30	98	330	6	40-80
151-97-400	8 054393 112385	3.60	98	330	6	20-60
151-97-500	8 054393 112392	3.60	98	350	6	40-80

MAXXIS STORIONE

- Special telescopic rod designed for Sturgeon fishing, with no limits casting weight
- Tubular carbon top section with sliding guides wrapped on carbon pipe
- Metal collar reinforcement on top of butt section to provide greater reliability
- O-ring inserted on each guide's wrapping to protect it during transport
- DPS style screw reel seat steel and rubber hoods, able to accommodate large size reels
- Butt cap directly screwed into the rod's wall, with removable EVA cap

SiC K Frame

	m	cm		g
156-42-420	4.20	165	4	No Limit

ATOMIC X-POWER STURGEON

- Special telescopic rod designed for Sturgeon fishing
- New High Torque Resistant carbon fiber distribution system that contrasts torque
- Double-layer tubular carbon top section for maximum reliability and to handle weights up to 400 g
- Reinforcement wrapping on top of butt section to provide greater reliability
- O-ring inserted on each guide's wrapping to protect it during transport
- DPS style screw reel seat steel and rubber hoods
- Butt grip made of rubber material, with inner screw cap
- Round rubber removable cap, useful to support the groin during the fish retrieve

SiC MN

	m	cm		g
156-43-420	4.20	145	4	400

FLARE COREGONE

- Special rod designed for Coregone fishing from the boat
- Hybrid structure, with telescopic top section, applied by spigot joint on top of butt section
- Butt section with adjustable length (Multi-Length system)
- Super sensitive solid carbon tip, with sliding guides wrapped on carbon pipes
- Natural cork handle, long enough to fit it into the armpit while fishing
- Reel seat made by sliding graphite hoods, also perfect for multiplier reels

SiC

The butt section has the adjustable device to modify the rod's length, according to fishing conditions.

	m	cm		g
126-91-270	2.40-2.70	110	2+2	25
126-91-300	2.70-3.00	119	2+2	25
126-91-340	3.10-3.40	120	2+3	25

SURFCASTING

3 SECTIONS

POETICA	KW TORZITE	78
SUPERNOVA	GR SURF	79
	GR BEACH	79
HIDROGEN	EVOLUZIONE	80
OLYMPEA	RST-SURF	80
CASSIOPEA	XTC SURF	81
IMPERA	B-SURF	81
KHAMSHIN	NGX SURF	82
KRYPTERIA	XR SURF	83
NEW HYPNOTICA	SURF	83
HURACAN	RSX SURF	84
	SKY SURF	84
SERENITY	REVOLUTION SURF	84
NEW VIRGO	HR SURF	85
	NEW TK SURF	85
	NEW LD SURF	85
EXTREMA	SEA MASTER	86
	OVER CAST	86
	LONG CAST	86
NASHIRA	EXTREME SURF	87
	NEW EXTREME CAST	87
SUSPIRIA	DUST STORM	88
	AIRMASTER	88
NEW ANDROMEDA	STORM RIDER	88
	NEW SUN SEEKER	88
SHEDIR	WAVE RIDER	89
	LONG RANGE	89
FULGEA	LONG CASTING	89
	COAST MASTER	89
KRONOS	SEA MASTER	90
	CAST MASTER	90
	SURF MASTER	90
OCEANIC	TEKNO SURF	91
NEW SONIC	XS STARTER SURF	91

2 SECTIONS

CASSIOPEA	XCM SURF	92
ATHENA	EVOLUTION GT	93

ICONS LIST

Length
Casting Weight
MODEL Model
Diametre
Weight
Closed Length
Sections Nr

POETICA KW TORZITE

- Unique blank design for fast release of the power applied by the user (Fast Reaction Blank)
- FH RIP Tip made by fusion of different materials to obtain a spineless and extremely sensitive top section
- The top end of the tip is colored with highly visible and reflective paint
- Inserts between guide's feet made by glowing paint to allow better control during night sessions
- Fuji DNPS Gold Label reel seat, the best in the market
- Exclusive bottom grip with round rubber knob

TITANIUM FRAME

Fuji TORZITE

K-Torzite Titanium

FAST REACTION BLANK
X-TRA CASTING PERFORMANCE

		m	cm		
170-99-160	8 054393 059147	4.25	145	3	160
170-99-200	8 054393 059161	4.25	145	3	200

TORZITE
TITANIUM
Ultralight Titanium frame.

Compared to SiC guides of same size, a Torzite guide offers a 15% wider ring, offering more room to running line. In addition, less weight applied to rod's blank (20-30%) means that it has more freedom to fully develop its reactivity, with great advantage on casting distances.

uLTRA LOW FRICTION

Torzite's gently round cross section shape allow the ring to contact line in double the length compared to the Sic. Thanks to it, the pressure to the ring is reduced half compared to the Sic.



Tangle Free

During their endless research and development activity, Fuji engineers found the most advanced ceramic with a very compact structure and extremely smooth surface, being 40% lighter than Silicon Carbide (SiC).

Thanks to a dramatically angled ring, Fuji solved the line tangle problem forever. A common problem which normally causes time loss, sometimes line breakage and, in worst cases, even rod breakage.

The load is spread in the POINT



The load is spread in the length of the contact.



On the Poetica MN range, we selected only the best components and as reel seat we used the ultra reliable Fuji Dnps gold label, entirely built by graphite it offers a great strength, ergonomic and designed to last longer.

The rod's butt ends with a soft rubber handle, which provides the perfect grip to control the rod during most quick and powerful casts. The rounded butt cap is particularly useful to lock the rod to the groin when a big fish is being retrieved.

The Nano Tek high modulus carbon sheet, which gives power to Poetica's KW blank, sweetly blends into softer materials to provide the right sensitivity to detect fish bites. But the conversion is gradual, within the tubular top section, and this requires high class technology to avoid weak points and curve imperfections, which would cause a bad power transfer. All over the world, this concept is well known as "multi-action tip", but it's not equally common the process of layer's overlapping and fusion which bring to a perfect result, inch by inch.

SUPERNOVA GR

- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- Twist Free technology applied on butt and middle section to contrast torsion, increasing casting accuracy and distance
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Fine and ultralight metal ring reinforcing the top end of lower sections
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations
- Ultralight Sea Guide SiC guides with Titanium tangle free K profile frame; single leg guides on solid tip
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast

SiC K-Guide Titanium sea·guide

PVD FRAME CORROSION FREE

GR-SURF

In spite of the thinness of their blanks, these four rods display an impressive responsiveness, governed by Twist Free technology to avoid dispersion of even a gram of the power delivered by the user. The unusual lengths, 4,30 and 4,70 meters, follow the most recent trend and respond to the growing need to use very long hooklinks, sometimes even in the range of two meters.

GR-BEACH

It is the missing link between a beach legering rod and a surf model, and, thanks to its lightness, it is ideal for Nage Japan Style fishing, which involves ultra-thin braided lines, Tenbins and very long hooklinks. With its special sensitivity, the Supernova Beach solves the situations of low turbulence, which inevitably make the average size of the fish go down, while the difficulties of bite detection definitely rise.

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm	g		MODEL
172-06-130	8 054393 158727	4.30	149	3	130	GR Beach
172-06-135	8 054393 158734	4.70	162	3	130	GR Beach
172-06-160	8 054393 158741	4.30	149	3	160	GR Surf
172-06-165	8 054393 158758	4.70	162	3	160	GR Surf
172-06-200	8 054393 158765	4.30	149	3	200	GR Surf
172-06-205	8 054393 158772	4.70	162	3	200	GR Surf

The exclusive ribbed rubber lower grip ensures excellent control of the rod, while the rounded knob relieves the load on the groin, when the support is necessary.

Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking.

CNX Carbon Nano Tubes it is an extreme material, characterized by an incomparable compactness, due to a very high ratio between the ultrafine High Modulus carbon sheets and the resins that cement the multiple layers. The nanometric resins are the only ones capable of penetrating into infinitesimal spaces, optimizing the cohesion between the fibers to obtain an extremely precise elastic response and an exceptional resistance.

The solid carbon tip, inserted from top, glued and wrapped, offers an extraordinary bite sensitivity. It is glowing in the dark to be clearly visible.

Fuji NS size 7 plate reel seat with rubber lining to also accommodate large size reels. With the special smoothness of its locking hood, the absolute reliability and the stainless steel structure, the Fuji plate reel seat is quite simply the best in the world.

The SiC guides encourage the use of braided lines, while their super lightweight Titanium frame frees the blanks to develop its whole reactivity. Quality is Sea Guide, of course.

The guides are fixed by double wrappings to allow the lacquer to completely seal the narrow rooms running on both sides of their feet, preventing saltwater from entering.

On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So Hidrogen performs like a knife, rather than - in a mess - like a whip.

HIDROGEN EVOLUZIONE

- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- Twist Free technology applied on butt and middle section to contrast torsion, increasing casting accuracy and distance
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Fine and ultralight metal ring reinforcing the top end of lower sections
- Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Ultralight Sea Guide SiC guides with Titanium tangle free K profile frame
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Fuji NS size 7 plate reel seat with rubber lining to also accommodate large size reels
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast

SiC K-Guide Titanium sea-guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		in	cm		g
171-86-700	8 054393 158710	4.20	145	3	250

Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking.

OLYMPEA RST SURF



- Butt section made with new Twist Free technology to contrast torsion, avoiding power loss and protecting blank's integrity
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Fuji DPS screw reel seat with rubber lining to also accommodate large size reels
- Exclusive butt grip made from shaped rubber

K-Guide Alconite

PWR CASTING PERFORMANCE

FAST REACTION BLANK

Tangle Free K GUIDE

Thanks to a dramatically angled ring, Fuji solved the line tangle problem forever. A common problem which normally causes time loss, sometimes line breakage and, in worst cases, even rod breakage.

On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So Olympea performs like a knife, rather than - in a mess - like a whip.

		in	cm		g
171-86-650	8 054393 151629	4.20	145	3	160
171-86-600	8 054393 138590	4.20	145	3	200

JST. The new Trabucco section's alignment system is based on three lines instead of two, exactly as in the high precision optics. The concept starts from the physical characteristics of the human eye, which has a higher bisection capacity rather than alignment.

CASSIOPEA XCT SURF

- Reactive and powerful blank made from Super High Modulus CX2 Nano Tek Low Resin Content carbon
- Blank made with 45° and 135° carbon crossing to contrast torque
- A special Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- FH RIP tubolar tip made by fusion of different materials to obtain a spineless and extremely sensitive top section
- Zero Friction Blank finish that rejects moisture and water drops to avoid line sticking to the rod
- The top end of the tip is colored with highly visible paint and tape
- Fuji K Alconite guides, with stainless steel double leg K frame, fitted with double wrapping to seal their feet from saltwater intrusion
- Fuji DPS graphite screw reel seat with stainless steel hoods
- Exclusive bottom grip with round rubber knob to ensure the best casting control

K-Guide Alconite

FAST REACTION BLANK

		m	cm		
171-96-130	8 054393 151759	4.20	145	3	130
171-96-135	8 054393 151766	4.50	157	3	130
171-96-160	8 054393 151773	4.20	145	3	160
171-96-165	8 054393 151780	4.50	157	3	160
171-96-200	8 054393 152350	4.20	145	3	200
171-96-205	8 054393 152367	4.50	157	3	200

Strength, accuracy and reliability are at the highest level, with the original Fuji screw reel seat made from graphite and stainless steel. Rubber lined hoods protect the reel's foot from any abrasion.

On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So Hidrogen performs like a knife, rather than - in a mess - like a whip.

IMPERA B-SURF

- Extremely responsive and powerful blank (Fast reaction blank)
- Butt section made with new Twist Free technology to contrast torsion, avoiding power loss and protecting blank's integrity
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Stainless steel Fuji NS7 plate reel seat, with removable central cover host large size reels
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast

SiC K-Guide sea·guide

PVD FRAME
CORROSION FREE

PWR CASTING PERFORMANCE
FAST REACTION BLANK

TWIST FREE
Special 45° warping of the outer carbon layers contrasts the torsion in the butt section, increasing distance and precision of casting, as well as protecting the blank from breakage.

		m	cm		
171-95-165	8 054393 159526	4,50	156	3	160
171-95-205	8 054393 139101	4.50	156	3	200
171-95-255	8 054393 139207	4.50	156	3	250

Anti-tangle K-profile frame, protected against corrosion by PVD treatment; SiC ring: the best for the use of braided lines. Double wrappings to perfectly seal the sides of the feet.

Special rubber butt grip with rounded rubber cap, it helps all the operations during the casts or when fishing and additionally it has the function to protect the butt end.

KHAMSHIN NGX SURF

- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Fine and ultralight metal ring reinforcing the top end of lower sections
- Rod supplied with 2 top sections: HY Hybrid Tip with solid carbon tip; NG Nage Japan Style with tubular profile
- The final part of the tip is coloured with hi-viz paint
- A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations
- Sea Guide SiC with K profile frame, corrosion free thanks to PVD treatment
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Exclusive butt grip made from shaped rubber to ensure a good casting control

SiC K-Guide sea-guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK

Rod supplied with 2 top sections: HY Hybrid Tip with solid carbon tip; NG Nage Japan Style with tubular profile.

The plate reel seat is the best you can actually ask for, the tried and tested PacBay. Made entirely of stainless steel with protective rubber profiles, it is resistant to wear and external agents, and is ergonomic and stylish at the same time.

		m	cm		g
172-15-200	8 054393 161888	HY 4.20 NG 4.05	145	3	HY 200 NG 27-35

Ultralight Sea Guide SiC guides with Titanium tangle free K profile frame; corrosion free thanks to PVD treatment.

The guides are fixed by double wrappings to allow the lacquer to completely seal the narrow rooms running on both sides of their feet, preventing salt-water from entering.

KRYPTERIA XR SURF



- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- Twist Free technology applied on butt and middle section to contrast torsion, increasing casting accuracy and distance
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Fine and ultralight metal ring reinforcing the top end of lower sections
- Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Fuji NS size 7 plate reel seat with rubber lining to also accommodate large size reels
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast

SiC K-Guide sea·guide

PVD FRAME CORROSION FREE

Ø Rod Base 18 mm

PWR CASTING PERFORMANCE

FAST REACTION BLANK

With the special smoothness of its locking hood, the absolute reliability and the stainless steel structure, the Fuji NS plate reel seat is quite simply the best in the world.

		m	cm		g
172-07-130	8 054393 158789	4.30	149	3	130
172-07-160	8 054393 158796	4.30	149	3	160
172-07-200	8 054393 158802	4.30	149	3	200

Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking.

Ultralight Sea Guide SiC guides with Titanium tangle free K profile frame; single leg guides on solid tip.

NEW

HYPNOTICA SURF

- Blank made from Super High Modulus CXN Nano Tek carbon (Low Resin Content)
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint)
- Fine and ultralight metal ring reinforcing the top end of lower sections
- Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- A special rough paint has been applied to the joints to provide grip during the assembly and dismantling operations
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast

SiC K-Guide sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK

Fuji NS size 7 plate reel seat with rubber lining to also accommodate large size reels. The absolute reliability and the stainless steel structure.

		m	cm		g
172-09-130	8 054393 173522	4.45	154	3	130
172-09-160	8 054393 173539	4.45	154	3	160
172-09-200	8 054393 173546	4.45	154	3	200

Special 45° warping of the outer carbon layers contrasts the torsion in the butt section, increasing distance and precision of casting, as well as protecting the blank from breakage.

Slick Surface blank finish that repels moisture and water drops, thus avoiding line sticking.

Ultralight Sea Guide SiC guides with Titanium tangle free K profile frame; single leg guides on solid tip.

HURACAN RSX SURF

- Slick Surface outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- A special Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- DPS screw reel seat with rubber lining to also accommodate large size reels
- Exclusive butt grip made from shaped rubber to ensure a good casting control

SiC K-Guide sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
172-14-160	8 054393 161840	4.20	145	3	160
172-14-165	8 054393 161857	4.50	157	3	160
172-14-200	8 054393 161864	4.20	145	3	200
172-14-205	8 054393 161871	4.50	157	3	200

HURACAN SKY SURF

- Hybrid Tip made with the insertion of spineless solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly
- DPS screw reel seat with rubber lining to also accommodate large size reels
- Exclusive butt grip made from shaped rubber to ensure a good casting control

SiC MN sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
172-04-250	8 054393 141149	4.20	145	3	250
172-04-255	8 054393 141156	4.50	157	3	250

SERENITY REVOLUTION SURF

- Extremely responsive and powerful blank (Fast reaction blank)
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, offering an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Fuji DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

LC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
171-98-100	8 054393 139214	4.20	145	3	200

NEW VIRGO HR SURF



- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Fuji MN guides, fixed by double wrappings to seal their feet against saltwater
- Fuji DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

MN

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
171-99-300	8 054393 173478	4.20	145	3	160
171-99-400	8 054393 173485	4.50	155	3	160

NEW VIRGO TK SURF



- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Fuji MN guides, fixed by double wrappings to seal their feet against saltwater
- Fuji DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

MN

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
171-99-500	8 054393 173492	4.20	145	3	200
171-99-600	8 054393 173508	4.50	155	3	200

NEW VIRGO LD SURF



- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Fuji LC guides, fixed by double wrappings to seal their feet against saltwater
- Fuji DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

LC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
171-99-700	8 054393 173515	4.20	145	3	200

EXTREMA SEA MASTER MN

- Structure made from High Modulus CX1 carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Double leg Sic MN guides, fixed by double wrappings to seal their feet against saltwater
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC MN sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
172-02-300	8 054393 163653	4.20	145	3	160
172-02-400	8 054393 163660	4.50	155	3	160

EXTREMA OVER CAST MN

- Structure made from High Modulus CX1 carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Double leg Sic MN guides, fixed by double wrappings to seal their feet against saltwater
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC MN sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
172-02-500	8 054393 163677	4.20	145	3	200
172-02-600	8 054393 163684	4.50	155	3	200

EXTREMA LONG CAST LC

- Structure made from High Modulus CX1 carbon
- Extremely responsive and powerful 3 section blank (Fast Reaction Blank)
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Double leg Sic LC guides, fixed by double wrappings to seal their feet against saltwater
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC LC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
172-02-700	8 054393 163691	4.20	145	3	200
172-02-800	8 054393 163707	4.50	155	3	200

NASHIRA EXTREME SURF

- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful blank (Fast reaction blank)
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with highly visible and reflective paint
- Double leg Sic MN frame guides, protected from corrosion
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber shaped butt grip to ensure a good casting control

SiC K-Guide

PWR CASTING PERFORMANCE
FAST REACTION BLANK

		m	cm		
172-16-100	8 054393 163196	4.20	145	3	200
172-16-150	8 054393 163202	4.50	155	3	200

NEW NASHIRA EXTREME CAST



- Structure made from High Modulus CX1 Micro Pitch carbon
- Extremely responsive and powerful blank (Fast reaction blank)
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with highly visible and reflective paint
- Double leg Sic LD frame guides, protected from corrosion
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber shaped butt grip to ensure a good casting control

SiC LD

PWR CASTING PERFORMANCE
FAST REACTION BLANK

		m	cm		
172-16-500	8 054393 173461	4.20	145	3	200

SUSPIRIA DUST STORM MN

- Extremely responsive and powerful blank (Fast reaction blank)
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC MN

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		
171-99-200	8 054393 138699	4.20	145	3	200

SUSPIRIA AIRMASTER LC

- Extremely responsive and powerful blank (Fast reaction blank)
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- The final part of the tip is coloured with hi-viz paint and reflective tape
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC LC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		
171-99-100	8 054393 139245	4.20	145	3	200

NEW ANDROMEDA STORM RIDER MN

- Structure made from S.H.M.R. High Resistance Carbon
- Joints reinforced by crossed carbon bands
- Sensitive top section with solid carbon tip (Hybrid Top)
- Double leg SiC guides with lightweight, corrosion free MN frame
- DPS type screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC MN

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		
172-12-200	8 054393 153975	4,20	145	3	200

NEW ANDROMEDA SUN SEEKER LC

- Structure made from S.H.M.R. High Resistance Carbon
- Joints reinforced by crossed carbon bands
- Sensitive top section with solid carbon tip (Hybrid Top)
- Double leg SiC guides with lightweight, corrosion free LC frame
- DPS type screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC LC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		
172-12-205	8 054393 153982	4,20	145	3	200

SHEDIR WAVE RIDER MN

S.H.M.R. CARBON · CROSSED REINFORCED · ZERO FRICTION · HY HYBRID TIP

- Structure made from S.H.M.R. High Resistance Carbon
- Highly responsive blank (Power Casting Performance)
- Sensitive top section with solid carbon tip (Hybrid Top)
- Double leg SiC guides with lightweight, corrosion free MN frame
- DPS type screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt shaped grip to ensure a good casting control

SiC MN

PWR CASTING PERFORMANCE

	m	cm		
172-16-200	4.20	145	3	200

SHEDIR LONG RANGE LC

S.H.M.R. CARBON · CROSSED REINFORCED · ZERO FRICTION · HY HYBRID TIP



- Structure made from S.H.M.R. High Resistance Carbon
- Highly responsive blank (Power Casting Performance)
- Sensitive top section with solid carbon tip (Hybrid Top)
- Double leg SiC guides with lightweight, corrosion free LC frame
- DPS type screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt shaped grip to ensure a good casting control

SiC LC

PWR CASTING PERFORMANCE

	m	cm		
172-16-300	4.20	145	3	200

FULGEA LONG CASTING MN

S.H.M.R. CARBON · CROSSED REINFORCED · Zero Friction Blank · TB TUBOLAR TIP

- Structure made from S.H.M.R. High Resistance Carbon
- Joints reinforced by crossed carbon bands
- Light yet strong tubolar top section (TB)
- Double leg SiC guides with lightweight, corrosion free MN frame
- DPS type screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC MN

PWR CASTING PERFORMANCE

FAST REACTION BLANK

	m	cm		
172-13-205	4.20	145	3	200

FULGEA COAST MASTER LC

S.H.M.R. CARBON · CROSSED REINFORCED · Zero Friction Blank · TB TUBOLAR TIP

- Structure made from S.H.M.R. High Resistance Carbon
- Joints reinforced by crossed carbon bands
- Light yet strong tubolar top section (TB)
- Double leg SiC guides with lightweight, corrosion free LC frame
- DPS type screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC LC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

	m	cm		
172-13-200	4.20	145	3	200

KRONOS SEA MASTER MN

S.H.M.R. CARBON · CROSSED REINFORCED · HY HYBRID TIP



- Highly responsive blank allowing long and precise casting (Fast Reaction Blank)
- Joints reinforced by crossed carbon bands
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- Two-line alignment system, always guaranteeing perfect assembly of sections
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC MN

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
171-90-400	8 054393 151421	4.20	145	3	200

KRONOS CAST MASTER MN

S.H.M.R. CARBON · CROSSED REINFORCED · TB TUBULAR TIP



- Highly responsive blank allowing long and precise casting (Fast Reaction Blank)
- Joints reinforced by crossed carbon bands
- Sensitive and powerful tubular top section (TB)
- Two-line alignment system, always guaranteeing perfect assembly of sections
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC MN

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
171-90-600	8 054393 151445	4.20	145	3	200

KRONOS SURF MASTER LC

S.H.M.R. CARBON · CROSSED REINFORCED · HY HYBRID TIP

- Highly responsive blank allowing long and precise casting (Fast Reaction Blank)
- Joints reinforced by crossed carbon bands
- Hybrid Tip made with the insertion of solid carbon tip into tubular part, obtaining an extremely sensitive section
- Two-line alignment system, always guaranteeing perfect assembly of sections
- DPS screw reel seat with rubber lining, able to also accommodate large size reels
- Non-slip rubber butt grip to ensure a good casting control

SiC LC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
171-90-500	8 054393 151438	4.20	145	3	200

OCEANIC TEKNO SURF

HRC HIGH RESISTANCE COMPOSITE · CROSSED REINFORCED · TB TUBOLAR TIP

- Joints reinforced by crossed carbon bands (Cross Reinforced)
- Sensitive and powerful tubular top section
- DPS screw reel seat with anti-corrosion treatment
- Non-slip grip that allows a good casting control

SiC MN

PWR CASTING PERFORMANCE

		m	cm		g
170-54-910	8 054393 139757	4.20	145	3	250
170-54-920	8 054393 139764	4.50	157	3	250

NEW SONIC XS STARTER SURF II

HRC HIGH RESISTANCE COMPOSITE · CROSSED REINFORCED · TB TUBOLAR TIP

- Reliable structure in H.R.C. High Resistant Composite Carbon
- Sensitive and powerful tubular top section
- Double leg S-SiC guides with corrosion proof frame
- DPS screw reel seat with anti-corrosion treatment
- Non-slip grip that allows a good casting control

SiC MN

PWR CASTING PERFORMANCE

		m	cm		g
170-49-250	8 054393 171733	4.20	145	3	200

OCEANIC & SONIC SURF

Find out more on pag 185-186

CASSIOPEA XCM SURF-R

- Reactive and powerful blank made from Super High Modulus CX2 Nano Tek Low Resin Content carbon
- Blank made with 45° and 135° carbon crossing to contrast torque
- Joints made with 45° carbon to achieve a perfect curve
- A special Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- FH RIP tubolar tip made by fusion of different materials to obtain a spineless and extremely sensitive top section
- Zero Friction Blank finish that rejects moisture and water drops to avoid line sticking to the rod
- The top end of the tip is colored with highly visible paint and tape
- Fuji K Alconite guides, with stainless steel double leg K frame, fitted with double wrapping to seal their feet from saltwater intrusion
- Fuji DPS graphite screw reel seat with stainless steel hoods and safety screw
- Exclusive bottom grip with round rubber knob to ensure the best casting control

K-Guide Alconite

PWR CASTING PERFORMANCE

FAST REACTION BLANK

On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So Hidrogen performs like a knife, rather than - in a mess - like a whip.

The Fuji DPS screw reel seat guarantees safe locking, corrosion resistance and durability. Its moving hood is assisted by a second nut (Fuji Back StopTM) that prevents it from loosening during the execution of the most energetic casts.

The exclusive ribbed rubber lower grip ensures excellent control of the rod, while the rounded knob relieves the load on the groin, when the support is necessary.

		m	cm		g
171-97-160	8 054393 152374	4.15	210	2	160 (2-6 oz)
171-97-200	8 054393 152381	4.15	210	2	200 (3-7 oz)
171-97-230	8 054393 153074	4.15	210	2	230 (4-8 oz)

The high modulus carbon sheet, which gives power to Cassiopea blank, sweetly blends into softer materials to provide the right sensitivity to detect fish bites. But the conversion is gradual, within the tubular top section, and this requires high class technology to avoid weak points and curve imperfections, which would cause a bad power transfer. All over the world, this concept is well known as "multi-action tip", but it's not equally common the process of layer's overlapping and fusion which bring to a perfect result, inch by inch.

X-JOINT

It's well known that all joints connecting rod's sections are weak points, both from strength and action's point of view, as they cause those "dead spots" which are risky in term of breakage, beyond the bad looking. The solution is hidden in the X-JOINT technology, which means that - on joints area - carbon cloths are laid by 45° angle instead of 90°.

TRADITIONAL REINFORCEMENT

- Stress is concentrated at both ends
- Dead spots, risk of breakage

45° REINFORCEMENT (X-JOINT)

- Stress is dispersed along the blank
- Perfect curve, no breakage risk

- Perfect curve, without dead spots.
- Unique coexistence of flexibility and stiffness
- Higher structural strength, because stress is dispersed through the blank, instead of being concentrated on joint's ends.
- Less oscillations at the end of casting, which means quicker re-alignment of guides.

Within X-Joint by Trabucco, the carbon cloth is wound by two directions, and such construction is visible on top end of each section.

0° UNI-DIRECTIONAL CARBON

The carbon fibers oriented along the longitudinal rod's axis (0° unidirectional carbon) provide great resistance to linear traction.

90° SCRIM CARBON

The carbon fibers oriented at 90° to longitudinal rod's axis enable the cross section to resist the compression caused by strong flexion.

X-JOINT ± 45° CARBON TECHNOLOGY

The X-Joint carbon fibers, oriented at ±45° to rod's axis, are able to absorb and disperse the torque, improving the joint's performance and saving the rest of the section.

ATHENA EVOLUTION GT

- Unique blank design for fast release of the power applied by the user (Fast Reaction Blank)
- Spigot joint for a perfect action curve
- FH RIP Tip made by fusion of different materials to obtain a spineless and extremely sensitive top section
- The top end of the tip is colored with highly visible and reflective paint
- Innovative JTS joint's alignment system based on three lines ensuring a perfect assembly of sections
- Genuine Fuji DPS screw reel seat with steel hoods, able to host large size reels
- Exclusive bottom grip with round rubber knob to ensure the best casting control

SiC K-Guide sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE
FAST REACTION BLANK

Strength, accuracy and reliability are at the highest level, with the original Fuji screw reel seat made from graphite and stainless steel. Rubber lined hoods protect the reel's foot from any abrasion.

The Sea Guide SiC guides with K frame are fixed by double wrappings to completely seal the sides of their feet, preventing saltwater to get in. The guides fitted on Athena rods take advantage from a special production process, referred to as PVD, English acronym of "Physical Vapor Deposition", which allows to obtain a very high resistance to corrosion and aggressive agents. All this takes place through the deposition of a protective film on the frame, which seals and protects the steel without changing its structure, weight and technical specifications. All accompanied by SiC rings. A further step forward for rods with very high performance and more reliable in every part!

The butt end cap is a feature that many don't consider. But in fact it helps all the operations during the casts or when fishing and additionally it has the function to protect the butt end. We've designed also special rubber caps also for the inner sections to prevent any damage during the transport.

The high modulus carbon sheet, which gives power to these rods blank, sweetly blends into softer materials to provide the right sensitivity to detect fish bites. But the conversion is gradual, within the tubular top section, and this requires high class technology to avoid weak points and curve imperfections, which would cause a bad power transfer. All over the world, this concept is well known as "multi-action tip", but it's not equally common the process of layer's overlapping and fusion which bring to a perfect result, inch by inch.

		m	cm		g
171-57-140	8 054393 137548	3.95	200	2	150 (2-5 oz)
171-57-200	8 054393 137555	4.15	210	2	200 (4-7 oz)

SURFCASTING TELE

NEW CASSANDRA	GTR	96
NEREIDE	DUST STORM	97
SCARLET	RACING SURF	97
ORACLE	ADVANCED	97
NEW KRONOS	PROGRESS SURF	98
ANDROMEDA	MASTER SURF 150	98
	MASTER CAST 200	98
EDONIS	PRIME SURF	99
AVALON	SURFCASTING	99
NEW OCEANIC	POWER SURF	99
VEKTOR	SURFCASTING	100
SONIC	XS STARTER T-SURF	100
	SURFCASTING	100

ICONS LIST

Length
Casting weight
MODEL Model
Diametre
Weight
Closed Length
Sections Nr

NEW

CASSANDRA GTR

- Telescopic rod with tip action, very fast in the body and sensitive on top
- 7 sections with Ultra Slim profile and nice balance
- Blanks made from CX-2 Nano-Tek carbon with low resin content (LRC)
- Butt section built with Twist Free technology to contrast torsion and increase casting distance and accuracy
- Joints made through X-Joint technology for perfect curve and less oscillations
- Hyper sensitive solid carbon tip, painted in white
- SiC Sea Guide guides with tangle free K frame and PVD protection against rust
- Stainless steel plate reel seat with rubber lining, wrapped on a soft rubber grip
- PacBay LS7 quality reel seat with protective rubber profiles

SiC K-Guide sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK

Built in CX-2 Nano Carbon.

Aluminium and rubber butt cap.

170-89-200	8 054393 162649	4.20	147	7	100
170-89-230	8 054393 162656	4.20	147	7	130
170-89-250	8 054393 162663	4.20	147	7	150

X-JOINT TECHNOLOGY

It's well known that all joints connecting rod's sections are weak points, both from strength and action's point of view, as they cause those "dead spots" which are risky in term of breakage, beyond the bad looking. The solution is hidden in the X-JOINT technology, which means that - on joints area - carbon cloths are laid by 45° angle instead of 90°.

TRADITIONAL REINFORCEMENT

- Stress is concentrated at both ends
- Dead spots, risk of breakage

45° REINFORCEMENT (X-JOINT)

- Stress is dispersed along the blank
- Perfect curve, no breakage risk

- Perfect curve, without dead spots.
- Unique coexistence of flexibility and stiffness
- Higher structural strength, because stress is dispersed through the blank, instead of being concentrated on joint's ends.
- Less oscillations at the end of casting, which means quicker re-alignment of guides.

Within X-Joint by Trabucco, the carbon cloth is wound by two directions, and such construction is visible on top end of each section.

NEREIDE DUST STORM

- 6 section telescopic rod with stiff and powerful action
- Blank made from CX1 High Modulus Micro Pitch carbon
- Special Slick Surface outer finish to prevent the line from sticking to wet blank
- Extremely sensitive solid carbon tip, painted in white
- Double leg Sea Guide SiC guides with saltwater protection
- Corrosion free size 7 Pac Bay plate reel seat, wrapped
- Exclusive lower grip with round aluminium and rubber knob to ensure good casting control

SiC sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE
FAST REACTION BLANK

		m	cm		
172-10-400	8 054393 163714	4.20	158	6	130
172-10-500	8 054393 163721	4.20	158	6	160

SCARLET RACING SURF

- Telescopic rod with progressive parabolic action, great for beach or pier fishing
- Zero Friction finishing to prevent the line from sticking to the rod when it's wet
- Reinforcements on the joints by crossed carbon bands
- Extremely sensitive solid carbon tip, painted in white
- Double leg S-SiC guides with corrosion free light frame
- Graphite screw reel seat with corrosion proof steel hood
- Exclusive rubber butt grip with bottom round cap

SiC

PWR CASTING PERFORMANCE
FAST REACTION BLANK

		m	cm		
172-10-600	8 054393 163738	4.20	160	5	150
172-10-700	8 054393 163745	4.20	160	5	180
172-10-800	8 054393 163752	4.20	160	5	200

ORACLE ADVANCED

- Telescopic rod with a progressive tip action, ideal for striped bream fishing
- 6-section telescopic structure with extremely slim profile and short closed length
- Zero Friction finishing to prevent the monofilament from sticking to the rod when it's wet
- Extremely sensitive solid carbon tip, painted in white
- Double leg SiC guides
- Graphite screw reel seat with corrosion free steel hood
- Exclusive rubber butt grip with bottom round cap

SiC K-Guide

PWR CASTING PERFORMANCE
FAST REACTION BLANK

		m	cm		
172-11-420	8 054393 163233	4.20	165	6	150
172-11-425	8 054393 163240	4.20	165	6	200
172-11-450	8 054393 163257	4.50	165	6	150
172-11-455	8 054393 163264	4.50	165	6	200

NEW KRONOS PROGRESS SURF

S.H.M.R. CARBON · CROSSED REINFORCED · Zero Friction Blank

- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- Two different colors to identify the actions: red (150 g), blue (200 g)
- Reinforcements on the joints by crossed carbon bands
- Extremely sensitive solid carbon tip with hi-viz paint finish
- Graphite screw reel seat with no corrosion steel hood
- Lower grip made of non-slip material for a good casting grip

S-SiC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
171-85-915	8 054393 171762	4.20	152	6	150
171-85-920	8 054393 171771	4.20	152	6	200

ANDROMEDA MASTER SURF 150

S.H.M.R. CARBON · CROSSED REINFORCED · Zero Friction Blank



- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- Reinforcements on the joints by crossed carbon bands
- Extremely sensitive solid carbon tip with hi-viz paint finish
- Graphite screw reel seat with no corrosion steel hood
- Lower grip made of non-slip material for a good casting grip

S-SiC

PWR CASTING PERFORMANCE

		m	cm		g
169-27-100	8 054393 138941	3.60	121	5	150
169-27-200	8 054393 138743	3.90	134	5	150
169-27-300	8 054393 138750	4.20	142	5	150

ANDROMEDA MASTER CAST 200

S.H.M.R. CARBON · CROSSED REINFORCED · Zero Friction Blank

- Telescopic rod with progressive parabolic action, great for beach or pier fishing
- 4-section telescopic blanks
- Reinforcements on the joints by crossed carbon bands
- Extremely sensitive and powerful carbon tubular top section, coloured with hi-viz paint
- Graphite screw integratedreel seat with corrosion resistant steel
- Lower grip made of non-slip material to provide good casting grip

S-SiC

PWR CASTING PERFORMANCE

		m	cm		g
169-26-100	8 054393 138910	3.60	121	4	200
169-26-200	8 054393 138927	3.90	134	4	200
169-26-300	8 054393 138934	4.20	142	4	200

EDONIS PRIME SURF

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control · SENSI TOUCH

- Blanks made from High Resistance S.H.R.M. Carbon with progressive action
- Joints reinforced by crossed carbon bands
- Super sensitive solid carbon tip, painted for better visibility
- Double leg guides with corrosion proof frame and S-SiC inner ring
- Graphite screw reel seat with stainless steel hood
- Aluminium butt cap with rubber insert

S-SiC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
169-25-010	8 054393 161178	4.00	130	5	150

AVALON SURFCASTING

HRC HIGH RESISTANCE COMPOSITE · CROSSED REINFORCED

- Structure based on 5 telescopic sections
- Light and strong tubolar top section, painted for better visibility
- Graphite screw reel seat with stainless steel hood

S-SiC

		m	cm		g
170-53-500	8 054393 128560	4.00	134	5	130
170-53-550	8 054393 128577	4.00	134	5	150

NEW OCEANIC POWER SURF

HRC HIGH RESISTANCE COMPOSITE · CROSSED REINFORCED

- Powerful telescopic in 4 sections rod with parabolic action, good for both beach fishing and rocks or piers
- Reinforcements on the joints by crossed carbon bands
- Sensitive carbon tubular tip with hi-viz coloured end
- Graphite screw reel seat with no corrosion steel hood
- Lower grip made of non-slip material for a good casting grip

S-SiC

PWR CASTING PERFORMANCE

		m	cm		g
170-52-020	8 054393 171740	4.00	128	4	150

VEKTOR SURFCASTING



- Telescopic rod with parabolic action, ideal for fishing from the beach as well as rocks or piers
- Joints reinforced by crossed carbon bands
- Tubular carbon top section with highly visible paint
- Graphite screw reel seat with anti-corrosion steel hood
- Lower grip made of non-slip material to ensure a good casting grip

		m	cm		g
170-52-110	8 054393 139382	4.00	146	5	150
170-52-120	8 054393 139399	4.20	146	5	150

NEW SONIC XS STARTER T-SURF

- Powerful telescopic in 4 sections rod with parabolic action, good for both beach fishing and rocks or piers
- Reinforcements on the joints by crossed carbon bands
- Sensitive carbon tubular tip with hi-viz coloured end
- Graphite screw reel seat with no corrosion steel hood
- Lower grip made of non-slip material for a good casting grip

		m	cm		g
170-52-030	8 054393 171757	4.00	127	4	150

SONIC XS SURFCASTING

- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- 4 section blanks made from High Resistance Carbon
- Two different actions: 150 g, 180 g
- S-SiC HD double leg guides with corrosion proof frame
- Graphite screw reel seat with no corrosion steel hood

		m	cm		g
163-29-350	8 054393 154088	3.50	122	4	150
163-29-390	8 054393 154095	4.00	136	4	150
163-29-420	8 054393 154101	4.20	147	5	150
163-30-350	8 054393 154118	3.50	122	4	180
163-30-390	8 054393 153876	4.00	136	4	180
163-30-420	8 054393 153883	4.20	147	5	180

LIGHT SURF & BEACH LEGERING

NEW SUPERNOVA	GR PROLITE	100
IMPERA	F-1 BEACH	101
CATTURA	XC BEACH	101
ATHENA	XTF BEACH	102
ORACLE	PROGRESS BEACH	102
CEPHALONIA	BEACH	103
NEW PERSEIDE	ACCURATE BEACH	103
ARNILLA	EXTREME BEACH	103
	EXTREME SENSE	104
EDONIS	MORMORA	104
	PRIME BEACH	104
NEW SONIC	XS STARTER BEACH	104

ICONS LIST

- Length
- Casting weight
- MODEL Model
- Diametre
- Weight
- ACT Action
- Closed Length
- Sections Nr

NEW SUPERNOVA GR PROLITE

- Long rods designed for competition beach legering with medium-light rigs
- Slim structure made of 3 sections with fast and sensitive action curve
- Blank made from Super High Modulus CX-Nanotube carbon with Low Resin Content for lightness and fast reaction
- Twist Free technology on butt and lower area of middle section for high casting accuracy and longer distance
- Joints made with 45° crossed carbon sheets to achieve a perfect action curve (X-Joint)
- Slick Surface finish repels water droplets, preventing line's sticking to the blank
- Rough paint around joints helps gripping with wet hands, when the rod must be dismantled
- Two long and sensitive, interchangeable solid carbon tips: Soft and Stiff, painted in white with glowing tape for high visibility in the darkness
- Sea Guide SiC guides with ultralight, corrosion proof K shaped Titanium frame; single leg guides on tips
- Guides fixed by double wrappings to seal guide's feet against salt water intrusion
- Size 7 Fuji NS stainless steel plate reel seat with rubber lined hoods
- Rubber butt grip with round rubber butt cap

SiC K-Guide Titanium sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE
FAST REACTION BLANK

		m	cm		g
172-05-450	8 054393 153111	4.60	150	3+2	110
172-05-480	8 054393 153128	5.00	164	3+2	100

	ACT	MATERIAL
172-06-110-R01A	Soft	CARBON
172-06-110-R01B	Stiff	CARBON

Fuji NS size 7 plate reel seat with rubber lining to also accommodate large size reels. With the special smoothness of its locking hood, the absolute reliability and the stainless steel structure, the Fuji plate reel seat is quite simply the best in the world.

The SiC guides encourage the use of braided lines, while their super lightweight Titanium frame frees the blanks to develop its whole reactivity. Quality is Sea Guide, of course.

The guides are fixed by double wrappings to allow the lacquer to completely seal the narrow rooms running on both sides of their feet, preventing saltwater from entering.

On the butt section, the special 45° gradient of the upper carbon layers is clearly visible. It counteracts torsion in the blank, protecting it from breakage but mainly increasing casting distance and accuracy, because the longitudinal carbon fibers and rod's guides keep their alignment during the cast. So Hidrogen performs like a knife, rather than - in a mess - like a whip.

IMPERA F-1 BEACH



- Blank made from Super High Modulus CX2 Nano Tek carbon (Low Resin Content)
- Extremely slim yet responsive and powerful blank (Fast reaction blank)
- Butt section made with Twist Free technology to contrast torsion, avoiding power loss and protecting blank's integrity
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint), with Woven Carbon protective layer
- Zero Friction Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Interchangeable solid carbon tips to adapt sensitivity to fishing conditions
- A special Tape Grip has been applied to the joints to provide grip during the assembly and dismantling operations
- Sea Guide SiC with K profile frame, corrosion free thanks to PVD treatment
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Stainless steel Fuji NS7 plate reel seat, with removable central cover host large size reels
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast

SiC K-Guide sea·guide

		m	cm		g
172-05-450	8 054393 153111	4.50	152	3+3	120
172-05-480	8 054393 153128	4.80	167	3+3	120

ACT	
172-05-001	LIGHT
172-05-002	MEDIUM
172-05-003	HEAHY
SPARE TIPS CARBON	

PWR CASTING PERFORMANCE
FAST REACTION BLANK

Special rubber butt grip with rounded rubber cap, it helps all the operations during the casts or when fishing and additionally it has the function to protect the butt end.

Special 45° warping of the outer carbon layers contrasts the torsion in the butt section, increasing distance and precision of casting, as well as protecting the blank from breakage.

Anti-tangle K-profile frame, protected against corrosion by PVD treatment; SiC ring: the best for the use of braided lines. Double wrappings to perfectly seal the sides of the feet.

CATTURA XC BEACH

- Extremely slim yet responsive and powerful blank (Fast reaction blank)
- Butt section and part of second section made with Twist Free technology to contrast torsion, improving casting distance and accuracy
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint), with Woven Carbon protective layer
- Slick Surface Blank outer finish that repels moisture and water drops, thus avoiding line sticking
- Interchangeable solid carbon tips to adapt sensitivity to fishing conditions, with high visibility tape
- A special rough finish has been applied to the joints to provide grip during the assembly and dismantling operations
- New superlight Fuji Fazlite guides with tangle free K profile stainless steel frame
- Each guide is fixed by double wrapping to seal the feet against corrosion and salt
- Stainless steel Fuji NS7 plate reel seat, wrapped on to a segment of soft rubber grip
- Exclusive butt grip made from ribbed rubber, with round butt cap to ensure a good grip during the cast

Fazlite K-Guide

		m	cm		g
172-08-420	8 054393 162045	4.20	142	3+3	100
172-08-450	8 054393 162052	4.50	152	3+3	100
172-08-500	8 054393 162533	5.00	167	3+3	120

ACT	
172-08-401	SOFT
172-08-402	MEDIUM
172-08-403	STIFF
SPARE TIPS CARBON	

PWR CASTING PERFORMANCE
FAST REACTION BLANK

ATHENA XTF BEACH

- Rod designed for light beach fishing, as well as from rocks or piers
- Three section slim blank made from High Modulus CX1 Micro Pitch carbon with semi-parabolic action
- Twist Free technology applied to butt and middle section to contrast torsion, offering superior casting distance and accuracy
- 45° carbon sheet on joints to achieve a perfect action curve (X Joint), with less oscillations
- Supplied with 3 interchangeable solid carbon tips: 50 g (Light), 75 g (Medium), 100 g (Heavy)
- Final part of tips coloured with reflective tape
- Slick Surface Blank outer finish rejecting moisture and water drops to avoid the line sticking to the rod
- Insert between guide's feet made of hig-viz tape for better identification during the night
- Innovative JTS joint's alignment system based on three lines
- Double leg Sea Guide SiC guides with PVD protected tangle free K profile frame
- PacBay plate reel seat made from stainless steel with rubber profiles
- Exclusive butt grip to provide total casting control

SiC K-Guide sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK



JST. The new Trabucco section's alignment system is based on three lines instead of two, exactly as in the high precision optics. The concept starts from the physical characteristics of the human eye, which has a higher bisection capacity rather than alignment.

		m	cm		
171-92-100	8 054393 158703	4.50	155	3+3	100

	ACT
171-92-100-R01A	LIGHT
171-92-100-R01B	MEDIUM
171-92-100-R01C	HEAVY
SPARE TIPS CARBON	

ORACLE PROGRESS BEACH



- Rod designed for beach fishing, as well as from rocks or piers
- Three section super slim blank made from High Modulus CX1 Micro Pitch carbon, with semi-parabolic action
- Supplied with interchangeable solid carbon tips: Light (White and Yellow), Heavy (White and Orange)
- Final part of tips coloured with highly visible and reflective paint
- Slick Surface Blank outer finish rejecting moisture and water drops to avoid the line sticking to the rod
- Guides fixed by double wrappings to seal their feet against saltwater intrusion
- Double leg Sea Guide SiC guides with corrosion free PVD frame
- PacBay plate reel seat made from stainless steel with rubber profiles
- Exclusive rubber shaped butt grip to provide total casting control

SiC sea·guide

PVD FRAME CORROSION FREE

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		
171-91-100	8 054393 162274	4.00	135	3+2	100
171-91-200	8 054393 162281	4.20	142	3+2	100
171-91-300	8 054393 162298	4.50	152	3+2	100

	ACT
171-91-100-R01	LIGHT
	HEAVY
SPARE TIPS CARBON	

CEPHALONIA BEACH

- Developed for competition fishing, ideal to handle rigs from 50 to 110 g
- Telescopic structure made from CX2 Nano Tek LRC carbon, reactive and powerful
- 45° carbon wrapped joints for a perfect action curve (X-Joint)
- Zero Friction Blank outer finish rejecting moisture and water drops to avoid the line sticking to the rod
- Provided with two interchangeable tips: Stiff (Fiberglass) for shock leader use - Soft (Carbon) for straight line
- Final part of the tips coloured with highly visible and reflective paint
- Double leg Sea Guide SiC guides with PVD protected frame
- Stainless steel Fuji NS-7 plate reel seat with removable central support
- Exclusive butt grip to provide total casting control

SiC sea-guide

PVD FRAME CORROSION FREE

FAST REACTION BLANK

X-TRA CASTING PERFORMANCE

		m	cm		
170-85-100	8 054393 118004	4.60	144	5+2	110
170-85-200	8 054393 118011	5.00	144	5+2	90

Spare tips	ACT	MATERIAL
170-85-100-R01	Stiff HEAVY	Fibreglass
	Soft LIGHT	Carbon

NEW PERSEIDE ACCURATE BEACH

- Rod designed for medium light beach fishing to striped bream, also good for rock or pier fishing
- Supplied with 2 spineless solid carbon tips: Light Action 50 g, Heavy Action 100 g
- Final part of the tips coloured with highly visible and reflective paint
- Zero Friction Blank outer finish rejecting moisture and water drops to avoid the line sticking to the rod
- Stainless steel reel seat with rubber profiles, able to accommodate large reels
- Exclusive butt grip to provide total casting control

SiC sea-guide

		m	cm		
171-80-042	8 054393 174031	4.20	128	4+2	100
171-80-045	8 054393 174048	4.50	145	4+2	100

Spare tips	ACT
171-80-042-R01	Stiff HEAVY
	Soft LIGHT

ARNILLA EXTREME BEACH

- Rod designed for medium light beach fishing, also good for rock and pier fishing with semi parabolic action
- Supplied with 2 interchangeable solid carbon tips
- Final part of the tips coloured with highly visible and reflective paint
- Graphite ergonomic reel seat, which can accommodate large reels
- Exclusive butt grip to provide total casting control

S-SiC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		
170-83-100	8 054393 164315	4.20	159	4+2	100
170-83-200	8 054393 164322	4.50	169	4+2	100

Spare tips	ACT
170-83-100-R01A	Soft LIGHT
170-83-100-R01B	Stiff HEAVY

ARNILLA EXTREME SENSE

CX-1 CARBON · CROSSED REINFORCED · Zero Friction Blank

- Rod designed for medium light beach fishing, also good for rock and pier fishing with semi parabolic action
- Telescopic solid carbon tip, coloured with high visibility paint
- Double leg S-SiC guides, with lightweight and corrosion free frame
- Graphite ergonomic reel seat, which can accommodate large reels
- Exclusive butt grip to provide total casting control

S-SiC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
170-83-300	8 054393 164339	4.20	148	5	100

EDONIS MORMORA

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control

- Telescopic rod for beach fishing with rigs up to 100 g weight, with semi parabolic action
- Reinforcement on joints by means of crossed carbon bands
- Sensitive telescopic tip, coloured with hi-viz paint
- Graphite screw reel seat, which can accommodate large reels
- No-slip butt grip with aluminium screw cap

S-SiC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
169-25-100	8 054393 161185	4.00	123	5	100

EDONIS PRIME BEACH

S.H.M.R. CARBON · CROSSED REINFORCED · high precision control

- Telescopic rod for beach fishing with rigs up to 120 g weight, with semi parabolic action
- Reinforcement on joints by means of crossed carbon bands
- Sensitive telescopic tip, coloured with hi-viz paint
- Graphite screw reel seat, which can accommodate large reels
- No-slip butt grip with aluminium screw cap

S-SiC

PWR CASTING PERFORMANCE

FAST REACTION BLANK

		m	cm		g
169-25-120	8 054393 161192	4.00	124	5	120

NEW SONIC XS STARTER BEACH

HRC HIGH RESISTANCE COMPOSITE

- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- 3 section blanks made from High Resistance Composite HRC
- S-SiC HD double leg guides with corrosion proof frame
- Graphite screw reel seat with no corrosion steel hood

S-SiC

		m	cm		g
170-49-150	8 054393 171728	4.20	155	5	100

BOLENTINO & LIGHT DRIFTING

TELEBOAT RODS

ANTILIA	SEA FORCE	108
	OVERDEEP	108
ASTORE	SEA POWER	108
	PRO BOAT	109
	DEEP GAME	109
ORACLE	X-BOAT	110
VANADIA	POWER ROCK	110
	XT TEKNO BOAT	110
	LT DRIFT	111
IRIDIUM	OVER DEEP	111
	MASTER ISO	111
	TEKNO SEA	112
	LITE SENSE	112
	POWER ISO	112
	TELEBOAT	112
PULSE	TEKNO SEA	113
	TELEBOAT	113
VEKTOR	MASTER BOAT	113

BOAT RODS

ANTILIA	TEKNIC MASTER	114
	LIGHT DRIFTING	114
ASTORE	POWER BOAT	114
	ISO HUNTER	115
QUASAR	DEEP MASTER	115
	DEEP SENSOR	115
VANADIA	ATLANTICA	116
	SPARIDE	116
EPICA	XTREME	116
HERAKLION	MAX DEEP 1000	117
	PRO DEEP 500 & 750	117
BAY REEF	SPECIAL SABIKI	118
	SPECIAL SPARIDE	118
	SPECIAL KAREI	118
	SPECIAL DORADA	119
	SPECIAL IKA	119
PULSE	MAX DEEP	120
	BOLENTINO	120
ACHAB	MASTER SEA	121
	MAX DEEP	121
	XP BOAT	121
	TEKNO SEA 150-200	121

ICONS LIST

Length · Casting Weight · MODEL Model
mm Diametre · Weight · ACT Action
cm Closed Length · Sections Nr

ANTILIA SEA FORCE

- Telescopic blanks made from CX-2 Nano Tek High Modulus carbon
- On top of butt section, an adjustable system allows to fish both at 4 and 5 metres length
- Two high sensitive interchangeable solid fibreglass tips
- Double leg Sea Guide SiC guides with PVD corrosion proof K shape frame
- Stainless steel size 7 plate reel seat, fitted upside down to resist extreme pulls
- Internal screw butt cap with removable protective rubber knob

PVD FRAME CORROSION FREE

SiC K-Guide sea·guide

		m	cm		ACT
162-19-100	8 054393 151599	4,00-5,00	143	6+2	LIGHT
162-19-200	8 054393 151605	4,00-5,00	143	6+2	MEDIUM
162-19-300	8 054393 151612	4,00-5,00	143	6+2	STRONG

2 FLEX X TIP

Spare tips	ACT
162-19-100-R01	Set LIGHT
162-19-200-R01	Set MEDIUM
162-19-300-R01	Set STRONG

Removable rubber cap

ANTILIA OVERDEEP

- Telescopic blanks made from CX-2 Nano Tek High Modulus carbon
- On top of butt section, an adjustable system allows to fish both at 4 and 5 metres length
- Three high sensitive interchangeable solid fibreglass tips
- Double leg Sea Guide SiC guides with PVD corrosion proof K shape frame
- Stainless steel size 7 plate reel seat, fitted upside down to resist extreme pulls
- Internal screw butt cap with removable protective rubber knob

PVD FRAME CORROSION FREE

SiC K-Guide sea·guide

		m	cm		ACT
162-19-400	8 054393 152435	4,00-5,00	132	6+3	Heavy

3 FLEX X TIP

Spare tips	ACT
162-19-400-R01	Complete Set

Removable rubber cap

ASTORE SEA POWER

- Three adjustable sections to fish at 3, 4 and 5 metres length
- Two high sensitive interchangeable solid tips: one carbon, the other fibreglass made
- Fuji stainless steel plate reel seat size 7 to accept large size reels
- Aluminium screw butt cap with rubber insert

SiC sea·guide

Fuji LS stainless steel reel seat. Two interchangeable tips: one made from solid carbon, the other in solid fibreglass, both carefully wrapped with guides.

		m	cm			g
162-20-300	8 054393 056160	3.00-4.00 5.00	143	6+2		300

Spare tips	ACT
162-20-300-R01	Complete Set

ASTORE PRO BOAT

- Telescopic blanks made from CX-2 Nano Tek High Modulus carbon
- On top of butt section, an adjustable system allows to fish bothat 3 and 4 metres length
- Double leg S-SiC Seaguides, with lightweight and corrosion free frame
- Two high sensitive interchangeable solid fibreglass tips
- Stainless steel and graphite screw reel seat size 7, with rubber support
- Exclusive butt grip to provide total control
- Aluminium screw butt cap with rubber insert

		m	cm		ACT
162-21-100	8 054393 127969	3,00-4,00	136	4+2	LIGHT
162-21-200	8 054393 127976	3,00-4,00	136	5+2	MEDIUM
162-21-300	8 054393 127983	3,00-4,00	136	5+2	HEAVY

Spare tips	ACT
162-21-100-R01	Set LIGHT
162-21-200-R01	Set MEDIUM
162-21-300-R01	Set STRONG

2 interchangeable solid glass tips

Removable rubber cap

ASTORE DEEP GAME

- On top of butt section, an adjustable system allows to fish both at 3 and 4 metres length
- Two high sensitive interchangeable solid fibreglass tips
- Double leg Sea Guide SiC guides with PVD corrosion proof K shape frame
- Stainless steel size 7 plate reel seat, fitted upside down to resist extreme pulls
- Internal screw butt cap with removable protective rubber knob

		m	cm		ACT
162-21-400	8 054393 152589	3,00-4,00	132	6+2	X HEAVY

Spare tips	ACT
162-21-400-R01	Complete Set

ORACLE X-BOAT

2 FLEX X TIP · CX-1 CARBON · SENSI TOUCH · MULTI LENGTH SYSTEM

- On top of butt section, an adjustable system allows to fish both at 3,80 and 4,50 metres length
- Two high sensitive interchangeable solid fibreglass tips
- Double leg SiC guides with corrosion proof frame
- Stainless steel and rubber size 7 plate reel seat, fitted upside down to resist extreme pulls
- Internal screw butt cap with removable protective rubber knob

SiC

Supplied with 2 interchangeable tips.

		m	cm		ACT
162-25-100	8 054393 149792	3.80-4.50	130	5+2	LIGHT
162-25-200	8 054393 149808	3.80-4.50	130	5+2	MEDIUM
162-25-300	8 054393 149815	3.80-4.50	130	5+2	HEAVY

Spare tips	ACT
162-25-100-R01	Set LIGHT
162-25-200-R01	Set MEDIUM
162-25-300-R01	Set HEAVY

VANADIA POWER ROCK

TELE TIP · CX2 CARBON NANO-TEK · SENSI TOUCH · MULTI LENGTH SYSTEM

- Sensitive and strong telescopic carbon tip
- Plate reel seat with rubber lined steel hoods
- Butt cap directly screwed into the wall

SiC

sea·guide®

		m	cm		
162-48-550	8 054393 056306	4.50 - 5.50	153	7	200

VANADIA XT TEKNO BOAT

2 FLEX X TIP · CX-1 CARBON · SENSI TOUCH · MULTI LENGTH SYSTEM

- Two interchangeable fibreglass tips
- Screw graphite reel seat with steel hoods
- Aluminium butt cap

SiC

sea·guide®

		m	cm		
162-23-400	8 054393 113436	4.00	149	6+2	30-200

Spare tips	ACT
162-23-400-R01	Complete Set

VANADIA LT DRIFT

- Adjustable length system between butt and next section
- Supplied with two interchangeable fibreglass tips (Light, Heavy)
- Double leg Sea Guide SiC guides with corrosion free PVD frame
- PacBay stainless steel plate reel seat, fitted upside down to resist extreme pulls
- Easy to clean satin finish handle (Sensi Touch)
- Internal butt cap, with removable rubber overcap for extra protection

PVD FRAME CORROSION FREE

SiC sea·guide

Supplied with 2 interchangeable tips.

		m	cm		g
162-26-350	8 054393 162625	3.00-3.50	112	5+2	0-120
162-26-400	8 054393 162632	3.50-4.00	120	6+2	0-120

Spare tips	ACT
162-26-350-R01	Complete Set

IRIDIUM OVER DEEP

- Short closed length boat rod with rigid action for medium depth bolentino
- Reinforced joints with crossed carbon bands that make it more reliable under strong pulls
- Two interchangeable solid fiberglass tips with action Light and Heavy, with red and yellow coloured finish by highly visible paint
- Graphite screw reel seat with anti-corrosion steel hood

SiC sea·guide

		m	cm		g
162-68-300	8 054393 139618	3.00	115	4+2	400

IRIDIUM MASTER ISO

- Short closed length boat rod with rigid action for medium depth fishing
- Reinforced joints with crossed carbon bands that make it more reliable under extreme pulls
- Two interchangeable fiberglass tips with action Light and Heavy, with red and yellow colored finish with highly visible paint
- Graphite screw reel seat with anti-corrosion steel hood

SiC sea·guide

		m	cm		g
162-67-300	8 054393 137500	3.00	110	4+2	250
162-67-340	8 054393 137517	3.40	110	4+2	250

IRIDIUM TEKNO SEA

- Short closed length boat rod with rigid body and powerful action
- Reinforced joints with crossed carbon bands that make them more reliable
- Two interchangeable fiberglass tips with action Light and Medium, having red and yellow colored top end by hi visibility paint
- Graphite screw reel seat with anti-corrosion steel hoods

SiC sea·guide

		m	cm		
162-66-280	8 054393 139597	2.80	105	4+2	150
162-66-320	8 054393 139603	3.20	115	5+2	150

IRIDIUM LITE SENSE

- Short closed length boat rod with rigid action for medium depth bolentino
- Internal sections reinforced by crossed carbon bands (XCW Cross Wrap)
- Telescopic fibreglass sensitive tip, with orange and yellow finish
- Pac Bay size 7 plate reel seat, fitted upside down to resist extreme pulls
- Internal butt cap, with rubber overcap for extra protection

SiC sea·guide

		m	cm		
162-27-100	8 054393 162540	2.70	110	4	150
162-27-200	8 054393 162557	3.00	112	4	150
162-27-300	8 054393 162564	3.50	125	5	150

IRIDIUM POWER ISO

- A rigid and powerful boat rod, perfect for medium depth bolentino
- Reinforced joints with cross carbon bands that make them more reliable under extreme pulls
- Solid fiberglass tip with end coloured in red and yellow by highly visible paint
- Graphite screw reel seat with corrosion free steel hood

SiC sea·guide

		m	cm		
162-64-300	8 054393 139740	3.00	115	5	400

IRIDIUM TELEBOAT

- Telescopic solid fiberglass tip
- Ergonomic graphite screw reel seat with steel moving hood
- Stiff plastic guide cover
- Aluminium butt cap

SiC sea·guide

		m	cm		
162-65-210	8 054393 138385	2.10	100	3	200
162-65-240	8 054393 138392	2.40	106	4	200
162-65-270	8 054393 138408	2.70	106	4	200

PULSE TEKNO SEA

TELE TIP CX-1 CARBON SENSI TOUCH

- Telescopic solid fiberglass tip
- Double leg guides with SiC ring
- Ergonomic graphite screw reel seat with steel moving hood
- Aluminium butt cap with rubber insert

SiC

		m	cm		
162-71-210	8 054393 163158	2.10	100	3	120
162-71-240	8 054393 163165	2.40	100	4	120
162-71-270	8 054393 163172	2.70	105	4	120
162-71-300	8 054393 163189	3.00	105	5	120

PULSE TELEBOAT

TELE TIP CX-1 CARBON SENSI TOUCH

- Telescopic solid fiberglass tip
- Ergonomic graphite screw reel seat with steel moving hood
- Butt cap directly screwed into the wall

SiC

		m	cm		
162-70-210	8 054393 139351	2.10	100	3	150
162-70-240	8 054393 139368	2.40	100	4	150
162-70-270	8 054393 139337	2.70	105	4	150
162-70-300	8 054393 139344	3.00	105	5	150

VEKTOR MASTER BOAT

TELE TIP HRC HIGH RESISTANCE COMPOSITE CROSSED REINFORCED



- Telescopic fibreglass solid tip
- Graphite screw reel seat with steel hoods
- Plastic butt cap

SiC

		m	cm		
168-25-210	8 054393 138545	2.10	100	3	150
168-25-240	8 054393 138552	2.40	100	4	150
168-25-270	8 054393 138569	2.70	105	3	150
168-25-300	8 054393 138576	3.00	105	4	150

ANTILIA TEKNIC MASTER

- Series designed for Bolentino (max 400 g) and Light Drifting (max 250 g)
- Three section's blank made from CX-2 High Modulus carbon, with low resin content (LRC)
- 2x interchangeable carrier sections with different actions
- Two interchangeable solid fiberglass tips (Light and Power)
- Single and double leg Sea Guide guides, with PVD corrosion free Titanium frame and SiC ring
- HandLe reinforced by a special carbon band crossing pattern
- Wrapped Pac Bay plate reel seat, size 7, fitted upside down to resist extreme pulls
- Fighting butt rubber knob
- Provided in a padded and zipped cordura bag

		m	cm		
162-01-390	8 054393 151575	3.90	133	3+1+2	200-400
162-01-440	8 054393 151582	4.40	149	3+1+2	200-400

Spare tips	ACT
162-01-390-R01A	Ligth
162-01-390-R01B	Heavy

ANTILIA LIGHT DRIFTING

- Series designed for Bolentino and Light Drifting
- Three section's blank made from CX-2 High Modulus carbon, with low resin content and with spigot joints
- Two interchangeable solid carbon tips (Light and Medium)
- Single and double leg Sea Guide guides, with PVD corrosion free Titanium frame and SiC ring
- EVA split handle reinforced by a special carbon band crossing pattern
- Long nose graphite reel seat
- Fighting butt rubber knob

		m	cm		ACT
162-00-390	8 054393 151551	3.90	106	3+2	LIGHT
162-00-395	8 054393 151568	3.90	106	3+2	MEDIUM

Spare tips	ACT
162-00-390-R01A	Ligth
162-00-390-R01B	Medium

ASTORE POWER BOAT

- Series designed for heavy Bolentino
- Two section's super slim blank made from CX-2 High Modulus carbon, with low resin content (LRC) and with spigot joint
- Butt section with adjustable length by 50 cm (Multi-Length System)
- Two interchangeable solid fiberglass tips (Light and Power)
- Single and double leg Fuji MN Alconite guides, with stainless steel frame
- Handle reinforced by a special carbon band crossing pattern
- Wrapped ALPS plate reel seat, size 7, fitted upside down to resist extreme pulls
- Fighting butt rubber knob

		m	cm		
161-40-100	8 054393 152565	2.70-3.20	146	2+2	300
161-40-200	8 054393 152572	3.00-3.50	161	2+2	300

Spare tips	ACT
161-40-100-R01A	Ligth
161-40-100-R01B	Power

ASTORE ISO HUNTER

- Blanks made from CX-2 Nano Tek Carbon
- Two sections equal length
- Three interchangeable fibreglass solid tips, with flexible reinforcement STS (Spiral Tip System)
- Double leg Sea Guide SiC guides, with PVD protection against rust
- Ergonomic Sea Guide graphite reel seat with windows for direct contact with the blank
- High density EVA handle grip, with laser engraved Astore logo
- Rubber fighting cap with gimbal butt

SUPER PROGRESSIVE JOINT

		m	cm		g
161-67-240	8 054393 161970	2.40	125	2+3	250
161-67-270	8 054393 161987	2.70	139	2+3	250
161-67-300	8 054393 161994	3.00	139	2+3	250

Spare tips	ACT
161-67-240-R01A	Ligth
161-67-240-R01B	Medium
161-67-240-R01C	Heavy

QUASAR DEEP MASTER

- Series designed for heavy bolentino
- Strong yet sensitive E-Glass tip, inserted from top and glued, protected by special filament STS which provides strength without affecting flexibility
- Split EVA handle with long fore grip for perfect control and easy cleaning
- Graphite screw reel seat, fitted upside down to resist extreme pulls

		m	cm		g
161-62-240	8 054393 136985	2.40	130	2	400
161-62-270	8 054393 136992	2.70	140	2	400

QUASAR DEEP SENSOR

- Series designed for medium-heavy bolentino
- Two interchangeable glass tips (Green: 50-150 g - Orange: 100-250 g), protected by special filament STS which provides strength without affecting flexibility
- Split EVA handle with long fore grip for perfect control and easy cleaning
- Graphite screw reel seat, fitted upside down to resist extreme pulls

		m	cm		g
161-61-240	8 054393 136961	2.40	126	2+2	250
161-61-270	8 054393 136978	2.70	141	2+2	250

Spare tips	ACT
161-61-240-R01	Complete Set

VANADIA ATLANTICA

- Series designed for Bolentino and Light Drifting
- Two sections super slim blank made from CX-1 High Modulus carbon, with put-in joint
- Two interchangeable solid fiberglass tips (Light and Power)
- Rubberized handle grip
- Long nose graphite reel seat
- Fighting butt rubber knob
- Delivered with a semi-padded sheath to protect the elements

		m	cm		g
161-64-270	8 054393 152039	2.70	140	2+2	250
161-64-300	8 054393 152046	3.00	156	2+2	250
161-64-350	8 054393 152053	3.50	157	2+2	250
161-65-270	8 054393 152060	2,70	140	2+2	400
161-65-300	8 054393 152077	3.00	156	2+2	400
161-65-350	8 054393 152084	3.50	157	2+2	400

Vanadia Atlantica - Action 250g

Spare tips	ACT
161-64-270-R01A	Ligth
161-64-270-R01B	Power

Vanadia Atlantica - Action 400g

Spare tips	ACT
161-65-270-R01A	Ligth
161-65-270-R01B	Power

VANADIA SPARIDE

- Series designed for ultralight Bolentino
- Two sections super slim blank made from CX-1 High Modulus carbon, with spigot joint
- Two interchangeable solid carbon tips (5-15 g and 10-30 g)
- Single leg HD guides, with corrosion free “Y” frame and SiC ring
- Rubberized handle grip
- Wrapped plate reel seat, fitted upside down to resist extreme pulls

		m	cm		g
161-66-240	8 054393 152404	2.40	123	2+2	5-30
161-66-270	8 054393 152411	2.70	138	2+2	5-30
161-66-300	8 054393 152428	3.00	153	2+2	5-30

Spare tips	ACT
161-66-240-R01A	Ligth
161-66-240-R01B	Power

EPICA XTREME

Trabucco designed this rod for all the no-limits fishing lovers, a powerful and reliable tool with two spigot jointed sections. It can be used to fish at any depth and is able to face every fish dwelling down there. Perfect for fishing on deep reefs and wrecks, where big congers, groupers and rocklings grow at bigger sizes. It can be used in combination with electric reels as well. SiC salt water protected guides have been chosen for this rod, since heavy fishing is usually combined with braided lines.

		m	cm		g
161-41-240	8 054393 056122	2.40	124	2	Max 400
161-41-270	8 054393 056139	2.70	140	2	Max 400

HERAKLION MAX DEEP 1000

- Special model for deep sea fishing (300-500 metres), even with electric reels
- EVA handle grip with shaped fore grip for safe handling
- Stainless steel screw reel seat
- Aluminium gimbal butt with soft rubber cap

PVD FRAME CORROSION FREE

SiC sea·guide

SUPER PROGRESSIVE JOINT

Corrosion free Sea Guide Heavy Duty SiC guides, fixed by double wrappings.

Strong solid aluminium screw reel seat and gimbal butt with removable rubber cap.

		m	cm		g
161-35-270	8 054393 111661	2.70	140	2	1000

HERAKLION PRO DEEP 500 & 750

- Special rods for deep sea fishing, designed to handle specific load according to depth (from 500 to 1300 g)
- Special reinforcement wrapping on tip area (Spiral Tip System)
- EVA handle grip with long fore grip for safe handling during fish fight
- Stainless steel Heavy Duty screw reel seat
- Aluminium gimbal butt with soft rubber cap

PVD FRAME CORROSION FREE

SiC sea·guide

SUPER PROGRESSIVE JOINT

Corrosion free Sea Guide SiC guides, fixed by double wrappings.

Strong screw reel seat and gimbal butt with removable rubber cap.

Special spiral wrapping, protecting the tip while saving sensitivity.

		m	cm		g
161-37-240	8 054393 137487	2.40	130	2	750-1000-1300
161-37-300	8 054393 137494	3.00	160	2	750-1000-1300
161-36-240	8 054393 112248	2.40	130	2	500-750-1000
161-36-300	8 054393 112255	3.00	160	2	500-750-1000

BayReef

BAY REEF SPECIAL SABIKI

CX-1 CARBON · STS SPIRAL TIP SYSTEM · sea·guide

- Spliced top section with fibreglass solid tip; the tip is then wrapped with a special filament which gives it an additional strength and an enhanced sensitivity (STS)
- Put in joint with structural reinforcements on both sides
- Splitted EVA handle with shaped EVA fore grip to provide optimal grip
- Graphite screw reel seat, large enough to accept big size reels

PVD FRAME CORROSION FREE

SiC sea·guide

		m	cm		g
161-44-100	8 054393 125903	2.50	131	2	100
161-44-200	8 054393 125910	2.50	131	2	150

Both series Special Sabiki and Special Dorada feature a special anatomic Sea Guide reel seat with contact windows on the rod's blank.

BAY REEF SPECIAL SPARIDE

CX-1 CARBON · STS SPIRAL TIP SYSTEM

- Series designed for coastal bolentino to all Sparidae
- Spliced top section with fibreglass solid tip; the tip is then wrapped with a special filament which gives it an additional strength and an enhanced sensitivity (STS)
- Put in joint with structural reinforcements on both sides
- Splitted EVA handle with shaped EVA fore grip to provide optimal grip
- Special Sea Guide graphite screw reel seat, large enough to accept big size reels
- EVA butt grip flattened and cut to ease the insertion into the rod holder

PVD FRAME CORROSION FREE

SiC sea·guide

		m	cm		g
161-47-240	8 054393 136817	2.40	130	2	120
161-47-270	8 054393 136824	2.70	140	2	120

BAY REEF SPECIAL KAREI

CX-1 CARBON · STS SPIRAL TIP SYSTEM

- Two section's blanks made from CX-1 Micro Pitch High Modulus Carbon
- Spliced top section with fibreglass solid tip; the tip is then wrapped with a special filament which gives it an additional strength and an enhanced sensitivity (STS)
- Put in joint with structural reinforcements on both sides
- Splitted EVA handle with shaped EVA fore grip to provide optimal grip
- Graphite screw reel seat, large enough to accept big size reels

PVD FRAME CORROSION FREE

SiC sea·guide

		m	cm		g
161-45-100	8 054393 125927	2.10	110	2	100
161-45-200	8 054393 125934	2.10	110	2	150
161-45-300	8 054393 125941	2.40	125	2	150
161-45-400	8 054393 125958	2.70	140	2	150

All Bay Reef fit Sea Guide quality guides, with double and single leg frame protected against corrosion by means of a special chemical process called PVD (Physical Vapor Deposition). Wrappings are double, in order to completely seal the contact areas of the feet with the rod's blank, preventing saltwater to penetrate.

STS SPIRAL TIP SYSTEM

All Bay Reef rods are characterized by a special technical solution around the solid tip, which is identified by STS name. It's well known that it is a part subject to breakages, not only because it is intended to be dramatically curved under heavy loads; that's why we applied a spiral winding which protects it from any risk. But such reinforcement does not affect the sensitivity of the tip, because the spiral follows the bend elastically, actually distributing the stress along the entire structure.

BAY REEF SPECIAL DORADA

CX-1 CARBON · STS SPIRAL TIP SYSTEM · sea·guide

- Spliced top section with fibreglass solid tip; the tip is then wrapped with a special filament which gives it an additional strength and an enhanced sensitivity (STS)
- Put in joint with structural reinforcements on both sides
- Splitted EVA handle with shaped EVA fore grip to provide optimal grip and powerful lever during fish fight
- Graphite screw reel seat, large enough to accept big size reels

PVD FRAME CORROSION FREE

SiC sea·guide

		m	cm		g
161-43-100	8 054393 125637	2.40	126	2	80
161-43-200	8 054393 125644	2.70	141	2	80

Both series Special Sabiki and Special Dorada have a special handle grip at the butt section's bottom end, shaped to find space under the user's armpit. Laser engraved Bay Reef logo.

BAY REEF SPECIAL IKA

CX-1 CARBON + E-GLASS BLANK · STS SPIRAL TIP SYSTEM · sea·guide

- Series designed for vertical squid fishing with lures
- Spliced top section with fibreglass solid tip; the tip is then wrapped with a special filament which gives it an additional strength and an enhanced sensitivity (STS)
- Put in joint with structural reinforcements on both sides
- Splitted EVA handle grip to provide optimal grip and powerful lever during fish fight
- Special Sea Guide graphite screw reel seat with contact windows on the blank
- EVA butt grip flattened with laser engraved Bay Reef logo

PVD FRAME CORROSION FREE

SiC sea·guide

		m	cm		g
161-48-210	8 054393 136947	2.10	110	2	100
161-48-240	8 054393 136954	2.40	125	2	100

PULSE MAX DEEP

2 FLEX X TIP CX-1 CARBON

- Series designed for heavy bolentino and medium trolling
- Strong yet sensitive E-Glass tip, inserted from top and glued
- EVA split handle for perfect control and easy cleaning
- Ergonomic graphite screw reel seat, with steel hood

SiC

		m	cm		g
161-70-100	8 054393 137005	2.70	140	2+2	250
161-70-200	8 054393 137012	3.00	160	2+2	250
161-70-300	8 054393 137029	2.70	140	2+2	400
161-70-400	8 054393 137036	3.00	160	2+2	400

PULSE BOLENTINO

CX-1 CARBON

- Special series developed for bolentino and light drifting
- Spliced top section with strong yet sensitive fibreglass solid tip
- Put over joint with structural reinforcements on both sides
- Splitted EVA handle with shaped EVA fore grip to provide optimal grip and powerful lever during fish fight
- Ergonomic graphite screw reel seat, large enough to accept big size reels

SiC

		m	cm		g
161-71-021	8 054393 141453	2.10	110	2	150
161-71-024	8 054393 141460	2.40	130	2	150
161-71-027	8 054393 141477	2.70	140	2	150
161-71-210	8 054393 137043	2.10	110	2	200
161-71-240	8 054393 137340	2.40	130	2	200
161-71-270	8 054393 136848	2.70	140	2	200

Find out more on pag 263

ACHAB MASTER SEA

S-SiC

		m	cm		g
165-84-100	8 054393 135773	1.80	100	2	30-300
165-84-200	8 054393 135780	2.10	110	2	30-300
165-84-300	8 054393 135797	2.40	130	2	30-300

- Series developed for heavy bolentino and light trolling
- Graphite screw reel seat with steel hoods, fitted upside down to resist extreme pulls
- High density EVA handle and fore grip, with laser engraved Achab logo
- Rubber fighting butt cap

ACHAB MAX DEEP

HVE HIGH VOLUME EPX-FIBER POINT

S-SiC

		m	cm		g
161-17-210	8 054393 135742	2.10	119	2	250
161-17-240	8 054393 135759	2.40	130	2	250
161-17-270	8 054393 135766	2.70	140	2	250

- Boat rod designed for bolentino, structured in two fiberglass sections with put-in joint
- Spliced top section, with sensitive solid glass tip
- Split handle made from high density EVA
- Graphite screw reel seat with contact window on the blank (Contact Point)

ACHAB XP BOAT

HVE HIGH VOLUME EPX-FIBER POINT

S-SiC

		m	cm		g
161-13-100	8 054393 126047	1.80	101	1+1	150
161-13-200	8 054393 126054	2.10	116	1+1	150
161-13-300	8 054393 126061	2.40	131	1+1	150
161-13-400	8 054393 126078	2.70	146	1+1	150
161-13-500	8 054393 126085	1.80	99	1+1	200
161-13-600	8 054393 126092	2.10	114	1+1	200
161-13-700	8 054393 126108	2.40	129	1+1	200
161-13-800	8 054393 126115	2.70	144	1+1	200

- Spliced top section with high sensitivity fiberglass solid tip
- Put in joint with structural reinforcements on both sides
- EVA handle with shaped EVA fore grip to provide optimal grip
- Graphite screw reel seat, with open windows to allow direct contact with the blank

ACHAB TEKNO SEA 150-200

HRC HIGH RESISTANCE COMPOSITE

		m	cm		g
160-87-100	8 054393 125866	1.20	120	1	150
160-87-200	8 054393 125873	1.50	150	1	150
160-87-300	8 054393 125880	1.20	120	1	200
160-87-400	8 054393 125897	1.50	150	1	200

- Blanks made with powerful action
- Progressive action tip
- EVA handle with shaped fore grip for better control
- Screw graphite reel seat with steel hoods large enough to accept big size reels

TRABUCCO

SQUID, EGING & SABIKI

BAY REEF	SPECIAL IKA	124
PULSE	NEW SPECIALE EGI	124
	EGING MASTER	124
ACHAB	SQUID STICK 100-120-150	125
	MAX SQUID	125

ICONS LIST

- Length
- Casting Weight
- MODEL Model
- Diametre
- Weight
- EGI C.W. (g)
- Closed Length
- Sections Nr

BAY REEF SPECIAL IKA

CX-1 CARBON + E-GLASS BLANK | STS SPIRAL TIP SYSTEM | sea·guide

- Series designed for vertical squid fishing with lures
- Spliced top section with fibreglass solid tip; the tip is then wrapped with a special filament which gives it an additional strength and an enhanced sensitivity (STS)
- Put in joint with structural reinforcements on both sides
- Splitted EVA handle grip to provide optimal grip and powerful lever during fish fight
- Special Sea Guide graphite screw reel seat with contact windows on the blank
- EVA butt grip flattened with laser engraved Bay Reef logo

PVD FRAME CORROSION FREE

SiC sea·guide

	m	cm		g
161-48-210	2.10	110	2	100
161-48-240	2.40	125	2	100

NEW PULSE SPECIAL EGI

HVE HIGH VOLUME EPX-FIBER

- Spinning rod series designed for inshore spinning to squid and cuttlefish
- Splitted EVA handle grip to provide optimal grip and powerful lever during fish fight
- Graphite screw reel seat with rubber lined steel hoods

SiC

	m	cm		EGI
161-73-010	2,40	2	125	#2.0-3.0
161-73-020	2,40	2	125	#2.5-3.5
161-73-030	2,60	2	135	#2.5-3.5

PULSE EGING MASTER

CX-1 CARBON

- Spinning rod series designed for inshore spinning to squid and cuttlefish
- Handle made from high density EVA for nice comfort and control
- Graphite screw reel seat with rubber lined steel hoods

SiC

	m	cm		EGI
161-72-230	2.30	120	2	#2.0-3.5
161-72-240	2.40	125	2	#2.0-3.5
161-72-250	2.50	130	2	#2.0-3.5

ACHAB SQUID STICK 100-120-150

HRC HIGH RESISTANCE COMPOSITE + HVE HIGH VOLUME EPX-FIBER



- Blanks made from HRC (High Resistance Composite) with powerful and progressive action, also displaying a great sensitivity
- Butt section made from HVE (High Volume Epoxy-Fibre) in which the top section is inserted
- EVA splitted handle, with shaped fore grip and specially designed butt grip to ease the quick fitting in the rod holder
- Graphite screw reel seat, with stainless steel hoods large enough to accept big sized reels.

SiC

		m	cm		g
160-86-100	8 054393 126221	1.65	111	1+1	10-100
160-86-200	8 054393 126238	1.80	131	1+1	10-100
160-86-300	8 054393 126245	1.65	111	1+1	10-120
160-86-400	8 054393 125835	1.80	131	1+1	10-120
160-86-500	8 054393 125842	1.65	111	1+1	10-150
160-86-600	8 054393 125859	1.80	131	1+1	10-150

ACHAB MAX SQUID

HVE HIGH VOLUME EPX-FIBER CONTACT POINT

- Boat rod designed for squid vertical fishing or light drifting
- Sensitive solid fiberglass tip, painted in orange and yellow
- High density EVA split handle, with laser engraved Achab logo
- Special graphite reel seat with wide contact window (Contact Point)

SiC

		m	cm		g
161-12-160	8 054393 139504	1,60	90	2	150
161-12-180	8 054393 139511	1,80	100	2	150
161-12-200	8 054393 139528	2,00	105	2	150

TRABUCCO

TROLLING

ZARATAN	ACID PLUS	127
	LIVE ACID	127
WINDROSE	ACID PLUS	128
	ACID	128
BOREAS	LIVE TROLLING ACID	129
TSUNAMI	FIGHTER	129

ICONS LIST

- Length
- Diametre
- Closed Length
- Casting Weight
- Line Class
- Sections Nr
- MODEL Model

ZARATAN ACID PLUS

E-GLASS BLANK XTREME ACTION PACBAY



- Series designed for Tuna drifting
- Genuine Pacific Bay heavy duty aluminium screw reel seat with twin locking nut
- Slick Butt handle, with EVA fore grip to provide safe handling and total control
- Aluminium gimbal butt with rubber protective cap

ACID SPYRAL GUIDE SYSTEM

SiC Heavy Duty x8 sea·guide

		ft/m	cm		lb
167-21-100	8 054393 126395	6'6" (2,00)	200	1	25-40
167-21-200	8 054393 126405	6'6" (2,00)	200	1	30-60
167-21-300	8 054393 126412	6'6" (2,00)	200	1	50-80

Slick Butt with black aluminium gimbal butt, provided with round rubber removable cap.

Attractive colour's blanks and wrappings, to quickly identify each rod's action class.

Black Heavy Duty aluminium screw reel seat, fitting twin locking nuts for high safety.

Sea Guide Heavy Duty frame guides, with double wrappings of same blank's colour.

ZARATAN LIVE ACID

E-GLASS BLANK XTREME ACTION PACBAY

- Specific models for live bait trolling with downriggers
- Genuine Pacific Bay heavy duty aluminium screw reel seat with twin locking nut
- Slick Butt handle, with EVA fore grip to provide safe handling and total control
- Aluminium gimbal butt with rubber protective cap

ACID SPYRAL GUIDE SYSTEM

SiC Heavy Duty x9 sea·guide

		ft/m	cm		lb
167-21-010	8 054393 137524	7' (2,13)	213	1	12
167-21-020	8 054393 137531	7' (2,13)	213	1	20

WINDROSE ACID PLUS



- Detachable Slick Butt
- Heavy duty ALPS™ aluminium screw reel seat with double locking nut
- EVA fore grip designed to provide safe handling and total control
- Aluminium gimbal butt with rubber protective cap

		ft/m	cm		lb
167-28-010	8 054393 138170	6'6" (2,00)	164	1+1	8
167-28-020	8 054393 138187	7' (2,15)	179	1+1	8

High density EVA fore grip, ribbed to provide safe handling and total control during fight.

WINDROSE ACID

- Detachable Slick Butt
- Heavy duty ALPS™ aluminium screw reel seat with double locking nut
- EVA fore grip designed to provide safe handling and total control
- Aluminium gimbal butt with rubber protective cap

		ft/m	cm		lb
167-28-100	8 054393 124609	6'6" (2,00)	164	1+1	12
167-28-200	8 054393 124616	6'6" (2,00)	164	1+1	20
167-28-300	8 054393 124623	6'6" (2,00)	164	1+1	30
167-28-400	8 054393 124630	7' (2,15)	179	1+1	12
167-28-500	8 054393 124647	7' (2,15)	179	1+1	20
167-28-600	8 054393 124654	7' (2,15)	179	1+1	30

Corrosion free Sea Guide low profile guides with SiC oval ring, fitted by double wrappings.

Anodized aluminium gimbal butt, supplied with round rubber removable protective cap.

ACID SPYRAL GUIDE SYSTEM

The Acid rods differ from all the other trolling rods by a peculiar guide's configuration, which is known worldwide as "Acid" or "Spiral Wrapped". Instead of being in line, they follow a spiral which surrounds the blank, getting aligned only in the top area, with the last guides and the top guide oriented downward. So the line never touches the blank, when the power of a big fish bends it to the limit, without inducing abnormal twists in the rod and reducing fatigue with the user.

In order to ease the intervention of the thumb during the line spooling, the stripper guide is offset by 7° to the left, with respect to the axis of reel seat's hoods.

BOREAS LIVE TROLLING ACID

- Model designed specifically for Live Bait trolling
- Ultrafine blanks made from Nano Fiber Carbon to obtain an extreme slimness/sharpness ratio
- Sea Guide double leg guides with stainless steel frame and SiC ring, fitted by double wrappings all around the blank
- Fuji Heavy Duty graphite screw reel seat
- Comfortable handle grip made from high density EVA
- Aluminium gimbal butt with rubber protective cap
- Long and slim EVA fore grip designed to provide safe handling and total control

		ft/m	cm		lb
167-29-100	8 054393 153135	6'6" (2,00)	200	1	8
167-29-200	8 054393 153142	6'6" (2,00)	200	1	12
167-29-300	8 054393 153159	6'6" (2,00)	200	1	20
167-29-400	8 054393 153166	7' (2,15)	215	1	8
167-29-500	8 054393 153173	7' (2,15)	215	1	12
167-29-600	8 054393 153180	7' (2,15)	215	1	20

TSUNAMI FIGHTER

- Structure made by two sections equal size to obtain a compact closed length
- EVA handle grip, with shaped fore grip to provide a firm handling during fish fight
- Screw reel seat with rubber lined steel hoods
- Gimbal butt with removable rubber cap

		ft/m	cm		lb
167-32-100	8 054393 112224	6' (1.80)	100	2	12-30
167-32-200	8 054393 112231	7' (2.10)	106	2	12-30

HOBBY

ICONS LIST

Length	Casting Weight	MODEL Model
Diametre	Weight	ACTION Action
Closed Length	Sections Nr	

DAYTON FEEDER

HRC HIGH RESISTANCE COMPOSITE

					ACTION	MODEL
163-22-330	3.30	115	3+2	MH 90 g	CARP
163-22-360	3.60	126	3+2	MH 90 g	CARP
163-23-360	3.60	126	3+2	H 120 g	RIVER
163-23-390	3.90	136	3+2	H 120 g	RIVER
163-24-360	3.60	126	3+2	HH 150 g	POWER
163-24-390	3.90	136	3+2	HH 150 g	POWER

- Two interchangeable fibreglass tips (Medium and Heavy) stored in a plastic tube for protection during transport
- Integrated screw reel seat with steel and rubber hoods
- EVA split handle for comfortable control and easy cleaning

S-SiC

NEW PULSE SPIN MASTER

HVE HIGH VOLUME EPX-FIBER

125-40-010	2,10	2	110	05-20
125-40-020	2,30	2	120	08-25
125-40-030	2,40	2	125	10-30
125-40-040	2,60	2	135	15-40

- Spinning rod series designed for inshore spinning to squid and cuttlefish
- Splitted EVA handle grip to provide optimal grip and powerful lever during fish fight
- Graphite screw reel seat with rubber lined steel hoods

SiC

VULCANIA BOLO

POWER FIBRE

163-77-300	3.00	115	3
163-77-400	4.00	115	4
163-77-500	5.00	115	5

- Compact closed length for easy transport
- Allround action, also good for saltwater fishing purpose
- Reliable structure for a possible convertion into bolognese rod

S-SiC

WIZARD SPIN

HRC HIGH RESISTANCE COMPOSITE



- Two sections blanks made from HRC High Resistance Composite Carbon
- Suitable for fresh and saltwater spinning
- For different actions: M-MH-H-HH, identified by the logo colour on butt section
- Wrapped guides with S-SiC ring
- Strong screw reel seat with metal hoods
- EVA handle for comfortable control and easy cleaning

S-SiC

		m	cm		
163-46-180	8 054393 153890	1.80	94	2	10-30
163-46-210	8 054393 153906	2.10	108	2	10-30
163-46-240	8 054393 153920	2.40	123	2	10-30
163-46-215	8 054393 153913	2.10	108	2	15-40
163-46-245	8 054393 153999	2.40	123	2	15-40
163-46-275	8 054393 154026	2.70	140	2	15-40
163-46-246	8 054393 154002	2.40	123	2	20-60
163-46-276	8 054393 154033	2.70	140	2	20-60
163-46-248	8 054393 154019	2.40	123	2	40-80
163-46-278	8 054393 154040	2.70	140	2	40-80

WIZARD SEA BASS

HRC HIGH RESISTANCE COMPOSITE

		m	cm		
163-79-350	8 054393 153937	3.50	122	4	150
163-79-390	8 054393 153944	3.90	134	4	150
163-80-350	8 054393 153951	3.50	122	4	180
163-80-390	8 054393 153968	3.90	134	4	180

- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- 4 section blanks made from High Resistance Carbon
- Two different actions: 150 g, 180 g
- S-SiC HD double leg guides with corrosion proof frame
- Graphite screw reel seat with no corrosion steel hood

S-SiC

WIZARD RIVER & LAKE

HRC HIGH RESISTANCE COMPOSITE

		m	cm	
163-28-330	8 054393 153937	3.30	115	4
163-28-350	8 054393 153944	3.50	122	4
163-28-390	8 054393 153951	3.90	132	4

- Telescopic rod with parabolic action; great for fishing from the beach as well as rocks or piers
- 4 section blanks made from High Resistance Carbon
- Three different length with action 150 g
- Extremely sensitive solid carbon tip with hi-viz paint finish
- S-SiC HD double leg guides with corrosion proof frame
- Graphite screw reel seat with no corrosion steel hood

S-SiC

REELS

The new Trabucco reel's collection include some real jewels from mechanical point of view, with metal bodies highlighting the hi range models on performance side, plus some interesting innovations which are destined to draw the attention. As always, we have spent our best energies to care about design, because we believe that fishing tackle shouldn't just have an utility, but should also be nice. After all, we are Italians, and would like the world to notice it!

THE BODY

The stiffness of reel's structure is very important to allow a smooth rotation of inner gear, because all mechanisms are fitting to the body in many points. A really stiff body offers safe, stable and firm anchorage to internal parts, while a normal one, subject to deformations under load, actually limits their freedom and creates the well known sticky effect which - for too long time - has been regarded as synonymous of quality. The precision and high quality of gears are useless if the body is subject to flex and torque. The same applies to ball bearings: an high number doesn't improve the rotation power if their seat is prone to deformation.That's why more and more Trabucco quality reels are built around a metal body, being it the ultralight magnesium alloy or the versatile and convenient aluminium. The difference is immediately felt during a strong fish fight, as the line is easily retrieved, without forcing with the rod. A totally new mix of emotions, able to change the fishing pleasure and confirm Trabucco brand as one of the most attractive in the world.

METAL BODY — Body and rotor fully made of premium quality metal alloys, built to withstand the most challenging situations and to last in time. This technology belongs to top range reels only.

Mg ULTRA LIGHT MAG BODY — With a specific gravity 20% lower than aluminium and an even higher stiffness, the Magnesium alloy is definitely the most advanced material to produce reel's bodies. Great fashion, but also great performances.

XTRA TOUGH BODY — Innovative material added of uni directional Carbon micro fibres. This technology is the ideal combination between light weight and stiffness. It is naturally corrosion free and we use this material for high performance reels only.

ULTRA LIGHT CARBON BODY — Innovative technology that allowed us to produce fully Carbon Body and rotor, the top you can get in terms of lightness and still able to grant a great resistance to mechanical stress. As per the Metal Body this technology has been used for top range reel only.

ALUMINIUM GRAPHITE HYBRID BODY — Hybrid Body means a body made of aluminium and graphite. The aluminium has the task to withstand the mechanical stress, while the graphite helps to keep the weight as light as possible. Hybrid Body reels can grant you to fish safely and with light equipment.

GRAPHITE BODY — It is the more common material used in the fishing tackle industry for reel building: light weight and reliable. It is anyway a very important step to add an appropriate structural development to get outstanding performance from it. Only a few companies can do it properly.

THE GEARS

4.1:1 GEAR RATIO — **GEAR RATIO.** It defines the number of revolutions performed by the rotor around the spool for each complete turn of the handle. The larger the first number, the quicker the reel. Obviously the spool's diameter plays an important role: for a correct evaluation we suggest to pay attention to the amount of line recovered per turn of the handle, indicated between brackets in the tables of this catalogue. In general, we recommend fast reels for long distance fishing techniques and slower models where instead more cranking power is requested.

5+1 BB SYSTEM — **BALL BEARING SYSTEM.** A well designed mechanic uses only high quality ball bearings to improve the gears motion. The BBS indication on each product, provides the number of the bearings used on the reel. The first figure is the quantity of the ball bearings used, whilst the second is the number of the roller bearing. The roller bearing is one-way only, and it's positioned on the central pinion to force the rotation and prevents the reels from the even the smallest back turn, also known as the "One way clutch". The ball bearings reduce friction of moving parts and the more there are, the better the mechanics work.

LONG LIFE GEAR

We have to talk about raw materials and in particular metals, because these are at the heart of all the gears. Durability and performance of derive mainly from the quality of the materials involved in the construction of pinions, gears and bearings... for these mechanical parts Trabucco uses only the best quality materials such as bronze and steel... we don't use other materials because only these can provide the reliability standard and resistance that our customers deserve.

PG (PRECISION GEAR)

Are the basis of the mechanical function of our reels. The fluidity and smoothness of rotation that Precision Gears provide is responsible for the speed and above all of the power of the reel. The rotors and the gears of our reels featuring the PG technology are designed using the latest 3D softwater, thus to guarantee the perfect assembly of every single part to improve efficiency and reduce friction.

After so many years from the date we started to sell our first models, we are still engaged into design and development like it was the very first day. The many innovations that you will find in the new models are the result of assiduous research done on the main characteristics that must have a perfect reel. Our aim is to offer you products that stand out from the crowd for their reliability and performance.



LINE MANAGEMENT SYSTEM

WORM SHAFT GEAR WSG

WORM SHAFT GEAR. The worm gear is a double groove engraved into a pinion. In this way the traction is carried with uniformity, reducing friction and giving a smoother retrieve. The Worm Shaft Gear is also reducing line tension, responsible of the oscillations of the spool and so the line winding is perfect.

SOS SLOW OSCILLATION SYSTEM

SLOW OSCILLATION SYSTEM. It is the most evolved line laying system. During the retrieve action the SOS slow down the spool oscillation movement in regard to rotor speed, allowing a more accurate and compact line lay. Looking carefully at the spool you will notice a different speed going from bottom to top and vice versa. This technology, applied on top range reels, always grant a perfect line lay and avoid line wigs when castings.

CROSS WINDER

CROSS WINDER. To those fishermen who do not have a complete experience of the art of fishing, which use either mono or braided lines, we recommend to buy a reel with the "cross winder" line spooling system, instead of a reel with the most performing WSG. The spooling is very tidy with Cross Winder, provides good casting distances and reduces the possibility of tangles. The "X" spooling in fact compact lines and allows a best spooling even with lower tensioned mainline.

ROLLER ANTITWIST SYSTEM

ANTITWIST SYSTEM. Traditional line rollers force tension on to the line at every turn of the handle and this can cause line tangles. All our reels nowadays are fitted with the new Anti twist line roller together with WSG and SOS systems to avoid this problem and also extending the life of even the lightest of the monofilaments.

POWERBAIL

TUBOLAR BAIL. In several models, we introduced a aluminum tubolar bail that is larger than traditional ones. Although larger, these new bails are lighter and more durable than traditional. Due to their special shape and the innovative conical joint, they drive automatically monofilament inside the line roller even when the nylon is not perfectly under tension.

ROTOR STOP SYSTEM

Even in the highest quality reels sometimes during the cast the bail arm can accidentally close. With this new locking system, fitted onto the rotor, this risk has been almost completely eliminated. The angler is advised by an audible click that the bail arm is locked correctly.

ANTIREVERSE SYSTEM

ONE WAY CLUTCH

ONE WAY CLUTCH (INFINITE ANTI-REVERSE). By operating a small lever, usually positioned under the body of the reel, the operation of the unidirectional roller bearing that blocks the rotor is switched on or off.

MULTI STOP SYSTEM

MULTI STOP SYSTEM (ANTI-REVERSE). On reels that don't have a roller bearing, we have designed a valid rotor locking system that sequentially brakes the rotor when it rotates in the opposite direction to that of line winding.

VIBRATION DAMPER

AVS ANTI VIBRO SYSTEM

ANTI VIBRO SYSTEM. We asked our designers the challenge to minimize or even cancel the vibrations emitted by reels during the recovery phase. Thanks to the new 3D software, they have been able to design well balanced rotors (Super Balance System) but for top range reels we wanted something more. We focused on the stabilization of the gears and the subsequent cancellation of the games that swing the spool. The result is excellent, the pinion holds the spool firmly on its axis and this does not oscillate even when drag is in traction. We are particularly pleased with the results ... You just have to try.

SBS Super Balance System

SUPER BALANCE SYSTEM. This new technology is obtained just using the latest computers 3D softwares, which allows the designing and later the construction of perfectly balanced rotors without the addition of external weights. The resulting balance reduces any vibrations of the reel during the recovery. All our reels are designed using these softwares and deeply tested before the production, and you'll find at least the SBS system across the whole range.

DRAG SYSTEM

MICROMETRIC DRAG

The drag is a device whose operation depends from the friction generated by mechanical rubbing between the brake washers that make up the brake system. The drag power is determined by the number of the washers, their diameter and the material they are made. Its power is directly proportional to the number of washers and their diameter. The most used washers on our range are made PTFE coated (felt discs in PTFE based oil bath), while the more expensive reels feature carbon cloth washers, that provides even higher performance. The drag quality is primarily determined by its smoothness, drag must operate smoothly even under high pressure. Another point is the micro adjusting, which means that to each click of the knob must be corresponding into a micro increase or decrease of the power. The Trabucco reels stand out because of the high drag power and the excellent progression of the drag.

FAST PLAY DRAG

Brand new drag system featuring a dual-presetting mode that incorporates in one single device all the free runner drag facilities. It acts directly into the spool, allowing to have a more direct, progressive and fine tuning drag system. The free spool setting is regulated by the inner knob, while to switch to the combat drag is enough to half turning the main drag knob.

FREE RUNNER

When this device entered carp fishing with such force it revolutionised the sport to such an extent it became essential. It is now also much favoured in other freshwater and saltwater applications The free runner lever situated on the back of the body allows the angler to switch from the pre-tensioned drag for fish playing to the "free" position, and back again easily. On our reels all the Free Runner reels features oversized washers to always guarantee a good control and smoothness.

MAX DRAG (DRAG BRAKING POWER)

Only in the Top Range reels, the most expensive and mainly dedicated to the sea fishing, which shows the MAX DRAG power. Carefully measured and expressed in kgs, the real drag power is calculated during the traction with disks fully engaged. Warning, drag must operate during the calculation of the Max Drag, if the disks are blocked the Max Drag increases, but the drag is not working properly and the measurement is invalid. For Trabucco Max Drag means real drag braking power.



LINE'S MANAGEMENT

CNC MACHINE CUT ALUMINIUM SPOOL Top range reels feature spools tooled "bleed" from one piece of solid aluminum. The CNC machine lathe ensures a complete perfection of shape, the maximum smoothness of the line during casting, exceptional tensile strength, pressure and any other force exerted. CNC aluminum spool are extremely lightweight but yet offer the highest structural resistance to impact and abrasion.

V-SPOOL DESIGN. The V-Spool Design spools reduce the fiction between the line and the lip during the cast, reducing the number and the diameter of the coming out coils and thus reducing dramatically the risks of tangles when using braided lines. The lower friction make your casts longer and more accurate too, improving your fishing experience and extending the life of your spooled line.

OVERSIZED SPOOL DESIGN

OVERSIZE SPOOL DESIGN. Wider line coils, with smoother flowing during the cast and lower tangle risk. Higher quantity of line retrieved per handle turn: practically, exactly as the reel had a faster gear ratio.
Better drag performance, specially at the start, due to bigger distance from line bulk and disk's axis. Room for wider drag disks: higher drag efficiency, better heat dispersion. Better control with hand's fingers, thanks to the shorter distance between spool's lip and rod's handle. Thanks to tapered profile of the spool's skirt, it fits the whole available room between rotor's arms, with lower risk of line tangle and definitely better look of the reel.

SUPERLIGHT SPOOLS. On medium range reels, just to contain the final cost, we preferred to fit graphite spool instead of the metal. The graphite is a ruuged and lightweight material, it is often used for the construction of the reels bodies and thanks for his technical / structural well-suited features is perfect for the construction of the spools. The reels have been equipped with a graphite spool are marked on the box with Superlight logo.

SPARE SPOOLS. Trabucco gives you the chance to duplicate and even triplicate the spools of the reel you have purchased. Many of our models have one or more spare spools in order to give the buyer the opportunity to load lines of different diameters, or braided or nylon. By doing so you can fish with a single reel in many ways or with different techniques. The number shown in the logo indicates the number of spare spools the reel comes with.

SEA FISHING TECHNOLOGIES

SWT (SALT WATER TREATED). The SWT (Salt Water Treated) is a recent manufacturing process, less efficient if compared to the SWR but still allowing using the reel in salt water for a long time without any corrosion risk. Under strong loads and in tough conditions, typical of salt water game, the SWT does not add any weight to the whole reel. This new manufacturing process is using special hi tech varnishes and it used on all the parts sensible to salt, making them even harder. In a nut shell this procedure will not only make your reel salt water resistant but just more resistant to all solicitations.

SWR (SALT WATER RESISTANCE). A construction technology applied to the reels dedicated to saltater fishing and who affects all the metal parts (making them unassailable by salt, UV and temperature), all the seals (to prevent the sea water comes into contact with the mechanics, with special O-ring were sealed all possible splits), and even the mechanical parts (suitably enhanced depending on the type of prey that you want to capture and type of technique fishing must be adopted).

AVS
ANTI VIBRO SYSTEM
3000 FA
INVICTUS
4000FA
MAX DRAG
10kg / 22lbs
ZERO
4500 FA
TRABUCCO

FRONT DRAG

INVICTUS		138
VIRTUS		139
NEW FIRECORE		140
XENIAL	SW	141
XSENSE		142
MANIAC	FD	143
SHARP		143
ZERO	FA	144
XPLORE	CX	144
HELIUM	FA	145
XPLORE	LTX	145
NEW KERES	NEW CX	146
	NEW LTX	146
AIRMAG		147
LANCER	HS	147
XPLORE	NEW MTC	148
	MATCH	149
	GT	149
VERTEX		150
SKORPION		150
LEXAN		151
NEOX		151
BRAVE	FA	152
	LITE	152
KRIUS	FA	153
	SW	153
ZEPHYR		154
VENGER		154
NEW VIDAR		155
NEW MITO	XLT	155
SF1		156
NEW ARROW	XTC	156
MARVEL	XTC	157
NEW KRONOS	SFX	157
BLAZE	XT	158
REIZ	SR	158
PROX	FD	159
MANTIS	FDX	159
XANTHOS	STC	160
SONIC	FD	160
HYDRUS	FD	161
VEKTOR	FD	161
NEW ACHAB	SW	161

ICONS LIST

TYPE Type
SIZE Size
g Weight
KG Breaking Strenght
Gear Ratio
Ball Bearings
Capacity ø
Spare Spool

INVICTUS

- Super stiff aluminium body
- Aluminium side cover
- Ultralight carbon rotor
- Aluminium hollow bail
- Anti-twist Titanium line roller
- Main deep aluminium spool (on twin BB)
- Spare match aluminium spool, featuring a rubber band to avoid braided lines slipping under extreme tension
- Sealed drag to avoid water, salt and dust getting inside
- Stainless steel main shaft

All ball bearings are sealed on both sides to keep grease inside and avoid water, sand and salt getting in and possibly affecting their rotation.

On each side of the body there are two steel plates, which are destined to raise stiffness along handle axis. The positive effect is easily felt during a fish fight.

The reel's structure is an hi-tech "full metal", as both body and side cover are made from aluminium to offer the best possible stiffness and durability.

The high capacity spool has parallel grooves in the throat, which are intended to give a correct start to line's spooling. That's why the spool's label must always be removed!

The spare spool has a reduced capacity to ease thin line's loading. The central rubber band is there to avoid braided line's slipping under extreme pulls.

On right, the Invictus rotor is made from high modulus carbon, the stiffest and lightest among the materials which can bear enormous load and stress. Its essential design is not only a fantastic fashion detail, but plays an important role on balance and rotation smoothness points of view. As a matter of fact, its lightness pushes back the reel's barycentre, while reducing the energy needed to cause the rotation. The computer drew it asymmetric in order to counterbalance the bail's weight, thus optimizing the rotation's smoothness of the whole reel.

In order to ease the control of the operations during the fight with powerful fish, the Invictus 5000 has been designed with a rubber "T" shape handle knob.

The line roller is designed to avoid line torque at each handle's turn, so that line will flow smoothly and last longer (Anti Twist System).

ALUMINIUM AC GRAPHITE HYBRID BODY | SUPER LIGHT ALU | ALUMINIUM 1x SPARE SPOOL | 5.2:1 GEAR RATIO | 9+1 BB SYSTEM

POWERBAIL | AVS ANTI WIND SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CW CROSS WINDER

		SIZE	g					
033-98-250	8 054393 012357	2500	275	5.2:1 76 cm	Ø 0.26 200 m	7.3	1	9+1
033-98-400	8 054393 012388	4000	310	5.2:1 84 cm	Ø 0.28 260 m	10	1	9+1
033-98-500	8 054393 012418	5000	330	5.2:1 88 cm	Ø 0.31 250 m	10	1	9+1

SPARE SPOOL		SIZE	TYPE	
033-98-251	8 054393 012364	2500	Alu Deep	Ø 0.26 200 m
033-98-252	8 054393 012371	2500	Alu Match	Ø 0.20 100 m
033-98-401	8 054393 012395	4000	Alu Deep	Ø 0.28 260 m
033-98-402	8 054393 012401	4000	Alu Match	Ø 0.20 150 m
033-98-501	8 054393 012425	5000	Alu Deep	Ø 0.31 250 m
033-98-502	8 054393 012432	5000	Alu Match	Ø 0.26 130 m

VIRTUS

- 9 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Full Metal Body
- Aluminium Match Spool with rubber band to avoid braided line's slipping under strong pull
- Front Drag with Stainless Steel & Carbon Textile Washers
- Fully sealed Drag (100% Water & Dust Proof)
- Positive-Screw-Lock CNC Handle & Fighting Knob
- Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- Twin Ball Bearing Spool

Two stylish plates made of carbon and steel, stiffen the body on both sides.

A soft rubber band prevents braided lines from slipping under strong pulls, while the two line clips, round shaped and spring loaded, are vital for feeder fishing.

The handle operates directly on to drive gear, avoiding any power loss. The handle can be fold down in order to limit the reel's volume during transport.

OVERSIZED SPOOL DESIGN

METAL BODY | V SPOOL DESIGN | 5.2:1 GEAR RATIO | 7.3 Kg MAX DRAG | 9+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g			Kg	
034-16-200	8 054393 116581	2000	250	5.2:1 68 cm	Ø 0.20 100 m	7.3	9+1
034-16-250	8 054393 116604	2500	290	5.2:1 76 cm	Ø 0.20 120 m	7.3	9+1
034-16-400	8 054393 116628	4000	320	5.2:1 84 cm	Ø 0.20 150 m	10	9+1
034-16-500	8 054393 116642	5000	345	5.2:1 88 cm	Ø 0.20 180 m	10	9+1

SPARE SPOOL		SIZE	TYPE	
034-16-201	8 054393 116598	2000	Alu	Ø 0.26 200 m
034-16-251	8 054393 116611	2500	Alu	Ø 0.20 100 m
034-16-401	8 054393 116635	4000	Alu	Ø 0.28 260 m
034-16-501	8 054393 116659	5000	Alu	Ø 0.20 150 m

NEW FIRECORE

- Designed without anti-reverse for endless contact with lure
- Full Metal body and hyper-balance rotor
- 9 Precise Double-Shielded stainless steel ball bearings
- Stainless Steel One Way Clutch Instant anti-reverse bearing
- Stainless Steel main shaft & main gear shaft
- Aluminium V-Spool Design for increased casting distance and stunning superlight skirt
- Hyer Precision Power Drag with stainless steel ball bearing for impressive start performance and smoothness
- Fully sealed drag (100% Water & Dust Proof)
- Large diameter aluminium Powerbail
- AS Titanium line roller (Anti-Twist)
- CNC Handle directly operating on drive gear

OVERSIZED SPOOL DESIGN

METAL BODY | V-SPOOL DESIGN | 5.2:1 GEAR RATIO | 7.3 Kg MAX DRAG | 9+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g			kg	
034-53-250	8 054393 157348	2000	250	5.2:1 79 cm	Ø 260 200 m	7,3	9+1
034-53-350	8 054393 157355	3000	260	5.2:1 84 cm	Ø 285 210 m	7,3	9+1
034-53-450	8 054393 157362	4000	300	5.2:1 89 cm	Ø 285 280 m	7,3	9+1
034-53-550	8 054393 157379	5000	315	5.2:1 94 cm	Ø 310 270 m	7,3	9+1

SPARE SPOOL		SIZE	TYPE	
034-53-925	8 054393 157386	2000	Alu	Ø 260 200 m
034-53-935	8 054393 157393	3000	Alu	Ø 285 210 m
034-53-945	8 054393 157409	4000	Alu	Ø 285 280 m
034-53-955	8 054393 157461	5000	Alu	Ø 310 270 m

The Firecore drag box include a set of high technology disks, with same style of big game multipliers. The alternation of steel and carbon elements provides power, smoothness and heat dispersion for safe and comfortable control of the fish run.

The handle operates directly on to the drive gear. This solution is the best one for integral power transmission, because energy generated during retrieve is not dispersed through plays and vibrations. For transport, the handle can be fold down to reduce the volume of the reel.

Extra spool exactly same as the main one.

The carbon and stainless steel disks drag is able to develop a tremendous power, and, at the same time, dissipate the heat generated under heavy load.

XENIAL sw

- Full metal body
- Double-shielded stainless steel ball bearings
- Stainless steel one way clutch instant anti-reverse bearing
- Stainless steel main shaft & main gear shaft
- Aluminium V-Spool design for increased casting distance
- Front drag with stainless steel & carbon textile washers
- Fully sealed drag (100% water & dust proof)
- Positive screw-lock CNC handle & fighting knob
- Large diameter aluminium Powerbail, with Anti-Twist titanium line roller
- Twin ball bearing spool

METAL BODY | V-SPOOL DESIGN | 5.2:1 GEAR RATIO | 7.3 Kg MAX DRAG | 6+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CW CROSS WINDER

OVERSIZED SPOOL DESIGN

		SIZE	g			kg	
034-50-250	8 054393 151162	2500	260	5.2:1 79 cm	Ø 260 200 m	7,3	6+1
034-50-350	8 054393 151179	3500	280	5.2:1 84 cm	Ø 285 210 m	7,3	6+1
034-50-450	8 054393 151186	4500	330	5.2:1 89 cm	Ø 285 280 m	10	6+1
034-50-550	8 054393 151193	5500	350	5.2:1 94 cm	Ø 310 270 m	10	6+1

SPARE SPOOL		SIZE	TYPE	
034-50-925	8 054393 151209	2000	Alu	Ø 260 200 m
034-50-935	8 054393 151216	2500	Alu	Ø 285 210 m
034-50-945	8 054393 151223	4000	Alu	Ø 285 280 m
034-50-955	8 054393 151230	5000	Alu	Ø 310 270 m

XSENSE

- 9 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Full Metal Body
- Aluminium Match Spool with rubber band to avoid braided line's slipping under strong pull
- Front Drag with Stainless Steel & Carbon Textile Washers
- Fully sealed Drag (100% Water & Dust Proof)
- Positive-Screw-Lock CNC Handle & Fighting Knob
- Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- Twin Ball Bearing Spool



The carbon and stainless steel disks drag is able to develop a tremendous power, and, at the same time, dissipate the heat generated under heavy load.

OVERSIZED SPOOL DESIGN

The handle is directly connected to the drive gear in order to transfer 100% of power, with no dispersion nor vibration.

Sizes 4000 and 5000 are designed for heavy spinning, with "T" shaped handle knob for total control in case of hi speed retrieve.

METAL BODY | V SPOOL DESIGN | 5.2:1 GEAR RATIO | 7.3 Kg MAX DRAG | 9+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CROSS WINDER

		SIZE	g			kg	
034-17-200	8 054393 116666	2000	240	5.2:1 68 cm	Ø 0.20 100 m	7.3	9+1
034-17-250	8 054393 116680	2500	280	5.2:1 76 cm	Ø 0.20 120 m	7.3	9+1
034-17-400	8 054393 116703	4000	310	5.2:1 84 cm	Ø 0.20 150 m	10	9+1
034-17-500	8 054393 116727	5000	340	5.2:1 88 cm	Ø 0.20 180 m	10	9+1

SPARE SPOOL		SIZE	TYPE	
034-17-201	8 054393 116673	2000	Alu	Ø 0.20 100 m
034-17-251	8 054393 116697	2500	Alu	Ø 0.20 120 m
034-17-401	8 054393 116710	4000	Alu	Ø 0.20 150 m
034-17-501	8 054393 116734	5000	Alu	Ø 0.20 180 m

MANIAC FD

- Hi-Tech metal body
- CNC carved aluminium spool (shallow match type)
- Hollow Power Bail with Anti Twist line roller
- Carbon and steel disks drag
- Sealed drag
- Sealed stainless steel ball bearings
- Infinite Anti-reverse

The Maniac drag box include a set of high technology disks, with same style of big game multipliers. The alternation of steel and carbon elements provides power, smoothness and heat dispersion for safe and comfortable control of the fish run.

Maniac is prepared for sea fishing, and for such reason the drag box is sealed by a soft rubber lining which avoids water, sand and salt getting inside. Of course, it's highly recommended to wash the reel under tap water after each fishing session.

The handle operates directly on to the drive gear. This solution is the best one for integral power transmission, because energy generated during retrieve is not dispersed through plays and vibrations. For transport, the handle can be fold down to reduce the volume of the reel.

METAL BODY | V SPOOL DESIGN | 5.2:1 GEAR RATIO | 9+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CROSS WINDER

		SIZE	g			KG	
034-11-250	8 054393 012487	2500	280	5.2:1 76 cm	Ø 0.205 120 m	7.3	9+1
034-11-400	8 054393 012500	4000	315	5.2:1 84 cm	Ø 0.205 150 m	10	9+1
034-11-500	8 054393 012524	5000	332	5.2:1 84 cm	Ø 0.260 130 m	10	9+1

SPARE SPOOL		SIZE	TYPE	
034-11-251	8 054393 012494	2500	Alu	Ø 0.20 120 m
034-11-401	8 054393 012517	4000	Alu	Ø 0.20 150 m
034-11-501	8 054393 012531	5000	Alu	Ø 0.26 130 m

SHARP

- 9 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Full Metal Body
- Aluminium Match Spool with rubber band to avoid braided line's slipping under strong pull
- Front Drag with Stainless Steel & Carbon Textile Washers
- Fully sealed Drag (100% Water & Dust Proof)
- Positive-Screw-Lock CNC Handle & Fighting Knob
- Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- Twin Ball Bearing Spool

METAL BODY | V SPOOL DESIGN | 5.2:1 GEAR RATIO | 7.3 Kg MAX DRAG | 9+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CROSS WINDER

		SIZE	g			KG	
034-18-250	8 054393 116741	2500	300	5.2:1 76 cm	Ø 0.20 120 m	7.3	9+1
034-18-400	8 054393 116765	4000	330	5.2:1 84 cm	Ø 0.20 150 m	10	9+1
034-18-500	8 054393 116789	5000	350	5.2:1 88 cm	Ø 0.20 180 m	10	9+1

SPARE SPOOL		SIZE	TYPE	
034-18-251	8 054393 116758	2500	Alu	Ø 0.20 120 m
034-18-401	8 054393 116772	4000	Alu	Ø 0.20 150 m
034-18-501	8 054393 116796	5000	Alu	Ø 0.20 180 m

ZERO FA

- High strength X-Tra light pure CX Carbon body & rotor
- Double-shielded stainless steel ball bearings
- Stainless steel one way clutch instant anti-reverse bearing
- Stainless steel main shaft & main gear shaft
- Aluminium V-Spool design for increased casting distance
- Front drag with stainless steel & carbon textile washers
- Fully sealed drag (100% water & dust proof)
- Positive screw-lock CNC handle & lightweight EVA knob
- Large diameter aluminium Powerbail, with Anti-Twist titanium line roller

ULTRA LIGHT CARBON BODY | V-SPOOL DESIGN | 5.2:1 GEAR RATIO | 7.3 Kg MAX DRAG | 7+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g			kg	
034-51-250	8 054393 151247	2500	207	5.2:1 79 cm	Ø 260 - 200 m	7,3	7+1
034-51-350	8 054393 151254	3500	214	5.2:1 84 cm	Ø 285 - 210 m	7,3	7+1
034-51-450	8 054393 151261	4500	270	5.2:1 89 cm	Ø 285 - 280 m	10	7+1
034-51-550	8 054393 151278	5500	277	5.2:1 94 cm	Ø 310 - 270 m	10	7+1

SPARE SPOOL		SIZE	TYPE	
034-51-925	8 054393 151285	2500	Alu	Ø 260 200 m
034-51-935	8 054393 151292	3500	Alu	Ø 285 210 m
034-51-945	8 054393 151308	4500	Alu	Ø 285 280 m
034-51-955	8 054393 151315	5500	Alu	Ø 310 270 m

XPLORE CX

- X-Tra light pure CX Carbon body & rotor
- Double-shielded stainless steel ball bearings
- Stainless steel one way clutch instant anti-reverse bearing
- Stainless steel main shaft & main gear shaft
- Aluminium V-Spool design for increased casting distance
- Front drag with stainless steel & hi strength fiber washers
- Positive screw-lock CNC handle with soft touch knob
- Large diameter aluminium Powerbail, with Anti-Twist titanium line roller

ULTRA LIGHT CARBON BODY | V-SPOOL DESIGN | 5.2:1 GEAR RATIO | 7+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g			kg	
034-52-250	8 054393 157201	2500	235	5.2:1 79 cm	Ø 0.16 150 m	6.0	7+1
034-52-350	8 054393 157218	3500	245	5.2:1 84 cm	Ø 0.20 150 m	7.3	7+1
034-52-450	8 054393 157225	4500	280	5.2:1 89 cm	Ø 0.20 180 m	10	7+1
034-52-550	8 054393 157232	5500	290	5.2:1 94 cm	Ø 0.20 200 m	10	7+1

SPARE SPOOL		SIZE	TYPE	
034-52-925	8 054393 157300	2500	Alu	Ø 0.16 150 m
034-52-935	8 054393 157317	3500	Alu	Ø 0.20 150 m
034-52-945	8 054393 157324	4500	Alu	Ø 0.20 180 m
034-52-955	8 054393 157331	5500	Alu	Ø 0.20 200 m

HELIUM FA

- Special model without anti-reverse system
- Extra light body and rotor made from CX pure carbon
- 10 stainless steel shielded ball bearings; two of them assist the spool rotation
- 1 s.s. roller bearing for one-way rotation
- Stainless steel main shaft and pinion gear
- Oversized Aluminum Powerbail adn Titanium plated Anti-Twist line roller
- CNC machined aluminum match spool with thin lip (V-Spool)
- Front drag system with high strength fibre and stainless steel disks
- CNC machined aluminum handle arm, with CX carbon knob
- Protective EVA bag

ULTRA LIGHT CARBON BODY | V SPOOL DESIGN | 5.2:1 GEAR RATIO | 7.3 Kg MAX DRAG | 10+1 SS SHIELDED BEARINGS

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CX CROSS WINDER

		SIZE	g			kg	
034-29-100	8 054393 132130	1000	160	5.2:1 65 cm	PE 0,6 (Ø 0,128) 100 m	7.3	10+1
034-29-150	8 054393 139870	1500	185	5.2:1 70 cm	PE 0,8 (Ø 0,148) 200 m	7.3	10+1
034-29-250	8 054393 139863	2500	215	5.2:1 75 cm	PE 1.0 (Ø 0,165) 180 m	7.3	10+1

SPARE SPOOL		SIZE	TYPE	
034-29-101	8 054393 135544	1000	Alu	PE 0,6 (Ø 0,128) 100 m
034-29-151	8 054393 139887	1500	Alu	PE 0,8 (Ø 0,148) 200 m
034-29-251	8 054393 139894	2500	Alu	PE 1.0 (Ø 0,165) 180 m

XPLORE LTX

- Special model without antireverse system for an endless contact with the lure
- Extra light body and rotor made from CX pure carbon
- 7 stainless steel shielded ball bearings
- 1 s.s. roller bearing for one-way rotation
- Stainless steel main shaft and drive gear
- Sealed front drag with high strength fibre and stainless steel disks
- CNC machined aluminum match spool with thin lip (V-Spool)
- Oversized Aluminum Powerbail
- Titanium plated Anti-Twist line roller
- CNC machined aluminum handle arm, with CX carbon knob

ULTRA LIGHT CARBON BODY | V SPOOL DESIGN | 5.2:1 GEAR RATIO | 4 Kg MAX DRAG | 7+1SS SHIELDED BEARINGS

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CX CROSS WINDER

		SIZE	g			kg	
034-55-100	8 054393 157583	1000	165	5.2:1 65 cm	PE 0,4 (Ø 0.105) 100 m	4.0	7+1

SPARE SPOOL		SIZE	TYPE	
034-55-910	8 054393 157560	1000	Alu	PE 0,4 (Ø 0.105) 100 m

NEW KERES CX

- 6 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Ultra Light pure CX Carbon body & rotor
- Micro-Adjusting Front Drag With Stainless Steel And Carbon Textile Drag Washers
- Fully sealed Drag (100% Water & Dust Proof)
- CNC handle, machine cut from a single piece of solid aluminium
- V-shaped aluminium spool
- Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- Anti-twist Titanium line roller

ULTRA LIGHT CARBON BODY | LIGHT ALU HYBRID | V SPOOL DESIGN | 5.2:1 GEAR RATIO | 6+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g			kg	
034-56-250	8 054393 174994	2500	240	5.2:1 79 cm	Ø 0.20 120 m	7.3	6+1
034-56-350	8 054393 175007	3500	250	5.2:1 84 cm	Ø 0.20 150 m	7.3	6+1
034-56-450	8 054393 175014	4500	280	5.2:1 89 cm	Ø 0.20 180 m	10	6+1
034-56-550	8 054393 175021	5500	290	5.2:1 95 cm	Ø 0.20 200 m	10	6+1

SPARE SPOOL		SIZE	TYPE	
034-56-925	8 054393 175038	2500	Alu	Ø 0.20 120 m
034-56-935	8 054393 175045	3500	Alu	Ø 0.20 150 m
034-56-945	8 054393 175052	4500	Alu	Ø 0.20 180 m
034-56-955	8 054393 175069	5500	Alu	Ø 0.20 200 m

NEW KERES LTX

- Special model without anti-reverse system
- Ultra Light pure CX Carbon body & rotor
- Stainless steel shielded ball bearings
- Stainless steel roller bearing for one-way rotation
- Stainless steel main shaft and pinion gear
- Oversized Aluminum Powerbail
- Titanium plated Anti-Twist line roller
- Aluminum spool with thin lip (V-Spool)
- Sealed front drag with high strength fibre and stainless steel disks
- CNC machined aluminum handle arm, with CX carbon knob

ULTRA LIGHT CARBON BODY | LIGHT ALU HYBRID | V SPOOL DESIGN | 5.2:1 GEAR RATIO | 6+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g			kg	
034-57-100	8 054393 174970	1000	175	5.2:1 70 cm	PE 0,4 (Ø 0,105) 100 m	7.3	6+1

SPARE SPOOL		SIZE	TYPE	
034-57-910	8 054393 174987	1000	Alu	PE 0,6 (Ø 0,128) 70 m

AIRMAG

- Ultralight yet stiff Magnesium alloy body
- Superlight carbon rotor
- Aluminium Longcast main spool
- Graphite spare spool
- Aluminium hollow bail
- Sealed drag with carbon disks
- Sealed stainless steel ball bea-rings
- Infinite anti-reverse
- Aluminium handle

Magnesium body
Same stiffness of aluminium
20% lighter!

Mg ULTRA LIGHT MAG BODY · SUPER LIGHT ALU · GRAPHITE 1x SPARE SPOOL · 6.0:1 GEAR RATIO · 6.5Kg MAX DRAG · 7+1SS SHIELDED BEARINGS

POWERBAIL · AVS ANTI VIBRO SYSTEM · AS ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CXV CROSS WINDER · BMgDY

		SIZE	g			kg		
033-97-300	8 054393 012333	3000	245	6.0:1 85 cm	Ø 0.16 100 m	6.5	1	7+1
033-97-400	8 054393 012340	4000	250	6.0:1 94 cm	Ø 0.20 100 m	6.5	1	7+1

LANCER HS

- Advanced design oversized aluminium spool
- Ultra Light CX Carbon Body
- Double Shielded Stainless Steel Long Life Ball Bearings
- Titanium Line Roller
- Carbon Cover Drag Knob
- Aluminium handle
- Eva ergonomic handle knob

OVERSIZED SPOOL DESIGN

ULTRA LIGHT CARBON BODY · LIGHT ALU HYBRID · 5.0:1 GEAR RATIO · 6.5Kg MAX DRAG · 9+1 BB SYSTEM

POWERBAIL · AVS ANTI VIBRO SYSTEM · AS ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CXV CROSS WINDER

		SIZE	g			
033-88-450	8 054393 012067	4500	295	5.0:1 86 cm	Ø 0.30 195 m	9+1
033-88-550	8 054393 012081	5500	320	5.0:1 95 cm	Ø 0.35 200 m	9+1

NEW XPLORE MTC

- 9 ball bearings stainless steel, sealed on both sides
- 1 stainless steel roller bearing (infinite antireverse)
- Extra tough body and rotor
- V-shaped aluminium spool
- Aluminium hollow bail
- Sealed drag
- Double shielded stainless steel ball bearings
- Infinite anti-reverse
- CNC machine cut handle made from a solid piece of aluminium

XTRA TOUGH BODY | LIGHT ALU HYBRID | V-SPOOL DESIGN | 5.2:1 GEAR RATIO | 9+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g			kg	
034-58-250	8 054393 174895	2500	260	5.2:1 74 cm	Ø 0.20 120 m	7.3	9+1
034-58-350	8 054393 174901	3500	270	5.2:1 76 cm	Ø 0.20 150 m	7.3	9+1
034-58-450	8 054393 174918	4500	280	5.2:1 84 cm	Ø 0.20 180 m	10	9+1
034-58-550	8 054393 174925	5500	290	5.2:1 88 cm	Ø 0.20 200 m	10	9+1

SPARE SPOOL		SIZE	TYPE	
034-58-925	8 054393 174932	2500	Alu	Ø 0.20 120 m
034-58-935	8 054393 174949	3500	Alu	Ø 0.20 150 m
034-58-945	8 054393 174956	4500	Alu	Ø 0.20 180 m
034-58-955	8 054393 174963	5500	Alu	Ø 0.20 200 m

XPLORE MATCH

- Extra tough body and rotor
- V-shaped aluminium spool
- Aluminium hollow bail
- Sealed drag
- Double shielded stainless steel ball bearings
- Infinite anti-reverse
- CNC machine cut handle made from a solid piece of aluminium

Folding handle
In order to reduce the reel's volume, when the rod is being stored in the holdall, the handle can be fold down towards the body.

		SIZE				
033-91-250	8 054393 012128	2500	270	5.2:1 76 cm	Ø 0.20 100 m	9+1
033-91-400	8 054393 012142	4000	290	5.2:1 84 cm	Ø 0.26 120 m	9+1
033-91-500	8 054393 012166	5000	300	5.2:1 88 cm	Ø 0.26 130 m	9+1

SPARE SPOOL		SIZE	TYPE	
033-91-251	8 054393 012135	2500	Alu	Ø 0.20 100 m
033-91-401	8 054393 012159	4000	Alu	Ø 0.26 120 m
033-91-501	8 054393 012173	5000	Alu	Ø 0.26 130 m

XPLORE GT

- 9 ball bearings stainless steel, sealed on both sides
- 1 stainless steel roller bearing (infinite antireverse)
- Stainless steel main shaft and drive gear
- Ultralight and rigid body and rotor (X-Tra Tough)
- Machined aluminum handle with oversized knob
- Micro-adjustable drag with oversized discs
- Aluminum spool with "V" shaped lip
- Double line clip, specific for feeder fishing
- Two ball bearings for smooth spool's rotation
- Oversized aluminium bail arm
- Special Titanium coated anti twist line roller
- Extra spool exactly same as the main one

Special line roller

Extra spool and twin Line Clip

		SIZE						
034-10-200	8 054393 127532	2500	260	5.2:1 74 cm	Ø 0.20 140 m	7,3	1	7+1
034-10-300	8 054393 127549	3500	270	5.2:1 76 cm	Ø 0.26 200 m	7,3	1	7+1
034-10-400	8 054393 127556	4500	290	5.2:1 84 cm	Ø 0.28 260 m	10	1	7+1
034-10-500	8 054393 127563	5500	300	5.2:1 88 cm	Ø 0.31 250 m	10	1	7+1

VERTEX

- Aluminium & graphite Hybrid body
- Aluminium main spool
- Double Shielded SS Long Life Ball Bearings
- Titanium Line Roller
- Infinite anti-reverse
- Aluminium handle

METAL BODY | SUPER LIGHT ALU | 5.0:1 GEAR RATIO | 7+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CROSS WINDER

		SIZE	g			
033-68-400	8 054393 011657	4000	290	5.0:1 72 cm	Ø 0.25 200 m	7+1
033-68-600	8 054393 011664	6000	410	4.6:1 72 cm	Ø 0.35 200 m	7+1

SKORPION

- Hybrid body made from aluminium and graphite
- Ultralight aluminium main spool
- Graphite spare spool
- Hollow bail with anti twist line roller
- Micro-adjustable drag with oversized washers
- Long Life stainless steel ball bearings and Infinite anti-reverse
- Worm shaft system for a perfect line lay
- Power Fight aluminium handle with EVA knob

ALUMINIUM GRAPHITE HYBRID BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.2:1 GEAR RATIO | 7+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | SOS SLOW OSCILLATION SYSTEM | WORM SHAFT GEAR WSG

		SIZE	g				
034-12-200	8 054393 012528	2000	290	5.2:1 72 cm	Ø 0.20 230 m	1	7+1
034-12-400	8 054393 012535	4000	365	5.2:1 82 cm	Ø 0.20 285 m	1	7+1

LEXAN

- Graphite body
- Ultralight CNC aluminium main spool
- Graphite spare spool
- Hollow bail with anti twist line roller
- Micro-adjustable drag with oversized washers
- Long Life stainless steel ball bearings e Infinite anti-reverse
- Power Fight CNC aluminium handle

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.5:1 GEAR RATIO | 5+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g				
034-13-200	8 054393 012562	2000	260	5.5:1 76 cm	Ø 0.20 230 m	1	5+1

NEOX

- Hybrid body made from aluminium and graphite
- Ultralight CNC aluminium main spool
- Graphite spare spool
- Hollow bail with anti twist line roller
- Micro-adjustable drag with oversized washers
- Long Life stainless steel ball bearings
- Infinite anti-reverse
- Power Fight aluminium handle

ALUMINIUM AL GRAPHITE HYBRID BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.1:1 GEAR RATIO | 9+1 BB SYSTEM

POWERBAIL | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER | USB ULTRA SLIM BODY DESIGN

		SIZE	g				
033-78-200	8 054393 011824	2000	250	5.1:1 63 cm	Ø 0.20 195 m	1	9+1
033-78-300	8 054393 011831	3000	285	5.1:1 66 cm	Ø 0.25 245 m	1	9+1

BRAVE FA

- 6 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Extra tough body and rotor
- Micro-Adjusting Front Drag With Stainless Steel And Carbon Textile Drag Washers
- Fully sealed Drag (100% Water & Dust Proof)
- CNC handle, machine cut from a single piece of solid aluminium
- V-shaped aluminium spool
- Large Diameter Aluminium Powerbail, with Anti-Twist Titanium Line Roller
- Anti-twist Titanium line roller

OVERSIZED SPOOL DESIGN

XTRA TOUGH BODY | V-SPOOL DESIGN | 5.2:1 GEAR RATIO | 10Kg MAX DRAG | 6+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CX CROSS WINDER

		SIZE	g			kg	
034-19-250	8 054393 121523	2500	240	5.2:1 79 cm	Ø 0.20 120 m	7.3	6+1
034-19-350	8 054393 121530	3500	250	5.2:1 84 cm	Ø 0.20 150 m	7.3	6+1
034-19-450	8 054393 121547	4500	280	5.2:1 89 cm	Ø 0.20 180 m	10	6+1
034-19-550	8 054393 121554	5500	290	5.2:1 95 cm	Ø 0.20 200 m	10	6+1

SPARE SPOOL		SIZE	TYPE	
034-19-925	8 054393 121561	2500	Alu	Ø 0.20 120 m
034-19-935	8 054393 121578	3500	Alu	Ø 0.20 150 m
034-19-945	8 054393 121585	4500	Alu	Ø 0.20 180 m
034-19-955	8 054393 121592	5500	Alu	Ø 0.20 200 m

BRAVE LITE

- Special model without anti-reverse system
- Extra Tough body and rotor made from hardened graphite
- Stainless steel shielded ball bearings
- Stainless steel roller bearing for one-way rotation
- Stainless steel main shaft and pinion gear
- Oversized Aluminum Powerbail
- Titanium plated Anti-Twist line roller
- Aluminum spool with thin lip (V-Spool)
- Sealed front drag with high strength fibre and stainless steel disks
- CNC machined aluminum handle arm, with CX carbon knob

TROUT AREA

XTRA TOUGH BODY | V-SPOOL DESIGN | 5.2:1 GEAR RATIO | 7.3 Kg MAX DRAG | 6+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CX CROSS WINDER

		SIZE	g			kg	
034-37-100	8 054393 135674	1000	175	5.2:1 70 cm	PE 0,4 (Ø 0,105) 100 m	7.3	6+1

SPARE SPOOL		SIZE	TYPE	
034-37-910	8 054393 135681	1000	Alu	PE 0,6 (Ø 0,128) 70 m

KRIUS

- 6 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Extra tough body and rotor
- Micro-Adjusting Front Drag With Stainless Steel And Carbon Textile Drag Washers
- Fully sealed Drag (100% Water & Dust Proof)
- CNC handle, machine cut from a single piece of solid aluminium
- V-shaped aluminium spool
- Large Diameter Aluminium Powerbail
- Anti-Twist Titanium Line Roller

The sizes 4500 and 5500 feature the "T" shaped handle knob for a superior control.

XTRA TOUGH BODY · V SPOOL DESIGN · 5.2:1 GEAR RATIO · 10Kg MAX DRAG · 6+1 BB SYSTEM

POWERBAIL · AVS ANTI VIBRO SYSTEM · AS ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · GXV CROSS WINDER

		SIZE	g			Kg	
034-35-250	8 054393 135605	2500	240	5.2:1 79 cm	Ø 0.16 150 m	7.3	6+1
034-35-350	8 054393 135612	3500	250	5.2:1 84 cm	Ø 0.20 120 m	7.3	6+1
034-35-450	8 054393 135629	4500	280	5.2:1 89 cm	Ø 0.20 180 m	10	6+1
034-35-550	8 054393 135636	5500	290	5.2:1 95 cm	Ø 0.20 200 m	10	6+1

SPARE SPOOL		SIZE	TYPE	
034-35-925	8 054393 135643	2500	Alu	Ø 0,26 200 m
034-35-935	8 054393 135650	3500	Alu	Ø 0,20 100 m
034-35-945	8 054393 135667	4500	Alu	Ø 0,28 260 m
034-35-955	8 054393 135599	5500	Alu	Ø 0,20 150 m

KRIUS SW

- Extra tough body and rotor
- 6 Precise Double-Shielded Stainless Steel Ball Bearings
- Stainless Steel One Way Clutch Instant Anti-Reverse Bearing
- Stainless Steel Main Shaft & Main Gear Shaft
- Power Drive Handle directly operating on Drive Gear
- Micro-Adjusting Front Drag With Stainless Steel And Carbon Textile Drag Washers
- Fully sealed Drag (100% Water & Dust Proof)
- V-shaped aluminium spool with oversized design
- Large diameter aluminium Powerbail
- Anti-twist Titanium line roller

XTRA TOUGH BODY · V SPOOL DESIGN · 5.2:1 GEAR RATIO · 6+1 BB SYSTEM

POWERBAIL · AVS ANTI VIBRO SYSTEM · AS ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · GXV CROSS WINDER

		SIZE	g			Kg	
034-54-250	8 054393 157478	2500	255	5.2:1 79 cm	Ø 0.23 150 m	7.3	6+1
034-54-350	8 054393 157485	3500	265	5.2:1 84 cm	Ø 0.26 160 m	7.3	6+1
034-54-450	8 054393 157492	4500	295	5.2:1 89 cm	Ø 0.31 150 m	10	6+1
034-54-550	8 054393 157508	5500	305	5.2:1 95 cm	Ø 0.33 150 m	10	6+1

SPARE SPOOL		SIZE	TYPE	
034-54-925	8 054393 157515	2500	Alu	Ø 0,26 200 m
034-54-935	8 054393 157522	3500	Alu	Ø 0,20 100 m
034-54-945	8 054393 157539	4500	Alu	Ø 0,28 260 m
034-54-955	8 054393 157546	5500	Alu	Ø 0,20 150 m

ZEPHYR

- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- Long Cast Superlight Aluminium Spool with grip band for braided lines
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Rubber Handle Knob

XTRA TOUGH BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.1:1 GEAR RATIO | 5+1 BB SYSTEM

POWERBAIL | SBS Super Balance System | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER | USB ULTRA SLIM BODY DESIGN

		SIZE	g				
034-42-300	8 054393 154903	3000	275	5.1:1 76cm	Ø 0.25 140 m	1	5+1
034-42-400	8 054393 154910	4000	295	5.1:1 83cm	Ø 0.30 120 m	1	5+1
034-42-600	8 054393 154927	6000	390	5.1:1 95cm	Ø 0.35 180 m	1	5+1

VENGER

- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Rubber Handle Knob

XTRA TOUGH BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.1:1 GEAR RATIO | 5+1 BB SYSTEM

POWERBAIL | SBS Super Balance System | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER | USB ULTRA SLIM BODY DESIGN

		SIZE	g				
034-44-100	8 054393 154934	1000	235	5.1:1 70cm	Ø 0.18 185 m	1	5+1
034-44-200	8 054393 154941	2000	260	5.1:1 74cm	Ø 0.20 165 m	1	5+1
034-44-300	8 054393 154958	3000	285	5.1:1 76cm	Ø 0.25 140 m	1	5+1
034-44-400	8 054393 154965	4000	310	5.1:1 83cm	Ø 0.30 120 m	1	5+1
034-44-600	8 054393 154972	6000	410	5.1:1 95cm	Ø 0.35 180 m	1	5+1

NEW VIDAR

- 5 Long Life Ball Bearing System
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob
- Graphite Spare Spool

XTRA TOUGH BODY · SUPER LIGHT ALU · GRAPHITE 1x SPARE SPOOL · 5.1:1 GEAR RATIO · 5+1 BB SYSTEM

POWERBAIL · SBS Super Balance System · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CXV CROSS WINDER · USB ULTRA SLIM BODY DESIGN

		SIZE	g				
034-45-100	8 054393 172082	1000	235	5.1:1 70 cm	Ø 0.18 185 m	1	5+1
034-45-200	8 054393 172099	2000	260	5.1:1 74 cm	Ø 0.20 165 m	1	5+1
034-45-300	8 054393 172105	3000	285	5.1:1 76 cm	Ø 0.25 140 m	1	5+1
034-45-400	8 054393 172112	4000	310	5.1:1 83 cm	Ø 0.30 120 m	1	5+1

NEW MITO XLT

- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob

GRAPHITE BODY · SUPER LIGHT ALU · GRAPHITE 1x SPARE SPOOL · 5.1:1 GEAR RATIO · 5+1 BB SYSTEM

POWERBAIL · SBS Super Balance System · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CXV CROSS WINDER · USB ULTRA SLIM BODY DESIGN

		SIZE	g				
034-41-100	8 054393 171405	1000	245	5.1:1 70 cm	Ø 0.18 185 m	1	5+1
034-41-200	8 054393 171412	2000	265	5.1:1 72 cm	Ø 0.20 165 m	1	5+1
034-41-300	8 054393 171429	3000	290	5.1:1 75 cm	Ø 0.25 155 m	1	5+1
034-41-400	8 054393 171436	4000	315	5.1:1 81 cm	Ø 0.30 160 m	1	5+1
034-41-600	8 054393 171443	6000	420	5.1:1 91 cm	Ø 0.35 180 m	1	5+1

SF1

- X-Tra Tough body and rotor
- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool
- Twin line clip, useful for feeder fishing
- Graphite Spare Spool
- Oversized aluminium bail (Powerbail)
- Power Fight Aluminium Handle with soft touch knob

PWR DRIVE

The handle operates directly on drive gear, without any power loss.

X-TRA TOUGH BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.2:1 GEAR RATIO | 5+1 BB SYSTEM

POWERBAIL | SBS Super Balance System | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CW CROSS WINDER

		SIZE	g				
034-84-250	8 054393 164063	2500	280	5.2:1 73 cm	Ø 0.20 230 m	1	5+1
034-84-350	8 054393 164070	3500	320	5.2:1 76 cm	Ø 0.26 215 m	1	5+1
034-84-450	8 054393 164087	4500	380	5.2:1 83 cm	Ø 0.30 175 m	1	5+1

NEW ARROW XTC

- 5 Long Life Ball Bearing System
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob
- Graphite Spare Spool

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.1:1 GEAR RATIO | 5+1 BB SYSTEM

POWERBAIL | SBS Super Balance System | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CW CROSS WINDER | USB ULTRA SLIM BODY DESIGN

		SIZE	g				
034-46-100	8 054393 172129	1000	245	5.1:1 70 cm	Ø 0.18 185 m	1	5+1
034-46-200	8 054393 172136	2000	265	5.1:1 73 cm	Ø 0.20 165 m	1	5+1
034-46-300	8 054393 172143	3000	290	5.1:1 76 cm	Ø 0.25 155 m	1	5+1
034-46-400	8 054393 172150	4000	315	5.1:1 83 cm	Ø 0.30 160 m	1	5+1

MARVEL XTC

- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob

GRAPHITE BODY · SUPER LIGHT ALU · GRAPHITE 1x SPARE SPOOL · 5.1:1 GEAR RATIO · 5+1 BB SYSTEM

POWERBAIL · SBS Super Balance System · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CROSS WINDER · USB ULTRA SLIM BODY DESIGN

		SIZE	g				
034-40-200	8 054393 136558	2000	270	5.1:1 73 cm	Ø 0.20 165 m	1	5+1
034-40-300	8 054393 136565	3000	295	5.1:1 76 cm	Ø 0.22 175 m	1	5+1
034-40-400	8 054393 136572	4000	325	5.1:1 83 cm	Ø 0.25 155 m	1	5+1

NEW KRONOS SFX

- Graphite body
- 5 Long Life Ball Bearings and 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob

GRAPHITE BODY · SUPER LIGHT ALU · GRAPHITE 1x SPARE SPOOL · 5.1:1 GEAR RATIO · 5+1 BB SYSTEM

POWERBAIL · SBS Super Balance System · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CROSS WINDER · USB ULTRA SLIM BODY DESIGN

			SIZE	g				
NEW	034-38-100	8 054393 171719	1000	255	5.1:1 70 cm	Ø 0.18 185 m	1	5+1
	034-38-200	8 054393 136480	2000	270	5.1:1 73 cm	Ø 0.20 165 m	1	5+1
	034-38-300	8 054393 136497	3000	295	5.1:1 76 cm	Ø 0.22 175 m	1	5+1
	034-38-400	8 054393 136503	4000	325	5.1:1 83 cm	Ø 0.25 155 m	1	5+1
	034-38-600	8 054393 136510	6000	425	5.1:1 95 cm	Ø 0.30 180 m	1	5+1

BLAZE XT

- Graphite body
- 5 Long Life Ball Bearings and 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.1:1 GEAR RATIO | 5+1 BB SYSTEM

POWERBAIL | SBS Super Balance System | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CW CROSS WINDER | USB ULTRA SLIM BODY DESIGN

		SIZE	g				
034-32-100	8 054393 136022	1000	255	5.1:1 70 cm	Ø 0.18 195 m	1	5+1
034-32-200	8 054393 136053	2000	270	5.1:1 74 cm	Ø 0.20 165 m	1	5+1
034-32-400	8 054393 136060	4000	330	5.1:1 83 cm	Ø 0.25 155 m	1	5+1

REIZ SR

- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- CNC Machine Cut Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.1:1 GEAR RATIO | 5+1 BB SYSTEM

POWERBAIL | SBS Super Balance System | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CW CROSS WINDER | USB ULTRA SLIM BODY DESIGN

		SIZE	g				
034-33-100	8 054393 136077	1000	255	5.1:1 70 cm	Ø 0.18 185 m	1	5+1
034-33-200	8 054393 136084	2000	270	5.1:1 74 cm	Ø 0.20 165 m	1	5+1
034-33-400	8 054393 136039	4000	330	5.1:1 83 cm	Ø 0.25 155 m	1	5+1

PROX FD

- Graphite body and rotor
- 2 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Double aluminium handle with rubber knobs
- Dual line clip, useful for feeder fishing

OVERSIZED SPOOL DESIGN

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.5:1 GEAR RATIO | 2+1 BB SYSTEM

SBS Super Balance System | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g				
034-76-250	8 054393 156037	2500	285	5.5:1 85 cm	Ø 0.20 230 m	1	2+1
034-76-350	8 054393 156044	3500	335	5.2:1 85 cm	Ø 0.25 215 m	1	2+1
034-76-450	8 054393 156051	4500	345	5.2:1 90 cm	Ø 0.30 175 m	1	2+1

MANTIS FDX

- Graphite body and rotor
- 2 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Aluminium handle with rubber knob

OVERSIZED SPOOL DESIGN

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.2:1 GEAR RATIO | 2+1 BB SYSTEM

SBS Super Balance System | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g				
034-82-150	8 054393 163769	1500	245	5.2:1 70 cm	Ø 0.18 235 m	1	2+1
034-82-250	8 054393 163776	2500	270	5.2:1 76 cm	Ø 0.20 230 m	1	2+1
034-82-350	8 054393 163783	3500	310	5.2:1 82 cm	Ø 0.25 215 m	1	2+1
034-82-450	8 054393 163790	4500	360	5.2:1 91cm	Ø 0.30 175 m	1	2+1
034-82-650	8 054393 163806	6500	440	5.2:1 98 cm	Ø 0.45 140 m	1	2+1

XANTHOS STC

- Graphite body and rotor
- 2 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Aluminium handle with rubber knob

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.2:1 GEAR RATIO | 2+1 BB SYSTEM

Super Balance System | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CROSS WINDER

		SIZE	g				
034-83-100	8 054393 164001	1000	230	5.2:1 65 cm	Ø 0.18 235 m	1	2+1
034-83-200	8 054393 164018	2000	255	5.2:1 70 cm	Ø 0.20 230 m	1	2+1
034-83-300	8 054393 164025	3000	285	5.2:1 72 cm	Ø 0.25 215 m	1	2+1
034-83-400	8 054393 164032	4000	345	5.2:1 78 cm	Ø 0.30 175 m	1	2+1
034-83-500	8 054393 164049	5000	400	5.2:1 84 cm	Ø 0.40 150 m	1	2+1
034-83-600	8 054393 164056	6000	430	5.2:1 91 cm	Ø 0.45 140 m	1	2+1

SONIC FD

- Long Cast aluminium Spool
- Balanced Handle with Soft Ergonomic Knob
- Anti Twist line roller
- Micro-adjusting front drag
- Max Plus line already loaded on the reel

GRAPHITE BODY | SUPER LIGHT | 5.2:1 GEAR RATIO | 1 BB SYSTEM

Super Balance System | ROLLER ANTITWIST SYSTEM | MULTI STOP SYSTEM | CROSS WINDER

		SIZE	g			
034-72-100	8 054393 153715	1000		5.2:1 78 cm	Ø 0.20 175 m	1
034-72-200	8 054393 153722	2000		5.2:1 81 cm	Ø 0.20 195 m	1
034-72-300	8 054393 153739	3000		5.2:1 83 cm	Ø 0.25 245 m	1
034-72-400	8 054393 153746	4000		5.2:1 91 cm	Ø 0.30 195 m	1
034-72-500	8 054393 153753	5000		5.2:1 95 cm	Ø 0.35 275 m	1
034-72-600	8 054393 153760	6000		5.2:1 101 cm	Ø 0.45 195 m	1

HYDRUS FD

- Long Cast Superlight Spool
- Balanced Handle with Soft Ergonomic Knob
- Anti Twist line roller
- Micro-adjusting front drag
- Max Plus line already loaded on the reel

GRAPHITE BODY · SUPER LIGHT · 5.2:1 GEAR RATIO · 1 BB SYSTEM

Super Balance System · ROLLER ANTITWIST SYSTEM · MULTI STOP SYSTEM · CROSS WINDER

		SIZE	g			
034-77-100	8 054393 156068	1000	215	5,2:1 78 cm	Ø 0.18 215 m	1
034-77-200	8 054393 156075	2000	230	5,2:1 81 cm	Ø 0.20 195 m	1
034-77-300	8 054393 156082	3000	265	5,2:1 83 cm	Ø 0.25 245 m	1
034-77-400	8 054393 156099	4000	280	5,2:1 91 cm	Ø 0.30 195 m	1

VEKTOR FD

- Long Cast aluminium Spool
- Balanced Handle with Soft Ergonomic Knob
- Anti Twist line roller
- Micro-adjusting front drag
- Max Plus line already loaded on the reel

GRAPHITE BODY · SUPER LIGHT · 5.2:1 GEAR RATIO · 1 BB SYSTEM

Super Balance System · ROLLER ANTITWIST SYSTEM · MULTI STOP SYSTEM · CROSS WINDER

		SIZE	g			
034-71-200	8 054393 153661	2000	230	5.2:1 81 cm	Ø 0.20 195 m	1
034-71-300	8 054393 153678	3000	250	5.2:1 83 cm	Ø 0.25 245 m	1
034-71-400	8 054393 153685	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1
034-71-600	8 054393 153708	6000	380	5.2:1 101 cm	Ø 0.45 195 m	1

NEW ACHAB SW

- Graphite composite body and rotor
- 1 Long Life Ball Bearing
- Multi Stop anti reverse system
- Micro-adjusting Front Drag with oversized Drag Washers
- Long Cast Superlight Graphite Spool
- Pre-spooled with Max Plus line quality
- Anti Twist Line Roller
- Balanced handle with ergonomic knob

GRAPHITE BODY · SUPER LIGHT ALU · 5.2:1 GEAR RATIO · 1 BB SYSTEM

Super Balance System · ROLLER ANTITWIST SYSTEM · MULTI STOP SYSTEM · CROSS WINDER

		SIZE	g				
NEW 034-78-400	8 054393 170163	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1	Max Plus
NEW 034-78-500	8 054393 170170	5000	330	5.2:1 95 cm	Ø 0.35 275 m	1	Max Plus
034-78-600	8 054393 156105	6000	395	5,2:1 98 cm	Ø 45 195 m	1	Max Plus

FEEDER, CARP RUNNER, MICRO & REAR DRAG

NEW SPECTRUM	FDR	163
CASTFORCE	FEEDER SR	164
CASTFORCE	XLD	165
NEW MARVEL	DISTANCE FDR	165
	FDR	166
PRECISION	XTF	166
DEMON	FEEDER	167
CASTFORCE	BRX	168
AIRBLADE	FREE SPOOL	168
QOSMIO	CRS	169
DAYTON	BR	169
MITO	MICRO FD	170
	MICRO RD	170
AURIS	MICRO	170
ZEON	XT MICRO	170
KRONOS	SRX	171
NEW HYDRUS	RD	171

ICONS LIST

SIZE Size	Ball Bearings	Line Type
Weight	Capacity ø	
Gear Ratio	Spare Spool	

NEW SPECTRUM FDR

- Body and rotor made from X-Tra Tough graphite
- 7 stainless steel double shielded ball bearings
- 1 Roller Bearing (Infinite antireverse)
- Double strength stainless steel main shaft
- Micro-adjusting Front Drag with oversized drag washers
- Long Cast Superlight aluminium V-spool
- Double line clip (one red, one black) for distance accuracy
- Oversized aluminium Power Bail
- Titanium coated Anti Twist Line Roller
- Aluminium CNC handle with T-shaped rubber knob
- Cloth bag

OVERSIZED SPOOL DESIGN

X-TRA TOUGH BODY | SUPER LIGHT ALU | V-SPOOL DESIGN | 4.6:1 GEAR RATIO | 8 Kg MAX DRAG | 7+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CW CROSS WINDER

The spool carries two oversized line clips: one black, the other red.

Efficient Line Guard system, preventing line to slip under the spool.

		SIZE	g			
034-81-450	8 054393 173386	4500	380	4,6:1 82 cm	Ø 0.20 200 m	7+1
034-81-550	8 054393 169020	5500	400	4,9:1 90 cm	Ø 0.22 185 m	7+1

SPARE SPOOL		SIZE	TYPE	
034-81-455	8 054393 173393	4500	Alu	Ø 0.20 200 m
034-81-555	8 054393 169037	5500	Alu	Ø 0.22 185 m

CASTFORCE FEEDER SR

- 6 Long Life Ball Bearing System and 1 Roller Bearing
- One way clutch system
- Aluminium Powerbail
- Micro-adjusting Front Drag With Oversized Washers
- Cold Forged Superlight Aluminium Spool
- Lightweight Graphite Spare Spool
- One Touch Handle With T-Rubber Knob
- Anti Twist Line Roller
- Line Guard Protector system to avoid line slipping down the spool's skirt

Two line clips - round and spring loaded - can actually boost feeder fishing efficacy, as they allow to feed two different lines, creating alternative spots.

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 4.9:1 GEAR RATIO | 6+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH

		SIZE	g				
033-87-600	8 054393 136206	5500	380	4,9:1 84 cm	Ø 0.25 130 m	1	6+1

CASTFORCE XLD

- High Strength engineered X-Tra tough body
- 6 Long Life Ball Bearing System
- 1 Roller Bearing
- Worm Shaft and Slow Oscillation system
- Smart Drag system for superfast opening and closing
- PTFE coated drag washers
- Stainless steel main shaft
- Twin line clips with different colours
- Lightweight PTFE Spare Spool
- Aluminium Powerbail
- Titanium coated Anti Twist line roller
- CNC Aluminium handle with soft touch knob

XTRA TOUGH BODY | SUPER LIGHT ALU | PTFE 1x SPARE SPOOL | 4.7:1 GEAR RATIO | 6+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | WORM SHAFT GEAR WSG | SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
034-81-650	8 054393 157782	5500	435	4.7:1 92 cm	Ø 0.23 240 m	1 PTFE	6+1

NEW MARVEL DISTANCE FDR

- High Strength Engineered Xtra-Tough Body
- 5 Long Life Ball Bearing
- 1 Roller Bearing (Infinite Antireverse)
- Infinite «One Way» Anti Reverse System
- Double Strength Stainless Steel Main Shaft
- Aerospace Grade Aluminium Spool
- Long Cast Superlight Spool Design
- Micro-adjusting Front Drag With Oversized Washers
- CNC Fighting Handle with Soft Touch Knob
- Graphite Spare Spool

Double line clip for distance control cast accuracy.

XTRA TOUGH BODY | SUPER LIGHT ALU | PTFE 1x SPARE SPOOL | 4.7:1 GEAR RATIO | 5+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g				
034-34-955	8 054393 173652	5500	400	4.7:1 92 cm	Ø 0.20 200 m	1 PTFE	5+1

MARVEL FDR

- Graphite body
- 5 Long Life Ball Bearings and 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Front Drag With Oversized Washers
- Double line clip for distance control cast accuracy
- CNC Machine Cut Long Cast Superlight Aluminium Spool
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium and Soft Touch Ergonomic Handle Knob

OVERSIZED SPOOL DESIGN

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.5:1 GEAR RATIO | 5+1 BB SYSTEM

POWERBAIL | SBS Super Balance System | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CW CROSS WINDER | USB ULTRA SLIM BODY DESIGN

		SIZE	g				
034-34-400	8 054393 136048	4000	300	5.1:1 83 cm	Ø 0.30 120 m	1	5+1

PRECISION XTF

- Graphite composite body and rotor
- 2 Long Life ball bearings
- 1 roller bearing (infinite antireverse)
- Micro-adjustable drag with oversized disks
- Balanced aluminum handle with ergonomic knob
- CNC machined Long Cast super light aluminium spool
- Dual line clip, valuable in feeder fishing
- Extra graphite spool
- Special Anti Twist line roller

OVERSIZED SPOOL DESIGN

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.2:1 GEAR RATIO | 2+1 BB SYSTEM

AVS ANTI VIBRO SYSTEM | SBS Super Balance System | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH

		SIZE	g				
034-74-350	8 054393 153791	3500	310	5.2:1 84 cm	Ø 0.30 150 m	1	2+1
034-74-450	8 054393 153807	4500	360	5.2:1 89 cm	Ø 0.35 130 m	1	2+1
034-74-550	8 054393 153814	5500	410	5.2:1 95 cm	Ø 0.40 150 m	1	2+1
034-74-650	8 054393 153821	6500	460	5.2:1 102 cm	Ø 0.45 140 m	1	2+1

DEMON FEEDER

- Ball Bearing Long Life System
- Anti-return type Multi Stop
- Micro-adjustable front drag oversized discs
- Coil ultralight Long Cast Superlight
- Max Plus Wire already loaded on the reel
- Hub thread guide ATS (Anti Twist System)
- Balanced crank handle with ergonomic knob

GRAPHITE BODY | SUPER LIGHT ALU | 5.2:1 GEAR RATIO | 1 BB SYSTEM

AVS | Super Balance System | ROLLER ANTITWIST SYSTEM | MULTI STOP SYSTEM

		SIZE	g			
034-75-300	8 054393 153616	3000L	260	5.2:1 79 cm	Ø 25 245 m	1
034-75-400	8 054393 153623	4000M	280	5.2:1 84 cm	Ø 35 145 m	1
034-75-500	8 054393 153630	5000MH	370	5.2:1 95 cm	Ø 35 275 m	1
034-75-600	8 054393 153647	6000H	390	5.2:1 95 cm	Ø 40 210 m	1

T-FORCE XPS FEEDER PLUS & METHOD FEEDER

Find out more on page 216-217

150m

053-95-...

- Sinking monofilament for feeder fishing
- Very high abrasion resistance
- Reduced stretch for high sensitivity
- Parallel spooling (TPS)
- Colour: camouflage (four tones)

Available Diameter: 0,181 mm - 0,307 mm

TPS

150m / 300m

053-96-...

- Fast sinking monofilament line purposely designed for Method Feeder fishing
- Triple structure made of inner core, covered by ceramic polymer and by abrasion resistant layer, then a silicon outer coating
- Low stretch for high sensitivity
- Memory free

Available Diameter: 0,181 mm - 0,309 mm

TPS

CASTFORCE BRX

- Graphite composite body and rotor
- 5 Long Life System ball bearings
- 1 roller bearing (Infinite Antireverse)
- One Way clutch system
- Micro-adjustable Carp Runner drag with oversized washers
- CNC machine cut Long Cast Superlight aluminium spool
- Graphite spare spool in the box
- Anti Twist line roller system
- CNC aluminium single handle with ergonomic knob
- Supplied with an extra handle with double knobs

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.2:1 GEAR RATIO | 5+1 BB SYSTEM

Super Balance System | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CROSS WINDER

		SIZE	g				
034-79-400	8 054393 156112	4000	360	5.2:1 85 cm	Ø 0.30 200 m	1	5+1
034-79-600	8 054393 156129	6000	490	5.2:1 96 cm	Ø 0.40 195 m	1	5+1

AIRBLADE FREE SPOOL

- Aultraslim body made from spacecraft metal alloy
- No screws on exterior parts
- Superlight rotor made from spacecraft metal alloy
- Aluminium spool
- Titanium Line Roller
- Free Runner system
- Infinite anti-reverse
- Aluminium one touch folding handle

After a few centimetres of handle rotation, the free runner system is automatically disengaged, and main drag system gets into play, of course at level previously set by the user at the start of fishing session.

The free runner system fitted on new Air Blade FD is quite efficient, because it works right in the heart of the reel, exactly on the big roller anti-reverse bearing. No power dispersion means superior smoothness, specially in the vital moment of first fish run!.

METAL BODY | SUPER LIGHT ALU | 5.1:1 GEAR RATIO | 6 Kg MAX DRAG | 7+1 BB SYSTEM

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CROSS WINDER | USB ULTRA SLIM BODY DESIGN

		SIZE	g				
033-72-400	8 054393 011770	4000	280	5.1:1 83 cm	Ø 0.25 210 m	1	7+1

SPARE SPOOL		SIZE	TYPE	
033-72-401	8 054393 011787	400	Alu	Ø 0.25 210 m

QOSMIO CRS

- Graphite composite body and rotor
- 2 Long Life System ball bearings
- 1 roller bearing (Infinite Antireverse)
- One Way clutch system
- Micro-adjustable Carp Runner drag with oversized washers
- CNC machine cut Long Cast Superlight aluminium spool
- Graphite spare spool in the box
- Anti Twist line roller system
- Balanced double handle with rubber knobs

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 5.2:1 GEAR RATIO | 2+1 BB SYSTEM

Super Balance System | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g				
034-80-400	8 054393 156136	4000	375	5,2:1 85 cm	Ø 0.30 200 m	1	2+1
034-80-600	8 054393 156143	6000	490	5,2:1 96 cm	Ø 0.40 195 m	1	2+1

DAYTON BR

- Ball Bearing Long Life System
- Multi Stop anti reverse
- Free Runner drag system
- Ultralight Long Cast superlight aluminium spool
- Max Plus line already loaded on the spool
- Anti Twist System line roller
- Balanced handle with ergonomic knob

SPOOLED WITH MAX PLUS

GRAPHITE BODY | SUPER LIGHT ALU | 5.2:1 GEAR RATIO | 1 BB SYSTEM

Super Balance System | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | MULTI STOP SYSTEM

		SIZE	g				
033-27-400	8 054393 011558	4000	330	5.2:1 84 cm	Ø 0.30 180 m	1	Max Plus
033-27-500	8 054393 011565	5000	400	5.2:1 90 cm	Ø 0.40 220 m	1	Max Plus
033-27-600	8 054393 011572	6000	460	5.2:1 97 cm	Ø 0.40 190 m	1	Max Plus

MITO MICRO FD & RD

Don't be fooled by the small size, this little machine makes use of technologies and mechanical components that are typical of high-class reels. Made of graphite with metal inserts in areas of greater wear, it includes a 3D computer designed gearing, which rotates on a 4 Long Life ball bearings and 1 one-way roller bearing, which runs the anti-reverse system. The spool and the handle are made from cold forged aluminum for maximum strength with ultralight weight. The drag is a masterpiece, even at maximum setting releases the line smoothly, without tension variations. Perfect for ultra-lightweight spinning, the small streams fishing and compact length bolognese rods.

GRAPHITE BODY · SUPER LIGHT · 5.5:1 GEAR RATIO · 4+1 BB SYSTEM

Super Balance System · MULTI STOP SYSTEM

		SIZE	g			
033-13-100	8 054393 011244	FD100	160	5.2:1 60 cm	Ø 0.18 165 m	4+1
033-13-200	8 054393 011251	RD100	160	5.2:1 60 cm	Ø 0.15 300 m	4+1

AURIS MICRO

Super lightweight series proposed with line already spooled. The front drag is of great level, as well as the gearings: considering the small size, it displays great power. It can also be used for fishing with the "Barbara" bolo.

SPOOLED WITH XP Line

GRAPHITE BODY · SUPER LIGHT · 5.5:1 GEAR RATIO · 1 BB SYSTEM

Super Balance System · ROLLER ANTITWIST SYSTEM · MULTI STOP SYSTEM · GW CROSS WINDER

		SIZE	g				
033-44-100	8 054393 011398	100	162	5.5:1 69 cm	Ø 0.18 145 m	1	Xp Line

ZEON XT MICRO

Ultralight reel with micrometric front drag, aluminum spool, infinite anti-reverse, soft rubber handle knob and anti-twist line roller. It can be mounted on "Barbara" bolos or used in trout fishing with ultralight lures.

GRAPHITE BODY · SUPER LIGHT · 5.5:1 GEAR RATIO · 1 BB SYSTEM

Super Balance System · MULTI STOP SYSTEM

		SIZE	g			
031-18-100	8 054393 010650	100	150	5.1:1 69 cm	Ø 0.18 145 m	1

KRONOS SRX

- Graphite body
- 5 Long Life Ball Bearings
- 1 Roller Bearing
- One Way Clutch System
- Micro-adjusting Rear Drag
- Long Cast Superlight Aluminium Spool (Oversized Design)
- Graphite Spare Spool
- Anti Twist Line Roller
- Power Fight Aluminium Handle
- Soft Touch Ergonomic Handle Knob

GRAPHITE BODY · SUPER LIGHT ALU · GRAPHITE 1x SPARE SPOOL · 5.1:1 GEAR RATIO · 5+1 BB SYSTEM

POWERBAIL · SBS Super Balance System · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CW CROSS WINDER

		SIZE	g				
034-39-200	8 054393 136527	2000	260	5.1:1 73 cm	Ø 0.20 165 m	1	5+1
034-39-300	8 054393 136534	3000	290	5.1:1 76 cm	Ø 0.25 140 m	1	5+1
034-39-400	8 054393 136541	4000	320	5.1:1 83 cm	Ø 0.30 120 m	1	5+1

NEW HYDRUS RD

- Long Cast Superlight Spool
- Balanced Handle with Soft Ergonomic Knob
- Anti Twist line roller
- Micro-adjusting rear drag
- Max Plus line already loaded on the reel

GRAPHITE BODY · SUPER LIGHT · 5.2:1 GEAR RATIO · 1 BB SYSTEM

SBS Super Balance System · ROLLER ANTITWIST SYSTEM · MULTI STOP SYSTEM · CW CROSS WINDER

		SIZE	g			
034-77-910	8 054393 176097	1000	215	5,2:1 78 cm	Ø 0.18 215 m	1
034-77-920	8 054393 176103	2000	230	5,2:1 81 cm	Ø 0.20 195 m	1
034-77-930	8 054393 176110	3000	265	5,2:1 83 cm	Ø 0.25 245 m	1
034-77-940	8 054393 176127	4000	280	5,2:1 91 cm	Ø 0.30 195 m	1

TRABUCCO
SUPERNOVA
GR SURF 4203

SURFCASTING & BIG PIT

NEW LANCER	NEW LTX	174
	XTR	175
X-RIDE	BEACH	176
CASTFORCE	CX	177
	CX BEACH	177
	XLT SURF	178
	PTFE SPARE SPOOL	178
	NEW SRT	179
	XT BEACH	179
NEW XHIRON	NEW SD	180
EMERY	SURF	181
XENOS	LDX	181
MAXXIS	HYPER SURF	182
HYRONCAST		182
ANDROMEDA	XT SURF	183
KRONOS	SW	183
NEW ADMIRAL	NEW SURF	184
	NEW LONG CAST	184
SEARIDER	PWG	184
SONIC	XS SURF	185
AVALON	SURFCAST	185
OCEANIC	PRO SURF	186
DAYTON	SURF	186

ICONS LIST

SIZE Size | Gear Ratio | Spare Spool

Weight | Ball Bearings | Line Type

TYPE Type | Capacità ø

NEW LANCER LTX

- Xtra light Body and Rotor made from CX Carbon
- Long Cast Superlight aluminium spool
- Titanium coated Anti Twist line roller
- Sealed Smart Drag system, with PTFE coated washers
- Double strength stainless steel main shaft
- Stainless steel Long Life ball bearings
- Infinite anti-reverse system
- Worm Shaft + Slow Oscillation System
- Advanced rotor stop system
- CNC Aluminium handle with soft touch knob

Thanks to its special design, the worm shaft is responsible of perfect line lay on reel's spool. As a consequence, the casting distance is improved, due to easier line flow.

On left, the standard ball bearings are open to get salt within balls. On right, the shielded version from Trabucco Lancer LTX series is safe from aggressive agents.

Graphite spare spool.

ULTRA LIGHT CARBON BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 4.8:1 GEAR RATIO | 6+1 SS SHIELDED BEARINGS | SWR SALT WATER RESISTANT

POWERBAIL | AVS ANTI WIND SYSTEM | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | WORM SHAFT GEAR WSG | SOS SLOW OSCILLATION SYSTEM

		SIZE	g			
035-13-100	8 054393 173669	6.500	580	4.8:1 90 cm	Ø 0.25 310 m	6+1
035-13-200	8 054393 173683	8.000	680	4.3:1 92 cm	Ø 0.30 340 m	6+1

SPARE SPOOL		SIZE	TYPE	
035-13-101	8 054393 173676	6.500	Alu	Ø 0.25 310 m
035-13-201	8 054393 173690	8.000	Alu	Ø 0.30 340 m

LANCER XTR

- 6 Stainless steel long life ball bearings
- Infinite anti reverse system
- Worm Shaft for a perfect line lay
- Slow oscillation system
- Sealed smart drag system
- Bail arm lock system (manual closure only)
- High strength engineered XTra Tough body
- Double strength stainless steel main shaft
- Long cast superlight aluminium spool
- CNC fighting handle with soft touch knob
- PTFE coated magnum drag washers
- Titanium coated anti twist line roller
- Exclusive spare spools available as optional

Thanks to the worm shaft and the super slow oscillation of the spool, the line lay of Lancer XTR is absolutely impeccable.

A tiny hole, located in the spool's core just above the line clip, allows to fix the first line's coil without using the traditional knot, which, considering the limited depth of the spool, would be too much obtrusive and could negatively affect the achievable casting distances.

Two types of spare spools are available as optional, both CNC carved from a solid aluminium bar. One silver color, exactly same as the main one fitted on to the reel, the other with a wonderful black anodized finish, which offers the chance to customize the reel.

XTRA TOUGH BODY · SUPER LIGHT ALU · 4.8:1 GEAR RATIO · 6+1 SS SHIELDED BEARINGS · SWR SALTWATER RESISTANT

POWERBAIL · AVS ANTI WIND SYSTEM · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · WORM SHAFT GEAR WSG · SOS SLOW OSCILLATION SYSTEM

		SIZE	g			
035-13-650	8 054393 141163	6500	580	4.8:1 90 cm	Ø 0.25 250 m	6+1
035-13-800	8 054393 141187	8000	680	4.3:1 92 cm	Ø 0.30 300 m	6+1

SPARE SPOOL		SIZE	TYPE	
035-13-651	8 054393 141170	6500	Alu	Ø 0.25 250 m
035-13-652	8 054393 141224	6500	Black PE	Ø 0.25 245 m
035-13-801	8 054393 141231	8000	Alu	Ø 0.30 300 m
035-13-802	8 054393 141248	8000	Black PE	Ø 0.30 275 m

X-RIDE BEACH

- High strength engineered Xtra Tough body
- Cold forged long cast superlight aluminium spool
- Large diameter aluminium bail wire, with titanium coated anti-twist line roller
- Sensitive and sealed drag system
- Stainless steel ball bearings
- Double strength stainless steel main shaft
- Infinite anti-reverse bearing
- Worm shaft system provides perfect line lay
- Bail arm lock system (manual closure only)
- Machined aluminium handle with light rubber grip

SPECIAL BEACH

The drag box of X-Ride Beach is safely sealed by a soft rubber gasket, a solution which prevents salt water intrusion as well as keeping dust and sand far from disks.

The shallow spool is absolutely perfect in a technique, like beach legering, where more and more thin lines are now used. Its upper lip has been designed to reduce friction to the bare minimum.

XTRA TOUGH BODY | SUPER LIGHT ALU | 4.6:1 GEAR RATIO | 10+1 SS SHIELDED BEARINGS | 8 Kg MAX DRAG | SWR SALTWATER RESISTANT

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | WORM SHAFT GEAR WSG | SOS SLOW OSCILLATION SYSTEM | STAINLESS STEEL COMPONENTS

		SIZE	g			kg	
035-07-550	8 054393 113252	5500	540	4.6:1 91.5cm	Ø 0.25 300 m	8	10+1

SPARE SPOOL		SIZE	TYPE	
035-07-551	8 054393 113269	5500	Long Cast	Ø 0.25 300 m

CASTFORCE CX ULTRALIGHT SURF

- Pure CX carbon body and rotor
- Double strength stainless steel main shaft
- Longcast aerospace grade aluminium spool
- Longcast aluminium spare spool
- Front drag with fast operating knob (Smart Drag)
- PTFE coated oversized drag disks
- Titanium coated Anti-Twist line roller
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Aluminium CNC handle with soft touch knob

ULTRA LIGHT CARBON BODY · SUPER LIGHT ALU · ALUMINIUM 1x SPARE SPOOL · 4.6:1 GEAR RATIO · 9+1 SS SHIELDED BEARINGS · SWR SALTWATER RESISTANT

POWERBAIL · AVS ANTI VIBRO SYSTEM · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · WORM SHAFT GEAR WSG · USB ULTRA SLIM BODY DESIGN · SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
035-22-800	8 054393 154156	8000	500	4,6 :1 100 cm	Ø 0,33 150 m	1	9+1

CASTFORCE CX BEACH

- Extra light pure CX Carbon body and rotor
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Double strength stainless steel main shaft
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- Longcast aerospace grade aluminium spool
- 1x Longcast aluminium spare spool
- Oversized bail (Powerbail)
- Titanium coated Anti-Twist line roller
- Aluminium CNC handle with soft touch knob

Like Castforce Surf reels, also Castforce Beach can take advantage of the dedicated optional PTFE spool, available separately and interchangeable on both the CX and XT models.

ULTRA LIGHT CARBON BODY · SUPER LIGHT ALU · 4.7:1 GEAR RATIO · ALUMINIUM 1x SPARE SPOOL · 9+1 SS SHIELDED BEARINGS · SWR SALTWATER RESISTANT

POWERBAIL · AVS ANTI VIBRO SYSTEM · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · WORM SHAFT GEAR WSG · USB ULTRA SLIM BODY DESIGN · SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
035-29-550	8 054393 156419	5500	370	4.7:1 92 cm	Ø 0,307 270 m	1	9+1

SPARE SPOOL		SIZE	TYPE	
035-28-010	8 054393 156396	5500	PTFE white	Ø 0.228 240 m

CASTFORCE XLT SURF

- High strength engineered X-Tra Tough body
- Double strength stainless steel main shaft
- Longcast aerospace grade aluminium spool
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- Anti-Twist Titanium line roller
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Worm Shaft for a perfect line lay
- Aluminium CNC handle with soft touch knob
- Slow spool oscillation

X-TRA TOUGH BODY | SUPER LIGHT ALU | 4.6:1 GEAR RATIO | 8+1 SS SHIELDED BEARINGS | SWR SALTWATER RESISTANT

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | WORM SHAFT GEAR WSG | USB ULTRA SLIM BODY DESIGN | SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
035-19-650	8 054393 151872	6500	545	4,6:1 92 cm	Ø 0.285 200 m	8+1
035-19-800	8 054393 151896	8000	565	4,6:1 100 cm	Ø 0.330 150 m	8+1

SPARE SPOOL		SIZE	TYPE	
035-19-651	8 054393 151889	6500	Alu	Ø 0.285 200 m
035-19-801	8 054393 151902	8000	Alu	Ø 0.330 150 m

CASTFORCE PTFE SPARE SPOOL

		SIZE	TYPE	
035-18-010	8 054393 151858	8000	PTFE	Ø 0.285 - 200 m

In the modern Surfcasting, the use of ever-finer lines and thin braided lines has given rise to the need to adopt reels with shallower depth, if compared to the traditional design, because the volume of the line pack is much lower. But it is clear that an aluminum spool with reduced depth has a large diameter core, for which its weight is inevitably higher than one in the normal depth version. So, here is the Trabucco solution: a superlight PTFE spool, which fits perfectly on all Castforce Surf reels of size 8000. Its advantages are considerable. First of all, the material is self-lubricating, so that the friction with the line flowing out during the cast is considerably reduced. Then the lightness, which makes the rod and reel assembly more maneuverable and eases the start point of the clutch. Moreover, the resistance to compression and the indifference to the aggression by the saltwater stand out. Finally, the Trabucco Castforce PTFE spool is offered at a very attractive price to allow the competition anglers to prepare a large number of ready spools, without investing a fortune. Its ideal partner is the X8 Nage Pro Surf braid, packed in 250 meter spools and multi-coloured in 25 meter long segments.
* Not compatible with Castforce XLT

NEW CASTFORCE SRT

- High strength X-Tra Tough body and rotor
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Double strength stainless steel main shaft
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- Longcast aerospace grade aluminium spool
- 2x Longcast PTFE spare spools
- Oversized bail (Powerbail)
- Titanium coated Anti-Twist line roller
- Aluminium CNC handle with soft touch knob

Castforce SRT is equipped with two additional PTFE spools, of different colour, ultralight and with the same line capacity as the main aluminum spool.

XTRA TOUGH BODY · SUPER LIGHT ALU · 4.6:1 GEAR RATIO · PTFE 2x SPARE SPOOL · 8+1 SS SHIELDED BEARINGS · SWR SALTWATER RESISTANT

POWERBAIL · AVS ANTI VIBRO SYSTEM · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · WORM SHAFT GEAR WSG · USB ULTRA SLIM BODY DESIGN · SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
035-18-180	8 054393 171689	8000	590	4,6:1 92 cm		2 PTFE	8+1

CASTFORCE XT BEACH

- High strength X-Tra Tough body and rotor
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Double strength stainless steel main shaft
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- Longcast aerospace grade aluminium spool
- 2x Longcast PTFE spare spools
- Oversized bail (Powerbail)
- Titanium coated Anti-Twist line roller
- Aluminium CNC handle with soft touch knob

Castforce XT Beach is equipped with two additional PTFE spools, of different colour, ultralight and with the same line capacity as the main aluminum spool.

XTRA TOUGH BODY · SUPER LIGHT ALU · 4.7:1 GEAR RATIO · PTFE 2x SPARE SPOOL · 6+1 SS SHIELDED BEARINGS · SWR SALTWATER RESISTANT

POWERBAIL · AVS ANTI VIBRO SYSTEM · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · WORM SHAFT GEAR WSG · USB ULTRA SLIM BODY DESIGN · SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
035-28-550	8 054393 156402	5500	435	4.7:1 92 cm	Ø 0,228 240 m	2 PTFE	6+1

SPARE SPOOL		SIZE	TYPE	
035-28-010	8 054393 156396	5500	PTFE white	Ø 0.228 240 m

NEW XHIRON SD

- High strength X-Tra Tough body and rotor
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Double strength stainless steel main shaft
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Front drag with fast operating knob (Smart Drag)
- PTFE coated magnum drag washers
- Longcast aerospace grade aluminium spool
- 2x Longcast PTFE spare spools
- Oversized bail (Powerbail)
- Titanium coated Anti-Twist line roller
- Aluminium CNC handle with soft touch knob

Xhiron SD is equipped with two additional PTFE spools, of different colour, ultralight and with the same line capacity as the main aluminum spool.

X-TRA TOUGH BODY | SUPER LIGHT ALU | 4.6:1 GEAR RATIO | PTFE 2x SPARE SPOOL | 6+1 SS SHIELDED BEARINGS | SWR SALTWATER RESISTANT

POWERBAIL | AVS ANTI WIND SYSTEM | AS ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | WORM SHAFT GEAR WSG | USB ULTRA SLIM BODY DESIGN | SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
035-24-080	8 054393 171672	8000	550	4,6 :1 100 cm	550	2 PTFE	6+1

EMERY SURF

- High strength engineered X-Tra Tough body
- Double strength stainless steel main shaft
- Longcast aerospace grade aluminium spool
- 2x spare PTFE spools
- Front drag with fast operating knob (Smart Drag)
- Anti-Twist Titanium coated line roller
- Sealed stainless steel Long Life ball bearings
- Infinite antireverse
- Worm Shaft for a perfect line lay
- Slow spool oscillation
- Aluminium CNC handle with soft touch knob

X-TRA TOUGH BODY · SUPER LIGHT ALU · 4.6:1 GEAR RATIO · 9+1 SS SHIELDED BEARINGS · SWR SALTWATER RESISTANT · PTFE 2x SPARE SPOOL · SOS SLOW OSCILLATION SYSTEM · POWERBAIL · AVS ANTI VIBRO SYSTEM · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · WORM SHAFT GEAR WSG · USB ULTRA SLIM BODY DESIGN

		SIZE					
035-23-800	8 054393 154170	8000	650	4,6 :1 100 cm	Ø 0,285 200 m	2 PTFE	9+1

SPARE SPOOL		SIZE	TYPE	
035-23-010	8 054393 154163	8000	Alu (Blue)	Ø 0.285 200 m
035-23-020	8 054393 154224	8000	PTFE (White)	Ø 0.285 200 m

XENOS LDX

- Hi-Tech graphite body and rotor
- Ultralight aluminium eazy cast spool
- Graphite extra spool
- Hollow bail with titanium Anti Twist line roller
- Rotary Flat Oscillation System
- Double Shielded SS Long Life Ball Bearings
- Saltwater & Dust Proof Drag
- Infinite Antireverse
- Worm Shaft for a perfect line lay
- Stainless Steel main shaft
- Bail arm lock system (manual closure only)

The titanium line roller is linked to bail arm with a tapered sleeve which drives the line to roller, even when tension is very low.

On left, the standard ball bearings are open to get salt within balls. On right, the shielded version fitted on Xenos LDX series is safe from aggressive agents.

X-TRA TOUGH BODY · ALU DURAL · GRAPHITE 1x SPARE SPOOL · 3.9:1 GEAR RATIO · 12Kg MAX DRAG · 5+1 BB SYSTEM · SWR SALTWATER RESISTANT · POWERBAIL · AVS ANTI VIBRO SYSTEM · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · WORM SHAFT GEAR WSG · SOS SLOW OSCILLATION SYSTEM

		SIZE					
035-10-100	8 054393 012791	10000	700	3.9:1 90 cm	Ø 0.30 385 m	1	5+1

SPARE SPOOL		SIZE	TYPE	
035-10-101	8 054393 012807	10000	Eazy Cast	Ø 0.30 385 m

MAXXIS HYPER SURF

- X-Tra Tough graphite body
- Longcast aluminium spool
- Longcast aluminium spare spool
- Traditional bail with Anti-Twist line roller
- Sealed stainless steel ball bearings
- Infinite antireverse
- Worm Shaft for a perfect line lay
- Aluminium handle with ergonomic rubber knob

X-TRA TOUGH BODY | ALU COLD FORGED | ALUMINIUM 1x SPARE SPOOL | 4.5:1 GEAR RATIO | 3+1 BB SYSTEM | SWR SALTWATER RESISTANT

AVS ANTI VIBRO SYSTEM | ONE WAY CLUTCH | ROLLER ANTITWIST SYSTEM | WORM SHAFT GEAR WSG | SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
035-15-080	8 054393 012852	8000	610	4.5:1 98 cm	Ø 0.35 220 m	1	3+1
035-15-100	8 054393 012869	10000	735	4.5:1 98 cm	Ø 0.40 220 m	1	3+1

HYRONCAST

- Graphite composite body
- Aluminium Long cast main spool (graphite spare spool)
- Aluminium Power Bail with Anti Twist line roller
- Micro-adjustable drag, with oversized disks
- Stainless steel Long Life ball bearings
- Infinite anti-reverse
- Worm shaft system, with slow oscillation
- Machine cut aluminium handle, with E.V.A. knob

Thanks to its special design, the worm shaft is responsible of perfect line lay on reel's spool, with neat angles between each coils. As a consequence, the casting distance is damatically improved, due to easier line flow.

GRAPHITE BODY | SUPER LIGHT ALU | GRAPHITE 1x SPARE SPOOL | 4.9:1 GEAR RATIO | 6+1 BB SYSTEM | SWR SALTWATER RESISTANT

POWERBAIL | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | WORM SHAFT GEAR WSG | SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
035-05-550	8 054393 012715	5500	570	4.9:1 97 cm	Ø 0.25 310 m	1	6+1
035-05-650	8 054393 012722	6500	550	4.9:1 97 cm	Ø 0.30 390 m	1	6+1
035-05-800	8 054393 012739	8000	770	4.7:1 103 cm	Ø 0.35 330 m	1	6+1

ANDROMEDA XT SURF

- 5 Long Life ball bearing
- 1 Roller bearing
- Graphite composite body
- Long Cast superlight graphite spool
- Anti Twist Line Roller
- Micro-adjusting Front Drag with Oversized Drag Washers
- Infinite Anti Reverse «One Way» System
- Worm Shaft + S.O.S. Slow Oscillation System
- One Touch handle with ergonomic soft knob

GRAPHITE BODY · SUPER LIGHT ALU · GRAPHITE 1x SPARE SPOOL · 4.1:1 GEAR RATIO · 5+1 BB SYSTEM

Super Balance System · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · WORM SHAFT GEAR WSG · SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
035-21-800	8 054393 154149	8000		4.1:1 92 cm	Ø 0.30 150 m	1	5+1

KRONOS SW

- 6 Stainless steel Long Life ball bearings
- 1 Stainless steel roller bearing
- Worm shaft + slow oscillation system
- Cold forged long cast superlight aluminium spool
- CNC fighting handle with EVA knob
- Infinite antireverse
- Front drag system with PTFE coated washers
- Anti twist line roller
- Spare graphite spool

GRAPHITE BODY · SUPER LIGHT ALU · 4.9:1 GEAR RATIO · GRAPHITE 1x SPARE SPOOL · 4+1 BB SYSTEM · SWR SALTWATER RESISTANT

ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · SOS SLOW OSCILLATION SYSTEM · WORM SHAFT GEAR WSG

		SIZE	g				
033-39-600	8 054393 011343	6000	551	4.9:1 92 cm	Ø 0.20 490 m	1	6+1
033-39-800	8 054393 011350	8000	536	4.9:1 98 cm	Ø 0.30 390 m	1	6+1

NEW ADMIRAL SURF & LONG CAST

- 4 Long Life Ball Bearing
- 1 Roller Bearing
- Graphite composite body
- Long Cast Superlight Graphite Spool
- Anti Twist Line Roller
- Micro-adjusting Front Drag with Oversized Drag Washers
- Infinite Anti Reverse «One Way» System
- Worm Shaft + S.O.S. Slow Oscillation System
- CNC Fighting Handle With Ergonomic Soft Knob

SPOOLED WITH MAX PLUS

Thanks to its special design, the worm shaft is responsible of perfect line lay on reel's spool, with neat angles between each coils. As a consequence, the casting distance is damatically improved, due to easier line flow.

On left, the standard ball bearings are open to get salt within balls. On right, the shielded version fitted on Admiral Surf series is safe from aggressive agents.

GRAPHITE BODY | GRAPHITE | 4.9:1 GEAR RATIO | 4+1 BB SYSTEM | SWR SALTWATER RESISTANT

Super Balance System | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | WORM SHAFT GEAR WSG | SOS SLOW OSCILLATION SYSTEM

		SIZE	g				
033-35-200	8 054393 174123	8000	520	4.9:1 105 cm	Ø 0.35 370 m	4+1	Max Plus
033-35-300	8 054393 174130	10000	770	4.7:1 105 cm	Ø 0.35 430 m	4+1	Max Plus

SEARIDER PWG

- Body and rotor made from graphite composite
- 5 stainless steel Long Life ball bearings
- 1 Roller Bearing (Infinite antireverse)
- Stainless steel main shaft and drive gear
- Micro-adjusting Front Drag with oversized Drag Washers
- Superlight graphite spool
- Oversized aluminium Power Bail
- Titanium coated Anti Twist Line Roller
- Aluminium handle with oversized rubber knob

GRAPHITE BODY | GRAPHITE | 4.9:1 GEAR RATIO | 5+1 BB SYSTEM | SWR SALTWATER RESISTANT

POWERBAIL | Super Balance System | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CXV CROSS WINDER

		SIZE	g			
035-26-550	8 054393 157287	6000	410	4.9:1 86 cm	Ø 40 135 m	5+1
035-26-700	8 054393 157294	7000	630	4.1:1 84 cm	Ø 50 230 m	5+1

SONIC XS SURF

- Long Life ball bearing system
- Multi Stopper anti-reverse system
- Micro-adjustable front drag with oversized washers
- Superlight Long Cast Spool
- Pre-spooled Max Plus line (ready to use reel)
- Anti Twist line roller
- Balanced handle with ergonomic knob

SPOOLED WITH MAX PLUS

GRAPHITE BODY | SUPER LIGHT | 4.1:1 GEAR RATIO | 1 BB SYSTEM

Super Balance System | ROLLER ANTITWIST SYSTEM | MULTI STOP SYSTEM | CROSS WINDER

		SIZE	g				
034-73-065	8 054393 153777	6500	580	4.1:1 81 cm	Ø 0.40 275 m	1	Max Plus
034-73-080	8 054393 153784	8000	640	4.1:1 92 cm	Ø 0.50 310 m	1	Max Plus

AVALON SURFCAST

- 1 Long Life Ball Bearing System
- Multi Stop System
- Micro-adjusting front drag with oversized washers
- Long Cast Superlight Spool
- Anti Twist Line Roller
- Balanced handle with soft ergonomic knob
- Max Plus Line already spooled

SPOOLED WITH MAX PLUS

GRAPHITE BODY | SUPER LIGHT | 4.1:1 GEAR RATIO | 1 BB SYSTEM

Super Balance System | ROLLER ANTITWIST SYSTEM | MULTI STOP SYSTEM | CROSS WINDER

		SIZE	g				
033-42-300	8 054393 113467	6500 Red	620	4.1:1 82 cm	Ø 0.40 200 m	1	Max Plus
033-42-400	8 054393 113474	6500 Blue	620	4.1:1 82 cm	Ø 0.40 200 m	1	Max Plus

OCEANIC PRO SURF

- 1 Long Life Ball Bearing System
- Multi Stop Anti-reverse System
- Spooled with Max Plus Line
- Micro-Adjustiable Front Drag with oversized washers
- Long Cast Superlight Spool
- Anti Twist Line Roller
- Balanced Handle with soft ergonomic knob

SPOOLED WITH MAX PLUS

GRAPHITE BODY | SUPER LIGHT | 4.1:1 GEAR RATIO | 1 BB SYSTEM

Super Balance System | ROLLER ANTITWIST SYSTEM | MULTI STOP SYSTEM | CROSS WINDER

		SIZE	g				
033-43-200	8 054393 113603	8000	613	4.1:1 91cm	Ø 0.40 250 m	1	Max Plus

DAYTON SURF

- Long Life ball bearing system
- Multi Stopper anti-reverse system
- Micro-adjustable front drag with oversized washers
- Superlight Long Cast Spool
- Pre-spooled Max Plus line (ready to use reel)
- Anti Twist line roller
- Balanced handle with ergonomic knob

SPOOLED WITH MAX PLUS

GRAPHITE BODY | SUPER LIGHT | 4.1:1 GEAR RATIO | 1 BB SYSTEM

Super Balance System | ROLLER ANTITWIST SYSTEM | MULTI STOP SYSTEM | CROSS WINDER

		SIZE	g				
034-30-650	8 054393 133250	6500	580	4.1:1 81 cm	Ø 0.40 275 m	1	Max Plus
034-30-800	8 054393 133267	8000	640	4.1:1 92 cm	Ø 0.50 310 m	1	Max Plus

SW POWER GAME

INVICTUS	SW-H	188
AIRBLADE	POWER SW	189
QOSMIO	XT POWER GAME	189
MARVEL	PWG	190
SEARIDER	PWG	190
DAYTON	SW	191
NEW ACHAB	SW	191
NEW VEKTOR	SW	191

TROLLING & JIGGING

SEAEAGLE		191
TRANSFORMER	F50C	192
HYBRID		192
RAGE	25HL	193
SEALION	OB	194
	JIGGING	194
NEW THOR	LD	195
MERIDIAN	GT	195
NEPTUNE	SR	195

ICONS LIST

SIZE Size	Weight	Capacità ø
Weight	Gear Ratio	Spare Spool
Breaking Strenght	Ball Bearings	

INVICTUS SWH

- Ultra stiff metal body
- Aluminium V-spool design for increased casting distance
- Spool assisted by 2 ball bearings for smooth drag performance
- Stainless steel main shaft and main gear shaft
- Oversized aluminium Power Bail with Anti Twist line roller
- Sealed drag with carbon and steel disks
- Stainless steel sealed ball bearings
- Permanent one-way retrieve (no anti-reverse)
- Cross Winding system for a perfect line lay
- Power Drive screw lock CNC handle with fighting knob

METAL BODY | V-SPOOL DESIGN | 20Kg MAX DRAG | 5.9:1 GEAR RATIO | 7+1 SS SHIELDED BEARINGS | SWR SALTWATER RESISTANT

POWERBAIL | STAINLESS STEEL COMPONENTS | AVS ANTI VIBRO SYSTEM | ROLLER ANTITWIST SYSTEM | ONE WAY CLUTCH | CW CROSS WINDER

		SIZE					
033-99-065	8 054393 148926	6500H	490	5.9:1 105 cm	PE #4.0 370 m	20	7+1
033-99-080	8 054393 148964	8000H	510	4.9:1 94 cm	PE #5.0 330 m	20	7+1

SPARE SPOOL		SIZE	
033-99-066	8 054393 148957	6500H	PE #4.0 370 m
033-99-081	8 054393 148971	8000H	PE #5.0 330 m

PWG X8 POWER GAME

- 8 strand braid made from High Modulus PE fibers
- Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- PDMS membrane protecting each single fiber from wear
- Power Game special: ideal for long and tough fights
- Super flexibility and free flowing through rod's guides
- Great softness and hyper sensitivity
- No memory and high abrasion resistance
- Round cross section to allow long and accurate casting

300m

055-02-...
Available Diameter: 0,185 mm - 0,330 mm

Find out more on pag 201

AIRBLADE POWER SW

- Sealed body and rotor made from metal alloy for extreme stiffness, without any external screw
- Machined aluminium spool, with large holes for lightness
- Power Bail with Anti Twist line roller
- Micro-adjustable drag, with oversized disks
- Stainless steel Long Life ball bearings
- Infinite anti-reverse
- One touch folding handle with oversized, ergonomic knob

The metal rotor has been drawn by computer to reduce weight and improve balance as well.

The handle folds instantaneously, thanks to the one touch button.

METAL BODY · SUPER LIGHT ALU · 7 Kg MAX DRAG · 4.9:1 GEAR RATIO · 7+1 SS SHIELDED BEARINGS · SWR SALTWATER RESISTANT

POWERBAIL · STAINLESS STEEL COMPONENTS · AVS ANTI VIBRO SYSTEM · AS ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CW CROSS WINDER · USB ULTRA SLIM BODY DESIGN

		SIZE	g			Kg	
033-71-500	8 054393 011732	4500	480	4.9:1 81 cm	Ø 0.35 245 m	7	7+1
033-71-600	8 054393 011756	6000	490	4.9:1 89 cm	Ø 0.40 240 m	7	7+1

SPARE SPOOL		SIZE	
033-71-501	8 054393 011749	4500	Ø 0.35 245 m
033-71-601	8 054393 011763	6000	Ø 0.40 240 m

QOSMIO XT POWER GAME

- 4 Long Life Ball Bearing
- 1 Roller Bearing
- Infinite Anti Reverse «One Way» System
- Worm Shaft + S.O.S. System
- Long Cast Superlight Graphite Spool
- CNC Fighting Handle With Ergonomic Soft Knob
- Micro-adjusting Front Drag with oversized Drag Washers
- Anti Twist Line Roller

GRAPHITE BODY · GRAPHITE · 4.1:1 GEAR RATIO · 5+1 BB SYSTEM

SBS Super Balance System · AS ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · WORM SHAFT GEAR WSG · SOS SLOW OSCILLATION SYSTEM

		SIZE	g			
035-20-800	8 054393 154132	900	650	4.2:1 92 cm	Ø 0.40 320 m	5+1

MARVEL PWG

- Body and rotor made from X-Tra tough graphite
- 5 stainless steel Long Life ball bearings
- 1 Roller Bearing (Infinite antireverse)
- Stainless steel main shaft and drive gear
- Micro-adjusting Front Drag with oversized Drag Washers
- Long Cast Superlight aluminium spool
- Graphite extra spool
- Oversized aluminium Power Bail
- Titanium coated Anti Twist Line Roller
- Aluminium handle with oversized rubber knob

X-TRA TOUGH BODY · SUPER LIGHT ALU · 4.9:1 GEAR RATIO · GRAPHITE 1x SPARE SPOOL · 5+1 BB SYSTEM · SWR SALTWATER RESISTANT

POWERBAIL · STAINLESS STEEL COMPONENTS · AVS ANTI VIBRO SYSTEM · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CXV CROSS WINDER · USB ULTRA SLIM BODY DESIGN

		SIZE	g				
035-25-550	8 054393 157263	6000	410	4.9:1 86 cm	Ø 40 135 m	1	5+1
035-25-700	8 054393 157270	7000	630	4.1:1 84 cm	Ø 50 230 m	1	5+1

SEARIDER PWG

- Body and rotor made from graphite composite
- 5 stainless steel Long Life ball bearings
- 1 Roller Bearing (Infinite antireverse)
- Stainless steel main shaft and drive gear
- Micro-adjusting Front Drag with oversized Drag Washers
- Superlight graphite spool
- Oversized aluminium Power Bail
- Titanium coated Anti Twist Line Roller
- Aluminium handle with oversized rubber knob

GRAPHITE BODY · GRAPHITE · 4.9:1 GEAR RATIO · 5+1 BB SYSTEM · SWR SALTWATER RESISTANT

POWERBAIL · SBS Super Balance System · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CXV CROSS WINDER

		SIZE	g			
035-26-550	8 054393 157287	6000	410	4.9:1 86 cm	Ø 40 135 m	5+1
035-26-700	8 054393 157294	7000	630	4.1:1 84 cm	Ø 50 230 m	5+1

DAYTON sw

- Long Life Ball Bearing System
- Multi Stop anti reverse system
- Micro-adjustable front drag with oversized discs
- Long Cast superlight spool
- Max Plus light blue color line already loaded on the spool
- Anti Twist System line roller
- Balanced handle with ergonomic knob

GRAPHITE BODY · SUPER LIGHT ALU · 4.1:1 GEAR RATIO · 1 BB SYSTEM

POWERBAIL · SBS Super Balance System · ROLLER ANTITWIST SYSTEM · ONE WAY CLUTCH · CXV CROSS WINDER

		SIZE	g				
034-26-650	8 054393 126535	6500	580	4.1:1 81 cm	Ø 40 275 m	1	Max Plus
034-26-800	8 054393 126542	8000	640	4.1:1 92 cm	Ø 50 310 m	1	Max Plus

NEW ACHAB sw

- Graphite composite body and rotor
- 1 Long Life Ball Bearing
- Multi Stop anti reverse system
- Micro-adjusting Front Drag with oversized Drag Washers
- Long Cast Superlight Graphite Spool
- Pre-spooled with Max Plus line quality
- Anti Twist Line Roller
- Balanced handle with ergonomic knob

GRAPHITE BODY · SUPER LIGHT ALU · 5.2:1 GEAR RATIO · 1 BB SYSTEM

SBS Super Balance System · ROLLER ANTITWIST SYSTEM · MULTI STOP SYSTEM · CXV CROSS WINDER

		SIZE	g				
034-78-400	8 054393 170163	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1	Max Plus
034-78-500	8 054393 170170	5000	330	5.2:1 95 cm	Ø 0.35 275 m	1	Max Plus
034-78-600	8 054393 156108	6000	395	5,2:1 98 cm	Ø 45 195 m	1	Max Plus

NEW VEKTOR POWER SW

- Graphite composite body and rotor
- 1 Long Life Ball Bearing
- Multi Stop anti reverse system
- Micro-adjusting Front Drag with oversized Drag Washers
- Long Cast Superlight Graphite Spool
- Pre-spooled with Max Plus line quality
- Anti Twist Line Roller
- Balanced handle with ergonomic knob

GRAPHITE BODY · SUPER LIGHT ALU · 5.2:1 GEAR RATIO · 1 BB SYSTEM

SBS Super Balance System · ROLLER ANTITWIST SYSTEM · MULTI STOP SYSTEM · CXV CROSS WINDER

		SIZE	g				
034-71-940	8 054393 170248	4000	280	5.2:1 91 cm	Ø 0.30 195 m	1	Max Plus
034-71-950	8 054393 170255	5000	330	5.2:1 95 cm	Ø 0.35 275 m	1	Max Plus
034-71-960	8 054393 170262	6000	395	5,2:1 98 cm	Ø 45 195 m	1	Max Plus

Speed Gearing

Maxel 2-Speed system consists of two sets of stainless steel main and pinion gears, allowing anglers the option of a high-speed ratio or a power ratio for maximum torque. Maxel shifting system is designed to operate in a simple and reliable way: just push the shift button and handle in for low gear, offering you the power to fight big game fish; push button and pull handle out so as to switch back to high speed ratio for quick line retrieve.

Machined Rigid Frame

Aircraft grade aluminum construction incorporating Maxel rigid machine technology. All Maxel reels feature a strong, rigid, one-piece fully machined aluminum frame. These monolithic bar-stock frames not only keep the moving parts in precise alignment, but also maintain exacting control tolerances under heavy loading while fighting big fish.

Magnetic Cast Assist

Maxel Magnetic Cast Assist is designed to reduce backlash and improve casting distance by utilizing the magnetic field. The magnetic piece exerts an opposing force and assist with accurate adjustments. This feature is available on Maxel light jigging reel models.

Pre-Set & Drag Lever

Maxel pre-set knob and drag lever are designed user-friendly for precise and constant drag settings from FREE (no drag pressure), to STRIKE (where you fight the fish), until FULL (provides extra drag pressure when you need it). Turn the pre-set knob clockwise for more drag pressure, counter-clockwise for less drag pressure.

Cold Forged Spool & Sideplates

With Maxel latest cold forging technology, the super strong, cold forged aluminum spool and side plates stand up to line pressure and hard fighting stresses.

Anti-corrosion stainless steel bearings

Maxel use top quality shielded stainless steel ball bearings in order to assure corrosion resistance and smooth operation on line release and retrieve.

Heavy Duty and Precision Gears

Each Maxel reel is constructed around a high modulus, heat-treated, heavy duty stainless steel gear set for superior strength, smoothness and long life.

Carbon Drag System

Maxel unique Carbon Drag system delivers a wide range and smooth operation at all settings. The contaminant resistant carbon surfaces are treated with a precise amount of specially formulated Maxel drag grease that resists water absorption and maintains powerful drag settings. Constant, steady friction and excellent heat displacement are assured through the drag surface design.

Ergo Power Knob

Maxel ergonomically shaped power knob provides maximum power with minimum fatigue for the game angler. The power knob takes full advantage of the natural dynamics of the human hand, wrist and forearm to help sustain power and endurance for the game angler.

SEAEAGLE

- Fantastic double speed trolling reel
- 6061-T6 machined one piece aluminum frame
- Cold forged aluminum spool and side plates
- Precision-machined stainless steel gears
- Carbon-based contaminant-resistant drag materia
- 4 shielded stainless steel ball bearings
- Extremely tight tolerance to prevent line eating
- Heavy duty stainless steel drive and spool shafts
- CNC aluminum anodized reel foot
- Main shaft bearing stabilizer prevents excessive side pressure on spool bearings
- New power T-Bar handle for increased comfort and torque
- Stainless steel rod clamp and harness lugs

RETRIEVE PER CRANK
SE30W - 115 & 45 cm
SE30WL - 115 & 45 cm
SE50W - 108 & 39 cm

WEIGHT
SE30W - 1340 g
SE30WL - 1370 g
SE50W - 2120 g

PRE-SET & DRAG LEVER
Maxel pre-set knob and drag lever are designed user-friendly for precise and constant drag settings from FREE (no drag pressure), to STRIKE (where you fight the fish), until FULL (provides extra drag pressure when you need it). Turn the pre-set knob clockwise for more drag pressure, counter-clockwise for less drag pressure.

T-BAR HANDLE
The exclusive ergonomic T-Bar handle is able to provide maximum cranking power with minimal effort. T-Bar actually makes the most of hand, wrist and forearm. Construction material has been chosen not to burn hands even if sun exposed during Summertime.

4 SS SHIELDED BALL BEARING

EXCELLENT FREE SPOOL · SMOOTH AND POWERFUL DRAG · CDS CARBON DRAG SYSTEM · HEAVY-DUTY AND PRECISION GEARS · ANTI-CORROSION STAINLESS STEEL BEARINGS · Ergonomically POWER KNOB

	MODEL			STRIKE		
030-03-020	SE20	4.3:1 1.7:1	20 lb 690 yds	12.30 kg	14.30	4
030-03-030	SE30W	4.3:1 1.7:1	30 lb 700 yds	12.50 kg	14.50	4
030-03-035	SE30WL	4.3:1 1.7:1	50 lb 570 yds	12.50 kg	14.50	4
030-03-050	SE50W	3.6:1 1.3:1	50 lb 850 yds	17.50 kg	20.50	4

EVA BAG
Supplied with a practical protective EVA bag, tailor made to fit the reel and closed at the bottom by a Velcro band that leaves the foot uncovered. Therefore, the reel can be wrapped by the bag without removing it from the rod's reel seat.

TRANSFORMER F50C

- Precise machined, rigid, one piece tempered aluminium frame
- Super strong, cold forged aluminium spool and side plates
- Smooth, high precision, heat treated stainless steel helical cut gears
- Lever controlled carbon dual drag delivering smooth performance even when wet
- Magnetic cast assist control for improved casting performance
- Recessed stainless steel seat makes the reel sitting lower on rod
- 8+2 oversized and shielded stainless steel ball bearings
- Right handle, with ergonomic EVA knob for superior control
- Complete Heavy Duty anodization
- Protective Neoprene case, closed by a Velcro band

TRANSFORMER

8+2 SS SHIELDED BALL BEARING

EXCELLENT FREE SPOOL · SMOOTH AND POWERFUL DRAG · CDS CARBON DRAG SYSTEM · HEAVY-DUTY AND PRECISION GEARS · ANTI-CORROSION STAINLESS STEEL BEARINGS

030-05-100	5.0:1 (85 cm)	50 lb / 400 m	22	8+2

HYBRID HY 20CL

- Light yet strong reel for Slow Pitching and Vertical Jigging
- Smooth star drag performance, even when wet, with carbon washers
- EVA handle knob for total control during line retrieve and fish fight
- Compact, one-piece anodized aluminium frame
- Cold forged aluminium spool and side plates
- Magnetic Cast Assist (MCA)
- Precision machined & high strength stainless steel gears
- Aluminium thumb bar spool release
- 7+1 stainless steel shielded ball bearings
- Left Handle configuration
- CNC machined aluminium foot

Magnetic Cast Assist.
It's designed to reduce backlash and improve casting distance by utilizing the magnetic field. The magnetic piece exerts an opposing force and assist with accurate adjustments. This feature is available on Maxel light jigging reel models.

7+1 SS SHIELDED BALL BEARING

EXCELLENT FREE SPOOL · SMOOTH AND POWERFUL DRAG · CDS CARBON DRAG SYSTEM · HEAVY-DUTY AND PRECISION GEARS · ANTI-CORROSION STAINLESS STEEL BEARINGS

030-04-020	6.0:1 (93 cm)	PE 2 (Ø 0,235) / 300 m	13	7+2

HYBRID

RAGE 25HL

- Machined one piece aluminium frame
- Cold forged aluminium spool
- High precision machined stainless steel gears
- Hyper sensitive lever drag with carbon disks (Carbon Drag System), allowing high performance even when wet
- Hi speed retrieve
- 9+2 stainless steel shielded ball bearings
- Left handle, with high control ergonomic knob
- Complete heavy Duty anodization
- Protective neoprene cover, closed by a Velcro band

9+1 SS SHIELDED BALL BEARING

EXCELLENT FREE SPOOL · SMOOTH AND POWERFUL DRAG · CDS CARBON DRAG SYSTEM · HEAVY-DUTY AND PRECISION GEARS · ANTI-CORROSION STAINLESS STEEL BEARINGS

030-04-100	6.2:1 (96 cm)	PE 2/400 m - 20 lb/400 yds	7.6	9+2

RAPTURE SEADUST SLOW PITCH

ROLL CORE

The design of the Roll Core logo effectively communicates its structural concept. A High Resistance carbon core is wrapped by external High Modulus nano-carbon multiple layers. The former takes care of extreme efforts, the latter contributes to lightness, providing at the same time high sharpness and contrast to the torsion. Unbelievable!

A true technology bomb expressly dedicated to Slow Jigging purists: rigorously one-piece blank structure, with three differentiated power rods designed for the exclusive use of the multiplier reel. For those who use it, a Seadust is an absolute pleasure. In action it's light, precise, powerful and sensitive; resistant up to the extreme bending, it leaves no way out for the more combative fish, protecting the braided line thanks to the stress-absorbing properties of its carbon structure. CXC technology and acid guide configuration totally delete blank's torsion and considerably reduce fighting fatigue.

SEALION OB

An Hi-Tech multiplier designed for trolling and specifically with braided lines. This is the right model to fish with the downrigger and with the drift lead; in fact, it features an increased capacity spool, granting the possibility to spool enough meters of the big diameter braided required. It is evident that for other specifications we did not change the good specs that made the Sea Wolf and the Sea Lion the best multipliers to be used on a boat. So also the Sea Lion OB features a machined 6061-T6 aluminium frame. This one piece frame is the best warranty you can have about the solidity and the reliability of the reel. All the gears are made from stainless steel, the only material that can last for countless years in an aggressive and salty environment. The spool and the side covers are made of cold forged aluminium, to keep them light weight but still very strong. The lever drag and the handle have ergonomic shape and are easy to access, because when you are fighting a big fish everything must be just handy. If you summarize what a Maxel OB is giving you: light weight, ergonomic design, 100% salt water proof, stainless steel and carbon drag washers, eight double shielded stainless steel bearings and much more, you will understand why we are giving 5 years warranty. Because a Maxel reel is made for fishing and it will do it well for a long, long time.

RETRIEVE PER CRANK
06LH - 76 cm
09RH - 82 cm
11RH - 105 cm

8+2 SS SHIELDED BALL BEARING

SEALION

EXCELLENT FREE SPOOL · SMOOTH AND POWERFUL DRAG · CDS CARBON DRAG SYSTEM · HEAVY-DUTY AND PRECISION GEARS · ANTI-CORROSION STAINLESS STEEL BEARINGS · Ergonomically POWER KNOB

		MODEL			STRIKE	kg	
030-01-206	8 054393 010582	06LH	4.5:1	310 m - 20 lb	5.0 kg	6.0	8+2
030-01-209	8 054393 010599	09RH	4.5:1	410 m - 20 lb	8.0 kg	10.0 kg	8+2
030-01-211	8 054393 010605	11RH	4.5:1	545 m - 20 lb	7.0 kg	8.5 kg	8+2

SEALION JIGGING

- 6061-T6 machined one piece aluminum frame
- Cold forged aluminum spool and side plates
- Precision-machined stainless steel gears
- Contaminant-resistant carbon drag material with special grease
- With fulcrum clicker design to stop drag lever backing off
- Oversized shielded stainless steel ball bearings for better support and strength
- Slim frame and narrow spool increased 10% more line capacity
- Newly designed balance handle to minimize the jigging vibration
- Excellent free spool
- Serialized identification

PRE-SET & DRAG LEVER. Maxel pre-set knob and drag lever are designed user-friendly for precise and constant drag settings from FREE (no drag pressure), to STRIKE (where you fight the fish), until FULL (provides extra drag pressure when you need it) .Turn the pre-set knob clockwise for more drag pressure, counter-clockwise for less drag pressure.

8+2 SS SHIELDED BALL BEARING

SEALION

EXCELLENT FREE SPOOL · SMOOTH AND POWERFUL DRAG · CDS CARBON DRAG SYSTEM · HEAVY-DUTY AND PRECISION GEARS · ANTI-CORROSION STAINLESS STEEL BEARINGS · Ergonomically POWER KNOB

		MODEL			STRIKE	kg	
030-01-008	8 054393 010542	SL08LH	4.5:1 2.1:1	20 lb 330 yds	7.0 kg	8.5	8+2
030-01-010	8 054393 010551	SL10LH	4.5:1 2.1:1	20 lb 495 yds	8.0 kg	10.0	8+2
030-01-108	8 054393 010568	SL08RH	4.5:1 2.1:1	20 lb 330 yds	7.0 kg	8.5	8+2
030-01-110	8 054393 010575	SL10RH	4.5:1 2.1:1	20 lb 495 yds	8.0 kg	10.0	8+2

RETRIEVE PER CRANK
SL08 - 82 & 42 cm
SL10 - 95 & 47 cm

2-SPEED GEARING. Maxel 2-Speed system consists of two sets of stainless steel main and pinion gears, allowing anglers the option of a high-speed ratio or a power ratio for maximum torque . Maxel shifting system is designed to operate in a simple and reliable way, just push the shift button and handle in for low gear, offering you the power to fight big game fish; push button and pull handle out so as to switch back to high speed ratio for quick line recovery.

NEW THOR LD

- Lightweight graphite frame and side plates
- Shielded stainless steel ball bearings
- Instant anti-reverse stainless steel bearing
- Stainless Steel frame rings for extra rigidity
- Forged, machined and anodized aluminium spool
- Smooth and consistent multi-disc lever drag system
- Heavy duty precision stainless steel gearing
- Precision machined stainless steel pinion gear
- Stainless steel power handle with oversized knob
- Heavy duty clicker
- Corrosion proof stainless steel reel foot

4 SS SHIELDED BALL BEARING

8 SS SHIELDED BALL BEARING

		SIZE	g				
030-56-020	8 054393 171696	LD 420	552	3.2:1	Ø 0.50 210 m	20 lb	4
030-56-030	8 054393 171702	LD 830	774	3.2:1	Ø 0.50 620 m	30 lb	8

MERIDIAN GT

Meridian trolling reels are a good and versatile option for Mediterranean trolling. Graphite body is salt water resistant and side plates are reinforced by a stainless steel ring, to strengthen the whole chassis. Handle and spool are anodized aluminium. So the reel can be spooled with braided line. 3+1 stainless steel shielded bearings. Fighting handle with power knob.

3+1 SS SHIELDED BALL BEARING

		SIZE	g				
030-50-300	8 054393 010629	330	470	4.1:1	Ø 0.45 320 m	20 lb	3+1

NEPTUNE SR

Family of easy to use, long lasting and reliable conventional reels. All the gears are salt water treated and perform a 3.8:1 gear ratio, the correct compromise between speed and power. The spool, and the handle too, is made from anodized aluminium, so it can be used with braided lines. Both sizes feature level wind for an easy use and perfect line lay. Graphite body is light weight and corrosion resistant. 3 stainless steel shielded bearings.

3 SS SHIELDED BALL BEARING

		SIZE	g				
030-55-200	8 054393 010636	15/30	485	3.8:1	Ø 0.45 200 m	20 lb	3
030-55-300	8 054393 010643	20/40	520	3.8:1	Ø 0.45 260 m	30 lb	3

TRABUCCO LINE TECHNOLOGY

First of all, the contact with bait or lure, then link to the fish. Not a mere accessory, but a vital piece of tackle, which deserves the best attentions. Line and fishing are actually inseparable, since the sporting aspect has taken over the food needs.

SUPER HYDROPHOBIC POLYDIMETHYLSILOXANE COATING

It's quite difficult to memorize the full meaning of the acronym PDMS: it's surely much easier to realize and remember its benefits. Each single strand of the Trabucco braids which are made with such technology is coloured and coated prior to the formation of the line, obtaining an unsurpassed level of protection. This was possible because the PDMS allows to create ultrafine membranes with high flexibility, photoresistance, waterproofness and ability to saturate microscopic rooms. On its surface, water forms tiny balls and slips away, and it is obvious that the salt and any chemical pollutants can't penetrate and damage the fibers forming the line.

HMPE

The High Modulus Polyethylene is the best material for braided line's production. Flexibility, linear strength and abrasion resistance are its quality factors.

NANO STRUCTURE PROCESS

The future technology is already here, with the core of the monofilament featuring an unprecedented compactness for maximum cooperation between the molecules.

DYNA TEX

PE braided lines with great strength per diameter, thanks to the high number of strands the profile is rounder, avoiding the line digging in the spool.

T FORCE

Series of monofilaments super resistant to shocks and knots, always reliable and top quality. A timeless classic of Italian fishing style.

XPS

Hi-Tech monofilaments of the latest generation, each series is dedicated to a specific fishing techniques and it is essential due to its unique structure.

Diamond

A true hi spec competition line. Quality and performance always consistent. It is just the best way to build super strong and totally invisible hook length.

S FORCE

Super soft and abrasion resistant monofilaments, the best for spooling your reels. Specific lines available for Match, Surf Casting, Predator, Feeder and, generally, for all the techniques that need long casting performance.

MAXPLUS

A new range, specialized in the most common fresh and saltwater uses. Total reliability and a plus: the side cover which include the hole to hang each spool in the shop.

SUPER ELITE

The highest quality monofilament in the world. You will never find on the market any other monofilament with such a high strength test.



TRABUCCO PARALLEL SPOOLING

The spooling process is a step of production which can heavily affect the line's performance and behavior while fishing. When the monofilament gets from the big spools to commercial, small ones, the machines involved in the operation can induce abnormal tension and torque, up to "loading" the line with a stress that will be given us back when we will wind it on to the reel's spool or when we will use it to build up a rig or an hooklink. The solution used by Trabucco to overcome this problem on high end lines is the parallel spooling, a special process which cannot be applied on the whole range due to longer time process that, in the end, causes cost's increase. A very special machine lays every coil parallel to the previous one under high precision and minimal tension, without inducing any torsion and generating the fantastic effect which everybody can see through a magnifying glass. Excess of accuracy? Maniacal care? Nothing wrong, because only in this way the line will come off the spool with unchanged specifications, the best precondition to get the optimum from it, with less tendency to tangle and with a smooth flow through rod's guides.

AUTHENTIC QUALITY

The embossed logo inside the spool? A strong headache for those who try to produce copies of the extraordinary Trabucco lines, because replicating such a sophisticated spool involves a heavy investment that pushes up prices. In the future, it will gradually be applied to new products, making the authentic Trabucco production recognizable.

IN THE SHOP

In each commercial package there is a tag showing the traditional code and the EAN barcode. By placing it on the display peg before the product, the retailer will be able to reorder the line without mistakes when all the spools will have been sold, ensuring its consistent availability within his shop.

The range of Trabucco monofilament and braided lines is probably the most comprehensive in the world. Impossible to describe the satisfaction that these products collect in all areas of sport fishing, up to the point of being imitated and even counterfeited. But it is thanks to a special feeling that the passionate users know how to distinguish the originals from the copies, continuing to feel that intense trust that, ultimately, brings to the landing net an impressive number of fish.

TRABUCCO BRAIDED LINES:
THE RIGHT SOLUTION FOR ANY FISHING STYLE!
From the smallest to the largest, for all the reels there is a wide choice between the Trabucco braided lines, because today the combinations of diameter, colour and technical specifications are so articulated to satisfy every area of sport fishing, in fresh water as well as in the sea. Compact fibers for a gentle, quiet flowing through the rod's guides; hydrophobia rather than waterproofness, to provide a direct contact with the bait or lure and to easily "cut" the water at the critical time of the strike. The inner structure of these fantastic creations of Japanese technology is High Modulus Polyethylene (HMPE), a material with extraordinary physical properties such as tensile strength and abrasion resistance, enhanced and maintained over time by exclusive PDMS coating.

MONO & BRAIDED LINE

DYNA-TEX BRAIDED 200
XPS FLUOROCARBON 207
XPS FLUOROCARBON & SOFT PLUS 211
T-FORCE XPS 212
XPS MATCH & FEEDER 216
DIAMOND 218
WINTER ICE 219
SUPER ELITE 220
T-FORCE SPECIALIST 222
T-FORCE 224
S-FORCE 228
SURFCASTING 230
SPECIAL SALTWATER 235
MAX PLUS 238

ICONS LIST

Diametre (mm) | Breaking Strenght (lb) | Trade Box
PE Line | Breaking Strenght (kg)

SLK X8

NANO STRUCTURE PROCESS · PDMS COATING · DYNA TEX

The cross section of the X8 highlights the extreme compactness of the strands.

- 8 strand braid made from ultrafine High Modulus PE fibers
- Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- PDMS membrane protecting each single fiber from wear
- Slick finish for smooth and silent flow through rod's guides
- Great softness and remarkable sensitivity
- No memory and high abrasion resistance
- Round cross section to allow long casting
- Colour: moss green

150m/165yds		Ø	PE	kg	lb	pc
055-00-080	8 054393 150769	0,084	#0,2	4,99	11,00	6
055-00-100	8 054393 150776	0,104	#0,4	6,21	13,70	6
055-00-120	8 054393 150783	0,128	#0,6	7,48	16,50	6
055-00-140	8 054393 150790	0,148	#0,8	8,57	18,90	6
055-00-160	8 054393 150806	0,165	#1,0	9,89	21,80	6
055-00-180	8 054393 150813	0,185	#1,2	11,61	25,60	6
055-00-200	8 054393 150820	0,205	#1,5	14,47	31,90	6

NEW SLK X8 SPECIAL EGI

NANO STRUCTURE PROCESS · PDMS COATING · DYNA TEX

- 8 strand braid made from High Modulus PE fibers
- Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- PDMS membrane protecting each single fiber from wear
- Super flexibility and free flowing through rod's guides
- Great softness and hyper sensitivity
- No memory and high abrasion resistance
- Colour: light pink

Metric Marking System

150m/165yds		Ø	PE	kg	lb	pc
055-04-100	8 054393 174635	0,104	#0,4	6,21	13,7	6
055-04-120	8 054393 174642	0,128	#0,6	7,48	16,5	6
055-04-140	8 054393 174659	0,148	#0,8	8,57	18,9	6

NEW SLK X8 SPECIAL FEEDER

NANO STRUCTURE PROCESS · PDMS COATING · DYNA TEX

- 8 strand braid made from High Modulus PE fibers
- Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- PDMS membrane protecting each single fiber from wear
- Power Game special: ideal for long and tough fights
- Super flexibility and free flowing through rod's guides
- Great softness and hyper sensitivity
- No memory and high abrasion resistance
- Round cross section to allow long and accurate casting
- Colour: lime yellow

150m/165yds		Ø	PE	kg	lb	pc
055-03-080	8 054393 174604	0,084	#0,2	4,53	10	6
055-03-100	8 054393 174611	0,104	#0,4	5,44	12	6
055-03-120	8 054393 174628	0,128	#0,6	6,80	15	6

PWG X8

NANO STRUCTURE PROCESS PDMS COATING DYNA TEX

The cross section of the X8 highlights the extreme compactness of the strands.

- 8 strand braid made from High Modulus PE fibers
- Nano-technological structure for a superior compactness and thinner diameters in relation to breaking strength
- PDMS membrane protecting each single fiber from wear
- Power Game special: ideal for long and tough fights
- Super flexibility and free flowing through rod's guides
- Great softness and hyper sensitivity
- No memory and high abrasion resistance
- Round cross section to allow long and accurate casting
- Colour: lime yellow

300m/330yds		Ø	PE	kg	lb	PC
055-02-180	8 054393 150837	0.185	#1.2	11.61	25.60	4
055-02-200	8 054393 150844	0.205	#1.5	14.47	31.90	4
055-02-230	8 054393 150851	0.235	#2.0	17.46	38.50	4
055-02-260	8 054393 150868	0.260	#2.5	20.23	44.60	4
055-02-280	8 054393 150875	0.285	#3.0	23.13	51.00	4
055-02-310	8 054393 150882	0.310	#3.5	24.95	55.00	4
055-02-330	8 054393 150899	0.330	#4.0	27.94	61.60	4

PRO X8 EXTREME

PDMS COATING DYNA TEX

- 8 strand braid made from High Modulus PE fibers, with round cross section
- Great softness and flexibility to avoid tangles
- PDMS membrane on single braids to offer protection and durability
- Smooth and silent run through rod's guides
- No memory and very high abrasion resistance
- Extreme linear and knot strength
- Colour: bright orange

The cross section of the X8 highlights the extreme compactness of the strands.

150m/165yds		Ø	PE	kg	lb	PC
054-26-080	8 054393 125354	0,084	#0,2	3,76	8,3	6
054-26-100	8 054393 125361	0,104	#0,4	4,54	10	6
054-26-120	8 054393 125378	0,128	#0,6	6,81	15	6
054-26-150	8 054393 125385	0,153	#0,8	9,07	20	6
054-26-180	8 054393 125392	0,185	#1,2	11,34	25	6
054-26-200	8 054393 125408	0,205	#1,5	13,61	30	6
054-26-230	8 054393 125415	0,235	#2,0	18,14	40	6
054-26-260	8 054393 125422	0,260	#2,5	20,41	45	6
054-26-320	8 054393 125439	0,318	#3,5	22,68	50	6
054-26-350	8 054393 125446	0,352	#4,5	27,22	60	6

300m/330yds		Ø	PE	kg	lb	PC
054-27-150	8 054393 125453	0,153	#0,8	9,07	20	4
054-27-180	8 054393 125460	0,185	#1,2	11,34	25	4
054-27-200	8 054393 125477	0,205	#1,5	13,61	30	4
054-27-230	8 054393 125484	0,235	#2,0	18,14	40	4
054-27-260	8 054393 125491	0,260	#2,5	20,41	45	4
054-27-320	8 054393 125507	0,318	#3,5	22,68	50	4
054-27-350	8 054393 125514	0,352	#4,5	27,22	60	4
054-27-400	8 054393 125521	0,405	#6,0	34,02	75	4

PRO NT ULTRA-THIN

NANO STRUCTURE PROCESS PDMS COATING DYNA TEX

- Ultrafine High Modulus PE braid, made through Nano Technologies
- Specially designed for Ultralight Spinning and Area Trout
- Super Hydrophobic PDMS membrane to offer protection and durability
- Great softness and high sensitivity
- Smooth and silent run through rod's guides
- No memory and very high abrasion resistance
- Extreme linear and knot strength
- Colour green field

100m/110yds		Ø	PE	Kg	lb	PC
054-28-005	8 054393 135322	0.053	#0.10	2.72	6	6
054-28-006	8 054393 135339	0.064	#0.15	3.18	7	6
054-28-007	8 054393 135346	0.072	#0.2	3.63	8	6

NEO X8

DYNA TEX

- 8 strand braid made from High Modulus PE fibers
- Great softness and remarkable sensitivity
- Round cross section to allow long casting
- Very high abrasion resistance and linear strength
- Special spool with adjustable tension system
- Colour: hi-viz light yellow

The cross section of the X8 highlights the extreme compactness of the strands.

150m/165yds		Ø	PE	Kg	lb	PC
054-11-008	8 054393 140432	0,084	#0.2	3,63	8	6
054-11-010	8 054393 140449	0,100	#0.4	4,54	10	6
054-11-012	8 054393 140456	0,128	#0.6	5,44	12	6
054-11-014	8 054393 140463	0,148	#0.8	6,80	15	6
054-11-016	8 054393 140470	0,165	#1.0	8,16	18	6
054-11-018	8 054393 140487	0,185	#1.2	9,07	20	6
054-11-020	8 054393 140494	0,205	#1.5	11,34	25	6
054-11-024	8 054393 140500	0,235	#2.0	13,61	30	6

300m/330yds		Ø	PE	Kg	lb	PC
054-12-014	8 054393 140579	0,148	#0.8	6,80	15	4
054-12-018	8 054393 140586	0,185	#1.0	9,07	20	4
054-12-020	8 054393 140593	0,205	#1.5	11,34	25	4
054-12-024	8 054393 140609	0,235	#2.0	13,61	30	4
054-12-028	8 054393 140616	0,285	#3.0	18,14	40	4
054-12-330	8 054393 140623	0,330	#4.0	22,68	50	4
054-12-370	8 054393 140630	0,375	#5.0	27,22	60	4
054-12-400	8 054393 140647	0,405	#6.0	34,02	75	4

NEO X8 NAGE PRO SURF

PDMS COATING DYNA TEX

- Multi-colour 8 strand braid made from High Modulus PE, with round cross section
- Great softness and flexibility to avoid tangles
- PDMS membrane on single braids to offer protection and durability
- Smooth and silent run through rod's guides
- No memory and very high abrasion resistance
- Extreme linear and knot strength
- Special spool with adjustable tension system
- Colour: variable every 25 meters (yellow, orange, red, blue, purple)

The cross section of the X8 highlights the extreme compactness of the strands.



250m/275yds		Ø	PE	kg	lb	PC
054-14-008	8 054393 140739	0.084	#0.2	3.63	8	4
054-14-010	8 054393 140746	0.100	#0.4	4.54	10	4
054-14-012	8 054393 140753	0.128	#0.6	5.44	12	4
054-14-014	8 054393 140555	0.148	#0.8	6.80	15	4
054-14-016	8 054393 140562	0.165	#1.0	8.16	18	4

NEO X8 MULTICOLOUR

DYNA TEX

- 8 strand braid made from High Modulus PE, with round cross section
- Great softness and flexibility to avoid tangles
- Extreme linear and knot strength
- No memory and very high abrasion resistance
- Special spool with adjustable tension system
- Colour: variable every 10 meters (purple, yellow, blue, red, green)

The cross section of the X8 highlights the extreme compactness of the strands.



300m/330yds		Ø	PE	kg	lb	PC
054-13-014	8 054393 140654	0.148	#0.8	6.80	15	4
054-13-018	8 054393 140661	0.185	#1.0	9.07	20	4
054-13-020	8 054393 140678	0.205	#1.5	11.34	25	4
054-13-024	8 054393 140685	0.235	#2.0	13.61	30	4
054-13-028	8 054393 140692	0.285	#3.0	18.14	40	4
054-13-330	8 054393 140708	0.330	#4.0	22.68	50	4
054-13-370	8 054393 140715	0.375	#5.0	27.22	60	4
054-13-400	8 054393 140722	0.405	#6.0	34.02	75	4

FREE LINE TENSION SPOOL

The plastic case that contains the X4 Power spool allows it to rotate within it, offering the possibility to transfer the line to the reel's spool without opening the protective shell. The spooling tension can be varied by placing the fingers on the appropriate ribbed area, so as to apply the desired pressure with the hand that holds the package.

Above, the window from which the line comes out to reach the reel's spool. On the right, the spooling tension can be modulated with finger pressure.

PE: CORRESPONDING DIAMETERS

More and more, the reels predisposed to the use of braided lines indicate the spool capacity along with PE letters, which identify the Polyethylene, material used for their production. The number that identifies the line size corresponds to its breaking strain, for which the guide that we publish can't be universal, because the quality of available products is absolutely not homogeneous.

PE	Ø
0.1	0.053
0.15	0.063
0.2	0.084
0.3	0.091
0.4	0.104
0.6	0.128
0.8	0.153
1.0	0.165
1.2	0.185
1.5	0.205
1.7	0.218

PE	Ø
2.0	0.235
2.5	0.260
3.0	0.285
3.5	0.318
4.0	0.330
4.5	0.352
5.0	0.370
6.0	0.405
7.0	0.435
8.0	0.470

PE	Ø
9.0	0.505
10.0	0.520
12.0	0.570
14.0	0.620
16.0	0.660
18.0	0.700
20.0	0.740
22.0	0.780
24.0	0.810
28.0	0.870

X4 POWER

PDMS COATING DYNA TEX

- 4 strand braid made from High Modulus PE fibers
- Great softness and flexibility to avoid tangles
- PDMS membrane on single braids to offer protection and durability
- Smooth and silent run through rod's guides
- No memory and very high abrasion resistance
- Extreme linear and knot strength
- Special spool with adjustable tension system
- Colours Moss Green and Lime Yellow

The great flexibility of the 4-strands structure made it possible to create a good 0,064 mm.

LIME YELLOW

150m/165yds		Ø	KG	lb	PC
054-31-060	8 054393 122919	0.063	2.72	6	6
054-31-080	8 054393 122926	0.084	3.63	8	6
054-31-100	8 054393 122933	0.100	4.54	10	6
054-31-120	8 054393 122940	0.128	5.44	12	6
054-31-140	8 054393 123206	0.148	6.81	15	6
054-31-160	8 054393 123213	0.165	8.16	18	6
054-31-180	8 054393 123220	0.185	9.07	20	6
054-31-200	8 054393 123237	0.205	11.34	25	6
054-31-240	8 054393 123244	0.235	13.61	30	6
054-31-300	8 054393 123251	0.285	18.14	40	6

300m/330yds		Ø	KG	lb	PC
054-32-140	8 054393 123268	0.148	6.81	15	4
054-32-180	8 054393 123275	0.185	9.07	20	4
054-32-200	8 054393 123282	0.205	11.34	25	4
054-32-240	8 054393 122957	0.235	13.61	30	4
054-32-280	8 054393 122964	0.285	18.14	40	4
054-32-370	8 054393 122971	0.370	22.68	50	4
054-32-400	8 054393 122988	0.405	27.22	60	4
054-32-450	8 054393 122995	0.435	34.02	75	4

MOSS GREEN

150m/165yds		Ø	KG	lb	PC
054-33-060	8 054393 123541	0.063	2.72	6	6
054-33-080	8 054393 123558	0.084	3.63	8	6
054-33-100	8 054393 123565	0.100	4.54	10	6
054-33-120	8 054393 123572	0.128	5.44	12	6
054-33-140	8 054393 123589	0.148	6.81	15	6
054-33-160	8 054393 123596	0.165	8.16	18	6
054-33-180	8 054393 123602	0.185	9.07	20	6
054-33-200	8 054393 123114	0.205	11.34	25	6
054-33-240	8 054393 123121	0.235	13.61	30	6
054-33-300	8 054393 123138	0.285	18.14	40	6

300m/330yds		Ø	KG	lb	PC
054-34-140	8 054393 123145	0.148	6.81	15	4
054-34-180	8 054393 123152	0.185	9.07	20	4
054-34-200	8 054393 123169	0.205	11.34	25	4
054-34-240	8 054393 123497	0.235	13.61	30	4
054-34-280	8 054393 123503	0.285	18.14	40	4
054-34-370	8 054393 123510	0.370	22.68	50	4
054-34-400	8 054393 123527	0.405	27.22	60	4
054-34-450	8 054393 123534	0.435	34.02	75	4

POWER SILK

DYNA TEX

- Braided line featuring extreme structural compactness
- Smooth surface for easy long casting
- High abrasion resistance
- Special protective box
- Colour: dark green

100m/110yds		Ø	Kg	lb	PC
054-37-080	8 054393 024084	0.08	3.63	8.00	10
054-37-100	8 054393 024091	0.10	4.54	10.00	10
054-37-120	8 054393 024107	0.12	5.45	12.00	10
054-37-140	8 054393 024114	0.14	6.81	15.00	10
054-37-160	8 054393 024121	0.16	9.08	20.00	10
054-37-200	8 054393 024138	0.20	13.62	30.00	10

HYBRID SINKING BRAID

XPS DYNA TEX

- Hybrid braided line made from High Modulus PE
- Fast sinking line, specific for feeder fishing
- Zero stretch for neat bite detection at great distance
- Perfect smoothness and high sensitivity
- Round cross section for great castability
- Incredible linear and knot strength
- Total absence of memory
- Colour: dark brown

150m/165yds		Ø	Kg	lb	P/V	PC
054-29-080	8 054393 149688	0.084	4.08	9.00	1.21	6
054-29-100	8 054393 149695	0.104	5.44	12.00	1.18	6
054-29-120	8 054393 149701	0.128	6.80	15.00	1.14	6

MATCH TAPER LEADER

XPS T-FORCE

- Nylon tapered leaders with high sinking properties
- Perfect as shock leader for match, feeder and lake trout fishing
- Controlled stretch for safe hook sets, no memory at all
- Great abrasion resistance
- Spool containing 10 pieces of 15 metres each
- Colour: crystal clear



10x15m		Ø	Kg	lb	PC
052-02-010	8 054393 128232	0,165~0,221	3,60~6,42	7,94~14,16	10
052-02-020	8 054393 128249	0,181~0,255	4,43~7,95	9,76~17,53	10
052-02-030	8 054393 128256	0,181~0,283	4,43~9,07	9,76~20,00	10
052-02-040	8 054393 128263	0,203~0,327	5,30~10,35	11,68~22,82	10

TEKNO SUPER BRAID

DYNA TEX

- 4 strand braid made from High Modulus PE, with round cross section
- Greatly soft and easy to spool
- Extreme linear and knot strength
- Low memory for smooth operability
- Colour: dark green

135m/150yds		Ø	Kg	lb	PC
054-21-100	8 054393 122858	0.100	4.54	10	6
054-21-120	8 054393 122865	0.128	5.44	12	6
054-21-140	8 054393 122872	0.148	6.81	15	6
054-21-160	8 054393 122889	0.165	8.16	18	6
054-21-180	8 054393 122896	0.185	9.07	20	6
054-21-200	8 054393 122902	0.205	11.34	25	6
054-21-240	8 054393 123398	0.235	13.61	30	6
054-21-300	8 054393 123404	0.285	18.14	40	6

275m/300yds		Ø	Kg	lb	PC
054-22-140	8 054393 123411	0.148	9.07	20	4
054-22-180	8 054393 123428	0.185	11.34	25	4
054-22-200	8 054393 123435	0.205	13.61	30	4
054-22-240	8 054393 123442	0.235	18.14	40	4
054-22-280	8 054393 123459	0.285	22.68	50	4
054-22-370	8 054393 123466	0.370	27.22	60	4
054-22-400	8 054393 123473	0.405	34.02	75	4
054-22-450	8 054393 123480	0.435	34.02	75	4

FUSION BRAID

DYNA TEX

- Braided line made under a special Japanese technology
- Extreme structural compactness
- Smooth surface, with high abrasion resistance
- ·Low mechanical memory
- Colour: smoke grey

100m/110yds		Ø	Kg	lb	PC
054-43-100	8 054393 024305	0.10	5.44	12	10
054-43-120	8 054393 024312	0.12	6.80	15	10
054-43-150	8 054393 024329	0.15	8.16	18	10
054-43-180	8 054393 024336	0.18	9.07	20	10
054-43-200	8 054393 024343	0.20	11.34	25	10
054-43-250	8 054393 024350	0.25	13.61	30	10
054-43-300	8 054393 024367	0.30	18.14	40	10

XPS ULTRA STRONG FC403



T-FORCE

LOW REFRACTIVE INDEX

TRIPLE STRUCTURE PROCESS

The exclusive three-layer structure of the Ultra Strong Fluorocarbon FC403 is made of a high density core, an intermediate soft layer and a skin providing high abrasion resistance. Each one of the three levels can be modified to achieve targeted results, and that's how it was possible to create two versions: one for freshwater fishing and another for the sea.

100% FLUOROCARBON

Four hundred and three is the number of his identity card. The first two digits are simply awesome, because they mean that the new, amazing generation of Trabucco Fluorocarbon offers 40% higher knot strength than any other. The last one represents the 3 levels that compose its structure, referring to same number of specific responsibilities. Even without having a physics lab, it's easy to check that everything is terribly true, as fingers are more than enough to understand that the performance standards of nylon monofilaments are very, very close. The range is very articulated, with appropriate solutions for the hooklink and leader construction in all fishing techniques.

ULTRA SOFT

The extraordinary softness of these fluorocarbon lines casts its benefits on ease of handling, on the naturalness of bait presentation, on the tangle's risk limitation and also on knot strength.

100% invisible

Nothing so obvious: only 100% Fluorocarbon guarantees invisibility to fish, thanks to its light refraction index, which is very close to that of water.

ULTRA STRONG FC 403

XPS T-FORCE

- Hi tech Fluorocarbon 100%, structured with three layers
- Knot strength 40% higher than all the best fluorocarbon
- Unprecedented softness and high sensitivity
- Invisibility, abrasion resistance, waterproofness
- Ultraslim spool with elastic band to smoothly lock the line
- Colour: natural

The soft elastic band which stops the line inside the spool allows to extract the desired amount, avoiding the leakage of loose coils.

50m		Ø	kg	lb	pc
053-58-070	8 054393 128379	0.074	0.68	1.50	10
053-58-080	8 054393 128386	0.084	1.06	2.34	10
053-58-090	8 054393 128393	0.095	1.44	3.17	10
053-58-100	8 054393 128409	0.104	1.56	3.44	10
053-58-120	8 054393 128416	0.125	1.72	3.79	10
053-58-140	8 054393 128423	0.145	2.26	4.98	10
053-58-160	8 054393 128430	0.164	2.77	6.11	10
053-58-180	8 054393 128447	0.185	3.45	7.61	10
053-58-200	8 054393 128454	0.201	4.14	9.13	10
053-58-220	8 054393 128461	0.220	4.74	10.45	10
053-58-240	8 054393 128478	0.240	5.71	12.59	10
053-58-260	8 054393 128485	0.260	6.92	15.26	10
053-58-280	8 054393 128492	0.280	7.70	16.98	10
053-58-300	8 054393 128508	0.300	8.30	18.30	10

ULTRA STRONG FC 403 SALTWATER

- Hi tech Fluorocarbon 100%, specific for saltwater fishing
- Knot strength 40% higher than all the best fluorocarbon
- Unprecedented softness and high sensitivity
- Invisibility, superior abrasion resistance, waterproofness
- Spools with different sizes according to line diameters
- Colour: natural

The compact spool with diameters up to 0,282 is protected by a stiff case, which also contains the soft elastic stopper.

30m		Ø	kg	lb	PC
053-39-600	8 054393 132093	0.600	27,40	60,41	5
053-39-700	8 054393 132109	0.700	33,06	72,89	5
053-39-800	8 054393 132116	0.800	42,73	94,20	5
053-39-900	8 054393 132123	0.900	48,38	106,66	5

50m		Ø	kg	lb	PC
053-39-100	8 054393 131843	0.104	1,56	3,44	10
053-39-120	8 054393 131850	0.125	1,72	3,79	10
053-39-140	8 054393 131867	0.145	2,26	4,98	10
053-39-160	8 054393 131874	0.164	2,77	6,11	10
053-39-180	8 054393 131881	0.185	3,45	7,61	10
053-39-200	8 054393 131898	0.201	4,14	9,13	10
053-39-220	8 054393 131904	0.221	4,74	10,45	10
053-39-240	8 054393 131911	0.242	5,71	12,59	10
053-39-260	8 054393 131928	0.261	6,92	15,26	10
053-39-280	8 054393 131935	0.282	7,70	16,98	10
053-39-300	8 054393 131942	0.302	8,30	18,30	10
053-39-330	8 054393 131959	0.330	10,11	22,29	10
053-39-370	8 054393 131966	0.370	11,79	25,99	10
053-39-400	8 054393 131973	0.400	13,04	28,75	10
053-39-410	8 054393 131980	0.410	14,70	32,41	10
053-39-100	8 054393 131997	0.100	17,93	39,53	10

ULTRA STRONG FC 403 PINK SALTWATER

- Hi tech Fluorocarbon 100%, specific for saltwater fishing
- Knot strength 40% higher than all the best fluorocarbon
- Unprecedented softness and high sensitivity
- Invisibility, superior abrasion resistance, waterproofness
- Spools with different sizes according to line diameters
- Colour: pink for better blending with underwater environment

30m		Ø	kg	lb	PC
053-41-500	8 054393 132697	0.500	17,93	39,53	5
053-41-600	8 054393 132703	0.600	27,40	60,41	5
053-41-700	8 054393 132710	0.700	33,06	72,89	5
053-41-800	8 054393 132536	0.800	42,73	94,20	5

50m		Ø	kg	lb	PC
053-41-200	8 054393 132499	0.201	4,14	9,13	10
053-41-220	8 054393 132505	0.221	4,74	10,45	10
053-41-250	8 054393 132512	0.254	5,71	12,59	10
053-41-280	8 054393 132529	0.282	7,70	16,98	10
053-41-300	8 054393 132659	0.302	8,30	18,30	10
053-41-330	8 054393 132666	0.330	10,11	22,29	10
053-41-370	8 054393 132673	0.370	11,79	25,99	10
053-41-400	8 054393 132680	0.400	13,04	28,75	10

FLUOROCARBON 100% SUPER SOFT

- Fluorocarbon 100%
- Invisible underwater, the best for hooklinks
- Great abrasion resistance
- Total waterproofness and insensibility to UV rays
- Ultraslim spools for easy storage in any tackle box
- Colour: natural

25m		Ø	Kg	lb	PC
053-59-080	8 054393 021694	0.084	0.99	2.18	10
053-59-090	8 054393 021700	0.098	1.34	2.95	10
053-59-100	8 054393 021717	0.104	1.45	3.19	10
053-59-120	8 054393 021724	0.125	1.60	3.52	10
053-59-140	8 054393 021731	0.145	2.10	4.63	10
053-59-160	8 054393 021748	0.164	2.58	5.67	10
053-59-180	8 054393 021755	0.185	3.21	7.08	10
053-59-200	8 054393 021762	0.201	3.85	8.48	10
053-59-220	8 054393 021779	0.220	4.41	9.72	10
053-59-240	8 054393 021786	0.240	5.31	11.70	10
053-59-260	8 054393 021793	0.260	6.44	14.18	10
053-59-280	8 054393 021809	0.280	7.16	15.78	10
053-59-300	8 054393 021816	0.300	7.72	17.02	10

50m		Ø	Kg	lb	PC
053-60-060	8 054393 021823	0.065	0.55	1.21	10
053-60-070	8 054393 021830	0.074	0.63	1.38	10
053-60-080	8 054393 021847	0.084	0.99	2.18	10
053-60-090	8 054393 021854	0.098	1.34	2.95	10
053-60-100	8 054393 021861	0.104	1.45	3.19	10
053-60-120	8 054393 021878	0.125	1.60	3.52	10
053-60-140	8 054393 021885	0.145	2.10	4.63	10
053-60-160	8 054393 021892	0.164	2.58	5.67	10
053-60-180	8 054393 021908	0.185	3.21	7.08	10
053-60-200	8 054393 021915	0.201	3.85	8.48	10
053-60-220	8 054393 021922	0.220	4.41	9.72	10
053-60-240	8 054393 021939	0.240	5.31	11.70	10
053-60-260	8 054393 021946	0.260	6.44	14.18	10
053-60-280	8 054393 021953	0.280	7.16	15.78	10
053-60-300	8 054393 021960	0.300	7.72	17.02	10

DIAMOND FC-X FLUOROCARBON

- 100% Fluorocarbon monofilament designed to create hooklinks
- Totally invisible and waterproof, insensible to UV rays
- High abrasion resistance and sinking attitude

50m		Ø	Kg	lb	PC
059-10-010	8 054393 026675	0.072	0.53	1.16	10
059-10-020	8 054393 026682	0.084	0.77	1.70	10
059-10-030	8 054393 026699	0.094	0.92	2.03	10
059-10-070	8 054393 026736	0.145	2.00	4.43	10
059-10-080	8 054393 026743	0.164	2.80	6.18	10
059-10-090	8 054393 026750	0.185	3.30	7.28	10
059-10-100	8 054393 026767	0.205	3.80	8.38	10
059-10-110	8 054393 026774	0.245	5.20	11.47	10
059-10-140	8 054393 026804	0.370	10.30	22.70	10

FLOUROCARBON SALTWATER

XPS T-FORCE

- Hi tech Fluorocarbon 100%, specific for saltwater fishing
- Invisibility, abrasion resistance, waterproofness
- High specific gravity and great sensitivity
- Special spools with different sizes according to line diameters
- Colour: natural

50m		Ø	kg	lb	PC
053-38-120	8 054393 020819	0.125	1.60	3.52	10
053-38-140	8 054393 020826	0.145	2.10	4.63	10
053-38-160	8 054393 020833	0.164	2.58	5.67	10
053-38-180	8 054393 020840	0.185	3.21	7.08	10
053-38-200	8 054393 020857	0.201	3.85	8.48	10
053-38-220	8 054393 020864	0.220	4.41	9.72	10
053-38-250	8 054393 020871	0.250	6.44	14.18	10
053-38-280	8 054393 020888	0.280	7.16	15.78	10
053-38-300	8 054393 020895	0.300	7.72	17.02	10
053-38-330	8 054393 020901	0.330	9.40	20.70	10
053-38-370	8 054393 020918	0.370	10.97	24.15	10
053-38-400	8 054393 020925	0.400	12.13	26.71	10
053-38-450	8 054393 020932	0.450	13.67	30.15	10
053-38-500	8 054393 020949	0.500	16.68	37.14	10

25m		Ø	kg	lb	PC
053-38-600	8 054393 020956	0.600	5.49	56.14	5
053-38-700	8 054393 020963	0.700	30.75	67.73	5
053-38-800	8 054393 020970	0.800	39.75	87.56	5
053-38-900	8 054393 020987	0.900	45.00	99.12	5
053-38-999	8 054393 020994	1.000	57.80	127.31	5

EAZY PR BOBBIN KNOTTER

Useful accessory to make strong and low profile connections between braid and mono or fluorocarbon leaders.

- Adjustable drag tension for perfect PR knot and FG knot
- Inner ceramic insert preventing any damage to PE line and guaranteeing 100% knot strength
- Presented in individual blister, including cloth bag
- Instruction sheet with QR code for smart phone access to a tutorial made by Saverio Rosa.

EAZY PR BOBBIN KNOTTER

		XXX
101-47-100	8 054393 135537	1



WIND-ON LEADER

DYNA TEX XPS T-FORCE

- Big Game leaders made from XPS Fluorocarbon and Dyna-Tex braid
- Great reliability and perfect bait presentation
- Loop to loop connection with reel line
- Length of 10 meters, individually packed



1. Pass main line bimini loop through end loop of wind-on leader.
2. Pass wind-on leader through bimini loop.
3. Pull ends to line up loops. Leave room to pass through leader.
4. Pass wind-on leader trough both loops.
5. Slowly and evenly pull lines apart... bringing loops together.
6. The finished double loop to loop connection.

10m		Ø	Kg	lb	PC
053-21-030	8 054393 019875	0.58	15	30	5
053-21-050	8 054393 019882	0.68	24	50	5
053-21-080	8 054393 019899	0.92	37	80	5
053-21-100	8 054393 019905	1.02	46	100	5
053-21-130	8 054393 019912	1.22	61	135	5

SOFT PLUS LEADER

NANO STRUCTURE PROCESS XPS T-FORCE

- Nano-technological sinking line created to make Big Game leaders
- Multi-layer structure with outer Fluorocarbon skin
- Remarkable softness with consequent knot strength
- Very low stretch and no memory
- Extreme resistance to abrasion

100m		Ø	Kg	lb	PC
053-09-300	8 054393 139900	0,30	11,94	26,32	10
053-09-350	8 054393 139917	0,35	15,80	34,83	10
053-09-400	8 054393 139924	0,40	20,15	44,42	10
053-09-450	8 054393 139931	0,45	24,28	53,53	10
053-09-500	8 054393 139948	0,50	27,50	60,63	10
053-09-600	8 054393 139955	0,60	35,50	78,26	5
053-09-700	8 054393 139962	0,70	38,20	84,22	5
053-09-800	8 054393 139979	0,80	41,70	91,93	5

ABRASION PLUS

- High quality monofilament designed for reel fishing
- Three-layers nano-technological structure, with outer Fluorine skin
- Unprecedented flexibility

- Great linear strength
- Total absence of memory
- Remarkable smoothness for long and accurate casts
- Colour: natural clear
- Special individual stiff container
- Parallel Spooling (TPS)

150m		Ø	Kg	lb	PC
050-50-120	8 054393 140142	0,121	2,300	5,070	10
050-50-140	8 054393 140159	0,143	2,950	6,500	10
050-50-160	8 054393 140166	0,162	3,980	8,770	10
050-50-180	8 054393 140173	0,181	5,100	11,230	10
050-50-200	8 054393 140180	0,203	5,950	13,110	10
050-50-220	8 054393 140197	0,221	6,830	15,040	10
050-50-250	8 054393 140203	0,251	8,670	19,100	10
050-50-280	8 054393 140210	0,283	9,980	21,980	10
050-50-300	8 054393 140319	0,307	12,720	28,020	10

SUPER SOFT PLUS

- High quality monofilament designed for reel fishing
- Three-layers nano-technological structure, with outer Fluorine skin
- Unprecedented flexibility

- Great linear strength
- Total absence of memory
- Remarkable smoothness for long and accurate casts
- Colour: natural clear
- Special individual stiff container
- Parallel Spooling (TPS

150m		Ø	Kg	lb	PC
050-55-100	8 054393 140326	0,104	1,600	3,520	10
050-55-120	8 054393 140333	0,121	2,300	5,070	10
050-55-140	8 054393 140340	0,143	2,950	6,500	10
050-55-160	8 054393 140357	0,162	3,980	8,770	10
050-55-180	8 054393 140364	0,181	5,100	11,230	10
050-55-200	8 054393 140371	0,203	5,950	13,110	10
050-55-220	8 054393 140388	0,221	6,830	15,040	10
050-55-250	8 054393 140395	0,251	8,670	19,100	10
050-55-280	8 054393 140401	0,283	9,980	21,980	10
050-55-300	8 054393 140128	0,307	12,720	28,020	150

THE STRUCTURE

The AB + and SS + lines are structured on three levels. The core is made from high-strength nano-molecular nylon; the intermediate layer makes it possible to modulate the softness, while the Fluorine skin provides resistance to abrasion.



THE TPS SYSTEM

Parallel spooling is a marvel of Trabucco technology, which maintains the physical and mechanical characteristics of the line over time because the process does not generate abnormal twists that could cause tangles while fishing.

THE PACKING

To extract a spool of AB + or SS + from its packaging we must break the back card, which is predisposed to tearing. So we have the certainty that nobody else has manipulated or damaged the product before us.

SOFT FEEL

- Monofilament for pole rigs and hooklinks
- Ceramic protection for extreme abrasion resistance
- Neutral buoyancy for fast strikes and neat hook setting
- Great softness for long and accurate casts
- Parallel spooling (TPS)
- Colour: light brown

150m		Ø	Kg	ID	PC
053-88-120	8 054393 023339	0.128	2.20	4.85	10
053-88-140	8 054393 023346	0.148	2.92	6.43	10
053-88-160	8 054393 023353	0.165	3.89	8.57	10
053-88-180	8 054393 023360	0.181	4.76	10.48	10
053-88-200	8 054393 023377	0.203	5.74	12.64	10
053-88-220	8 054393 023384	0.234	6.82	14.58	10
053-88-250	8 054393 023391	0.251	8.67	19.10	10
053-88-280	8 054393 023407	0.283	9.89	21.78	10
053-88-300	8 054393 023414	0.307	12.37	27.25	10

MATCH REEL

- Monofilament designed for reel fishing
- Ceramic protection for extreme abrasion resistance
- Total waterproofness and no memory
- Very high linear and knot strength
- Parallel spooling (TPS)
- Colour: light grey dichroic

10m		Ø	Kg	ID	PC
053-28-120	8 054393 020352	0.128	2.15	4.74	10
053-28-140	8 054393 020369	0.148	2.85	6.28	10
053-28-160	8 054393 020376	0.165	3.80	8.37	10
053-28-180	8 054393 020383	0.181	4.65	10.24	10
053-28-200	8 054393 020390	0.203	5.60	12.34	10
053-28-250	8 054393 020406	0.255	8.46	18.63	10
053-28-300	8 054393 020413	0.309	12.07	26.57	10

TROUT

- Monofilament designed for lake trout fishing
- Slow sinking attitude
- Slick skin for extreme long range casting
- High resistance to torque
- Parallel spooling (TPS)
- Colour: transparent dichroic

150m/165yds		Ø	Kg	ID	PC
053-93-160	8 054393 023575	0.165	2.73	6	10
053-93-180	8 054393 023582	0.181	3.61	8	10
053-93-200	8 054393 023599	0.203	4.51	10	10
053-93-220	8 054393 023605	0.221	5.68	13	10
053-93-250	8 054393 023612	0.250	7.03	15	10

MATCH STRONG

- Monofilament designed for rig and hooklinks making
- Parallel Spooling on 100 m spools (TPS)
- Great softness and knot strength
- Wide choice of spools and colour transparent dichroic

100m		Ø	Kg	lb	PC
053-78-100	8 054393 022738	0.104	1.60	3.52	10
053-78-120	8 054393 022745	0.121	2.30	5.07	10
053-78-140	8 054393 022752	0.143	2.95	6.50	10
053-78-160	8 054393 022769	0.162	3.98	8.77	10
053-78-180	8 054393 022776	0.181	5.10	11.23	10
053-78-200	8 054393 022783	0.203	5.95	13.11	10
053-78-220	8 054393 022790	0.221	6.83	15.04	10
053-78-250	8 054393 022806	0.251	8.67	19.10	10
053-78-300	8 054393 022813	0.307	12.72	28.02	10
053-78-350	8 054393 022820	0.350	15.90	35.00	10
053-78-400	8 054393 022837	0.400	18.17	40.00	10
053-78-500	8 054393 022844	0.500	22.72	50.00	10
053-78-600	8 054393 022851	0.600	36.34	80.00	10

50m		Ø	Kg	lb	PC
053-80-060	8 054393 022868	0.064	0.66	1.45	10
053-80-070	8 054393 022875	0.072	0.74	1.63	10
053-80-080	8 054393 022882	0.084	1.00	2.20	10
053-80-090	8 054393 022899	0.091	1.18	2.60	10
053-80-100	8 054393 022905	0.104	1.60	3.52	10
053-80-120	8 054393 022912	0.121	2.30	5.07	10
053-80-140	8 054393 022929	0.143	2.95	6.50	10
053-80-160	8 054393 022936	0.162	3.98	8.77	10
053-80-180	8 054393 022943	0.181	5.10	11.23	10
053-80-200	8 054393 022950	0.203	5.95	13.11	10
053-80-220	8 054393 022967	0.221	6.83	15.04	10

30m		Ø	Kg	lb	PC
053-81-250	8 054393 022974	0.251	8.67	19.10	10
053-81-280	8 054393 022981	0.283	9.98	21.98	10
053-81-100	8 054393 022998	0.107	12.72	28.02	10

25m		Ø	Kg	lb	PC
053-82-080	8 054393 023001	0.084	1.00	2.20	10
053-82-100	8 054393 023018	0.104	1.60	3.52	10
053-82-120	8 054393 023025	0.121	2.30	5.07	10
053-82-140	8 054393 023032	0.143	2.95	6.50	10
053-82-160	8 054393 023049	0.162	3.98	8.77	10
053-82-180	8 054393 023056	0.181	5.10	11.23	10
053-82-200	8 054393 023063	0.203	5.95	13.11	10

LUCIFER LINE

- Monofilament for commercial pole fishing
- Ceramic protection for extreme abrasion resistance
- Total absence of memory
- Parallel spooling (TPS)
- Special individual stiff container
- Colour: transparent dichroic

50m		Ø	Kg	lb	PC
053-30-100	8 054393 020420	0.100	1.50	3.30	10
053-30-120	8 054393 020437	0.120	2.15	4.74	10
053-30-140	8 054393 020444	0.140	2.85	6.28	10
053-30-160	8 054393 020451	0.160	3.80	8.37	10
053-30-180	8 054393 020468	0.180	4.65	10.42	10
053-30-200	8 054393 020475	0.200	5.60	12.34	10

XPS POWER PLUS

- Monofilament designed for hooklinks
- Very high abrasion resistance
- Remarkable softness
- Special individual stiff container
- Ultraslim spools for easy storage in any tackle box

50m		Ø	kg	lb	pc
053-83-080	8 054393 023070	0.084	1.07	2.36	10
053-83-090	8 054393 023087	0.094	1.26	2.78	10
053-83-100	8 054393 023094	0.104	1.71	3.77	10
053-83-120	8 054393 023100	0.121	2.46	5.42	10
053-83-140	8 054393 023117	0.143	3.16	6.95	10
053-83-160	8 054393 023124	0.162	4.26	9.38	10
053-83-180	8 054393 023131	0.183	5.46	12.02	10
053-83-200	8 054393 023148	0.203	6.37	14.02	10
053-83-220	8 054393 023155	0.221	7.31	16.10	10
053-83-250	8 054393 023162	0.251	9.28	20.43	10
053-83-280	8 054393 023179	0.283	10.68	23.52	10
053-83-300	8 054393 023186	0.307	13.61	29.98	10

MATCH PRO

- Monofilament for pole rigs and hooklinks
- Ceramic protection for extreme abrasion resistance
- Total waterproofness and no memory
- Parallel spooling (TPS)
- Colour: transparent dichroic

TPS

300m		Ø	kg	lb	pc
053-26-100	8 054393 020208	0.10	1.50	3.30	10
053-26-120	8 054393 020215	0.12	2.15	4.74	10
053-26-140	8 054393 020222	0.14	2.85	6.28	10
053-26-160	8 054393 020239	0.16	3.80	8.37	10
053-26-180	8 054393 020246	0.18	4.65	10.24	10
053-26-200	8 054393 020253	0.20	5.60	12.34	10
053-26-250	8 054393 020260	0.25	8.46	18.61	10
053-26-300	8 054393 020277	0.30	12.07	26.55	10

100m		Ø	kg	lb	pc
053-25-100	8 054393 020079	0.10	1.50	3.30	10
053-25-120	8 054393 020086	0.12	2.15	4.74	10
053-25-140	8 054393 020093	0.14	2.85	6.28	10
053-25-160	8 054393 020109	0.16	3.80	8.37	10
053-25-180	8 054393 020116	0.18	4.65	10.24	10
053-25-200	8 054393 020123	0.20	5.60	12.34	10
053-25-220	8 054393 020130	0.22	6.46	14.23	10
053-25-250	8 054393 020147	0.25	8.46	18.61	10
053-25-280	8 054393 020154	0.28	9.65	21.26	10
053-25-300	8 054393 020161	0.30	12.07	26.55	10
053-25-350	8 054393 020178	0.35	14.40	31.72	10
053-25-400	8 054393 020185	0.40	18.90	41.63	10
053-25-500	8 054393 020192	0.50	27.00	59.47	10

SINKING PLUS

XPS T-FORCE

- Super sinking monofilament for match and feeder fishing
- Special multi layer construction for high abrasion resistance
- Reduced stretch for safe hook sets at long range
- Parallel spooling (TPS)
- Colour: dark brown

TPS

300m/330yds		Ø	kg	lb	pc
052-00-918	8 054393 161282	0.180	4.43	9.76	10
052-00-920	8 054393 161291	0.200	5.30	11.68	10
052-00-922	8 054393 161307	0.220	6.42	14.16	10
052-00-925	8 054393 161314	0.250	7.95	17.51	10
052-00-928	8 054393 161321	0.280	9.07	20.00	10
052-00-930	8 054393 161338	0.10	9.78	21.54	10

150m/165yds		Ø	kg	lb	pc
052-00-140	8 054393 128157	0.140	2.70	5.95	10
052-00-160	8 054393 128164	0.160	3.60	7.94	10
052-00-180	8 054393 128171	0.180	4.43	9.76	10
052-00-200	8 054393 128188	0.200	5.30	11.68	10
052-00-220	8 054393 128195	0.220	6.42	14.16	10
052-00-250	8 054393 128201	0.250	7.95	17.51	10
052-00-280	8 054393 128218	0.280	9.07	20.00	10
052-00-300	8 054393 128225	0.300	9.78	21.54	10

FEEDER PLUS

XPS T-FORCE

- Sinking monofilament for feeder fishing
- Very high abrasion resistance
- Reduced stretch for high sensitivity
- Parallel spooling (TPS)
- Colour: camouflage (four tones)

TPS

150m/165yds		Ø	kg	lb	pc
053-95-180	8 054393 023629	0.181	3.61	8	10
053-95-200	8 054393 023636	0.203	4.51	10	10
053-95-220	8 054393 023643	0.221	5.68	13	10
053-95-250	8 054393 023650	0.251	7.03	15	10
053-95-300	8 054393 023667	0.307	9.86	22	10

MATCH SINKING

XPS T-FORCE

- Sinking monofilament for match and feeder fishing
- Ceramic treatment for high abrasion resistance
- Controlled stretch for safe hook sets at long range
- Parallel spooling (TPS)
- Colour: glossy black

TPS

300m/330yds		Ø	kg	lb	pc
053-86-120	8 054393 023261	0.128	2.05	4.52	10
053-86-140	8 054393 023278	0.148	2.70	5.95	10
053-86-160	8 054393 023285	0.165	3.60	7.93	10
053-86-180	8 054393 023292	0.181	4.43	9.76	10
053-86-200	8 054393 023308	0.203	5.30	11.67	10
053-86-250	8 054393 023315	0.255	7.95	17.51	10
053-86-300	8 054393 023322	0.309	9.78	21.54	10

150m/165yds		Ø	kg	lb	pc
053-85-120	8 054393 023193	0.128	2.05	4.52	10
053-85-140	8 054393 023209	0.148	2.70	5.95	10
053-85-160	8 054393 023216	0.165	3.60	7.93	10
053-85-180	8 054393 023223	0.181	4.43	9.76	10
053-85-200	8 054393 023230	0.203	5.30	11.67	10
053-85-250	8 054393 023247	0.255	7.95	17.51	10
053-85-300	8 054393 023254	0.309	9.78	21.54	10

METHOD FEEDER

XPS T-FORCE

- Fast sinking monofilament line purposely designed for Method Feeder fishing
- Triple structure made of inner core, covered by ceramic polymer and by abrasion resistant layer, then a silicon outer coating
- Low stretch for high sensitivity
- Memory free
- Light brown colour

TPS

300m/330yds		Ø	kg	lb	pc
053-96-918	8 054393 161260	0.181	4.43	9.76	10
053-96-920	8 054393 161277	0.203	5.30	11.68	10
053-96-922	8 054393 161345	0.221	6.42	14.16	10
053-96-925	8 054393 161352	0.255	7.95	17.51	10
053-96-928	8 054393 161369	0.283	9.07	20.00	10
053-96-930	8 054393 161376	0.309	9.78	21.54	10

150m/165yds		Ø	kg	lb	pc
053-96-180	8 054393 154989	0.181	4.43	9. 76	10
053-96-200	8 054393 154996	0.203	5.30	11.68	10
053-96-220	8 054393 155009	0.221	6.42	14.16	10
053-96-250	8 054393 155016	0.255	7.95	17.51	10
053-96-280	8 054393 155023	0.283	9.07	20.00	10
053-96-300	8 054393 155030	0.309	9.78	21.54	10

DIAMOND SPECTRUM

- Hi-tech monofilament designed to create hooklinks
- Extreme linear strength
- High knot strength and peculiar softness
- Colour: transparent

50m		Ø	Kg	lb	PC
FF 0012 00 08	8 054393 105875	0.080	0.85	1.87	10
FF 0012 00 10	8 054393 105882	0.100	1.25	2.76	10
FF 0012 00 12	8 054393 105899	0.120	1.75	3.85	10
FF 0012 00 14	8 054393 105905	0.140	2.30	5.07	10
FF 0012 00 16	8 054393 105912	0.160	2.95	6.51	10

DIAMOND SINKING

Special version developed for the waggler fishing, featuring a total absence of memory. It has a great breaking strength and is very fast sinking. Without any doubt, this is the best sinking line ever produced.

50m		Ø	Kg	lb	PC
FF 0012 05 12	8 054393 105929	0.120	1.45	3.20	1
FF 0012 05 15	8 054393 105943	0.150	2.42	5.34	1
FF 0012 05 16	8 054393 105950	0.160	2.80	6.17	1
FF 0012 05 18	8 054393 105967	0.180	3.40	7.50	1

DIAMOND RACE PRO

This version of Diamond has been developed for those anglers that require a large quantity of line to spool many reels or for rig making. It has a great knot strength and low memory. It is crystal light blue colour.

1000m		Ø	Kg	lb	PC
058-35-100	8 054393 025784	0.100	2.20	4.85	6
058-35-120	8 054393 025791	0.120	2.94	6.48	6
058-35-140	8 054393 025807	0.140	3.54	7.81	6
058-35-160	8 054393 025814	0.160	4.20	9.26	6
058-35-180	8 054393 025821	0.180	5.30	11.69	6
058-35-200	8 054393 025838	0.200	6.25	13.78	6
058-35-220	8 054393 025845	0.220	7.20	15.87	6
058-35-250	8 054393 025852	0.250	8.15	17.97	6
058-35-300	8 054393 025869	0.300	10.50	23.15	6

WINTER ICE

- Hi tech monofilament designed for winter fishing
- Ceramic nano compound to protect it from temperature drops
- Fluorocarbon protective skin
- Spool with elastic band to smoothly lock the line
- Colour: transparent dichroic

The soft ring provided with each spool enables to pick up any needed quantity of line, avoiding damages to the rest of the product.

25m		Ø	kg	lb	PC
053-33-080	8 054393 020574	0.08	1.00	2.20	10
053-33-100	8 054393 020581	0.10	1.60	3.52	10
053-33-120	8 054393 020598	0.12	2.30	5.07	10
053-33-140	8 054393 020604	0.14	2.95	6.50	10
053-33-160	8 054393 020611	0.16	3.98	8.77	10
053-33-180	8 054393 020628	0.18	5.10	11.23	10
053-33-200	8 054393 020635	0.20	5.95	13.11	10
053-33-250	8 054393 020642	0.25	8.67	19.10	10
053-33-300	8 054393 020659	0.30	12.72	28.02	10

50m		Ø	kg	lb	PC
053-32-080	8 054393 020482	0.08	1.00	2.20	10
053-32-100	8 054393 020499	0.10	1.60	3.52	10
053-32-120	8 054393 020505	0.12	2.30	5.07	10
053-32-140	8 054393 020512	0.14	2.95	6.50	10
053-32-160	8 054393 020529	0.16	3.98	8.77	10
053-32-180	8 054393 020536	0.18	5.10	11.23	10
053-32-200	8 054393 020543	0.20	5.95	13.11	10
053-32-250	8 054393 020550	0.25	8.67	19.10	10
053-32-300	8 054393 020567	0.30	12.72	28.02	10

WINTER ICE

- Hi tech monofilament designed for rigs and hooklinks making
- Great softness and knot strength in low temperatures
- Parallel spooling (TPS)
- Special hard spool box

50m		Ø	kg	lb	PC
053-35-080	8 054393 020666	0.084	0.86	1.90	10
053-35-100	8 054393 020673	0.104	1.45	3.20	10
053-35-120	8 054393 020680	0.128	2.10	4.63	10
053-35-140	8 054393 020697	0.148	2.80	6.18	10
053-35-160	8 054393 020703	0.165	3.75	8.27	10
053-35-180	8 054393 020710	0.181	4.60	10.14	10

25m		Ø	kg	lb	PC
053-36-080	8 054393 020727	0.080	0.86	1.90	10
053-36-100	8 054393 020734	0.100	1.45	3.20	10
053-36-120	8 054393 020741	0.120	2.10	4.63	10
053-36-140	8 054393 020758	0.140	2.80	6.18	10
053-36-160	8 054393 020765	0.160	3.75	8.27	10
053-36-180	8 054393 020772	0.180	4.60	10.14	10
053-36-200	8 054393 020789	0.200	5.50	12.13	10
053-36-250	8 054393 020796	0.250	8.40	18.52	10
053-36-300	8 054393 020802	0.300	12.00	26.45	10

T1 TOURNAMENT

- Hi-tech monofilament designed to create hooklinks Extreme linear strength
- Great knot strength and peculiar softness
- Ultraslim spools with rubber line stopper
- Colour: transparent

50m		Ø	kg	lb	PC
058-50-060	8 054393 025906	0.060	0.80	1.76	10
058-50-070	8 054393 025913	0.070	1.16	2.55	10
058-50-080	8 054393 025920	0.080	1.33	2.92	10
058-50-090	8 054393 025937	0.090	1.68	3.70	10
058-50-100	8 054393 025944	0.100	2.05	4.51	10
058-50-110	8 054393 025951	0.110	2.70	5.94	10
058-50-120	8 054393 025968	0.120	3.10	6.82	10
058-50-140	8 054393 025975	0.140	3.90	8.60	10
058-50-160	8 054393 025982	0.160	5.10	11.23	10
058-50-180	8 054393 025999	0.180	6.30	13.87	10
058-50-200	8 054393 026002	0.200	7.40	16.30	10

T1 CARP FISHERY

Another special version of the T1 series, specific for the use in commercial carp fisheries. It has an unbelievable linear strength and knot strength, that remain unchanged also when the line is wet.

50m		Ø	kg	lb	PC
058-60-100	8 054393 026149	0.100	2.25	4.05	10
058-60-110	8 054393 026156	0.110	2.90	6.38	10
058-60-120	8 054393 026163	0.120	3.25	7.15	10
058-60-140	8 054393 026170	0.140	4.10	9.30	10
058-60-160	8 054393 026187	0.160	5.30	11.67	10
058-60-180	8 054393 026194	0.180	6.50	14.30	10
058-60-200	8 054393 026200	0.200	7.65	16.85	10

T1 FLUORINE

The Super Elite Fluorine is a Japanese monofilament that is made through an exclusive process that is actually able to mix deep into the matrix both nylon and fluorocarbon, thus creating a kind of hybrid that can take every advantage from both its components. It features a specific gravity superior to water and it is lower visible underwater than a plain nylon, but not as it can be a 100% fluorocarbon line. At the same time Fluorine is stronger than 100% fluorocarbon but a little weaker if compared to plain nylon.

50m		Ø	kg	lb	PC
058-58-080	8 054393 026071	0.08	1.150	2.53	10
058-58-100	8 054393 026088	0.10	1.700	3.75	10
058-58-120	8 054393 026095	0.12	2.300	5.07	10
058-58-140	8 054393 026101	0.14	3.350	7.38	10
058-58-160	8 054393 026118	0.16	4.290	9.43	10
058-58-180	8 054393 026125	0.18	5.380	11.85	10
058-58-200	8 054393 026132	0.20	6.500	14.32	10

T1 MICRO

Super high quality nylon monofilament, for bolo and rig making, as in the tradition of Super Elite series, with a remarkable high strength that is not harmed from knots. Diameters are guaranteed constant through a continuous electronic check during line extrusion process.

100m		Ø	kg	lb	PC
058-55-100	8 054393 026019	0.10	1.700	3.75	10
058-55-120	8 054393 026026	0.12	2.270	5.00	10
058-55-140	8 054393 026033	0.14	3.310	7.30	10
058-55-160	8 054393 026040	0.16	4.230	9.30	10
058-55-180	8 054393 026057	0.18	5.350	11.80	10
058-55-200	8 054393 026064	0.20	6.470	14.20	10

CAMO CAST

- Hi-tech monofilament designed for reel fishing
- Long life thanks to extreme abrasion resistance
- Very high linear and knot strength
- Large core spools to generate smooth coils
- Colour: camou (mix of mimetic tones)

150m/165yds		Ø	kg	lb	pc
058-80-140	8 054393 026491	0.148	2.80	6.18	10
058-80-160	8 054393 026507	0.165	3.75	8.27	10
058-80-180	8 054393 026514	0.185	4.60	10.14	10
058-80-200	8 054393 026521	0.205	5.50	12.13	10
058-80-250	8 054393 026538	0.255	8.40	18.52	10
058-80-300	8 054393 026545	0.300	12.00	26.45	10
058-80-350	8 054393 026552	0.350	15.85	34.94	10
058-80-400	8 054393 026569	0.400	20.20	44.53	10
058-80-500	8 054393 026576	0.500	35.00	77.15	10

300m/330yds		Ø	kg	lb	pc
058-81-140	8 054393 026583	0.148	2.80	6.18	10
058-81-160	8 054393 026590	0.165	3.75	8.27	10
058-81-180	8 054393 026606	0.185	4.60	10.14	10
058-81-200	8 054393 026613	0.205	5.50	12.13	10
058-81-250	8 054393 026620	0.255	8.40	18.52	10
058-81-300	8 054393 026637	0.300	12.00	26.45	10
058-81-350	8 054393 026644	0.350	15.85	34.94	10
058-81-400	8 054393 026651	0.400	20.20	44.53	10
058-81-500	8 054393 026668	0.500	35.00	77.15	10

SUPER TOURNAMENT

- Hi-tech monofilament designed for reel fishing
- Long life thanks to extreme abrasion resistance
- Great flexibility and absence of memory
- Large core spools to generate smooth coils
- Parallel spooling (TPS)
- Colour: light blue

150m/165yds		Ø	kg	lb	pc
058-70-200	8 054393 026217	0.205	5.50	12.13	10
058-70-250	8 054393 026224	0.255	8.40	18.52	10
058-70-300	8 054393 026231	0.300	12.00	26.45	10
058-70-350	8 054393 026248	0.350	15.85	34.94	10
058-70-400	8 054393 026255	0.400	20.20	44.53	10
058-70-450	8 054393 026262	0.450	27.50	60.62	10
058-70-500	8 054393 026279	0.500	35.00	77.15	10

300m/330yds		Ø	kg	lb	pc
058-71-200	8 054393 026286	0.205	5.50	12.13	10
058-71-250	8 054393 026293	0.255	8.40	300	10
058-71-300	8 054393 026309	0.300	12.00	300	10
058-71-350	8 054393 026316	0.350	15.85	300	10
058-71-400	8 054393 026323	0.400	20.20	300	10
058-71-450	8 054393 026330	0.450	27.50	300	10
058-71-500	8 054393 026347	0.500	35.00	300	10

BLACK BASS

- Monofilament designed for black bass spinning
- High strength and remarkable softness
- Low stretch for a perfect lure control
- Parallel spooling (TPS)
- Colour: dark green

150m/165yds		Ø	Kg	lb	PC
053-05-200	8 054393 019172	0.200	5.45	12.00	10
053-05-220	8 054393 019189	0.220	6.95	15.31	10
053-05-250	8 054393 019196	0.250	8.36	18.41	10
053-05-300	8 054393 019202	0.300	11.95	26.32	10
053-05-350	8 054393 019219	0.350	15.80	34.80	10

SPINNING PIKE

- Specific monofilament for pike spinning
- Low stretch for fast and safe strikes
- No memory and high abrasion resistance
- Parallel spooling (TPS)
- Colour: dichroic dark green

150m/165yds		Ø	Kg	lb	PC
053-55-160	8 054393 021564	0.160	3.65	8.04	10
053-55-180	8 054393 021571	0.180	4.50	9.91	10
053-55-200	8 054393 021588	0.200	5.45	12.00	10
053-55-220	8 054393 021595	0.220	6.95	15.31	10
053-55-250	8 054393 021601	0.250	8.36	18.41	10
053-55-300	8 054393 021618	0.300	11.95	26.32	10
053-55-350	8 054393 021625	0.350	15.80	34.80	10

PRO CARP

- Monofilament designed for carp fishing
- No memory and great abrasion resistance
- Reduced stretch for safe strikes at long range
- Parallel spooling (TPS)
- Colour: dark brown



300m/330yds		Ø	Kg	lb	PC
053-15-250	8 054393 019578	0.250	8.36	18.41	5
053-15-280	8 054393 019585	0.280	9.80	21.59	5
053-15-300	8 054393 019592	0.300	11.95	26.32	5
053-15-320	8 054393 019608	0.320	13.85	30.51	5
053-15-350	8 054393 019615	0.350	15.80	34.80	5
053-15-400	8 054393 019622	0.400	21.15	46.59	5

1000m/1094yds		Ø	Kg	lb	PC
053-17-250	8 054393 019639	0.250	8.36	18.41	5
053-17-280	8 054393 019646	0.280	9.80	21.59	5
053-17-300	8 054393 019653	0.300	11.95	26.32	5
053-17-320	8 054393 019660	0.320	13.85	30.51	5
053-17-350	8 054393 019677	0.350	15.80	34.80	5

SPINNING PERCH

- Designed for perch spinning and deadbaiting
- Very high knot strength and abrasion resistance
- Low stretch for a neat bite detection
- Parallel spooling (TPS)

150m/165yds		Ø	kg	lb	PC
053-50-140	8 054393 021380	0.140	2.85	6.28	10
053-50-160	8 054393 021397	0.160	3.80	8.37	10
053-50-180	8 054393 021403	0.180	4.65	10.24	10
053-50-200	8 054393 021410	0.200	5.60	12.36	10
053-50-220	8 054393 021427	0.220	7.05	15.53	10
053-50-250	8 054393 021434	0.250	8.46	18.63	10
053-50-300	8 054393 021441	0.300	12.07	26.59	10

TROUTER

- Specific monofilament for trout fishing
- Treatment to face low temperatures
- Parallel spooling (TPS)
- Low memory and high abrasion resistance

150m/165yds		Ø	kg	lb	PC
053-52-140	8 054393 021458	0.140	2.85	6.28	10
053-52-160	8 054393 021465	0.160	3.80	8.37	10
053-52-180	8 054393 021472	0.180	4.65	10.24	10
053-52-200	8 054393 021489	0.205	5.60	12.36	10
053-52-220	8 054393 021496	0.227	7.05	15.53	10
053-52-250	8 054393 021502	0.255	8.46	18.63	10
053-52-300	8 054393 021519	0.309	12.07	26.59	10

CARP ENDURO

- Sinking line designed for carp fishing
- No memory and great abrasion resistance
- Reduced stretch for safe strikes at long range

300m/330yds		Ø	kg	lb	PC
053-11-250	8 054393 019394	0.255	8.36	18.41	6
053-11-280	8 054393 019400	0.286	9.80	21.59	6
053-11-300	8 054393 019417	0.309	11.95	26.32	6
053-11-320	8 054393 019424	0.325	13.85	30.51	6
053-11-350	8 054393 019431	0.354	15.80	34.80	6
053-11-400	8 054393 019448	0.405	21.15	46.59	6

600m/656yds		Ø	kg	lb	PC
053-12-250	8 054393 019455	0.255	8.36	18.41	6
053-12-280	8 054393 019462	0.286	9.80	21.59	6
053-12-300	8 054393 019479	0.309	11.95	26.32	6
053-12-320	8 054393 019486	0.325	13.85	30.51	6
053-12-350	8 054393 019493	0.354	15.80	34.80	6
053-12-400	8 054393 019509	0.405	21.15	46.59	6

1200m/1312yds		Ø	kg	lb	PC
053-13-250	8 054393 019516	0.255	8.36	18.41	1
053-13-280	8 054393 019523	0.286	9.80	21.59	1
053-13-300	8 054393 019530	0.309	11.95	26.32	1
053-13-320	8 054393 019547	0.325	13.85	30.51	1
053-13-350	8 054393 019554	0.354	15.80	34.80	1
053-13-400	8 054393 019561	0.405	21.15	46.59	1

NEW COMPETITION GP GRAND POWER

- Hi tech monofilament designed for rigs and hooklinks making
- Great softness and knot strength
- Parallel spooling (TPS)
- Special stiff individual container

25m		Ø	kg	lb	PC
052-72-080	8 054393 163387	0,084	0,95	2,09	10
052-72-100	8 054393 163394	0,104	1,52	3,35	10
052-72-120	8 054393 163400	0,128	2,19	4,82	10
052-72-140	8 054393 163417	0,148	2,80	6,18	10
052-72-160	8 054393 164155	0,165	3,78	8,34	10
052-72-180	8 054393 164162	0,181	4,85	10,68	10
052-72-200	8 054393 164179	0,203	5,65	12,46	10
052-72-220	8 054393 164186	0,221	6,49	14,30	10
052-72-250	8 054393 164193	0,255	8,24	18,16	10
052-72-300	8 054393 164209	0,309	12,08	26,64	10

50m		Ø	kg	lb	PC
052-73-080	8 054393 164216	0,084	0,95	2,09	10
052-73-100	8 054393 164223	0,104	1,52	3,35	10
052-73-120	8 054393 164230	0,128	2,19	4,82	10
052-73-140	8 054393 164247	0,148	2,80	6,18	10
052-73-160	8 054393 164254	0,165	3,78	8,34	10
052-73-180	8 054393 164261	0,181	4,85	10,68	10
052-73-200	8 054393 164278	0,203	5,65	12,46	10
052-73-220	8 054393 164285	0,221	6,49	14,30	10
052-73-250	8 054393 163813	0,255	8,24	18,16	10
052-73-300	8 054393 163820	0,309	12,08	26,64	10

COMPETITION PRO

TPS

- Hi tech monofilament designed for rigs and hooklinks making
- Great softness and knot strength
- Parallel spooling (TPS)
- Special stiff individual container
- Colour: transparent dichroic

25m		Ø	kg	lb	PC
052-65-080	8 054393 018298	0.080	0.86	1.90	10
052-65-100	8 054393 018304	0.100	1.45	3.20	10
052-65-120	8 054393 018311	0.120	2.10	4.63	10
052-65-140	8 054393 018328	0.140	2.80	6.18	10
052-65-160	8 054393 018335	0.160	3.75	8.27	10
052-65-180	8 054393 018342	0.180	4.60	10.14	10
052-65-200	8 054393 018359	0.200	5.50	12.13	10
052-65-220	8 054393 018366	0.220	6.95	15.32	10
052-65-250	8 054393 018373	0.250	8.40	18.52	10
052-65-300	8 054393 018380	0.300	12.00	26.45	10

50m		Ø	kg	lb	PC
052-70-080	8 054393 018397	0.080	0.86	1.90	10
052-70-100	8 054393 018403	0.100	1.45	3.20	10
052-70-120	8 054393 018410	0.120	2.10	4.63	10
052-70-140	8 054393 018427	0.140	2.80	6.18	10
052-70-160	8 054393 018434	0.160	3.75	8.27	10
052-70-180	8 054393 018441	0.180	4.60	10.14	10
052-70-200	8 054393 018458	0.200	5.50	12.13	10
052-70-220	8 054393 018465	0.220	6.95	15.32	10
052-70-250	8 054393 018472	0.250	8.40	18.52	10
052-70-300	8 054393 018489	0.300	12.00	26.45	10

TOURNAMENT TOUGH

- Hi-tech allround mono for competition fishing
- Great softness and high linear strength
- Special smooth running through rod's guides
- Parallel spooling (TPS)
- Colour: transparent dichroic

150m/165yds		⌀	Kg	lb	PC
052-30-100	8 054393 016652	0.106	1.45	3.20	10
052-30-120	8 054393 016669	0.128	2.10	4.63	10
052-30-140	8 054393 016676	0.148	2.80	6.18	10
052-30-160	8 054393 016683	0.165	3.75	8.27	10
052-30-180	8 054393 016690	0.185	4.60	10.14	10
052-30-200	8 054393 016706	0.205	5.50	12.13	10
052-30-220	8 054393 016713	0.220	6.95	15.32	10
052-30-250	8 054393 016720	0.255	8.40	18.52	10
052-30-280	8 054393 016737	0.280	9.54	21.03	10
052-30-300	8 054393 016744	0.300	12.00	26.45	10
052-30-350	8 054393 016751	0.350	15.85	34.94	10
052-30-400	8 054393 016768	0.400	20.20	44.53	10
052-30-450	8 054393 016775	0.450	27.50	60.62	10
052-30-500	8 054393 016782	0.500	35.00	77.15	10

300m/330yds		⌀	Kg	lb	PC
052-35-100/5	8 054393 016843	0.106	1.45	3.20	5
052-35-120/5	8 054393 016850	0.128	2.10	4.63	5
052-35-140/5	8 054393 016867	0.148	2.80	6.18	5
052-35-160/5	8 054393 016874	0.165	3.75	8.27	5
052-35-180/5	8 054393 016881	0.185	4.60	10.14	5
052-35-200/5	8 054393 016898	0.205	5.50	12.13	5
052-35-250/5	8 054393 016904	0.255	8.40	18.52	5
052-35-300/5	8 054393 016911	0.300	12.00	26.45	5

500m/547yds		⌀	Kg	lb	PC
052-37-100/5	8 054393 017017	0.106	1.45	3.20	5
052-37-120/5	8 054393 017024	0.128	2.10	4.63	5
052-37-140/5	8 054393 017031	0.148	2.80	6.18	5
052-37-160/5	8 054393 017048	0.165	3.75	8.27	5
052-37-180/5	8 054393 017055	0.185	4.60	10.14	5
052-37-200/5	8 054393 017062	0.205	5.50	12.13	5
052-37-250/5	8 054393 017079	0.255	8.40	18.52	5
052-37-300/5	8 054393 017086	0.300	12.00	26.45	5
052-37-350/5	8 054393 017093	0.350	15.85	34.94	5
052-37-400/5	8 054393 017109	0.400	20.20	44.53	5
052-37-450/5	8 054393 017116	0.450	27.50	60.62	5
052-37-500/5	8 054393 017123	0.500	35.00	77.15	5

SUPER CAST

- Monofilament designed for reel fishing
- Great softness and very high linear strength
- Special smooth running through rod's guides
- Parallel spooling (TPS)
- Colour: amber brown

TPS

150m/165yds		Ø	kg	lb	pc
052-40-120	8 054393 017130	0.128	2.05	4.52	10
052-40-140	8 054393 017154	0.148	2.76	6.09	10
052-40-160	8 054393 017178	0.165	3.71	8.18	10
052-40-180	8 054393 017192	0.185	4.57	10.08	10
052-40-200	8 054393 017215	0.205	5.42	11.95	10
052-40-250	8 054393 017239	0.255	8.35	18.41	10
052-40-300	8 054393 017253	0.300	11.92	26.28	10
052-40-350	8 054393 017260	0.350	15.79	34.81	10
052-40-400	8 054393 017277	0.400	20.13	44.37	10
052-40-450	8 054393 017284	0.450	27.50	60.62	10
052-40-500	8 054393 017291	0.500	35.00	77.15	10

300m/330yds		Ø	kg	lb	pc
052-45-140	8 054393 017307	0.148	2.76	6.09	5
052-45-160	8 054393 017314	0.165	3.71	8.18	5
052-45-180	8 054393 017321	0.185	4.57	10.08	5
052-45-200	8 054393 017338	0.205	5.42	11.95	5
052-45-250	8 054393 017345	0.255	8.35	18.41	5
052-45-300	8 054393 017352	0.300	11.92	26.28	5

500m/547yds		Ø	kg	lb	pc
052-47-140	8 054393 017420	0.148	2.76	6.09	5
052-47-160	8 054393 017437	0.165	3.71	8.18	5
052-47-180	8 054393 017444	0.185	4.57	10.08	5
052-47-200	8 054393 017451	0.205	5.42	11.95	5
052-47-250	8 054393 017468	0.255	8.35	18.41	5
052-47-300	8 054393 017475	0.300	11.92	26.28	5

SUPER SOFT

- Super soft monofilament designed for bolognese and spinning
- Very long casts and perfect bait presentation
- Good visibility for the angler
- Parallel spooling (TPS)
- Colour: warm gold

TPS

200m/219yds		Ø	kg	lb	pc
052-55-140	8 054393 017925	0.148	2.76	6.09	10
052-55-160	8 054393 017932	0.165	3.71	8.18	10
052-55-180	8 054393 017949	0.185	4.57	10.08	10
052-55-200	8 054393 017956	0.205	5.42	11.95	10
052-55-250	8 054393 017963	0.255	8.35	18.41	10
052-55-300	8 054393 017970	0.300	11.92	26.28	10
052-55-350	8 054393 017987	0.350	15.79	34.81	10
052-55-400	8 054393 017994	0.400	20.13	44.37	10

500m/547yds		Ø	kg	lb	pc
052-57-180	8 054393 018021	0.185	4.57	10.08	5
052-57-200	8 054393 018038	0.205	5.42	11.95	5
052-57-250	8 054393 018045	0.255	8.35	18.41	5
052-57-300	8 054393 018052	0.300	11.92	26.28	5
052-57-350	8 054393 018069	0.350	15.79	34.81	5
052-57-400	8 054393 018076	0.400	20.13	44.37	5

SUPER HARD

- Monofilament structured for long range fishing
- Perfect for feeder, carp fishing and spinning
- Remarkable stiffness for a direct contact with bait
- Extreme linear strength and abrasion resistance
- Colour: dark brown

300m/330yds		⌀	Kg	ID	PC
052-60-250	8 054393 018120	0.255	8.48	18.69	5
052-60-300	8 054393 018137	0.300	12.15	26.78	5
052-60-350	8 054393 018144	0.350	15.95	35.16	5
052-60-400	8 054393 018151	0.400	20.30	44.75	5

SPECIAL FEEDER

- Monofilament designed for feeder fishing
- Very low stretch for safe hook sets at long range
- Slick skin for very long casting attitude
- Extreme linear strength and abrasion resistance

TPS

150m/165yds		⌀	Kg	ID	PC
052-63-120	8 054393 018212	0.120	2.10	4.63	10
052-63-160	8 054393 018236	0.160	3.75	8.27	10
052-63-180	8 054393 018243	0.180	4.60	10.14	10
052-63-200	8 054393 018250	0.200	5.50	12.13	10
052-63-220	8 054393 018267	0.220	6.95	15.32	10
052-63-250	8 054393 018274	0.250	8.40	18.52	10
052-63-300	8 054393 018281	0.300	11.92	26.28	10

MATCH SINKING

- Sinking monofilament designed for match and feeder fishing
- Controlled stretch to produce neat hook setting at range
- Special siliconic treatment reduces guide's friction
- Total absence of memory
- Parallel spooling (TPS)
- Colour: deep blue

150m/165yds		Ø	Kg	lb	PC
053-00-120	8 054393 019103	0.120	2.10	4.63	10
053-00-140	8 054393 019110	0.140	2.80	6.18	10
053-00-160	8 054393 019127	0.160	3.70	8.16	10
053-00-180	8 054393 019134	0.180	4.55	10.03	10
053-00-200	8 054393 019141	0.200	5.55	12.24	10
053-00-250	8 054393 019158	0.250	8.44	18.61	10
053-00-300	8 054393 019165	0.300	12.06	26.58	10

SINKING

- Sinking monofilament designed for match and feeder fishing
- Controlled stretch to produce neat hook setting at range
- Special siliconic treatment reduces guide's friction
- Parallel spooling (TPS)
- Two spooling options (150 and 300 m)
- Colour: dark brown

150m/165yds		Ø	Kg	lb	PC
052-95-160	8 054393 018977	0.160	2.10	4.63	10
052-95-180	8 054393 018984	0.180	2.80	6.18	10
052-95-200	8 054393 018991	0.200	3.70	8.16	10
052-95-220	8 054393 019004	0.220	6.95	15.32	10
052-95-250	8 054393 019011	0.250	8.44	18.61	10
052-95-300	8 054393 019028	0.300	9.80	21.60	10

150m/165yds		Ø	Kg	lb	PC
052-96-200	8 054393 019035	0.200	3.70	8.16	5
052-96-250	8 054393 019059	0.250	8.44	18.61	5
052-96-280	8 054393 019066	0.280	6.95	15.32	5
052-96-300	8 054393 019073	0.300	9.80	21.60	5
052-96-320	8 054393 019080	0.320	10.86	24.13	5
052-96-350	8 054393 019097	0.350	15.85	34.94	5

RIVER TROUT

TPS

- Monofilament designed for river trout and spinning
- High visibility for the angler
- Great abrasion resistance and linear strength
- Reduced stretch allows a direct bait control
- Parallel spooling (TPS)
- Colour: matt white

150m/165yds	Ø	kg	lb	pc
052-90-160	0.160	3.70	8.16	10
052-90-180	0.180	4.55	10.03	10
052-90-200	0.200	5.55	12.24	10
052-90-220	0.220	6.95	15.32	10
052-90-250	0.250	8.44	18.61	10
052-90-280	0.280	10.86	24.13	10
052-90-300	0.300	12.06	26.58	10
052-90-350	0.350	15.85	35.22	10
052-90-400	0.400	20.20	44.53	10

LAKE TROUT

TPS

- Monofilament designed for lake trout fishing
- Special treatment to resist lowest temperatures
- Limited friction to allow extreme long casts
- High visibility for the angler
- Parallel spooling (TPS)
- Colour: matt violet

150m/165yds	Ø	kg	lb	pc
052-85-160	0.160	3.70	8.16	10
052-85-180	0.180	4.55	10.03	10
052-85-200	0.200	5.55	12.24	10
052-85-220	0.220	6.95	15.32	10
052-85-250	0.250	8.44	18.16	10

SOFT CARP HV

TPS

- Monofilament dedicated to long range fishing
- Highly visible to the angler, mimetic into the water
- Special siliconic treatment reduces guide's friction
- Total absence of memory
- Parallel spooling (TPS)
- Colour: fluo green

500m/547yds	Ø	kg	lb	pc
052-23-280	0.280	10.85	24.13	5
052-23-300	0.300	12.06	26.58	5
052-23-350	0.350	15.85	32.22	5

NEW TAPER LINE SC SURFCASTING

- Monofilament designed for surf casting
- Two tapered segments on each end (15 m), acting as shock leaders
- Middle area with regular diameter (220 m) with coloured segments (20 m)
- Remarkable abrasion resistance and linear strength
- Wide choice among many diameter combinations
- Colour: changing every 20 metres (clear shock leaders)



250m/270yds		Ø	kg	lb	type	pc
053-76-016	8 054393 173553	0.16~0.40	4.350~20.130	9~45	BEACH	6
053-76-018	8 054393 173560	0.18~0.45	4.570~24.500	10~52	BEACH	6
053-76-020	8 054393 173577	0.18~0.45	5.420~24.500	12~52	BEACH	6
053-76-120	8 054393 173584	0.18~0.57	5.420~27.500	12~60	DISTANCE	6
053-76-180	8 054393 173591	0.20~0.50	4.570~32.500	10~70	DISTANCE	6
053-76-200	8 054393 173607	0.20~0.57	5.420~32.500	12~70	DISTANCE	6
053-76-230	8 054393 173614	0.23~0.57	6.960~32.500	15~70	DISTANCE	6
053-76-260	8 054393 173621	0.26~0.57	8.350~32.500	18~70	DISTANCE	6

TAPER LEADER

- Tapered shock leaders for surf casting
- 10 leaders of 15 metres each, stored on a spool
- Ceramic treatment for a huge abrasion resistance
- Great linear strength
- Wide choice among many diameter combinations
- Colour: transparent clear



10 x 15m		Ø	kg	lb	type	pc
053-71-016	8 054393 128362	0.18~0.32	4.57~11.92	10~26	BEACH	10
053-71-018	8 054393 022554	0.18~0.40	4.57~20.13	10~45	BEACH	10
053-71-020	8 054393 022561	0.20~0.50	5.42~27.50	12~60	BEACH	10
053-71-180	8 054393 022578	0.18~0.57	4.57~32.50	10~70	SURF	10
053-71-200	8 054393 022585	0.20~0.57	5.42~32.50	12~70	SURF	10
053-71-230	8 054393 022592	0.23~0.57	6.95~32.50	15~70	SURF	10
053-71-260	8 054393 022608	0.26~0.57	8.35~32.50	18~70	SURF	10
053-71-300	8 054393 128348	0.23~0.67	6.96~36.34	15~80	DISTANCE	10
053-71-310	8 054393 128355	0.26~0.72	8.35~38.61	18~85	DISTANCE	10

SURF SA SOFT+ABRASION



- Exclusive monofilament for surf casting, with three layer's structure
- Highly compact Nano-Tech core for extreme strength
- Super soft intermediate layer
- Smooth and durable Fluorocarbon outer skin
- Reduced stretch for a superior sensitivity
- Total absence of memory
- Colour: changing every 30 metres (yellow, orange, red, purple, blue)



300m/330yds		Ø	Kg	lb	PC
052-08-160	8 054393 140234	0,165	4,350	9,59	6
052-08-180	8 054393 140241	0,181	4,570	10,08	6
052-08-200	8 054393 140258	0,203	5,420	11,95	6
052-08-220	8 054393 140265	0,221	6,950	15,32	6
052-08-250	8 054393 140272	0,251	8,350	18,41	6
052-08-280	8 054393 140289	0,283	9,540	21,03	6
052-08-300	8 054393 140296	0,307	11,920	26,28	6
052-08-350	8 054393 140302	0,355	15,790	34,81	6

SURF FP FLUORO POWER

- Exclusive monofilament for surf casting, with three layer's structure
- Highly compact Nano-Tech core for extreme strength
- Super soft intermediate layer
- Smooth and durable Fluorocarbon outer skin
- Reduced stretch for a superior sensitivity
- Total absence of memory
- Colour: pink

300m/330yds		Ø	Kg	lb	PC
052-04-160	8 054393 139986	0,165	4,350	9,59	6
052-04-180	8 054393 139993	0,181	4,570	10,08	6
052-04-200	8 054393 140418	0,203	5,420	11,95	6
052-04-220	8 054393 140050	0,221	6,950	15,32	6
052-04-250	8 054393 140067	0,251	8,350	18,41	6
052-04-280	8 054393 140074	0,283	9,540	21,03	6
052-04-300	8 054393 140081	0,307	11,920	26,28	6
052-04-350	8 054393 140098	0,355	15,790	34,81	6

600m/660yds		Ø	Kg	lb	PC
052-05-160	8 054393 140104	0,165	4,350	9,59	6
052-05-180	8 054393 140111	0,181	4,570	10,08	6
052-05-200	8 054393 140005	0,203	5,420	11,95	6
052-05-220	8 054393 140012	0,221	6,950	15,32	6
052-05-250	8 054393 140029	0,251	8,350	18,41	6
052-05-280	8 054393 140036	0,283	9,540	21,03	6
052-05-300	8 054393 140043	0,307	11,920	26,28	6
052-05-350	8 054393 140227	0,355	15,790	34,81	6

LONGCAST FLUO

XPS T-FORCE

- Special monofilament for surf casting
- High visibility for the angler, specially during the night
- Slick surface for smooth flow through rod's guides
- Reduced stretch for a superior sensitivity
- Black mark every 150 metres to draw the required length
- Exclusive aluminium box to preserve the line quality
- Colour: fluo orange

1200m/1300yds		Ø	kg	ID	PC
053-49-180	8 054393 021304	0.181	4.57	10.08	5
053-49-200	8 054393 021311	0.203	5.42	11.95	5
053-49-220	8 054393 021328	0.221	6.95	15.32	5
053-49-250	8 054393 021335	0.251	8.35	18.41	5
053-49-280	8 054393 021342	0.283	9.54	21.03	5
053-49-300	8 054393 021359	0.307	11.92	26.28	5
053-49-350	8 054393 021366	0.350	15.79	34.81	5
053-49-400	8 054393 021373	0.400	20.13	44.38	5

SURFCAST

XPS S-FORCE

- Specific monofilament for surf casting
- Special siliconic treatment gives it easy flowing through rod's guides
- Remarkable softness and absence of memory
- High visibility for the angler
- Colour: fluo orange

TPS

300m/330yds		Ø	kg	ID	PC
053-47-180	8 054393 021144	0.181	4.65	10.24	6
053-47-200	8 054393 021151	0.203	5.50	12.34	6
053-47-220	8 054393 021168	0.228	6.46	14.23	6
053-47-250	8 054393 021175	0.255	8.46	18.63	6
053-47-280	8 054393 021182	0.282	9.65	21.26	6
053-47-300	8 054393 021199	0.309	12.07	26.59	6
053-47-350	8 054393 021205	0.350	14.40	31.72	6
053-47-400	8 054393 021212	0.400	18.90	41.63	6

VELVET ACCURATE CAST

XPS S FORCE

TPS

- Special monofilament for surf casting competitions and boat fishing
- Segments of different colour to evaluate the fishing distance
- Extra long casts thanks to slick surface and no memory
- Reduced stretch allows fast and accurate strikes
- Colour changing every 30 metres (white, yellow, orange, red, purple)

300m/330yds		Ø	Kg	lb	PC
052-12-180	8 054393 128270	0.18	3.33	7.00	6
052-12-200	8 054393 128287	0.20	4.13	9.00	6
052-12-220	8 054393 128294	0.22	5.51	12.00	6
052-12-250	8 054393 128300	0.25	6.67	15.00	6
052-12-280	8 054393 128317	0.28	8.45	19.00	6
052-12-300	8 054393 128324	0.30	9.13	20.00	6
052-12-350	8 054393 128331	0.35	12.76	28.00	6

VELVET PRO CAST

XPS S FORCE

- Special monofilament for surf casting competitions
- High visibility for the angler, specially through the night
- Extra long casts thanks to slick surface and no memory
- Impressive free flowing through rod's guides
- Very easy to knot
- Colour: intense yellow

TPS

300m/330yds		Ø	Kg	lb	PC
052-15-180	8 054393 016096	0.180	3.34	7.00	6
052-15-200	8 054393 016102	0.200	4.13	9.00	6
052-15-220	8 054393 016119	0.220	5.51	12.00	6
052-15-250	8 054393 016126	0.250	6.67	15.00	6
052-15-280	8 054393 016133	0.280	8.46	19.00	6
052-15-300	8 054393 016140	0.300	9.14	20.00	6
052-15-350	8 054393 016157	0.350	12.76	28.00	6

600m/656yds		Ø	Kg	lb	PC
052-16-180	8 054393 016164	0.180	3.34	7.00	6
052-16-200	8 054393 016171	0.200	4.13	9.00	6
052-16-220	8 054393 016188	0.220	5.51	12.00	6
052-16-250	8 054393 016195	0.250	6.67	15.00	6
052-16-280	8 054393 016201	0.280	8.46	19.00	6
052-16-300	8 054393 016218	0.300	9.14	20.00	6
052-16-350	8 054393 016225	0.350	12.76	28.00	6

SPECIAL SEA HI-VIZ

- Special monofilament for saltwater, perfect for boat fishing
- Enormous abrasion resistance, thanks to the ceramic treatment
- High visibility for the angler
- Great knot strength
- Colour: matt white

300m/330yds		Ø	kg	lb	PC
053-66-160	8 054393 022356	0.160	2.77	6	6
053-66-180	8 054393 022363	0.180	3.34	7	6
053-66-200	8 054393 022370	0.200	4.13	9	6
053-66-220	8 054393 022387	0.220	5.51	12	6
053-66-250	8 054393 022394	0.250	6.67	15	6
053-66-280	8 054393 022400	0.280	8.46	19	6
053-66-300	8 054393 022417	0.300	9.14	20	6
053-66-350	8 054393 022424	0.350	12.76	28	6

600m/656yds		Ø	kg	lb	PC
053-67-160	8 054393 022431	0.160	2.77	6	6
053-67-180	8 054393 022448	0.180	3.34	7	6
053-67-200	8 054393 022455	0.200	4.13	9	6
053-67-220	8 054393 022462	0.220	5.51	12	6
053-67-250	8 054393 022479	0.250	6.67	15	6
053-67-280	8 054393 022486	0.280	8.46	19	6
053-67-300	8 054393 022493	0.300	9.14	20	6
053-67-350	8 054393 022509	0.350	12.76	28	6

LONG CAST

This line has been developed for those anglers that need to make very long casts. The color fluo-yellow is immediately visible for the angler, but it is almost invisible into the water. This line has a very good flowing qualities, high abrasion resistance and it is super soft, a combination of factors that allow this line to be the best in terms of casting capacity. The very low elasticity allows the angler to be always in close contact with the bait and transmit an immediate strike on the bite. It is completely waterproof, like all the S-Force monofilaments, and as well as saltproof. Available in spools of 150 and 300 mts in individual box.

TPS

150m/165yds		Ø	kg	lb	PC
052-80-180	8 054393 018670	0.180	4.55	10.03	10
052-80-200	8 054393 018687	0.200	5.55	12.24	10
052-80-220	8 054393 018694	0.220	6.95	15.32	10
052-80-250	8 054393 018700	0.250	8.44	18.61	10
052-80-300	8 054393 018717	0.300	12.06	26.58	10
052-80-350	8 054393 018724	0.350	15.85	34.94	10
052-80-400	8 054393 018731	0.400	20.20	44.53	10
052-80-450	8 054393 018748	0.450	27.50	60.62	10

300m/330yds		Ø	kg	lb	PC
052-82-180	8 054393 018755	0.180	4.55	10.03	5
052-82-200	8 054393 018762	0.200	5.55	12.24	5
052-82-220	8 054393 018779	0.220	6.95	15.32	5
052-82-250	8 054393 018786	0.250	8.44	18.61	5
052-82-300	8 054393 018793	0.300	12.06	26.58	5
052-82-350	8 054393 018809	0.350	15.85	34.94	5
052-82-400	8 054393 018816	0.400	20.20	44.53	5
052-82-450	8 054393 018823	0.450	27.50	60.62	5

MASTER ISO SALTWATER

XPS T-FORCE

SPECIAL SALTWATER
SUPERIOR KNOT STRENGTH
MOLECULAR TREATMENT
SUPER SOFT | NO MEMORY

- Specific monofilament for sea fishing, perfect for both boat and shore fishing
- With 3-level structure
- Internal core with nano-structure with high cohesion and molecular resistance.
- Intermediate level which gives it elasticity
- Extremely smooth and durable external coating based on a compound that makes it unassailable to marine agents
- Reduced elasticity for superior sensitivity
- Complete absence of memory
- Light Pink

300m/330yds		Ø	kg	lb	PC
050-60-200	8 054393 163554	0.205	5,45	12,02	6
050-60-250	8 054393 163561	0.255	8,36	18,43	6
050-60-280	8 054393 163578	0.285	9,54	21,03	6
050-60-300	8 054393 163585	0.300	11,94	26,32	6
050-60-350	8 054393 163592	0.350	15,80	34,83	6
050-60-400	8 054393 163608	0.400	20,15	44,42	6
050-60-450	8 054393 163615	0.450	27,50	60,62	6
050-60-500	8 054393 163622	0.500	34,96	77,06	6
050-61-600	8 054393 163639	0.600	35,50	78,25	2
050-61-700	8 054393 163646	0.700	38,20	84,20	2
050-61-800	8 054393 163899	0.800	41,70	91,91	2

600m/656yds		Ø	kg	lb	PC
050-63-250	8 054393 163905	0.255	8,36	18,43	5
050-63-280	8 054393 163912	0.280	9,54	21,03	5
050-63-300	8 054393 163929	0.300	11,94	26,32	5
050-63-350	8 054393 163936	0.350	15,80	34,83	5
050-63-400	8 054393 163943	0.400	20,15	44,42	5
050-63-450	8 054393 163950	0.450	27,50	60,62	5
050-63-500	8 054393 163967	0.500	34,96	77,06	5
050-63-600	8 054393 163974	0.600	35,50	78,25	5

BIG GAME

XPS T-FORCE

- Monofilament designed to spool the Big Game multipliers
- Exclusive multi-layer structure with three different layers
- Great abrasion resistance and saltwater protective treatment
- Convenient 600 m spool
- Colour: clear blue

600m		Ø	kg	lb	PC
053-07-300	8 054393 019226	0.30	11.34	25.01	6
053-07-350	8 054393 019233	0.35	15.01	33.09	6
053-07-400	8 054393 019240	0.40	19.14	42.20	6
053-07-500	8 054393 019257	0.50	26.13	57.60	6
053-07-600	8 054393 019264	0.60	33.73	74.35	6
053-07-700	8 054393 019271	0.70	36.29	80.01	6
053-07-800	8 054393 019288	0.80	39.62	87.34	6

SUPER ISO

- Monofilament designed to spool the Big Game multipliers
- Exclusive multi-layer structure with three different layers
- Great abrasion resistance and saltwater protective treatment
- Convenient 600 m spool
- Colour: clear blue

150m/165yds		Ø	kg	lb	PC
052-50-200	8 054393 017628	0.205	5.45	12.02	10
052-50-220	8 054393 017635	0.220	6.95	15.32	10
052-50-250	8 054393 017642	0.255	8.36	18.43	10
052-50-300	8 054393 017659	0.300	11.94	26.32	10
052-50-350	8 054393 017666	0.350	15.80	34.83	10
052-50-400	8 054393 017673	0.400	20.15	44.42	10
052-50-450	8 054393 017680	0.450	27.50	60.62	10
052-50-500	8 054393 017697	0.500	34.96	77.06	10

300m/330yds		Ø	kg	lb	PC
052-51-200	8 054393 017703	0.205	5.45	12.02	5
052-51-250	8 054393 017710	0.255	8.36	18.43	5
052-51-300	8 054393 017727	0.300	11.94	26.32	5
052-51-350	8 054393 017734	0.350	15.80	34.83	5
052-51-400	8 054393 017741	0.400	20.15	44.42	5
052-51-450	8 054393 017758	0.450	27.50	60.62	5
052-51-500	8 054393 017765	0.500	34.96	77.06	5
052-52-060	8 054393 017789	0.600	35.50	78.25	2
052-52-070	8 054393 017796	0.700	38.20	84.20	2
052-52-080	8 054393 017802	0.800	41.70	91.91	2
052-52-090	8 054393 017819	0.900	48.10	105.95	2
052-52-100	8 054393 017826	1.000	61.50	135.55	2

500m/547yds		Ø	kg	lb	PC
052-53-200	8 054393 017833	0.205	5.45	12.02	5
052-53-220	8 054393 017840	0.220	6.95	15.32	5
052-53-250	8 054393 017857	0.255	8.36	18.43	5
052-53-280	8 054393 017864	0.280	9.54	21.03	5
052-53-300	8 054393 017871	0.300	11.94	26.32	5
052-53-350	8 054393 017888	0.350	15.80	34.83	5
052-53-400	8 054393 017895	0.400	20.15	44.42	5
052-53-450	8 054393 017901	0.450	27.50	60.62	5
052-53-500	8 054393 017918	0.500	34.96	77.06	5

DEEP ISO

This monofilament has been specifically developed for boat fishing. It is highly visible and soft with a total lack of memory. The special red color is highly visible on the surface for better control of line, while at 10m of depth makes it absolutely invisible to the fish. Deep Iso is particularly resistant to traction and torsion, and can therefore be safely used for trolling. The silicone-based coating makes it waterproof and airtight to combat saltwater marine agents.

300m/330yds		Ø	kg	lb	PC
052-48-300	8 054393 017529	0.309	11.95	26.32	6
052-48-350	8 054393 017536	0.354	15.80	34.80	6
052-48-400	8 054393 017543	0.405	20.30	44.71	6
052-48-450	8 054393 017550	0.450	27.50	60.57	6
052-48-500	8 054393 017567	0.500	34.96	77.0	6

600m/656yds		Ø	kg	lb	PC
052-49-300	8 054393 017574	0.309	11.95	26.32	6
052-49-350	8 054393 017581	0.354	15.80	34.80	6
052-49-400	8 054393 017598	0.405	20.30	44.71	6
052-49-450	8 054393 017604	0.450	27.50	60.57	6
052-49-500	8 054393 017611	0.500	34.96	77.00	6

TEKNO SALTWATER

XPS T-FORCE

TPS

T-Force XPS Tekno Saltwater is a super high quality nylon mono that is very different from almost any other line on the market. Its molecular structure is organized to avoid stretching and to keep a very good breaking strength. In a nutshell, it performs very close to a braided line, being really sensitive, but still keeping the good qualities of nylon monofilaments, such as a lower friction when passing through the guides and a superior manageability. The crystal blue colour and the silicon surface treatment make this line really perfect for bottom fishing from the boat and spinning.

150m/165yds		Ø	kg	lb	pc
052-18-200	8 054393 016232	0.203	5.95	13.11	10
052-18-250	8 054393 016249	0.251	8.67	19.10	10
052-18-280	8 054393 016256	0.283	9.98	21.98	10
052-18-300	8 054393 016263	0.307	12.72	28.02	10
052-18-350	8 054393 016270	0.350	15.90	35.00	10
052-18-400	8 054393 016287	0.400	18.17	40.00	10

300m/330yds		Ø	kg	lb	pc
052-19-200	8 054393 016294	0.203	5.95	13.11	6
052-19-250	8 054393 016300	0.251	8.67	19.10	6
052-19-300	8 054393 016317	0.307	12.72	28.02	6
052-19-350	8 054393 016324	0.350	15.90	35.00	6
052-19-400	8 054393 016331	0.400	18.17	40.00	6
052-19-450	8 054393 016348	0.450	21.46	45.00	6
052-19-500	8 054393 016355	0.500	22.72	50.00	6

SEALION

XPS T-FORCE

- Special monofilament for sea fishing
- Perfect for reel's spools as well as for rigs and hooklinks
- Flexible nylon core with outer Fluorocarbon layer
- Total waterproofness and abrasion resistance
- Softness, high linear and knot strength

250m		Ø	kg	lb	pc
053-91-160	8 054393 023490	0.164	2.57	5.67	10
053-91-180	8 054393 023506	0.185	3.21	7.08	10
053-91-200	8 054393 023513	0.201	3.85	8.48	10
053-91-220	8 054393 023520	0.220	4.41	9.72	10
053-91-250	8 054393 023537	0.250	5.87	12.94	10
053-91-300	8 054393 023544	0.300	7.73	17.02	10
053-91-350	8 054393 023551	0.350	10.96	24.15	10
053-91-400	8 054393 023568	0.400	12.13	26.71	10

SPECIAL SEA

T-FORCE

- Monofilament specific for sea trolling
- Special treatment against salt aggression
- Huge abrasion resistance
- Very low mechanical memory
- Colour: transparent

300m/330yds		Ø	kg	lb	pc
052-36-060	8 054393 016966	0.600	35.50	78.25	2
052-36-070	8 054393 016973	0.700	38.20	84.20	2
052-36-080	8 054393 016980	0.800	41.70	91.91	2
052-36-100	8 054393 017000	1.000	61.50	135.55	2

MAX PLUS CARP

- Designed for carp and all other big fish
- High abrasion resistance
- Reduced stretch for immediate bite detection
- Colour: dicroic brown

150m/165yds		Ø	kg	lb	PC
057-04-200	8 054393 025029	0.20	4.00	8.81	10
057-04-220	8 054393 025036	0.22	4.90	10.79	10
057-04-250	8 054393 025043	0.25	5.80	12.78	10
057-04-280	8 054393 025050	0.28	6.85	15.09	10
057-04-300	8 054393 025067	0.30	8.50	18.72	10
057-04-350	8 054393 025074	0.35	10.50	23.13	10
057-04-400	8 054393 025081	0.40	13.50	29.74	10
057-04-450	8 054393 025098	0.45	15.00	33.06	10
057-04-500	8 054393 025104	0.50	18.00	39.68	10

300m/330yds		Ø	kg	lb	PC
057-05-200	8 054393 025111	0.20	4.00	8.81	10
057-05-220	8 054393 025128	0.22	4.90	10.79	10
057-05-250	8 054393 025135	0.25	5.80	12.78	10
057-05-280	8 054393 025142	0.28	6.85	15.09	10
057-05-300	8 054393 025159	0.30	8.50	18.72	10
057-05-350	8 054393 025166	0.35	10.50	23.13	10
057-05-400	8 054393 025173	0.40	13.50	29.74	10

1000m/1095yds		Ø	kg	lb	PC
057-18-200	8 054393 110275	0.20	4.00	8.81	2
057-18-220	8 054393 110282	0.22	4.90	10.79	2
057-18-250	8 054393 110299	0.25	5.80	12.78	2
057-18-300	8 054393 110305	0.30	8.50	18.72	2
057-18-350	8 054393 110312	0.35	10.50	23.13	2
057-18-400	8 054393 110329	0.40	13.50	29.74	2

MAX PLUS ALLROUND

- Ideal for spooling the reel as well as for pole rigs
- Minimal memory and high abrasion resistance
- Great knot strength
- Colour: transparent light green

150m/165yds		Ø	kg	lb	PC
057-00-120	8 054393 024657	0.12	1.50	3.30	10
057-00-140	8 054393 024664	0.14	2.10	4.63	10
057-00-160	8 054393 024671	0.16	2.65	5.84	10
057-00-180	8 054393 024688	0.18	3.20	7.05	10
057-00-200	8 054393 024695	0.20	4.00	8.81	10
057-00-250	8 054393 024701	0.25	5.80	12.78	10
057-00-300	8 054393 024718	0.30	8.50	18.72	10
057-00-350	8 054393 024725	0.35	10.50	23.13	10
057-00-400	8 054393 024732	0.40	13.50	29.74	10
057-00-450	8 054393 024749	0.45	15.00	33.06	10
057-00-500	8 054393 024756	0.50	18.00	39.68	10

300m/330yds		Ø	kg	lb	PC
057-01-160	8 054393 024763	0.16	2.65	5.84	10
057-01-180	8 054393 024770	0.18	3.20	7.05	10
057-01-200	8 054393 024787	0.20	4.00	8.81	10
057-01-250	8 054393 024794	0.25	5.80	12.78	10
057-01-300	8 054393 024800	0.30	8.50	18.72	10
057-01-350	8 054393 024817	0.35	10.50	23.13	10
057-01-400	8 054393 024824	0.40	13.50	29.74	10
057-01-450	8 054393 145932	0.45	15.00	33.06	10
057-01-500	8 054393 145949	0.50	18.00	39.68	10

1000m/1095yds		Ø	kg	lb	PC
057-15-160	8 054393 025555	0.16	2.65	5.84	2
057-15-180	8 054393 025562	0.18	3.20	7.05	2
057-15-200	8 054393 025579	0.20	4.00	8.81	2
057-15-250	8 054393 025586	0.25	5.80	12.78	2
057-15-300	8 054393 025593	0.30	8.50	18.72	2
057-15-350	8 054393 025609	0.35	10.50	23.13	2
057-15-400	8 054393 025616	0.40	13.50	29.74	2

MAX PLUS SINKING

The fast sinking tendency is the first feature that is appreciated when using it in the match or feeder fishing, techniques in which the alignment of the line is a very important element for the purposes of bite's indication and also for the neat transmission of force in the strike moment. Max Plus Sinking perfectly answers to all those demands, also offering a special resistance to abrasion arising from the continuous flow through the small rings, by the application of lead shots or from the knots destined to link a shock leader. A definitely strong line, able to bear any mistreatment, offered in the convenient Max Plus spools of 150 meters. Glossy brown colour.

150m/165yds		Ø	Kg	LB	PC
057-20-160	8 054393 110336	0.16	2.65	5.84	10
057-20-180	8 054393 110343	0.18	3.20	7.05	10
057-20-200	8 054393 110350	0.20	4.00	8.81	10
057-20-220	8 054393 110367	0.22	4.90	10.79	10
057-20-250	8 054393 110374	0.25	5.80	12.78	10
057-20-300	8 054393 110381	0.30	8.50	18.72	10

MAX PLUS SPECIMEN

The perfect line for match and feeder fishing, designed through a special formula which enabled to get a product featuring high gravity, thus sinking and stiff. The surface treatment provides high abrasion resistance, very low memory and stretch, plus high knot strength. Packed in 150 metres spools, it's protected from UV rays during its shelf life, because the special side protection filters light. The glossy black colour helps the user to see where the fish goes during the fight. The product shows an interesting value for money.

150m/165yds		Ø	Kg	LB	PC
057-06-160	8 054393 025180	0.16	2.65	5.84	10
057-06-180	8 054393 025197	0.18	3.20	7.05	10
057-06-200	8 054393 025203	0.20	4.00	8.81	10
057-06-250	8 054393 025210	0.25	5.80	12.78	10
057-06-300	8 054393 025227	0.30	8.50	18.72	10
057-06-350	8 054393 025234	0.35	10.50	23.13	10
057-06-400	8 054393 025241	0.40	13.50	29.74	10

MAX PLUS SPINNING

This new line has been specifically designed for spinning, where it does the job thanks to its very low stretch. This specification generates a greater sensitivity, offering to the user a neat perception of lure movements and contacts with underwater structures, as well as quick and neat strikes, even in difficult conditions. Providing extreme linear strength, at the same time it is particularly soft to ease accurate casting. Coloured in dark green, it's packed in the traditional 150 m spools, featuring a protective shell which keeps UV rays off and includes the hole to hang it on shop's display wall.

150m/165yds		Ø	Kg	LB	PC
057-08-160	8 054393 025258	0.16	2.65	5.84	10
057-08-180	8 054393 025265	0.18	3.20	7.05	10
057-08-200	8 054393 025272	0.20	4.00	8.81	10
057-08-250	8 054393 025289	0.25	5.80	12.78	10
057-08-300	8 054393 025296	0.30	8.50	18.72	10
057-08-350	8 054393 025302	0.35	10.50	23.13	10
057-08-400	8 054393 025319	0.40	13.50	29.74	10

MAX PLUS BOLO

- Remarkable softness and absence of memory
- High resistance to lead shot compression and abrasion
- Special protective shell with hanging slot

150m/165yds		Ø	kg	lb	PC
057-12-140	8 054393 025425	0.14	2.10	4.63	10
057-12-160	8 054393 025432	0.16	2.65	5.84	10
057-12-180	8 054393 025449	0.18	3.20	7.05	10
057-12-200	8 054393 025456	0.20	4.00	8.81	10
057-12-250	8 054393 025463	0.25	5.80	12.78	10
057-12-300	8 054393 025470	0.30	8.50	18.72	10

MAX PLUS PHANTOM

Phantom is the "ghost" line within Max Plus range. His crystal clear colour makes it almost invisible in water, practically performing like the universal solution for all reel fishing styles, also giving the best in case the straight line is a must (without hooklink). Other relevant merits are high abrasion resistance and knot strength, along with a nice smoothness, always a good asset in term of bait presentation. Undoubtedly, the whole specification list draws the attention of sea boat experts, as they can use it to make perfect multiple hook's rigs. The line is offered in 150, 300 and 1000 m spools, with a surprising value for money and with a nice cover which acts as UV rays protector and include a slot for the application on to shop's display boards.

150m/165yds		Ø	kg	lb	PC
057-02-120	8 054393 024831	0.12	1.50	3.30	10
057-02-140	8 054393 024848	0.14	2.10	4.63	10
057-02-160	8 054393 024855	0.16	2.65	5.84	10
057-02-180	8 054393 024862	0.18	3.20	7.05	10
057-02-200	8 054393 024879	0.20	4.00	8.81	10
057-02-220	8 054393 024886	0.22	4.90	10.79	10
057-02-250	8 054393 024893	0.25	5.80	12.78	10
057-02-300	8 054393 024909	0.30	8.50	18.72	10
057-02-350	8 054393 024916	0.35	10.50	23.13	10
057-02-400	8 054393 024923	0.40	13.50	29.74	10
057-02-450	8 054393 024930	0.45	15.00	33.06	10
057-02-500	8 054393 024947	0.50	18.00	39.68	10

300m/330yds		Ø	kg	lb	PC
057-03-180	8 054393 024954	0.18	3.20	7.05	10
057-03-200	8 054393 024961	0.20	4.00	8.81	10
057-03-220	8 054393 024978	0.22	4.90	10.79	10
057-03-250	8 054393 024985	0.25	5.80	12.78	10
057-03-300	8 054393 024992	0.30	8.50	18.72	10
057-03-350	8 054393 025005	0.35	10.50	23.13	10
057-03-400	8 054393 025012	0.40	13.50	29.74	10
057-03-450	8 054393 145901	0.45	15.00	33.06	10
057-03-500	8 054393 145918	0.50	18.00	39.68	10

1000m/1095yds		Ø	kg	lb	PC
057-16-180	8 054393 025623	0.18	3.20	7.05	2
057-16-200	8 054393 025630	0.20	4.00	8.81	2
057-16-220	8 054393 025647	0.22	4.90	10.79	2
057-16-250	8 054393 025654	0.25	5.80	12.78	2
057-16-300	8 054393 025661	0.30	8.50	18.72	2
057-16-350	8 054393 025678	0.35	10.50	23.13	2
057-16-400	8 054393 025685	0.40	13.50	29.74	2
057-16-500	8 054393 025692	0.50	18.00	39.68	2
057-16-600	8 054393 025708	0.60	23.00	50.66	2

MAX PLUS SUPER SEA

Coloured in light blue, it's the perfect line for sea fishing, even when water is particularly clear. The extremely high abrasion resistance is further enhanced by a surface treatment which makes it very smooth and protects it from aggressive agents such as sun light and salt water. The outstanding softness also helps knot's tightening, which become very small.

150m/165yds		Ø	kg	lb	PC
057-10-160	8 054393 025326	0.16	2.65	5.84	10
057-10-180	8 054393 025333	0.18	3.20	7.05	10
057-10-200	8 054393 025340	0.20	4.00	8.81	10
057-10-220	8 054393 025357	0.22	4.90	10.79	10
057-10-250	8 054393 025364	0.25	5.80	12.78	10
057-10-300	8 054393 025371	0.30	8.50	18.72	10
057-10-350	8 054393 025388	0.35	10.50	23.13	10
057-10-400	8 054393 025395	0.40	13.50	29.74	10
057-10-450	8 054393 025401	0.45	15.00	33.06	10
057-10-500	8 054393 025418	0.50	18.00	39.68	10

300m/330yds		Ø	kg	lb	PC
057-13-200	8 054393 025487	0.20	4.00	8.81	10
057-13-220	8 054393 025494	0.22	4.90	10.79	10
057-13-250	8 054393 025500	0.25	5.80	12.78	10
057-13-300	8 054393 025517	0.30	8.50	18.72	10
057-13-350	8 054393 025524	0.35	10.50	23.13	10
057-13-400	8 054393 025531	0.40	13.50	29.74	10
057-13-450	8 054393 145925	0.45	15.00	33.06	10
057-13-500	8 054393 025548	0.50	18.00	39.68	10

1000m/1095yds		Ø	kg	lb	PC
057-17-200	8 054393 025715	0.20	4.00	8.81	2
057-17-220	8 054393 025722	0.22	4.90	10.79	2
057-17-250	8 054393 025739	0.25	5.80	12.78	2
057-17-300	8 054393 025746	0.30	8.50	18.72	2
057-17-350	8 054393 025753	0.35	10.50	23.13	2
057-17-400	8 054393 025760	0.40	13.50	29.74	2
057-17-500	8 054393 025777	0.50	18.00	39.68	2

MAX PLUS BOLENTINO

New packaging for 1000 m spool

Intensive field tests made it possible to refine the features of this line displaying a high sensitivity, which comes from reduced elasticity to transmit to rod's tip all the vibrations, the touches, the signals that announce an important catch. The reliability of the Max Plus Bolentino is total, thanks to the high knot strength which is a sound guarantee in front of fights that can be long and challenging.

150m/165yds		Ø	kg	lb	PC
057-22-200	8 054393 110398	0.20	4.00	8.81	10
057-22-220	8 054393 110404	0.22	4.90	10.79	10
057-22-250	8 054393 110411	0.25	5.80	12.78	10
057-22-300	8 054393 110428	0.30	8.50	18.72	10
057-22-350	8 054393 110435	0.35	10.50	23.13	10
057-22-400	8 054393 110442	0.40	13.50	29.74	10
057-22-500	8 054393 110459	0.50	18.00	39.68	10

300m/330yds		Ø	kg	lb	PC
057-23-200	8 054393 110466	0.20	4.00	8.81	10
057-23-250	8 054393 110473	0.25	5.80	12.78	10
057-23-300	8 054393 110480	0.30	8.50	18.72	10
057-23-350	8 054393 110497	0.35	10.50	23.13	10
057-23-400	8 054393 110503	0.40	13.50	29.74	10
057-23-500	8 054393 110510	0.50	18.00	39.68	10

1000m/1095yds		Ø	kg	lb	PC
057-24-200	8 054393 110527	0.20	4.00	8.81	2
057-24-250	8 054393 110534	0.25	5.80	12.78	2
057-24-300	8 054393 110541	0.30	8.50	18.72	2
057-24-350	8 054393 110558	0.35	10.50	23.13	2
057-24-400	8 054393 110565	0.40	13.50	29.74	2
057-24-500	8 054393 110572	0.50	18.00	39.68	2

XPS SUPERCARBON HOOKS

LASER SHARP POINT

Extra Performance Series is the name of Trabucco quality hooks developed for top match anglers, which now gets much wider also touching different segments such as feeder fishing, commercial carping, trout fishing, light drifting and beach ledgering.

In line with existing series, also the new ones display "extra performance", because the extreme quality is not only achieved with the development of new shapes, but also through the employed materials, the finish and functional details. The strength/lightness ratio has been tailored size by size, taking advantage of the special hi-carbon content steel, which is only available in Japan, where these fantastic hooks are produced under strict quality control. All points are chemically sharpened, then further finished by laser to get absolute perfection and durability.

121 XB



BR Bronzed | Forged | MicroBarb

		HOOK	WIRE Ø	XXX	PC
021-60-120	8 054393 005045	12	0.43	25	10
021-60-140	8 054393 005052	14	0.41	25	10
021-60-160	8 054393 005069	16	0.38	25	10
021-60-180	8 054393 005076	18	0.36	25	10
021-60-200	8 054393 005083	20	0.33	25	10
021-60-220	8 054393 005090	22	0.30	25	10

Its code recalls the classic 120, as its shape comes from long shank popularity, but its strength is stepped up. In fact the wire thickness is oversized, thus the point has a wide base which enables it to bear stress and torsion inevitably generated during those long fights with big fish. Maggots, casters and worms are the ideal baits for it to catch chub, carp and huge bream, both on the pole and on waggler or feeder rods. No need to add a big barb on such strong point: that's why Trabucco team opted for micro barb instead.

701XK



BN Black Nickel | Forged | Barbless

		HOOK	WIRE Ø	XXX	PC
021-34-120	8 054393 004383	12	0.41	25	10
021-34-140	8 054393 004390	14	0.37	25	10
021-34-160	8 054393 004406	16	0.30	25	10
021-34-180	8 054393 004413	18	0.28	25	10
021-34-200	8 054393 004420	20	0.26	25	10
021-34-220	8 054393 004437	22	0.23	25	10
021-34-240	8 054393 004444	24	0.21	25	10

More and more match anglers now understand the great advantages of barbless hooks, which really can improve catch rates not only with the pole, but also with bolo, match and even feeder rods. All the words spent by experts, journalists and match winners about natural presentation immediately come into reality when somebody tries hooks like this 701XK by Trabucco. Both living baits and fighting fish are held by hook's ankle, a vital part of the design because all stress and hooking power get through it. Problems greatly solved by a slightly forged curve and an in-turned point.

631XK



BN Black Nickel | Regular | MicroBarb

		HOOK	WIRE Ø	XXX	PC
021-40-100	8 054393 004604	10	0.48	25	10
021-40-120	8 054393 004611	12	0.41	25	10
021-40-140	8 054393 004628	14	0.39	25	10
021-40-150	8 054393 156303	15	0.37	25	10
021-40-160	8 054393 004635	16	0.33	25	10
021-40-170	8 054393 156310	17	0.30	25	10
021-40-180	8 054393 004642	18	180	25	10
021-40-200	8 054393 004659	20	0.21	25	10
021-40-220	8 054393 004666	22	0.21	25	10

For all match anglers across Europe this pattern is a must since the eighties, and its popularity is probably second to none, thanks to the extreme efficiency in many conditions. The wide, round bend can accommodate several baits like maggots, casters worms, sweetcorn, punched bread and all their cocktails. Good for waggler and feeder fishing, has shown great chances with the bolognese and pole, too.

INNOVATIVE PACKAGING

The new bags contain 25 hooks to keep the individual price as low as possible. Their design has been cared in every detail, with upper part of the card changing main colour according to hook's finish, while the lower portion is almost free from decorations to allow the best possible visibility of the product inside. In order to enable the consumer to quickly identify the hook's shape, it has been printed in a dedicated cell. For the first time ever, also wire diameter is indicated on each bag, so that the user can evaluate the strength level, maybe making comparisons between different series.



IN THE SHOP

Every 10 bags of hooks, the retailer will find a back card showing the product's item number. Such card should take place on the display wall, beyond hook's bags, and will be useful to place an order when he will run out of stock.

631XB



BR Bronzed | Regular | MicroBarb

		HOOK	WIRE Ø	XXX	PC
021-38-100	8 054393 004536	10	0.48	25	10
021-38-120	8 054393 004543	12	0.41	25	10
021-38-140	8 054393 004550	14	0.39	25	10
021-38-160	8 054393 004567	16	0.33	25	10
021-38-180	8 054393 004574	18	180	25	10
021-38-200	8 054393 004581	20	0.21	25	10
021-38-220	8 054393 004598	22	0.21	25	10

For all match anglers across Europe this pattern is a must since the eighties, and its popularity is probably second to none, thanks to the extreme efficiency in many conditions. The wide, round bend can accommodate several baits like maggots, casters worms, sweetcorn, punched bread and all their cocktails. Good for waggler and feeder fishing, has shown great chances with the bolognese and pole, too.

120 XN



N Nickel | Regular

		HOOK	WIRE Ø	XXX	PC
021-68-040	8 054393 005298	04	0.81	25	10
021-68-060	8 054393 005304	06	0.64	25	10
021-68-080	8 054393 005311	08	0.56	25	10
021-68-100	8 054393 005328	10	0.53	25	10
021-68-120	8 054393 005335	12	0.48	25	10
021-68-140	8 054393 005342	14	0.46	25	10
021-68-160	8 054393 005359	16	0.36	25	10
021-68-180	8 054393 005366	18	0.36	25	10
021-68-200	8 054393 005373	20	0.30	25	10
021-68-220	8 054393 005380	22	0.30	25	10

This pattern is well known all over Europe since when the carbon content steel was unknown in the fishing tackle industry. From roach to mullets, from eels to soles, it has caught so many species both in fresh and salt waters, showing great efficiency when baited up and while removed from fish mouth. It's popularity is certainly also due to the long point, parallel to shank, and to the narrow ankle which provide bait and fish hold. All bait which are normally pushed on to the shank are finely matching it: from pinkies and squatts to earthworms in freshwater; from enchovy fillet to shrimp's tail in the saltwater.

666XK



BN Black Nickel | Bent | Forged | Barbless

		HOOK	WIRE Ø	XXX	PC
021-54-100	8 054393 004994	10	0.67	25	10
021-54-120	8 054393 005007	12	0.60	25	10
021-54-140	8 054393 005014	14	0.56	25	10
021-54-160	8 054393 005021	16	0.51	25	10
021-54-180	8 054393 005038	18	0.48	25	10

In most rivers holding big fish and nearly all commercial lakes, the barb is banned to protect fish destined to be released. That's why the new XPS range also include a hook like this, combining high strength with barbless point. The bent gape provides great hooking efficiency, while the in-turned point creates a narrow ankle which is in charge of holding the fish during hard fight. With black nickel finish, the point gets an extra protection against wear, allowing the angler to catch many fish without being forced to replace the hook before the end of the match.

635XB



N Nickel | Regular | MicroBarb

Among many variations of the classic 631, now available in the market, this genuine one from Trabucco offers an incredible strength to catch big fish with small bait like single maggot, casters and worms. Compared to the standard 631 pattern, its wire is oversized and point is much longer, a detail which the experts regard as very important. The micro barb does not damage the living baits, with the obvious advantages in terms of catches. Nowadays, match venues are subject to extreme pressure, so the fish are more and more careful in front of big hookbaits and quite often pick up very small ones.

	HOOK	WIRE Ø	XXX	PC
021-66-160	16	0.30	25	10
021-66-180	18	0.28	25	10
021-66-200	20	0.25	25	10
021-66-220	22	0.23	25	10

410XN



N Nickel | Regular | MicroBarb

An extra-fine version of series 631, it keeps the round, wide bend and the long point, but it's even more match fishing oriented thanks to the fine wire, which enables to obtain perfect presentation when fish are particularly shy. Also the shank's length has been changed, opting for a longer lever which improves strike's efficiency very much. In case of sea match fishing with telescopic poles or bolognese rods, such shank helps saving hooklinks from fish teeth.

	HOOK	WIRE Ø	XXX	PC
021-62-140	14	0.32	25	10
021-62-160	16	0.28	25	10
021-62-180	18	0.26	25	10
021-62-200	20	0.25	25	10
021-62-220	22	0.22	25	10

415XB



BR Bronzed | Regular | MicroBarb

An excellent match hook, destined to high grade anglers who can draw the best from it by fine elasticate of their poles. In fact, lightness is its best merit, and this factor puts the 607XB on top of roach and bream hooks, which are known to be very careful when picking up any bait which is presented in unnatural way. Before float's antenna shows any sign of life, they reject the hookbait, which is left damaged and surely cannot produce another bite!

	HOOK	WIRE Ø	XXX	PC
021-30-140	14	0.37	25	10
021-30-160	16	0.30	25	10
021-30-180	18	0.28	25	10
021-30-200	20	0.26	25	10
021-30-220	22	0.23	25	10
021-30-240	24	0.21	25	10

110XN



N Nickel | Regular | MicroBarb

The great hooking efficiency and the extreme strength are the reason why this pattern is extremely popular all over Europe. As a matter of fact, this is the hook used by many international anglers in several waters. The long, ultra-sharp point with beak profile provides quick and deep penetration also in the hardest mouths, with the narrow ankle ensuring that fish can't get rid of the hook. With maggots and worms is a brilliant partner for pole, bolo, waggler and feeder rods, but it's yet fine enough to be used in conjunction with bloodworm, one of the most delicate bait for match anglers.

	HOOK	WIRE Ø	XXX	PC
021-44-100	10	0.60	25	10
021-44-120	12	0.53	25	10
021-44-140	14	0.46	25	10
021-44-160	16	0.41	25	10
021-44-180	18	0.37	25	10

110XK



BN Black Nickel | Regular | MicroBarb

The great hooking efficiency and the extreme strength are the reason why this pattern is extremely popular all over Europe. As a matter of fact, this is the hook used by many international anglers in several waters. The long, ultra-sharp point with beak profile provides quick and deep penetration also in the hardest mouths, with the narrow ankle ensuring that fish can't get rid of the hook. With maggots and worms is a brilliant partner for pole, bolo, waggler and feeder rods, but it's yet fine enough to be used in conjunction with bloodworm, one of the most delicate bait for match anglers.

	HOOK	WIRE Ø	XXX	PC
021-44-100	10	0.60	25	10
021-44-120	12	0.53	25	10
021-44-140	14	0.46	25	10
021-44-150	15	0.43	25	10
021-44-160	16	0.41	25	10
021-44-170	17	0.39	25	10
021-44-180	18	0.37	25	10
021-44-200	20	0.33	25	10

210XB



BR Bronzed | Regular | MicroBarb

	HOOK	WIRE Ø	XXX	PC
021-64-100	10	0.43	25	10
021-64-120	12	0.39	25	10
021-64-140	14	0.35	25	10
021-64-160	16	0.33	25	10
021-64-180	18	0.30	25	10
021-64-200	20	0.26	25	10
021-64-220	22	0.23	25	10

Specially developed for tough match conditions, when sudden hookbait change can produce unexpected bites. That's why this series has been designed with medium wire and with a wide gape which can allow to alternate different bait without replacing the hook. Therefore, a bunch of maggots can leave the place to a sweetcorn grain, or to a worm and caster cocktail, or even to several, small worms to form a sort of octopus. Practically, the angler can go for colour contrast or stimulate the attack by wriggling baits.

710XB

BR Bronzed | Forged | Bent

	HOOK	WIRE Ø	XXX	PC
021-70-080	8	0.53	25	10
021-70-100	10	0.48	25	10
021-70-120	12	0.43	25	10
021-70-140	14	0.41	25	10
021-70-160	16	0.38	25	10
021-70-180	18	0.36	25	10
021-70-200	20	0.34	25	10

A great hook to be used when the stress is high, but some finesse is needed at the same time. It's the case of big chub fishing with the bolognese rod and casters as hookbait. The presentation must be spot on, but the fish requires strength to hold and drive it to the landing net. It's also the case of matches involving feeder fishing, specially when bream are the target species: some lightness in the approach pays dividends, but any bonus fish must absolutely reach the keepnet. The most innovative area of this hook is the point, as it's fine on top, then it quickly gets thick and ends with a relatively small barb. Easy penetration as soon as the fish picks up the bait, then safe hold. Definitely worth a try.

440XN



N Nickel | Regular

	HOOK	WIRE Ø	XXX	PC
021-36-060	6	0.64	25	10
021-36-070	7	0.60	25	10
021-36-080	8	0.53	25	10
021-36-100	10	0.48	25	10
021-36-120	12	0.39	25	10
021-36-140	14	0.37	25	10
021-36-160	16	0.34	25	10
021-36-180	18	0.33	25	10

A great balance between lightness and strength is the secret of this allround hook series, which is perfect to match a wide variety of baits: from maggots to worms, from bread to sweetcorn, from natural honey worms to silicone ones which nowadays are getting more and more popular among trout anglers. The ankle is there to keep the hookbait into correct position, and this is more important in case of trout fishing, because the whole thing must actually rotate during retrieve.

623XK



BN Black Nickel | Forged | MicroBarb

	HOOK	WIRE Ø	XXX	PC
021-32-040	4	0.71	25	10
021-32-050	5	0.67	25	10
021-32-060	6	0.64	25	10
021-32-080	8	0.51	25	10
021-32-100	10	0.46	25	10
021-32-120	12	0.41	25	10
021-32-140	14	0.37	25	10
021-32-160	16	0.30	25	10

This is a medium wire, long shanked hook which can face thousands of fishing conditions with great success. The black nickel finish is not only a matter of fashion or a nice cosmetic, but provides protection from abrasion and salt, specially on th weakest area, which is the point's end. This means that the hook can last longer, specially in tough conditions like saltwater fishing. The ankle has been designed to suit trout fishing, because soft worms need to be kept in place, otherwise they tend to slide down the gape, actually affecting the rotation of hookbait, which is vital to catch many fish.

405XN



N Nickel | Forged

A quite powerful hook, useful when the expected catches are potentially big. His shape is well known and widely used in Italy since ever in case of heavy leger fishing for carp, big barbel and tench, as well as at sea side for sea bream and many other strong fighters, which can actually crunch the hook together with the bait! His powerful structure makes it the ideal partner for feeder and method fishing, where it can match strong hooklinks. The commercial angler can get benefits from the smaller sizes, which also display adequate strength.

	HOOK	WIRE Ø	XXX	PC
021-72-040	4	0.71	25	10
021-72-060	6	0.64	25	10
021-72-080	8	0.57	25	10
021-72-100	10	0.51	25	10
021-72-120	12	0.43	25	10
021-72-140	14	0.41	25	10
021-72-160	16	0.33	25	10
021-72-180	18	0.33	25	10

261XK



BK Black | Forged

All those anglers who love hard fighting fish know that often they live under thick covers or between snags. In such environments, the fish must be quickly pulled away from the dangerous features, but, to do so, the hook must bear tremendous pressure. This 261XK is the solution developed by Trabucco team, with a super strong structure and an in-turned point which never gives up. Black nickel finish provides extra protection against abrasion and saltwater, actually expanding hook's life.

	HOOK	WIRE Ø	XXX	PC
021-48-020	2	0.98	25	10
021-48-040	4	0.86	25	10
021-48-050	5	0.81	25	10
021-48-060	6	0.71	25	10
021-48-080	8	0.64	25	10
021-48-100	10	0.60	25	10

735XN



N Nickel | Forged

Specially dedicated to sea fishing, this hook is tremendously reliable and efficient. For such reason it's the main choice of boat anglers in the Mediterranean sea, who can catch big fish with paste bait or even tough shells. Compared to shank's length, the point is quite long, as it goes beyond 50% of total hook's length. This specification grants a firm hold in any condition, and, combined with beak profile plus in-turning design, makes a fantastic combination of power and safety.

	HOOK	WIRE Ø	XXX	PC
021-50-020	2	0.98	25	10
021-50-040	4	0.86	25	10
021-50-050	5	0.81	25	10
021-50-060	6	0.71	25	10
021-50-080	8	0.64	25	10
021-50-100	10	0.60	25	10

620XK



BN Black Nickel | Bent | Forged | 3D-CUT

A stunning concentrate of strength and efficiency, with the fantastic 3D point, the super strong structure and the bend which pushes the hooking power beyond the imagination. The special point is almost flat on the inside, while has a rib running along the outside. Such feature strengthens the whole point, without affecting the penetration at all, easing it through the toughest mouths. The end result is a fantastic hook mainly for sea fishing, but also for commercial fishing in the smaller sizes. Black nickel finish offers protection against wear an salt.

	HOOK	WIRE Ø	XXX	PC
021-52-020	2	0.98	25	10
021-52-040	4	0.86	25	10
021-52-050	5	0.81	25	10
021-52-060	6	0.76	25	10
021-52-080	8	0.71	25	10
021-52-100	10	0.67	25	10
021-52-120	12	0.64	25	10
021-52-140	14	0.57	25	10
021-52-160	16	0.51	25	10
021-52-180	18	0.46	25	10

MATCH & FEEDER HOOKS

In spite of being oriented to same fish species of some other fishing techniques, the feeder fishing has some peculiarities that make necessary specific hooks. First of all, the existence of a match circuit has increased the awareness of hookbait balance importance, in which the weight of the hook matters greatly. The extensive use of multi-fiber lines, without any elasticity, puts the hook under extreme stress, despite the use of shock leader surely cushions it. Finally, the Method Feeder involves short hooklinks and causes strong reactions by the fish, because the bait presentation is so good that the takes are quite confident: a scenario in which the hook must bear enormous traction, concentrated in a short time span. That's why we developed this special hook's range, finished in Matt Black, mostly eyed and featuring an accurate balance between strength of the structure and efficiency of the point.

THE FIVE MERITS OF TRABUCCO MATCH & FEEDER HOOKS

- The reliability, a primary value, considering the size and strength of target fish
- The eye, as with knotless knot a new world of opportunities is available to everybody
- The Matt Black finish, which doesn't cast any glare in the water, avoiding to scare fish
- The Barbless solutions, modern, not fashionable but simply vital for the serious angler
- The wire diameter indication, which enables to compare and evaluate hook's strength

New technology which allows to make the hook's surface infinitely smooth, non-sticky and hydrophobic, improving the baiting's ease and penetration into the mouth of the fish. The gun smoke colour and the absence of glare avoid scaring the fish.

NEW WIDE GAPE SILVER

NC Nano Coating | Regular | Barbless



Its nickname "Silver" says that it has been designed for silver fish, specially of good size. In fact, the super-wide gape allows to accommodate bulky baits, without affecting the presentation with too much weight. The thin barbless point is highly efficient, while its very long, beak design guarantees the safe hold of the most energic fighters.

		HOOK	WIRE Ø	XXX	PC
023-65-012	8 054393 170453	12	0,43	15	10
023-65-014	8 054393 170460	14	0,40	15	10
023-65-016	8 054393 170477	16	0,38	15	10
023-65-018	8 054393 170484	18	0,35	15	10

NEW WIDE GAPE PELLET

NC Nano Coating | Forged | Barbless | Bent

Wide, strong, safe: in three words, this is the hook. It is designed with so much wide gape to accept big baits such as large pellets, maybe twin or in cocktail with other baits. Then, strength has been highly considered, since Carp are its main target, so the wire is a bit oversized. Finally, the ultra long point (66% of hook's height), grants to bring any fish to the landing net.

		HOOK	WIRE Ø	XXX	PC
023-67-010	8 054393 170590	10	0,65	15	10
023-67-012	8 054393 170606	12	0,60	15	10
023-67-014	8 054393 170613	14	0,55	15	10
023-67-016	8 054393 170620	16	0,50	15	10

NEW MATCH F1 MICRO BARB

NC Nano Coating | Regular | MicroBarb

A modern, versatile match hook which excels with pole or waggler when fish are wary and presentation must be spot on. All wriggling baits can be brought at distance, as the micro barb keeps them in place, but its unobtrusive shape doesn't damage them. The wire diameters are well balanced to provide the right compromise between strength and lightness.

		HOOK	WIRE Ø	XXX	PC
023-64-012	8 054393 170415	12	0,43	15	10
023-64-014	8 054393 170422	14	0,40	15	10
023-64-016	8 054393 170439	16	0,38	15	10
023-64-018	8 054393 170446	18	0,35	15	10

NEW F1 MAGGOT

NC Nano Coating | Regular | Barbless



Designed with tricky presentations and light rigs in mind, it targets winter commercial fishing, as well as the open season canal scenario. Both conditions see maggot as main hookbait and silver fish or Carassios as target fish. Small sizes such as 18 and 20 are absolutely a must, while wire diameters are thin to avoid extra weight which would cause refuses or extremely fast takes.

		HOOK	WIRE Ø	XXX	PC
023-66-112	8 054393 170545	12	0,45	15	10
023-66-114	8 054393 170552	14	0,43	15	10
023-66-116	8 054393 170569	16	0,40	15	10
023-66-118	8 054393 170576	18	0,38	15	10
023-66-120	8 054393 170583	20	0,35	15	10

NEW F1 MAGGOT MICRO BARB

NC Nano Coating | Regular | MicroBarb



Identical to the F1 Maggot Barbless in all physical specifications, but in addition it carries a micro barb. In case of long waits with wriggling baits, maybe intended for Bream, it keeps them away from the point's tip, maximizing hooking efficiency. The angle is narrow to add power to the penetration, a very nice asset in the long range fishing.

		HOOK	WIRE Ø	XXX	PC
023-66-012	8 054393 170491	12	0,45	15	10
023-66-014	8 054393 170507	14	0,43	15	10
023-66-016	8 054393 170514	16	0,40	15	10
023-66-018	8 054393 170521	18	0,38	15	10
023-66-020	8 054393 170538	20	0,35	15	10

NEW CARP SPECIALIST

NC Nano Coating | Regular | Barbless | Ringed



Designed with out-turned eye to enhance the self-hooking properties when a knotless knot is applied. Classic hookbaits for this pattern are hair-rigged pellets, sweetcorn and boilies. Wire is oversized to grant extreme strength, specially because big Carp often feed at short distance, while the barbless point is not profiled like a needle, but starts from a thick base for extra power.

		HOOK	WIRE Ø	XXX	PC
023-68-010	8 054393 170637	10	0,65	15	10
023-68-012	8 054393 170644	12	0,60	15	10
023-68-014	8 054393 170651	14	0,55	15	10
023-68-016	8 054393 170668	16	0,50	15	10

NEW CARP SPECIALIST MICRO BARB

NC Nano Coating | Regular | MicroBarb



Con la struttura robusta, è in grado di sopportare stress estremi, come nella pesca veloce di Carpe in laghetto con le corte roubaisienne, stile estivo che può portare i migliori pescatori a catturare più di 100 chili di pesce in tre ore, per lo più utilizzando mais e pellet. Il gambo spesso permette di legarlo con fili di diametro sostenuto, mentre la punta arcuata è affilata e robusta come deve essere.

		HOOK	WIRE Ø	XXX	PC
023-68-108	8 054393 170675	08	0,70	15	10
023-68-110	8 054393 170682	10	0,65	15	10
023-68-112	8 054393 170699	12	0,60	15	10
023-68-114	8 054393 170705	14	0,55	15	10
023-68-116	8 054393 170712	16	0,50	15	10
023-68-118	8 054393 170729	18	0,48	15	10

NEW WIDE GAPE CARP

NC Nano Coating | Regular | Barbless



Nice and neat, wide, comfortable hook, same as the other Wide Gape Carp, but barbless. With such design, it can accommodate any bait, while the super sharp beak point eases hookbait formation and grants deep penetration, also in case of foulhooking, not so rare in the commercial. The range of sizes include those tricky 18 and 20 for single maggot, a winner in case of topwater fishing.

		HOOK	WIRE Ø	XXX	PC
023-69-112	8 054393 170804	12	0,55	15	10
023-69-114	8 054393 170811	14	0,50	15	10
023-69-116	8 054393 170828	16	0,45	15	10
023-69-118	8 054393 170835	18	0,43	15	10
023-69-120	8 054393 170842	20	0,38	15	10

NEW WIDE GAPE CARP MICRO BARB

NC Nano Coating | Regular | MicroBarb



When it's time to build up big weights in the commercial, or to catch big fish in natural venues, reliability is a major asset for the hook, without missing a balanced wire diameter. That's the concept behind this series, also offering a wide list of sizes to face many different fishing styles, from the pole to medium feeder, with the whole range of living baits such as maggots, casters, worms.

		HOOK	WIRE Ø	XXX	PC
023-69-008	8 054393 170736	08	0,65	15	10
023-69-010	8 054393 170743	10	0,60	15	10
023-69-012	8 054393 170750	12	0,55	15	10
023-69-014	8 054393 170767	14	0,50	15	10
023-69-016	8 054393 170774	16	0,45	15	10
023-69-018	8 054393 170781	18	0,43	15	10
023-69-020	8 054393 170798	20	0,38	15	10

NEW POWER SPECIALIST

NC Nano Coating | Forged | Regular | Barbless



The forged bend adds muscles to the already strong body: it's the magic of this hook design. When any load is applied on to the point tip, the bend reacts, thus causing the safe penetration in the fish mouth. Then, if the super high point is considered, the safety feeling reaches the top. What else? Just add the pellets you like, or a bunch of dead maggots, and your wait will be rewarded.

		HOOK	WIRE Ø	XXX	PC
023-70-112	8 054393 170910	12	0,60	15	10
023-70-114	8 054393 170927	14	0,55	15	10
023-70-115	8 054393 170934	15	0,50	15	10
023-70-116	8 054393 170941	16	0,45	15	10
023-70-118	8 054393 170958	18	0,43	15	10
023-70-120	8 054393 170965	20	0,38	15	10

NEW POWER SPECIALIST MICRO BARB

NC Nano Coating | Forged | Regular | MicroBarb



It is the micro-barbed version of the Power Specialist series, a pattern destined to get trusted by thousands of anglers, from the champions of commercial competition to expert hunters of record fish in open waters. Thanks to its forged curve, it develops a high penetrating power, while the Nano Coating finish adds discretion and sensibly prolongs the point's life.

		HOOK	WIRE Ø	XXX	PC
023-70-012	8 054393 170859	12	0,60	15	10
023-70-014	8 054393 170866	14	0,55	15	10
023-70-015	8 054393 170873	15	0,50	15	10
023-70-016	8 054393 170880	16	0,45	15	10
023-70-018	8 054393 170897	18	0,43	15	10
023-70-020	8 054393 170903	20	0,38	15	10

SILVER SPECIALIST

MB Matt Black | Forged | MicroBarb



To the English match anglers, the term "silver fish" tells clearly which is the vocation of this hook, the only one within Trabucco Feeder range to have the spade end and to propose the size 18. Chub, roach, crucian carp and bream are its main targets, although its structure does not fear anything in case of striking into any bonus fish. Perfect with maggots and casters, it is also comfortable with earthworms and sweetcorn, lending itself to all the most creative cocktails of these natural baits. Its needle point, rather long, is slightly tilted inwards to provide an exceptional holding power.

	HOOK	WIRE Ø	XXX	PC
023-56-100	10	0.65	15	10
023-56-120	12	0.58	15	10
023-56-140	14	0.53	15	10
023-56-160	16	0.45	15	10
023-56-180	18	0.40	15	10

POWER XS

MB Matt Black | Forged | MicroBarb | Ringed



It has a lot of power to spare, this classic feeder hook, designed to arrange nice presentations of pellets and mini boilies when fishing for carp, barbel and clarius. The only concession to the kindness is given by barb size, very small, although this detail is motivated by the need to enhance the self-hooking property, a peculiar trait of the method feeder technique. The slightly out-turned eye favors the Knotless Knot hair rig tying, the one-way contamination from carp fishing in the modern feeder area.

	HOOK	WIRE Ø	XXX	PC
023-58-080	8	0.80	15	10
023-58-100	10	0.75	15	10
023-58-120	12	0.65	15	10
023-58-140	14	0.60	15	10
023-58-160	16	0.55	15	10

ST POWER MATCH

BR Bronzed | Forged | MicroBarb



It is a straight, spaded end hook designed with a light enough structure to face silver fish match conditions with living baits, but at the same time it can provide a certain strength, due to the forged bend. Its shape is capable of absorbing very high pulls, unavoidable when the reel is loaded with braided lines or when the fishing site hosts mixed populations: so the bonus carp that interrupts the regular catches of bream and carassios does not cause any heart attack. The arched and in-turned high point is a guarantee of safe holding, especially in those delicate retrieves of important fish from remarkable distances.

	HOOK	WIRE Ø	XXX	PC
023-62-100	10	0.48	15	10
023-62-120	12	0.45	15	10
023-62-140	14	0.40	15	10
023-62-160	16	0.38	15	10

METHOD PLUS

MB Matt Black | Forged | Barbless | Ringed | Bent

A radically efficient hook, boasting a very high percentage of catches in relation to the number of bites, thanks to the clever design of the curve and the point, which makes it, practically, a "circle" commercial hook. The strength of the shank is in contrast to the point profile, which is high, thin and sharp, a guarantee in a fishing technique that is based on the self-hooking rig's properties. The out-turned eye eliminates stress on the hooklink, while the anti-glare finish adds a subtle effect.

	HOOK	WIRE Ø	XXX	PC
023-51-100	10	0.65	15	10
023-51-120	12	0.58	15	10
023-51-140	14	0.55	15	10
023-51-160	16	0.53	15	10

MATCH SPECIALIST



MB Matt Black | Regular | Ringed | Barbless

It's the lightest among Trabucco Feeder hooks, with a relatively thin shank. This feature puts it on the fore front when tough fishing is the norm, a typical condition of the last hour in the match or during the cold season, when even the most shy bite must absolutely be converted into a catch. With maggots, worms, pellet or sweetcorn the beak, barbless point does the job by itself, from the moment of the first grip in the fish's mouth till the last fight in front of the waiting landing net.

	HOOK	WIRE Ø	XXX	PC
023-52-100	10	0.60	15	10
023-52-120	12	0.55	15	10
023-52-140	14	0.50	15	10
023-52-160	16	0.48	15	10

MATCH SPECIALIST MICRO BARB



MB Matt Black | Regular | Ringed | MicroBarb

It is identical to the Match Specialist in all physical features, but has the micro barb on the long beak point. For those who feel the need of micro barb, it is present, but without excessive volume that would affect the penetration ease. Its weight / resistance ratio is well balanced, while the out turned eye favors the execution of the Knotless knot and the formation of the Hair Rig for all inert bait's presentation: from sweetcorn to pellets, from mini boilies to the punched bread. The hook profile is straight.

	HOOK	WIRE Ø	XXX	PC
023-60-100	10	0.60	15	10
023-60-120	12	0.55	15	10
023-60-140	14	0.50	15	10
023-60-160	16	0.48	15	10

SUPER SPECIALIST



MB Matt Black | Regular | Ringed | MicroBarb

Perfect for hair rig presentation of pellet and sweetcorn on the bottom, it comes from a classic carp hook design, which has been modified at barb area, drastically reduced to micro size. The series has been developed to provide high levels of resistance even in small sizes such as 14 and 16, because today it is increasingly common to tempt big fish with tiny bait, in the commercial circuit but also in the open waters. A strategy that can relive the attention of fish when they have already taken plenty of food.

	HOOK	WIRE Ø	XXX	PC
023-54-080	8	0.85	15	10
023-54-100	10	0.80	15	10
023-54-120	12	0.75	15	10
023-54-140	14	0.70	15	10
023-54-160	16	0.65	15	10

XS SPECIMEN



MB Matt Black | Forged | MicroBarb

The symbol identifying this series can be read under double meaning: "extra strong" as super-rugged, but also "excess" as exaggeration. Either way, a nice program in any fishing situation involving high stress and extreme pulls, because exceeding in the resistance never hurts. The forged bend is ready to bear everything, strictly cooperating with the high, beaked point. In the larger sizes, it is ideal for hair-rigged mini boilies, now permanently present in the bait bag of all commercial fans.

	HOOK	WIRE Ø	XXX	PC
023-53-080	8	0.85	15	10
023-53-100	10	0.80	15	10
023-53-120	12	0.70	15	10
023-53-140	14	0.65	15	10
023-53-160	16	0.60	15	10

KNOTLESS KNOT

It's the most brilliant solution for tying eyed hooks, because it solves two problems at once: to create the hair rig for bait application and maintain the highest possible knot strength. In fact, it is not a real knot, and that's why it has been so called: the coils that form it have no chance to harm each other under traction. The Knotless Knot can be used with any type of hooklink material: nylon, fluorocarbon, braided line, and all hook patterns. Before you implement the steps outlined here, you should form a small loop at the end of the hooklink, which will be useful to lock the bait.



REAL SIZE

SHINKEN

Within the Trabucco range, Shinken is the hook family mostly oriented to saltwater fishing, with its great resistance to acute traction and aggression of the saline environment. Alongside the classic hooks for natural baits, there are many series designed for application on lures, with single, double and treble models of superior quality.

3D CUT POINT

One of the strength points of the Shinken hooks consists of the 3D Cut points, characterized by a three-sided design to develop an enormous penetrating force, necessary to get the best out of certain tough mouths.

MEBARU 3D-CUT 50674

N Nickel | Forged | 3D-CUT



Spade hook with medium curve shank. Designed to be used with fragile baits, including live prawn.

	HOOK	XXX	PC
201-70-020	2	10	10
201-70-040	4	10	10
201-70-060	6	10	10
201-70-080	8	10	10

MARU-KAIZU 50611

N Nickel | MicroBarb



Light weight but really strong hook with a super high penetration point. It is the perfect hook for sea bream fishing (gilt-head).

	HOOK	XXX	PC
201-50-010	1	10	10
201-50-020	2	10	10
201-50-040	4	10	10
201-50-060	6	10	10
201-50-080	8	10	10

RYUSEN 50840

N Nickel | Forged | MicroBarb



Specific hook for long and fragile worms commonly used in sea fishing, with a light but resistant structure, thanks to the forged curve. The special design of its profile facilitates the penetration of the point, which is almost parallel to the hoohlink.

	HOOK	XXX	PC
201-45-010	1	10	10
201-45-020	2	10	10
201-45-040	4	10	10
201-45-060	6	10	10
201-45-080	8	10	10
201-45-100	10	10	10

CHINU 3D-CUT 50339

BN Black Nickel | Forged | Twisted | MicroBarb

Strong medium shank hook, light weight and equipped with quick, deep penetrating 3D-Cut Point. The ideal hook for all bottom fishing techniques.



		HOOK	XXX	PC
201-45-010	8 054393 103932	1	10	10
201-45-020	8 054393 103949	2	10	10
201-45-040	8 054393 103956	4	10	10
201-45-060	8 054393 103963	6	10	10
201-45-080	8 054393 103970	8	10	10
201-45-100	8 054393 103987	10	10	10

C5 53265

BN Black Nickel | Forged | Ringed

Super resistant medium wire hooks for heavy fishing and carp fishing. Short shank, beaked point. Barbed.



		HOOK	XXX	PC
201-20-010	8 054393 103673	1	10	10
201-20-020	8 054393 103680	2	10	10
201-20-040	8 054393 103697	4	10	10
201-20-060	8 054393 103703	6	10	10
201-20-080	8 054393 103710	8	10	10
201-20-100	8 054393 103727	10	10	10
201-20-120	8 054393 103734	12	10	10
201-20-140	8 054393 103741	14	10	10
201-20-160	8 054393 103758	16	10	10

ISEAMA 50188

BN Black Nickel | Forged | MicroBarb | Ringed

Super strong micro-barbed hooks. A true allrounder can be used both for sea fishing as well as freshwater, the smaller sizes can be well employed also for feeder fishing. Available in a wide range of sizes.



		HOOK	XXX	PC
201-25-010	8 054393 103765	1	10	10
201-25-020	8 054393 103772	2	10	10
201-25-040	8 054393 103789	4	10	10
201-25-060	8 054393 103796	6	10	10
201-25-080	8 054393 103802	8	10	10
201-25-100	8 054393 103819	10	10	10
201-25-120	8 054393 103826	12	10	10
201-25-140	8 054393 103833	14	10	10
201-25-160	8 054393 103840	16	10	10

PINT 53117

BN Black Nickel | MicroBarb | Ringed | Twisted

Special hook, specifically designed for Surf Casting. Medium shank and aligned eye, light weight and high penetration needle point. Light but strong.



		HOOK	XXX	PC
201-65-020	8 054393 104301		10	10
201-65-040	8 054393 104318		10	10
201-65-060	8 054393 104325		10	10
201-65-080	8 054393 104332		10	10
201-65-100	8 054393 104349		10	10
201-65-120	8 054393 104356		10	10

BIG SURF 50538

BN Black Nickel | Forged | MicroBarb | Twisted



Spade carbon steel hook designed for surf casting. It is perfect for big baits.

	HOOK	XXX	PC
202-10-009	1/0	10	10
202-10-010	1	11	10
202-10-020	2	12	10
202-10-040	4	13	10
202-10-060	6	15	10

SUPER CHINU 51481

BN Black Nickel | Forged | Twisted | 3D-CUT

Stronger version of the Cut Chinu, it features the same super sharped 3D-Cut Point.Dsigned for heavy duty fishing that require reliable hooks.



	HOOK	XXX	PC
201-40-008	2/0	8	10
201-40-009	1/0	10	10
201-40-010	1	10	10
201-40-020	2	10	10
201-40-040	4	10	10
201-40-060	6	10	10
201-40-080	8	10	10

GURE 3D-CUT 50330

N Nickel | Forged | 3D-CUT

Super strong spade hook for heavy duty fishing in salt water. The 3D-Cut Point grants a perfect hookset.



	HOOK	XXX	PC
201-55-009	2/0	8	10
201-55-010	1/0	8	10
201-55-020	1	10	10
201-55-040	2	10	10
201-55-060	4	10	10
201-55-080	6	10	10
201-55-100	8	10	10

CHINU EYE 50335

BN Black Nickel | Forged | MicroBarb | Ringed | Twisted

Strong medium shank hook, light weight and equipped with quick, deep penetrating. The perfect choice forheavy duty fishing in salt and fresh water.



	HOOK	XXX	PC
201-30-007	3/0	10	10
201-30-008	2/0	10	10
201-30-009	1/0	10	10
201-30-010	1	10	10
201-30-020	2	10	10
201-30-040	4	10	10
201-30-060	6	10	10
201-30-080	8	10	10

PAYAO 50825

N Nickel | Forged | MicroBarb | Ringed | Twisted

TiN plated stainless steel hook. Extremely strong and reliable. Designed for live bait trolling and drifting.



		HOOK	XXX	PC
201-75-004	8 054393 104403	6/0	7	10
201-75-006	8 054393 104410	4/0	7	10
201-75-008	8 054393 104427	2/0	7	10
201-75-009	8 054393 104434	1/0	5	10
201-75-010	8 054393 104441	1	5	10
201-75-020	8 054393 104458	2	5	10

PAYAO II 50835

TN TiN | Forged | MicroBarb | Ringed | Twisted

TiN plated stainless steel hook double reinforced toward standard Payao. Extremely strong and reliable. Designed for extreme live bait trolling and drifting.



		HOOK	XXX	PC
202-15-030	8 054393 104946	8/0	3	10
202-15-050	8 054393 104939	7/0	3	10
202-15-070	8 054393 104922	5/0	4	10
202-15-080	8 054393 104915	3/0	4	10

MADAI 3D-CUT 50610

BN Black Nickel | Forged | 3D-CUT

Very strong spade hook designed to be used for Madai fishing. It features the right shape to bait medium/big shrimps and similar natural baits. High penetration 3D-Cut Point.



		HOOK	XXX	PC
201-60-007	8 054393 104243	3/0	8	10
201-60-008	8 054393 104250	2/0	8	10
201-60-009	8 054393 104267	1/0	8	10
201-60-010	8 054393 104274	1	10	10
201-60-020	8 054393 104281	2	10	10
201-60-040	8 054393 104298	4	10	10

AKI 3D-CUT 5170

BN Black Nickel | Forged | Ringed | 3D-CUT

Aki hooks are super strong thanks to the forged shank and features a deep penetration thanks to the 3D-Cut Point. Ideal for all challenging salt water fishing techniques. Colour: Black Chrome.

		HOOK	XXX	PC
202-05-010	8 054393 104854	8/0	3	10
202-05-020	8 054393 104847	7/0	3	10
202-05-030	8 054393 104830	6/0	5	10
202-05-040	8 054393 104823	5/0	5	10

		HOOK	XXX	PC
202-05-050	8 054393 104816	4/0	5	10
202-05-060	8 054393 104809	3/0	7	10
202-05-070	8 054393 104793	2/0	7	10
202-05-080	8 054393 104786	1/0	7	10



SW 3D-CUT 5111

BN Black Nickel | Forged | Ringed | Twisted | 3D-CUT

One of the most used hooks ever. According to the size you can use these hooks for a variety of techniques, from salmon and steelhead fishing to offshore trolling. Super reliable thanks to the 3D-Cut Point.

	HOOK	XXX	PC
201-80-002	8/0	3	10
201-80-004	6/0	4	10
201-80-006	4/0	6	10
201-80-007	3/0	7	10
201-80-008	2/0	8	10

	HOOK	XXX	PC
201-80-009	1/0	8	10
201-80-010	1	9	10
201-80-020	2	10	10
201-80-040	4	10	10
201-80-060	6	11	10
201-80-080	8	12	10



SW/SE 3D-CUT 5180

BN Black Nickel | Forged | Ringed | Twisted | 3D-CUT

The SW's Straight Eye delivers a more efficient in-line hook set. SSW features include a 3D-Cut Point for superior penetration, offset point for "sticking power".

	HOOK	XXX	PC
201-85-004	6/0	4	10
201-85-006	4/0	6	10
201-85-007	3/0	6	10

	HOOK	XXX	PC
201-85-008	2/0	6	10
201-85-009	1/0	6	10
201-85-010	1	6	10
201-85-020	2	8	10
201-85-040	4	10	10



NEW SW CIRCLE UP-EYE 5118

BN Black Nickel | Forged | Ringed | Twisted | 3D-CUT

A highly specialized pattern, designed for livebait trolling rigs involving two different kooks, the most advanced solution for Squid, Cuttlefish or any other fishbait in search of Dentex, Grouper or Amberjack. The out-turned eye allows to fix it along the hooklink line in sliding mode, so as to adjust its position according to hookbait's length.

	HOOK	XXX	PC
202-25-050	5/0	6	10
202-25-060	6/0	6	10
202-25-070	7/0	5	10
202-25-080	8/0	5	10



NEW SW CIRCLE IN-LINE 5378

BN Black Nickel | Forged | Ringed | 3D-CUT

A highly specialized pattern, designed for livebait trolling rigs involving with two different kooks. The in-line eye makes it perfect to work as catching hook. Being located at the end of the rig, this is the hook which bears the traction during the battle with big fish such as Dentex, Grouper, Amberjack.

	HOOK	XXX	PC
202-30-050	5/0	6	10
202-30-060	6/0	6	10
202-30-070	7/0	5	10
202-30-080	8/0	5	10



MUTSU LIGHT CIRCLE 5114

BN Black Nickel | Forged | MicroBarb | Ringed | Twisted

Specific for the deep sea fishing, they are lighter than the Mutsu Circle 5163, but they share with it the very high percentage of catches and the exceptional grip and hold properties, making the strike almost useless. Thanks to the Circle design, they are perfect for Catch & Release, because their point always leans in the corner of the mouth, without damaging the deeper, more delicate parts.

	HOOK	XXX	PC
202-20-004	6/0	5	10
202-20-006	4/0	6	10
202-20-007	3/0	6	10
202-20-008	2/0	7	10
202-20-009	1/0	7	10
202-20-010	1	8	10

MUTSU CIRCLE 5163

BN Black Nickel | Forged | MicroBarb | Ringed | Twisted

Hook designed for challenging fishing techniques. It is able to self position in the correct way inside the fish mouth and always allows catch and release action.

	HOOK	XXX	PC
201-95-010	6/0	3	10
201-95-020	5/0	4	10
201-95-030	4/0	5	10
201-95-040	3/0	5	10
201-95-050	2/0	5	10
201-95-060	1/0	5	10

HD LIVE BAIT 3D-CUT 5105

BN Black Nickel | Forged | Ringed | 3D-CUT

HD Live Bait hooks are designed for rigging large baits for heavy-duty fishing, such as trolling, big game and deep sea fishing. 3D-Cut Point.

	HOOK	XXX	PC
201-90-040	10/0	2	10
201-90-050	9/0	2	10
201-90-060	8/0	2	10
201-90-070	7/0	3	10
201-90-080	6/0	3	10
201-90-090	5/0	4	10
201-90-100	4/0	4	10

REAL SIZE

S-75M

Specific series of barbed hooks to be used to replace wobblers trebles. Made with high-carbon steel.



BN Black Nickel | MicroBarb | Ringed

	HOOK	XXX	PC
201-00-008	2/0	8	10
201-00-009	1/0	8	10
201-00-010	1	10	10
201-00-020	2	10	10
201-00-040	4	10	10
201-00-060	6	10	10

S-55BL



Specific series of barbless hooks to be used to replace wobblers trebles. Made with high-carbon steel.

BN Black Nickel | Barbless | Ringed

	HOOK	XXX	PC
201-05-040	4	10	10
201-05-060	6	10	10
201-05-080	8	10	10
201-05-100	10	10	10

S-55BL



Specific series of barbed hooks to be used to replace spoons and spinners trebles. Made with high-carbon steel.

BN Black Nickel | MicroBarb | Ringed

	HOOK	XXX	PC
201-15-020	2	10	10
201-15-040	4	10	10
201-15-060	6	10	10
201-15-080	8	10	10

S-35BL



Special super fine shank series of barbless hooks to be used to replace spoons and spinners trebles. Made with high-carbon steel.

BN Black Nickel | Barbless | Ringed

	HOOK	XXX	PC
201-10-040	4	10	10
201-10-060	6	10	10
201-10-080	8	10	10

S-36TN

TN TiN | Forged | Ringed | 2X Strong

It's the first double hook in the history of Shinken, helping to make more interesting and complete the Trabucco range that includes trebles and single hooks for lures. And this is exactly its field of application, where it excels for its strength and resistance to salt, assured by TiN finish, which protects from corrosion the steel structure with high carbon content. This hook belongs to the category of "open shank doubles", appreciated by experts of predator fishing for their ease of interchange on artificial baits, due to the fact that the two shanks are not welded together.



		HOOK	XXX	PC
205-25-007	8 054393 122728	3/0	6	10
205-25-008	8 054393 122735	2/0	6	10
205-25-009	8 054393 122742	1/0	6	10
205-25-010	8 054393 122759	1	6	10
205-25-020	8 054393 122765	2	6	10
205-25-040	8 054393 122773	4	6	10
205-25-060	8 054393 122780	6	6	10
205-25-080	8 054393 122797	8	6	10
205-25-100	8 054393 122803	10	6	10

H-41TN

TN TiN | Forged | Ringed | 3X Strong

Double hook featuring a triple-strength structure, which makes it ideal for hard life, such as spinning and trolling for sea predators, where any excess of muscles is often worth. After all, the stratospheric quality equipment is useless if the last link in the chain is not up to the task! The high carbon content steel structure provides the required strength and penetration attitude, while the duration is ensured by the TiN protection. The two stems are separated to facilitate the replacement of these hooks on artificial bait. The special blister contains an EVA board, which prevents the hooks from harming each other during transport, while it makes them individually visible when they are displayed in the shop.

		HOOK	XXX	PC
205-30-005	8 054393 122810	5/0	4	10
205-30-006	8 054393 122827	4/0	4	10
205-30-007	8 054393 122834	3/0	4	10
205-30-008	8 054393 122841	2/0	4	10

S-36TN

TN TiN | Forged | MicroBarb | Ringed | 3X Strong

The ShinkenT- 56 trebles are 3X-Strong with a corrosion-resistant black chrome finish and are perfect replacement hooks for improving hooking power of your lures. Feature a short shank, forged bends, and three straight needle points.

		HOOK	XXX	PC
205-20-007	8 054393 105301		3	10
205-20-008	8 054393 105318		3	10
205-20-009	8 054393 105325		3	10

		HOOK	XXX	PC
205-20-010	8 054393 105332		4	10
205-20-020	8 054393 105349		5	10
205-20-040	8 054393 105356		5	10

T-41TN

TN TiN | Forged | 3D-CUT | Ringed | 2X Strong

The 2X strong ShinkenT-41 trebles are perfect for replacing old crankbait and plug hooks, both for fresh and salt water fishing. Slightly curved 3D-Cut Point allows for quick, deep penetration.

	HOOK	XXX	PC
205-05-008	2/0	3	10
205-05-009	1/0	4	10
205-05-010	1	4	10

	HOOK	XXX	PC
205-05-020	2	6	10
205-05-040	4	6	10
205-05-060	6	6	10

T-46TN & T-46BN

Forged | Ringed | 3D-CUT | 2X Strong

ShinkenT-46 trebles are extremely strong, reliable and light weight. They are the best you can get for your salt water lures. The straight needle point grants super deep and fast hook set.

BN Black Nickel

	HOOK	XXX	PC
205-10-020	2	6	10
205-10-040	4	6	10
205-10-060	6	6	10
205-10-080	8	6	10
205-10-100	10	6	10

TN TiN

	HOOK	XXX	PC
205-15-008	2/0	4	10
205-15-009	1/0	4	10
205-15-010	1	4	10
205-15-020	2	4	10
205-15-040	4	6	10
205-15-060	6	6	10
205-15-080	8	6	10
205-15-100	10	6	10



T-36BN

BN Black Nickel | Forged | MicroBarb | Ringed | Strong

ShinkenT-36 trebles has a Black Chrome finishing and so it can be iused both in fresh and salt water. Round bend and needle points hooks for wide-gap hooking efficiency.

	HOOK	XXX	PC
205-00-020	2	6	10
205-00-040	4	6	10
205-00-060	6	6	10
205-00-080	8	6	10

	HOOK	XXX	PC
205-00-100	10	6	10
205-00-120	12	6	10
205-00-140	14	6	10
205-00-160	16	6	10
205-00-180	18	6	10
205-00-200	20	6	10



10004N



N Nickel | Regular | MicroBarb

	HOOK	XXX	PC
024-30-080	8	15	10
024-30-100	10	15	10
024-30-120	12	15	10
024-30-140	14	15	10
024-30-160	16	15	10
024-30-180	18	15	10

Classic long shank, straight, thin wire, designed for natural bait, which the micro barb doesn't damage, while maintaining their vitality. The smaller sizes find space in the tackle box of any demanding match-man, who pays attention to the lightness of the hook to obtain perfect presentations. The largest sizes are suitable for trout fishing in difficult conditions, with honey worm and delicate aquatic larvae. Nickel finish is an evergreen solution to get wide acceptance from the whole world.

10607N



N Nickel | Regular | MicroBarb

	HOOK	XXX	PC
024-28-040	4	15	10
024-28-060	6	15	10
024-28-080	8	15	10
024-28-100	10	15	10
024-28-120	12	15	10
024-28-140	14	15	10
024-28-160	16	15	10
024-28-180	18	15	10

A timeless classic in lake trout fishing, made much more advanced through the reduction of the barb size to a bare minimum. Its structure is quite fine as to facilitate the hookbait's rotation, but rather strong to withstand the stress of the fish lifting from water. The nickel finish protects the point tip from wear and, at the same time, with its flashes adds attractiveness to the hookbait. It is recommended to snell it with a baitholding barb, facing upright. In smaller sizes it's a great maggot allrounder.

10608N



N Nickel | Forged | MicroBarb | Bent

	HOOK	XXX	PC
024-24-040	4	15	10
024-24-050	5	15	10
024-24-060	6	15	10
024-24-070	7	15	10
024-24-080	8	15	10
024-24-100	10	15	10

An excellent lake trout hook, with a long shank that eases quick baiting and an unique, two steps bend which increases the overall efficiency, reducing the percentage of missed bites or fish loss during retrieve. The angle at the point's base is rather narrow, in order to give a quick start to the hookbait's rotation, as soon as the rig hits the water. With its forged bend, it offers the required strength to lift trout off the water without risks. Classic nickel finish, which adds attractiveness to the hookbait.

10608B-BL



BR Bronzed | Forged | Barbless | Bent

	HOOK	XXX	PC
024-26-040	4	15	10
024-26-050	5	15	10
024-26-060	6	15	10
024-26-070	7	15	10
024-26-080	8	15	10
024-26-100	10	15	10

Specially developed for river trout fishing, it comes from competition experiences and respects the regulations of the regions where the barbed hooks aren't allowed. The high point provides optimal holding and instant penetration thanks to barbless design, while the narrow angle is essential for the hookbait's rotation. The long shank is a classic for the earthworm; the bend is forged to provide the necessary strength to lift trout from water.

62041BN

Also Snelled

BN Black Nickel — Regular



A multi-purpose hook, a real wild card to be played in the lake trout fishing with honey worms or earthworms when fishing is easy, specially at the start of the match, but also at sea with maggots, considering its proven strength and its deadly hooking capacity. But it's the Black Nickel finish his secret weapon, because it's not just a colour, but a protective treatment against abrasion or the aggression of salt water. Consequently, the point tip keeps its sharp profile even after tens of catches. Great!

	HOOK	XXX	PC
024-36-040	4	15	10
024-36-060	6	15	10
024-36-080	8	15	10
024-36-100	10	15	10
024-36-120	12	15	10
024-36-140	14	15	10

10361BN

BN Black Nickel — Forged — Ringed



It's pretty interesting because it belongs to the limited club of strong hooks with eye, a segment of the market which grows in line with size and toughness of big fish, both in fresh and salt water. Feeder fishing at sea is discovering unexplored opportunities, and it is known that the strength of Gilt Head Bream and Sea Bream requires hooks of proven reliability. It is advisable to tie the hook on the shank, passing line through the eye to limit the stress on it and keep a perfect alignment to the shank.

	HOOK	XXX	PC
024-34-120	12	15	10
024-34-140	14	15	10
024-34-160	16	15	10
024-34-180	18	15	10
024-34-200	20	15	10

10120N-R

N Nickel — MicroBarb — Ringed



It is a 120XN legitimate son, the classic long shank hook that plays a leading role in the XPS range, in freshwater as well as in the sea. In fact, all the chromosomes are in place: the long shank, the marked elbow, the nickel finish, the special balance between lightness and strength of the structure and the quite wide range of sizes. The main difference is the eye, required by surf casting, beach legering and boat fishing experts for its superior versatility about knotting chances and consequent reliability in case of big fish.

	HOOK	XXX	PC
024-42-040	4	15	10
024-42-060	6	15	10
024-42-080	8	15	10
024-42-100	10	15	10
024-42-120	12	15	10
024-42-140	14	15	10
024-42-160	16	15	10

10500BN sw

BN Black Nickel — MicroBarb



The extreme height of its point, over 50% of the length of the shank, is the characteristic that hits the attention before any other. In Japan, this hook pattern is highly popular because of its great penetration and holding capacity, which is eased by the microscopic size of the barb. Perfect for the classic range of natural baits, such as maggot, earthworm, sweetcorn, also impeccably houses a pellet, keeping it in place with the deep, angled bend and with the inturned point. The bomb-proof strength makes it reliable at sea too, where feeder proves to be a winning approach.

	HOOK	XXX	PC
024-40-060	6	15	10
024-40-080	8	15	10
024-40-100	10	15	10
024-40-120	12	15	10
024-40-140	14	15	10
024-40-160	16	15	10
024-40-180	18	15	10

F-32 SURF

Also Snelled

BN Black Nickel — Forged — Ringed



It has been so named because it's a sister series of the legendary Hisashi F-31, born from same concept but with shorter stem and higher strength. Therefore, it's destined to the toughest conditions, because the design of its curve is likely to answer with energy to the strain applied on the point tip, converting the strike force into precision and depth of penetration. Black Nickel finish protects the point from the aggression of the salt and the abrasions resulting from harsh life within the waves.

	HOOK	XXX	PC
024-38-060	6	15	10
024-38-080	8	15	10
024-38-100	10	15	10
024-38-120	12	15	10

NEW F31 BAITHOLDER

BN Black Nickel | Forged | Ringed



Widely adopted as one of the most efficient surfcasting hooks, the F-31 is now available also with two barbs on the long shank: one inside and the other outside. They are cooperating as wonderful bait holders, specially with long worms which tend to slide down during the cast. Black Nickel finish provides abrasion protection to the point tip, which is always at risk between the waves in salty and sandy environment.

		HOOK	XXX	PC
024-20-040	8 054393 170187	4	15	10
024-20-060	8 054393 170194	6	15	10
024-20-080	8 054393 170200	8	15	10
024-20-100	8 054393 170217	10	15	10
024-20-120	8 054393 170224	12	15	10
024-20-140	8 054393 170231	14	15	10

F31 SURF

Also Snelled

BN Black Nickel | Forged | Ringed



Specially developed for light surf casting, it's the ideal weapon to search fish when they are particularly shy, as it can present worms in the most natural way. The beak point grants penetration and holding properties, while the long shank offers room for long worms, easing both baiting and disgorging operations. The straight eye can be tied in several ways, saving most of the line's breaking strength.

		HOOK	XXX	PC
024-18-040	8 054393 006185	4	15	10
024-18-060	8 054393 006192	6	15	10
024-18-080	8 054393 006189	8	15	10
024-18-100	8 054393 006196	10	15	10
024-18-120	8 054393 006202	12	15	10
024-18-140	8 054393 006219	14	15	10

10003 TANAGO

BN Black Nickel | Forged | Ringed



Semi-forged hook, ringed, with heavy duty point. The smaller sizes can be used also for big predator in fresh water, perfect for deep sea fishing.

		HOOK	XXX	PC
024-10-020	8 054393 005960	2	15	10
024-10-040	8 054393 005977	4	15	10
024-10-060	8 054393 005984	6	15	10
024-10-080	8 054393 005991	8	15	10
024-10-100	8 054393 006004	10	15	10

10006BN-R

Also Snelled

BN Black Nickel | Regular | MicroBarb | Ringed



The true connoisseurs of Chub fishing, will surely welcome this beautiful straight hook, eyed and finished in Black Nickel to last longer and look unobtrusive in crystal clear waters. Tie it in a loop for the maximum mobility and total reliability, and go with maggots and casters to tease the prince of all rivers. Those who fish with maggots at sea side will discover that such loop enables to go up with hooklink's diameter, because the hook has the same freedom normally granted by a ultralight line, useless with Seabass, Gilt Head Bream and Sea Bream!

		HOOK	XXX	PC
024-32-100	8 054393 116369	10	15	10
024-32-120	8 054393 116376	12	15	10
024-32-140	8 054393 116475	14	15	10
024-32-160	8 054393 116482	16	15	10
024-32-180	8 054393 116499	18	15	10
024-32-200	8 054393 116505	20	15	10

11007 BEACK

BN Black Nickel | Forged | Ringed



Semi-forged, special anti corrosion black nickel finish. High self-hooking ratio, this hook is perfect for deep sea fishing using natural baits. Ringed.

		HOOK	XXX	PC
024-00-009	8 054393 005540	1/0	13	10
024-00-010	8 054393 005557	1	15	10
024-00-020	8 054393 005564	2	15	10
024-00-040	8 054393 005571	4	15	10
024-00-060	8 054393 005588	6	15	10
024-00-080	8 054393 005595	8	15	10

1042 OCTOPLUS

BN Black Nickel | Forged | Ringed



Ringed hook with forged and semi-banded shank. The long and sharp point can penetrate even the hardest sea predator mouth. Can be used also to rig big live bait in fresh water. Black nickel finish.

	HOOK	XXX	PC
024-12-020	2	15	10
024-12-040	4	15	10
024-12-060	6	15	10
024-12-080	8	15	10
024-12-100	10	15	10

11014 BAITHOLDER

Also Snelled

BN Black Nickel | Forged | Ringed



Ringed hook with semi-forged shank. Two micro barb help to fit the bait on the hook, very helpfull when using long and delicated worms or particullary soft baits. Can be used in many different situation, both from the shore or from the boat, black nickel finish.

	HOOK	XXX	PC
024-02-009	1/0	13	10
024-02-010	1	15	10
024-02-020	2	15	10
024-02-040	4	15	10
024-02-060	6	15	10
024-02-080	8	15	10

3282 ABERDEEN

Also Snelled

BN Black Nickel | Forged | Ringed



Ringed hook, black nickel finish. Made using high carbon steel and extreme sharp point. Can be used for surf casting or boat fishing.

	HOOK	XXX	PC
024-14-010	1	15	10
024-14-020	2	15	10
024-14-040	4	15	10
024-14-060	6	15	10
024-14-080	8	15	10
024-14-100	10	15	10

10026 CHINU

Also Snelled

BN Black Nickel | Forged | Ringed

Can be used in many different fishing style, from drifting to deep sea fishing.

	HOOK	XXX	PC
024-04-005	5/0	6	10
024-04-006	4/0	7	10
024-04-007	3/0	9	10
024-04-009	1/0	13	10
024-04-010	1	15	10

	HOOK	XXX	PC
024-04-020	2	15	10
024-04-040	4	15	10
024-04-060	6	15	10
024-04-080	8	15	10
024-04-100	10	15	10
024-04-120	12	15	10
024-04-140	14	15	10



11011 O'SHAUGHNESSY

Also Snelled

BN Black Nickel | Forged | Ringed

This shape is perfect to be used when rigging anchovy and squid.

		HOOK	XXX	PC
024-06-004	8 054393 005786	6/0	5	10
024-06-006	8 054393 005793	4/0	8	10
024-06-008	8 054393 005809	2/0	11	10
024-06-009	8 054393 005816	1/0	13	10
024-06-010	8 054393 005823	1	13	10

		HOOK	XXX	PC
024-06-020	8 054393 005830	2	15	10
024-06-040	8 054393 005847	4	15	10
024-06-060	8 054393 005854	6	15	10
024-06-080	8 054393 005861	8	15	10
024-06-100	8 054393 005878	10	15	10
024-06-120	8 054393 005885	12	15	10
024-06-140	8 054393 005892	14	15	10



11028 LIVE BAIT

BN Black Nickel | Forged | Ringed

This hook as been designed to fish mainly with live bait for Dentex and other big sea predator.

		HOOK	XXX	PC
024-08-000	8 054393 005908	10/0	3	10
024-08-002	8 054393 005915	8/0	5	10

		HOOK	XXX	PC
024-08-004	8 054393 005922	6/0	7	10
024-08-006	8 054393 005939	4/0	9	10
024-08-008	8 054393 005946	2/0	9	10
024-08-009	8 054393 005953	1/0	9	10



11026 CAT FISH

BN Black Nickel | Forged | Ringed

		HOOK	XXX	PC
024-16-000	8 054393 006127	10/0	5	10
024-16-002	8 054393 006134	8/0	5	10
024-16-004	8 054393 006141	6/0	5	10
024-16-006	8 054393 006158	4/0	5	10



This shape is absolutely the most popular and effective to fish for european catfish with live baits. Big sized barb allows to fight the fish for long time without any risk. The wide shape is perfect to rig big livebaits. Black Nickel finish.

Hisashi T-FORCE XPS FLUOROCARBON 100% FLUOROCARBON

The red card identifies the range dedicated to pleasure anglers, people who don't like the stress of competitions, preferring the emotions connected to extra large catches. Three of the hook patterns that make it up belong to the super strong class, the fourth one is essential for fishing with maggots, still the most effective bait, both in fresh and saltwater environments.

11014 BAIT HOLDER

BN Black Nickel | Forged | Ringed



200cm		HOOK	LINE Ø	XXX	PC
024-03-020	8 054393 134356	2	0,30	10	10
024-03-022	8 054393 134363	2	0,26	10	10
024-03-040	8 054393 134370	4	0,26	10	10
024-03-042	8 054393 134387	4	0,22	10	10

200cm		HOOK	LINE Ø	XXX	PC
024-03-060	8 054393 134394	6	0,24	10	10
024-03-062	8 054393 134400	6	0,20	10	10
024-03-080	8 054393 134417	8	0,24	10	10
024-03-082	8 054393 134424	8	0,20	10	10

A couple of bait barbs characterize the back side of this robust eyed hook, putting it to the attention of those who employ worms of all kinds, because they remain in place even during extreme casts. The Hisashi snelling with the knot forming a further 3 mm line barb offers the possibility to slide the living bait up on the line, leaving the curve completely free to work. Two small barbs, located on the outside of the shank, firmly secure the bait.

11011 O' SHAUGHNESSY

BN Black Nickel | Forged | Ringed



200cm		HOOK	LINE Ø	XXX	PC
024-07-040	8 054393 133830	4	0,26	10	10
024-07-042	8 054393 133847	4	0,22	10	10
024-07-060	8 054393 133854	6	0,24	10	10
024-07-062	8 054393 133861	6	0,20	10	10
024-07-080	8 054393 134462	8	0,24	10	10
024-07-082	8 054393 134479	8	0,20	10	10

200cm		HOOK	LINE Ø	XXX	PC
024-07-100	8 054393 134486	10	0,20	10	10
024-07-102	8 054393 134493	10	0,18	10	10
024-07-120	8 054393 134509	12	0,20	10	10
024-07-122	8 054393 134516	12	0,18	10	10
024-07-140	8 054393 134523	14	0,18	10	10
024-07-142	8 054393 134530	14	0,16	10	10

Designed in northern Europe over two hundred years ago, it is still a favorite for those who hunt for big fish, especially at sea. Featuring a very robust structure, it offers a rather long shank that easily houses small fish fillets and squid stripes, but also long worms. So it's great in the bolentino, as well as in the bottom fishing from the rocks and for the classic surf casting.

10006BN-R

BN Black Nickel | Regular | MicroBarb | Ringed



200cm		HOOK	LINE Ø	XXX	PC
024-33-100	8 054393 133519	10	0,18	10	10
024-33-102	8 054393 133526	10	0,16	10	10
024-33-120	8 054393 133533	12	0,16	10	10
024-33-122	8 054393 133540	12	0,14	10	10
024-33-140	8 054393 133779	14	0,16	10	10

200cm		HOOK	LINE Ø	XXX	PC
024-33-142	8 054393 133786	14	0,14	10	10
024-33-160	8 054393 133793	16	0,14	10	10
024-33-162	8 054393 133809	16	0,12	10	10
024-33-180	8 054393 133816	18	0,12	10	10
024-33-200	8 054393 133823	20	0,12	10	10

Straight, medium light shank hook, which exploits the relative lightness to also be effective in the difficult fishing, when it seems that there are no fish around, but a sudden change does the job. The long shank allows to accommodate a wide variety of baits: from maggots to earthworms, including cocktails, from sweetcorn to fruits, from bread to shrimp meat.

10026 CHINU

BN Black Nickel | Forged | Ringed



200cm		HOOK	LINE Ø	XXX	PC
024-05-020	8 054393 133557	2	0,26	10	10
024-05-022	8 054393 133564	2	0,22	10	10
024-05-040	8 054393 133571	4	0,26	10	10
024-05-042	8 054393 133588	4	0,22	10	10
024-05-060	8 054393 133595	6	0,24	10	10
024-05-062	8 054393 133601	6	0,20	10	10
024-05-080	8 054393 133618	8	0,24	10	10

200cm		HOOK	LINE Ø	XXX	PC
024-05-082	8 054393 133625	8	0,20	10	10
024-05-100	8 054393 133632	10	0,20	10	10
024-05-102	8 054393 134615	10	0,18	10	10
024-05-120	8 054393 134622	12	0,20	10	10
024-05-122	8 054393 134066	12	0,18	10	10
024-05-140	8 054393 134073	14	0,18	10	10
024-05-142	8 054393 134080	14	0,16	10	10

A worldwide classic for bottom fishing in freshwater and at sea, from the shore as well as from the boat. Thanks to the design of its wide bend and the beak profile of the point, it provides absolute guarantees in terms of penetration and holding capacity during the fight. The wide range of sizes makes it ideal for hooking worms, crabs, shellfish and paste baits.

Hisashi T-FORCE XPS FLUOROCARBON 100% FLUOROCARBON

A selection of the best surf casting hooks, all eyed, presented on a light blue colour card and snelled with two meters of XPS Fluorocarbon 100%, a length which is surely more than enough to make even those long hooklinks to face the tough fishing in calm sea conditions. The black nickel finish is the best protection for the point's duration, while the special knot with bait holding barb is on top of the expert's likes.



The famous Uni-Knot, also known as Grinner Knot, is one of the best to connect the line to an eyed hook. The knot ends with a 3 mm barb which acts as bait holder.

F-31 SURF

BN Black Nickel | Forged | Ringed



200cm	HOOK	LINE Ø	XXX	PC
024-19-040	4	0,26	10	10
024-19-042	4	0,22	10	10
024-19-060	6	0,24	10	10
024-19-062	6	0,20	10	10
024-19-080	8	0,22	10	10
024-19-082	8	0,20	10	10

200cm	HOOK	LINE Ø	XXX	PC
024-19-100	10	0,20	10	10
024-19-102	10	0,18	10	10
024-19-120	12	0,18	10	10
024-19-122	12	0,16	10	10
024-19-140	14	0,18	10	10
024-19-142	14	0,16	10	10

By all means the best surfcasting and beach legering hook, thanks to a special balance between lightness and strength, ideal for natural presentations, and to the availability of small sizes, preferred by match anglers in the most difficult conditions. Its beak point grips even when the strike is not perfect, and his holding capacity is proverbial.

F-32 SURF

BN Black Nickel | Forged | Ringed



200cm	HOOK	LINE Ø	XXX	PC
024-39-060	6	0,24	10	10
024-39-062	6	0,20	10	10
024-39-080	8	0,22	10	10
024-39-082	8	0,20	10	10

200cm	HOOK	LINE Ø	XXX	PC
024-39-100	10	0,20	10	10
024-39-102	10	0,18	10	10
024-39-120	12	0,18	10	10
024-39-122	12	0,16	10	10

It is the bad brother of F-31, from which it differs mainly for the higher thickness of the steel structure, to the slightly shorter shank and the much narrower angle between the curve and the point, features that recommend it to be used in the most stressful conditions, such as the prospect of catching bigger fish or a short distance fishing range.

3282 ABERDEEN

BN Black Nickel | Forged | Ringed



200cm	HOOK	LINE Ø	XXX	PC
024-15-040	4	0,26	10	10
024-15-042	4	0,22	10	10
024-15-060	6	0,24	10	10
024-15-062	6	0,20	10	10

200cm	HOOK	LINE Ø	XXX	PC
024-15-080	8	0,22	10	10
024-15-082	8	0,20	10	10
024-15-100	10	0,20	10	10
024-15-102	10	0,18	10	10

It has been named after a coastal city in eastern Scotland, where it was developed for surf casting and where his versatility consecrated it also for the boat fishing. The long shank eases both the hooking operations of worms, fish or squid fillet, and its removal from the mouth of the fish the angler intend to catch and release.

Hisashi T-FORCE XPS FLUOROCARBON 100% FLUOROCARBON

Green colour card for the trout range of hooks snelled with XPS Fluorocarbon 100%, born from competition fishing experiences on the lakes and rivers as well. The twin length option, with 170 and 270 cm of line, solves all the problems of speedy as well as scratching fishing, while the twisted loop, paired with a PVC tube, accelerates and simplifies the fast connection to the specific hooked swivels.



10608N

N Nickel | Forged | MicroBarb | Bent

A double system of bends characterizes the shape and the extreme overall effectiveness of this wonderful hook, reducing the incidence of strike failure and that of fish losses during retrieve. The angle at the base of the point is critical to grant the hookbait rotation, while the forged curve provides the necessary strength in the trout lifting from the water.

170cm		HOOK	LINE Ø	XXX	PC
024-25-240	8 054393 134301	4	0,20	10	10
024-25-242	8 054393 134318	4	0,18	10	10
024-25-250	8 054393 134325	5	0,20	10	10
024-25-252	8 054393 134332	5	0,18	10	10
024-25-254	8 054393 134349	5	0,16	10	10
024-25-260	8 054393 134165	6	0,20	10	10
024-25-262	8 054393 134172	6	0,18	10	10
024-25-264	8 054393 134189	6	0,16	10	10
024-25-270	8 054393 134196	7	0,18	10	10
024-25-272	8 054393 134202	7	0,16	10	10
024-25-280	8 054393 134219	8	0,18	10	10
024-25-282	8 054393 134226	8	0,16	10	10
024-25-310	8 054393 134233	10	0,16	10	10
024-25-312	8 054393 134240	10	0,14	10	10

270cm		HOOK	LINE Ø	XXX	PC
024-25-040	8 054393 133922	4	0,20	10	10
024-25-042	8 054393 133939	4	0,18	10	10
024-25-050	8 054393 133946	5	0,20	10	10
024-25-052	8 054393 133953	5	0,18	10	10
024-25-054	8 054393 133960	5	0,16	10	10
024-25-060	8 054393 133977	6	0,20	10	10
024-25-062	8 054393 133984	6	0,18	10	10
024-25-064	8 054393 133991	6	0,16	10	10
024-25-070	8 054393 134004	7	0,18	10	10
024-25-072	8 054393 134257	7	0,16	10	10
024-25-080	8 054393 134264	8	0,18	10	10
024-25-082	8 054393 134271	8	0,16	10	10
024-25-100	8 054393 134288	10	0,16	10	10
024-25-102	8 054393 134295	10	0,14	10	10

10607N

N Nickel | Regular | MicroBarb



An absolute classic in the trout field, straight and modern, thanks to the presence of micro barb that does not damage the delicate worms, facilitating the penetration and fast unhooking with your finger.

170cm		HOOK	LINE Ø	XXX	PC
024-29-240	8 054393 133687	4	0,20	10	10
024-29-242	8 054393 133694	4	0,18	10	10
024-29-260	8 054393 133700	6	0,20	10	10
024-29-262	8 054393 133717	6	0,18	10	10
024-29-264	8 054393 133724	6	0,16	10	10
024-29-280	8 054393 133731	8	0,18	10	10
024-29-282	8 054393 133748	8	0,16	10	10
024-29-310	8 054393 133755	10	0,16	10	10
024-29-312	8 054393 133762	10	0,14	10	10

270cm		HOOK	LINE Ø	XXX	PC
024-29-040	8 054393 133489	4	0,20	10	10
024-29-042	8 054393 133496	4	0,18	10	10
024-29-060	8 054393 133502	6	0,20	10	10
024-29-062	8 054393 134745	6	0,18	10	10
024-29-064	8 054393 134752	6	0,16	10	10
024-29-080	8 054393 134769	8	0,18	10	10
024-29-082	8 054393 134776	8	0,16	10	10
024-29-100	8 054393 134783	10	0,16	10	10
024-29-102	8 054393 134790	10	0,14	10	10

62041BN

BN Black Nickel | Regular



A multi-purpose hook, real wild card to be played in the lake trout fishing, with honeybees or earthworms when fishing is relatively easy and it's good to be fast to succeed in competition.

170cm		HOOK	LINE Ø	XXX	PC
024-37-240	8 054393 134639	4	0,20	10	10
024-37-242	8 054393 134646	4	0,18	10	10
024-37-260	8 054393 134653	6	0,20	10	10
024-37-262	8 054393 134660	6	0,18	10	10
024-37-264	8 054393 134677	6	0,16	10	10
024-37-280	8 054393 134684	8	0,18	10	10
024-37-282	8 054393 134691	8	0,16	10	10

270cm		HOOK	LINE Ø	XXX	PC
024-37-040	8 054393 134707	4	0,20	10	10
024-37-042	8 054393 134097	4	0,18	10	10
024-37-060	8 054393 134103	6	0,20	10	10
024-37-062	8 054393 134110	6	0,18	10	10
024-37-064	8 054393 134127	6	0,16	10	10
024-37-080	8 054393 134134	8	0,18	10	10
024-37-082	8 054393 134141	8	0,16	10	10

AKURA CARBON HOOKS



AKURA 200BN

BN Black Nickel | Regular | MicroBarb



	HOOK	XXX	PC
025-70-020	2	15	20
025-70-030	3	15	20
025-70-040	4	15	20
025-70-050	5	15	20
025-70-060	6	15	20
025-70-070	7	15	20
025-70-080	8	15	20
025-70-100	10	15	20

Black nickel plated hook, round wire, long shank, special safety bend, chemically sharpened needle point, micro barb. For trout and tough fish fishing.

AKURA 200NY

Also Snelled

N Nickel | Regular | MicroBarb



	HOOK	XXX	PC
025-75-020	2	15	20
025-75-030	3	15	20
025-75-040	4	15	20
025-75-050	5	15	20
025-75-060	6	15	20
025-75-070	7	15	20
025-75-080	8	15	20
025-75-100	10	15	20

Nickel-plated hook, round wire, long shank, special safety bend, chemically sharpened needle point and high resistance micro barb. Recommended bait: silkworm, salmon eggs, worms.

AKURA 220BR

BR Bronzed | Forged | MicroBarb



	HOOK	XXX	PC
025-95-010	1	15	20
025-95-020	2	15	20
025-95-030	3	15	20
025-95-040	4	15	20
025-95-050	5	15	20
025-95-060	6	15	20

Bronzed series developed for trout fishing. Semi-forged, medium wire long shank and special safety bend. Chemically sharpened.

AKURA 250BR

BR Bronzed | Forged | Twisted



	HOOK	XXX	PC
025-96-010	1	15	20
025-96-020	2	15	20
025-96-040	4	15	20
025-96-060	6	15	20

Bronzed, semi-forged with short shank bend and very strong wire. Round safety bend and chemically sharpened extra sharp point. Ideal for carp.

AKURA 6001N

N Nickel | Regular | MicroBarb



Nickel plated hook, with round and thin wire, long shank, narrow bend, microbarb, high penetration chemically sharpened point. Universal purpose either in inland waters and at sea. Recommended bait: molluscs, salmon eggs, silkworm, shrimps and bloodworm.

		HOOK	XXX	PC
025-10-020	8 054393 006448	2	15	20
025-10-040	8 054393 006455	4	15	20
025-10-060	8 054393 006462	6	15	20
025-10-080	8 054393 006479	8	15	20
025-10-100	8 054393 006486	10	15	20
025-10-120	8 054393 006493	12	15	20

AKURA 525N

Also Snelled

N Nickel | Regular

Nickel-plated hook with long shank, medium-thin round wire. Properly designed for mullet fishing. Recommended baits: paste, bread and silkworms.



		HOOK	XXX	PC
025-85-040	8 054393 007629	4	15	20
025-85-060	8 054393 007636	6	15	20

		HOOK	XXX	PC
025-85-080	8 054393 007643	8	15	20
025-85-100	8 054393 007650	10	15	20
025-85-120	8 054393 007667	12	15	20
025-85-140	8 054393 007674	14	15	20
025-85-160	8 054393 007681	16	15	20
025-85-180	8 054393 007698	18	15	20

AKURA 515N

N Nickel | Forged | MicroBarb

Nickel plated long shank hook, medium wire, high resistance barb and high penetration point. Universal purpose.



		HOOK	XXX	PC
025-15-007	8 054393 006509	3/0	15	20
025-15-008	8 054393 006516	2/0	15	20
025-15-009	8 054393 006523	1/0	15	20

		HOOK	XXX	PC
025-15-020	8 054393 006547	2	15	20
025-15-040	8 054393 006554	4	15	20
025-15-060	8 054393 006561	6	15	20
025-15-080	8 054393 006578	8	15	20
025-15-100	8 054393 006585	10	15	20
025-15-120	8 054393 006592	12	15	20
025-15-010	8 054393 006530	1	15	20

AKURA 6315

Also Snelled

N Nickel | Regular | MicroBarb



		HOOK	XXX	PC
025-20-100	8 054393 006608	10	15	20
025-20-120	8 054393 006615	12	15	20

		HOOK	XXX	PC
025-20-140	8 054393 006622	14	15	20
025-20-160	8 054393 006639	16	15	20
025-20-180	8 054393 006646	18	15	20
025-20-200	8 054393 006653	20	15	20
025-20-220	8 054393 006660	22	15	20

Nickel plated hook, round and thin wire, round bend, micro barb and chemical sharpened needle point. Excellent for inland water game fishing. Recommended baits: silkworms, worms, corn, casters and bloodworm.

AKURA 6000BN

Also Snelled

BN Black Nickel | Regular | MicroBarb



		HOOK	XXX	PC
025-25-100	8 054393 006677	10	15	20
025-25-120	8 054393 006684	12	15	20

		HOOK	XXX	PC
025-25-140	8 054393 006691	14	15	20
025-25-160	8 054393 006707	16	15	20
025-25-180	8 054393 006714	18	15	20
025-25-200	8 054393 006721	20	15	20

Black nickel plated hook, round and medium-thin wire, long shank, wide bend, micro barb and chemically sharpened needle point. Especially meant for competitions, excellent for bream, roach, carp and chub. Recommended baits: bloodworm, worms, corn, silkworms, casters.

AKURA 535N

N Nickel | Forged | Twisted



Nickel plated hook, semi-forged, short-shank, strong wire, anti-disgorging round bend, reversed and chemically sharpened point. Micro barbs on the shank to keep a perfect baiting even after casting. Highly recommended for sea fishing.

	HOOK	XXX	PC
025-45-010	1	15	20
025-45-020	2	15	20
025-45-040	4	15	20
025-45-060	6	15	20
025-45-080	8	15	20
025-45-100	10	15	20

AKURA 7535N

Also Snelled

N Nickel | Forged | Twisted

Nickel plated hook, semi-forged medium thin wire, semi-short shank, safety round bend, chemically sharpened point and micro barb. Excellent for sea fish.

	HOOK	XXX	PC
025-60-040	4	15	20
025-60-060	6	15	20

	HOOK	XXX	PC
025-60-080	8	15	20
025-60-100	10	15	20
025-60-120	12	15	20
025-60-140	14	15	20
025-60-160	16	15	20

AKURA 3000BN

BN Black Nickel | Forged | MicroBarb

Black nickel plated hook, wide bend, medium shank, high penetration chemically sharpened point and micro barb. Recommended baits: silk worms, corn, bloodworm, caster, etc.



	HOOK	XXX	PC
025-35-040	4	15	20
025-35-060	6	15	20

	HOOK	XXX	PC
025-35-080	8	15	20
025-35-100	10	15	20
025-35-120	12	15	20
025-35-140	14	15	20
025-35-160	16	15	20
025-35-180	18	15	20

AKURA 3000G

G Gold | Forged | MicroBarb

Golden hook, medium shank, wide bend, high resistance micro barb and chemically sharpened point. For cyprinids in general, and excellent in competition.

	HOOK	XXX	PC
025-30-080	8	15	20
025-30-100	10	15	20
025-30-120	12	15	20
025-30-140	14	15	20
025-30-160	16	15	20
025-30-180	18	15	20

AKURA 910N

N Nickel | Forged | MicroBarb



Nickel plated hook featuring long shank, “S” special bend, chemically sharpened point and safety barb. A microbarb on the shank ensures the fastening of the bait on the hook. For sea fishing when dealing with live baits.

	HOOK	XXX	PC
026-80-020	2	15	20
026-80-040	4	15	20
026-80-060	6	15	20
026-80-080	8	15	20
026-80-100	10	15	20
026-80-120	12	15	20

AKURA 7000N

Also Snelled

N Nickel | Regular

Nickel plated hook, medium-short shank, wide bend and chemically sharpened reversed point, medium-thin wire, with anti-disgorging barb. Ideal for inland waters game fishing and at sea.

	HOOK	XXX	PC
025-05-008	2/0	15	20
025-05-009	1/0	15	20
025-05-010	1	15	20
025-05-020	2	15	20
025-05-040	4	15	20
025-05-060	6	15	20
025-05-080	8	15	20
025-05-100	10	15	20
025-05-120	12	15	20
025-05-140	14	15	20
025-05-160	16	15	20
025-05-180	18	15	20
025-05-200	20	15	20



AKURA 130BN

BN Black Nickel | Regular



Sea fishing hooks particularly indicated for sea bass and dorada.

	HOOK	XXX	PC
026-30-020	2	15	20
026-30-040	4	15	20
026-30-060	6	15	20
026-30-080	8	15	20
026-30-100	10	15	20

AKURA 135BN

BK Black | Regular | Ringed



Designed for surfcasting, beachcasting and light depth fishing. Featuring a round bend, medium wire, black finish and ringed.

	HOOK	XXX	PC
026-35-020	2	15	20
026-35-040	4	15	20
026-35-060	6	15	20
026-35-080	8	15	20
026-35-100	10	15	20

AKURA 140BN

BN Black Nickel | Regular



Very good hook for deep fishing to sea bass, sea perch and snappers. Finish black nickel and with spaded shank.

	HOOK	XXX	PC
026-40-020	2	15	20
026-40-040	4	15	20
026-40-060	6	15	20
026-40-080	8	15	20
026-40-100	10	15	20

AKURA 145BN

Also Snelled

BN Black Nickel | Regular | Ringed



Same pattern of previous model but with eye shank. Same black nickel finish.

	HOOK	XXX	PC
026-45-020	2	15	20
026-45-040	4	15	20
026-45-060	6	15	20
026-45-080	8	15	20
026-45-100	10	15	20

AKURA 187N

N Nickel | Regular | MicroBarb



Nickel plated straight hook, long shank, round bend, with chemically sharpened point. Best performance when used at sea and freshwater.

	HOOK	XXX	PC
026-65-040	4	15	20
026-65-050	5	15	20
026-65-060	6	15	20
026-65-070	7	15	20
026-65-080	8	15	20
026-65-100	10	15	20

AKURA 115R

R Red | Regular | Ringed



Round bend ringed hook, red plated, chemically sharpened high penetration needle point and medium wire. Recommended for surfcasting, beachcasting and light depth sea fishing.

	HOOK	XXX	PC
026-37-008	2/0	6	20
026-37-009	1/0	8	20
026-37-010	1	10	20
026-37-020	2	10	20
026-37-040	4	10	20
026-37-060	6	10	20
026-37-080	8	10	20
026-37-100	10	10	20

AKURA 116N

N Nickel | Regular | MicroBarb



Nickel plated hook with large wire and round bend. High penetration point and anti-disgorging barb. Designed for mackerel fishing.

	HOOK	XXX	PC
026-70-007	3/0	6	20
026-70-008	2/0	8	20
026-70-009	1/0	10	20
026-70-010	1	10	20
026-70-020	2	10	20
026-70-030	3	10	20
026-70-040	4	10	20

AKURA 11507BN

BN Black Nickel | Forged | Ringed | Twisted

	HOOK	XXX	PC
026-55-002	8/0	3	20
026-55-004	6/0	5	20



	HOOK	XXX	PC
026-55-006	4/0	9	20
026-55-007	3/0	11	20
026-55-008	2/0	12	20
026-55-009	1/0	13	20

Black nickel plated hook, semi-forged wire and chemically sharpened reversed needle point. Safety round bend, short-shank and high resistance barb. Excellent for sea fishing with live bait, both trolling or at depth.

AKURA 800SS

IX Inox | Forged | Ringed

Semi-forged, long shanked hook, with semi-round bend. Made of carbon special steel. Featuring high penetration point and safety barb. Very strong.



	HOOK	XXX	PC
026-60-001	9/0	3	20
026-60-003	7/0	4	20
026-60-005	5/0	6	20
026-60-008	2/0	10	20
026-60-010	1	10	20
026-60-020	2	10	20
026-60-040	4	10	20
026-60-060	6	10	20

AKURA 5000N

N Nickel | Forged | Twisted

Nickel plated hook, semi-forged, medium-thin wire, bent, with special anti-disgorging round bend, chemically sharpened point and high resistance micro barb. Ideal for sea bass.

	HOOK	XXX	PC
025-50-009	1/0	15	20
025-50-010	1	15	20
025-50-020	2	15	20
025-50-040	4	15	20



	HOOK	XXX	PC
025-50-060	6	15	20
025-50-080	8	15	20
025-50-100	10	15	20
025-50-120	12	15	20
025-50-140	14	15	20
025-50-160	16	15	20
025-50-180	18	15	20

AKURA 9000N

N Nickel | Forged | Twisted

Nickel plated semi-forged hook, strong, medium shank, bent, anti-disgorging round bend, chemically sharpened reversed point and high resistance micro barb. Excellent for sea fishing.

	HOOK	XXX	PC
025-65-008	2/0	15	20
025-65-009	1/0	15	20
025-65-010	1	15	20



	HOOK	XXX	PC
025-65-020	2	15	20
025-65-040	4	15	20
025-65-060	6	15	20
025-65-080	8	15	20
025-65-100	10	15	20
025-65-120	12	15	20
025-65-140	14	15	20

AKURA 400BN

BN Black Nickel | Forged | Ringed | Twisted



Special safety round bend, chemically sharpened reversed point, semi-forged, high resistance barb. Suitable for carp, sheat, pike and sturgeon fishing.

	HOOK	XXX	PC
026-10-010	1	10	20
026-10-020	2	10	20
026-10-040	4	10	20
026-10-060	6	10	20

AKURA 500BN



BN Black Nickel | Forged | Ringed | Twisted

	HOOK	XXX	PC
026-20-007	3/0	10	20
026-20-008	2/0	10	20
026-20-009	1/0	10	20
026-20-010	1	10	20
026-20-020	2	10	20
026-20-040	4	10	20
026-20-060	6	10	20

Black nickel plated hook, eyed, high penetration, high resistance barb, anti-disgorging round bend, chemically sharpened reversed point. For carp, pike and cat fish.

AKURA 9000BN Also Snelled

Black nickel plated hook, semi-forged, reversed and chemically sharpened point, safety round bend, bent and semi-short shank, high resistance barb. Especially meant for carp fishing. Recommended baits: boilies, corn, paste, polenta, worms.

	HOOK	XXX	PC
025-40-007	3/0	15	20
025-40-008	2/0	15	20
025-40-009	1/0	15	20



BN Black Nickel | Forged

	HOOK	XXX	PC
025-40-010	1	15	20
025-40-020	2	15	20
025-40-040	4	15	20
025-40-060	6	15	20
025-40-080	8	15	20
025-40-100	10	15	20
025-40-120	12	15	20
025-40-140	14	15	20

AKURA 9684BN Also Snelled



BN Black Nickel | Forged | Ringed | Twisted

	HOOK	XXX	PC
026-34-020	2	15	20
026-34-040	4	15	20
026-34-060	6	15	20
026-34-080	8	15	20
026-34-100	10	15	20
026-34-120	12	15	20
026-34-140	14	15	20

Black nickel hook with semi-forged wire, chemically sharpened reversed needle point. Excellent for surfcasting and for light sea fishing at depth, in particular for sea bass and dorado.

REAL SIZE

AKURA 300BN

BK Black | Forged | Twisted



Black nickel plated hook, semi forged medium shank, special anti-disgorging round bend, chemically sharpened reversed point and high resistance barb. For fishing big carp, sturgeons and sheats. Recommended baits: worms, paste, boilies.

	HOOK	XXX	PC
025-80-010	1	10	20
025-80-020	2	10	20
025-80-040	4	10	20
025-80-060	6	10	20

AKURA 9400BR

BR Bronzed | Forged



Bronzed hook, long and straight shank, reversed and chemically sharpened point. Shank featuring two microbarbs allowing to tightly fasten large baits. Meant for eel fishing it is also recommended when fishing at sea.

	HOOK	XXX	PC
026-75-010	1	15	20
026-75-020	2	15	20
026-75-040	4	15	20
026-75-060	6	15	20
026-75-080	8	15	20

AKURA 600B

BK Black | Forged | Twisted



	HOOK	XXX	PC
026-50-000	10/0	15	20
026-50-002	8/0	15	20
026-50-004	6/0	15	20

Black nickel plated hook, forged, back turned eye, special anti-disgorging round bend, chemically sharpened high penetration point and high resistance barb. Exceptional for catfish, carp, pike and sea fishing as well.

MAGNETIC HOOK BOX

Double sided magnetic box . Each compartment has got a no magnetic inclined plane, allowing to take hooks out of the box easily. Supplied with two magnetic pencils.



	MODEL	XXX	PC
026-50-000	MAGNETIC HOOK BOX	1	5

AKURA TO NYLON

The Akura hooks are the bestselling hooks in the world, because their great quality and performances offered by the high carbon percentages and steel used in production. The points are chemically sharpened, hand tied with a Japanese monofilament of excellent quality, and checked by 5 different quality controls They are extremely reliable and offered at a great value for money.

SERIES ON CARD

CARASSIO 6000BN

BN Black Nickel | Regular | MicroBarb



150cm	HOOK	LINE Ø	XXX	PC
028-40-030	6	0,20	10	10
028-40-040	8	0,16	10	10
028-40-045	8	0,18	10	10
028-40-050	10	0,16	10	10
028-40-055	10	0,18	10	10
028-40-060	12	0,14	10	10

150cm	HOOK	LINE Ø	XXX	PC
028-40-065	12	0,16	10	10
028-40-070	14	0,12	10	10
028-40-075	14	0,14	10	10
028-40-080	16	0,12	10	10
028-40-085	16	0,1	10	10
028-40-090	18	0,10	10	10
028-40-100	20	0,10	10	10

CAVEDANO 6315N

N Nickel | Regular | MicroBarb



150cm	HOOK	LINE Ø	XXX	PC
028-50-030	8	0,16	10	10
028-50-035	8	0,18	10	10
028-50-040	10	0,14	10	10
028-50-045	10	0,16	10	10
028-50-050	12	0,14	10	10
028-50-055	12	0,16	10	10
028-50-060	14	0,12	10	10

150cm	HOOK	LINE Ø	XXX	PC
028-50-065	14	0,14	10	10
028-50-070	16	0,10	10	10
028-50-075	16	0,12	10	10
028-50-080	18	0,10	10	10
028-50-085	18	0,12	10	10
028-50-090	20	0,10	10	10
028-50-095	22	0,10	10	10

BREME 6000BN

BN Black Nickel | Regular | MicroBarb



150cm	HOOK	LINE Ø	XXX	PC
028-55-008	8	0,18	10	10
028-55-010	10	0,16	10	10

150cm	HOOK	LINE Ø	XXX	PC
028-55-012	12	0,14	10	10
028-55-014	14	0,12	10	10

CARP 9000BN

BN Black Nickel | Forged



150cm	HOOK	LINE Ø	XXX	PC
028-20-010	1/0	0,35	10	10
028-20-020	1	0,35	10	10
028-20-030	2	0,30	10	10

150cm	HOOK	LINE Ø	XXX	PC
028-20-040	4	0,25	10	10
028-20-050	6	0,25	10	10
028-20-060	8	0,20	10	10

MAIS 9100G

G Gold | Forged | Twisted



150cm	HOOK	LINE Ø	XXX	PC
028-30-010	1/0	0,30	10	10
028-30-015	1/0	0,35	10	10
028-30-020	1	0,30	10	10
028-30-025	1	0,35	10	10

150cm	HOOK	LINE Ø	XXX	PC
028-30-030	2	0,30	10	10
028-30-040	4	0,25	10	10
028-30-050	6	0,25	10	10
028-30-060	8	0,20	10	10

TROUT 200NY

N Nickel | Regular | MicroBarb



200cm	HOOK	LINE Ø	XXX	PC
028-10-010	2	0,20	10	10
028-10-015	2	0,22	10	10
028-10-020	3	0,18	10	10
028-10-025	3	0,20	10	10
028-10-030	4	0,18	10	10
028-10-035	4	0,20	10	10
028-10-040	5	0,18	10	10
028-10-045	5	0,20	10	10

200cm	HOOK	LINE Ø	XXX	PC
028-10-050	6	0,16	10	10
028-10-055	6	0,18	10	10
028-10-060	7	0,16	10	10
028-10-065	7	0,18	10	10
028-10-070	8	0,16	10	10
028-10-075	8	0,18	10	10
028-10-080	10	0,14	10	10
028-10-085	10	0,16	10	10

CEFALO 525N

N Nickel | Regular



70cm	HOOK	LINE Ø	XXX	PC
028-60-030	6	0,22	10	10
028-60-040	8	0,22	10	10

70cm	HOOK	LINE Ø	XXX	PC
028-60-050	10	0,20	10	10
028-60-060	12	0,18	10	10

SALTWATER SERIES ALLROUND SW 7535N

N Nickel | Forged | Twisted



150cm	HOOK	LINE Ø	XXX	PC
028-64-060	6	0,20	10	10
028-64-065	6	0,25	10	10
028-64-080	8	0,20	10	10
028-64-085	8	0,22	10	10
028-64-100	10	0,18	10	10

150cm	HOOK	LINE Ø	XXX	PC
028-64-105	10	0,20	10	10
028-64-120	12	0,16	10	10
028-64-125	12	0,18	10	10
028-64-140	14	0,14	10	10
028-64-145	14	0,16	10	10

SALTWATER SERIES BOLENTINO 145BN

BN Black Nickel | Regular | Ringed



150cm	HOOK	LINE Ø	XXX	PC
028-68-040	4	0,25	10	10
028-68-045	4	0,22	10	10
028-68-060	6	0,20	10	10
028-68-065	6	0,25	10	10

150cm	HOOK	LINE Ø	XXX	PC
028-68-080	8	0,18	10	10
028-68-085	8	0,20	10	10
028-68-100	10	0,18	10	10
028-68-105	10	0,20	10	10

SALTWATER SERIES ALLROUND SW 9684BN

BN Black Nickel | Forged | Ringed | Twisted



150cm	HOOK	LINE Ø	XXX	PC
028-66-060	6	0,20	10	10
028-66-065	6	0,25	10	10
028-66-080	8	0,20	10	10
028-66-085	8	0,22	10	10
028-66-100	10	0,18	10	10

150cm	HOOK	LINE Ø	XXX	PC
028-66-105	10	0,20	10	10
028-66-120	12	0,16	10	10
028-66-125	12	0,18	10	10
028-66-140	14	0,14	10	10
028-66-145	14	0,16	10	10

SALTWATER SERIES UNIVERSAL 7000N

N Nickel | Regular



70cm	HOOK	LINE Ø	XXX	PC
028-62-080	8	0,20	10	10
028-62-085	8	0,22	10	10
028-62-100	10	0,18	10	10
028-62-105	10	0,20	10	10
028-62-120	12	0,16	10	10

70cm	HOOK	LINE Ø	XXX	PC
028-62-125	12	0,18	10	10
028-62-140	14	0,14	10	10
028-62-145	14	0,16	10	10
028-62-160	16	0,12	10	10
028-62-165	16	0,14	10	10

AKURA SERIES ON BOOKLET

The extreme practicality of the booklet packages can distract attention from the main technical merit they offer, which is the absence of folds in the line. The Trabucco booklets, in fact, consist of 10 clear bags, each of which contains a single snelled hook, with the line wound in circular coils. The first hook of each booklet is locked in a window that allows it to be viewed from outside, thus helping the pattern identification. Each hooklink is complete with a loop for connection to main line.



BREME 6000BN

BN Black Nickel | Regular | MicroBarb



70cm	HOOK	LINE Ø	XXX	PC
027-25-060	6	0,20	10	10
027-25-080	8	0,18	10	10
027-25-100	10	0,16	10	10

70cm	HOOK	LINE Ø	XXX	PC
027-25-120	12	0,14	10	10
027-25-140	14	0,12	10	10
027-25-160	16	0,12	10	10

TROUT 200NY

N Nickel | Regular | MicroBarb



70cm	HOOK	LINE Ø	XXX	PC
027-05-020	2	0,25	10	10
027-05-040	4	0,25	10	10
027-05-060	6	0,20	10	10

70cm	HOOK	LINE Ø	XXX	PC
027-05-080	8	0,18	10	10
027-05-100	10	0,16	10	10
027-05-120	12	0,14	10	10

MAIS CARP 9100G

N Nickel | Regular | MicroBarb



70cm	HOOK	LINE Ø	XXX	PC
027-10-005	1/0	0,30	10	10
027-10-010	1	0,30	10	10
027-10-020	2	0,30	10	10

70cm	HOOK	LINE Ø	XXX	PC
027-10-040	4	0,25	10	10
027-10-060	6	0,25	10	10
027-10-080	8	0,20	10	10

CARP 9000BN

BN Black Nickel | Forged



70cm	HOOK	LINE Ø	XXX	PC
027-20-005	1/0	0,35	10	10
027-20-010	1	0,35	10	10
027-20-011	1	0,30	10	10
027-20-020	2	0,30	10	10

70cm	HOOK	LINE Ø	XXX	PC
027-20-040	4	0,25	10	10
027-20-060	6	0,25	10	10
027-20-080	8	0,20	10	10
027-20-100	10	0,18	10	10

ZANDER

N Nickel | Forged

70cm	HOOK	LINE Ø	XXX	PC
027-15-005	1/0	0,30	10	10
027-15-010	1	0,30	10	10

70cm	HOOK	LINE Ø	XXX	PC
027-15-020	2	0,30	10	10
027-15-040	4	0,25	10	10
027-15-060	6	0,25	10	10

PRE-TIED RIGS

Series of rigs ready to use, developed and tested by World Champion anglers. Seven versions for every kind of ground bottom and fish species, assembled with first quality accessories on a special semi-soft spool on which they can be easily rewound once used.

GREY MULLET SPECIAL

This 5 or 8 hooks rig has been designed and created for grey mullet fishing, but it has also proven attractive to many other species. It can be used in two different ways: 1) On the surface, baited with a piece of stale bread - 2) On the bottom, with a tangerine-sized ball of groundbait. For the latter application, Trabucco Team Master Mullet White groundbait is recommended.

150cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
027-54-020		02	0,40mm	0,30mm	1x5	10
027-54-040		04	0,35mm	0,30mm	1x5	10



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
027-56-020		02	0,40mm	0,35mm	1x8	10

SPECIAL STRIPED BREAM



140cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
027-60-040		04	0,35mm	0,30mm	1x3	10
027-60-080		08	0,35mm	0,30mm	1x3	10

This rig has been designed and created for striped bream fishing and for sandy bottom fishing. It is used while drifting, so that when the line is cast the rig lays out perfectly. The weight is attached to the swivel with a spring catch and the tip works with two hooks under the sinker and one above. Suitable for use on all sandy or muddy bottoms to catch striped bream, sea bream and gurnard.

150cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
027-62-020		02	0,35mm	0,30mm	1x3	10
027-62-040		04	0,35mm	0,30mm	1x3	10
027-62-060		06	0,35mm	0,30mm	1x3	10

BAIT HOLDER

Hooks hand-tied with high quality monofilament. Ready to use with 20 cm leader and ready-made buttonhole for quick substitution. Ideal for deep sea fishing and surf casting.

20cm		HOOK	LINE Ø	XXX	PC
027-80-008		2/0	0,50	6	10
027-80-009		1/0	0,50	6	10
027-80-010		1	0,40	6	10
027-80-020		2	0,40	6	10
027-80-040		4	0,40	6	10

ABERDEEN



Hooks hand-tied with high quality monofilament. Ready to use with 20 cm leader and ready-made loop for easy substitution. Ideal for deep sea-fishing and surf casting.

20cm		HOOK	LINE Ø	XXX	PC
027-82-009		1/0	0,50	6	10
027-82-010		1	0,40	6	10
027-82-020		2	0,40	6	10
027-82-040		4	0,40	6	10
027-82-060		6	0,35	10	10
027-82-080		8	0,35	6	10
027-82-100		10	0,30	6	10

SABIKI

Trabucco Sabiki rigs are the best way to fish from the boat for small pelagic predators such as mackerel and scad. The chemically sharpened carbon hooks are equipped with feathers, fluorescent beads and fish skin. We suggest to use our rigs with a weight proportioned to the stream of the water. A too heavy lead will make your fishing not really good. Your Sabiki must always fluctuate in the stream.



210cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-020	8 054393 073808	6	0,37mm	0,33mm	1x6	10
183-20-030	8 054393 073815	8	0,33mm	0,28mm	1x6	10
183-20-040	8 054393 073822	10	0,33mm	0,28mm	1x6	10
183-20-050	8 054393 073839	12	0,28mm	0,23mm	1x6	10



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-410	8 054393 073990	06	0,37mm	0,33mm	1x6	20
183-20-420	8 054393 074003	08	0,33mm	0,28mm	1x6	20
183-20-430	8 054393 074010	10	0,33mm	0,28mm	1x6	20
183-20-440	8 054393 074027	12	0,28mm	0,23mm	1x6	20



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-110	8 054393 073846	04	0,37mm	0,33mm	1x6	20
183-20-120	8 054393 073853	06	0,37mm	0,33mm	1x6	20
183-20-130	8 054393 073860	08	0,33mm	0,28mm	1x6	20
183-20-140	8 054393 073877	10	0,33mm	0,28mm	1x6	20
183-20-150	8 054393 073884	12	0,28mm	0,23mm	1x6	20



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-510	8 054393 074034	02	0,43 mm	0,38 mm	1x6	20
183-20-520	8 054393 074041	04	0,37 mm	0,33 mm	1x6	20
183-20-530	8 054393 074058	06	0,33 mm	0,28 mm	1x6	20
183-20-540	8 054393 074065	08	0,33 mm	0,28 mm	1x6	20



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-310	8 054393 073945	04	0,37mm	0,33mm	1x6	20
183-20-320	8 054393 073952	06	0,37mm	0,33mm	1x6	20
183-20-330	8 054393 073969	08	0,28mm	0,23mm	1x6	20
183-20-340	8 054393 073976	10	0,28mm	0,23mm	1x6	20
183-20-350	8 054393 073983	12	0,28mm	0,23mm	1x6	20



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-210	8 054393 073891	04	0,37mm	0,33mm	1x6	20
183-20-220	8 054393 073907	06	0,37mm	0,33mm	1x6	20
183-20-230	8 054393 073914	08	0,28mm	0,23mm	1x6	20
183-20-240	8 054393 073921	10	0,28mm	0,23mm	1x6	20
183-20-250	8 054393 073938	12	0,28mm	0,23mm	1x6	20



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-610	8 054393 074072	02	0,43 mm	0,38 mm	1x6	20
183-20-620	8 054393 074089	04	0,37 mm	0,33 mm	1x6	20
183-20-630	8 054393 074096	06	0,33 mm	0,28 mm	1x6	20
183-20-640	8 054393 074102	08	0,33 mm	0,28 mm	1x6	20

NEW



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-710	8 054393 170293	02	0,43 mm	0,38 mm	1x6	20
183-20-720	8 054393 170309	04	0,37 mm	0,33 mm	1x6	20
183-20-730	8 054393 170316	06	0,33 mm	0,28 mm	1x6	20
183-20-740	8 054393 170323	08	0,33 mm	0,28 mm	1x6	20

NEW



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-810	8 054393 170330	02	0,43 mm	0,38 mm	1x6	20
183-20-820	8 054393 170347	04	0,37 mm	0,33 mm	1x6	20
183-20-830	8 054393 170354	06	0,37 mm	0,33 mm	1x6	20
183-20-840	8 054393 170361	08	0,33 mm	0,28 mm	1x6	20

NEW



180cm		HOOK	LINE Ø	ARM LINE Ø	XXX	PC
183-20-910	8 054393 170378	02	0,43 mm	0,38 mm	1x6	20
183-20-920	8 054393 170385	04	0,37 mm	0,33 mm	1x6	20
183-20-930	8 054393 170392	06	0,37 mm	0,33 mm	1x6	20
183-20-940	8 054393 170408	08	0,33 mm	0,28 mm	1x6	20

FLOATS

The float's section of the catalog is an excellent demonstration of how much the Trabucco offer can range in the world of sport fishing. Together with the groundbaits, floats have been the first products to bring the Trabucco brand on the competition field, making it known and appreciated everywhere. A great communication vehicle, therefore, but also a fundamental accessory, always evolving with the evolution of the sport. In these pages hyper-technological models designed for competition live together with series for amateur fishing, both in freshwater and in the sea. Particularly wide is the range of the models prepared to accept the luminous antennas, indispensable both in the sea as in the night competitions in the commercial lakes. Wagglers are equally perfect, with the modern interchangeable antennas that are so necessary for bream fishing.

MADE IN ITALY

MATCH PRO & BOLO RHC 285

GNT SERIES 286

FLAT FLOATS 289

CARP MATCH RHC 290

NT RHC 291

MATCH FLOATS 292

SUPREME RHC 294

SALTWATER FLOATS 296

WAGGLERS 300

ICONS LIST

MODEL Model | Antenna | Stem | Sizes Available | Box content | PC Trade box

MATCH PRO RHC & PRO BLS RHC

After the huge success achieved by RHC floats in all their shapes and variations, inevitably we liked to offer the same great advantages to pole and bolognese anglers. The ultralight yet unbreakable bodies, providing 100% waterproofness even in absence of any coating, are the only ones in the float's world to offer absolute shotting capacity consistency, from the first piece to the millionth one. Just wonderful!

Innovative aerospace derivation material, used for the construction of their bodies. A rigid foam of PMI (polymethacrylimide) with exceptional structural and mechanical properties, able to offer maximum mass precision and stability in all conditions. The very low density equal to 52 Kg/m³ is about 40% lower than that of the common balsa wood used to produce the floats and a good 50% compared to other synthetic polymers, more commonly defined as polyurethane (PU). Although extremely light, it offers exceptional mechanical performance, with a compression strength of 130 psi. The extremely consistent structure, featuring sealed cells, therefore waterproof, also offers a very low thermal expansion coefficient, useful for obtaining very precise bodies during production processing. This allowed us to obtain more sensitive, precise and resistant floats at the same time!

NEW MATCH PRO RHC 1

With an evergreen silhouette in the panorama of competition floats, it takes advantage from RHC material to rise to unmatchable quality levels with balsa wood. Suitable for deep or running water's fishing, it offers a solid plastic antenna with 1 mm diameter and a carbon stem.

Code	Size
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00
250	2.50
300	3.00

INLINE

Cod. 001-27-910/...

SOLID PLASTIC / CARBON

NEW MATCH PRO RHC 2

Perfect for still waters and wonderful for a controlled run in slow moving waters, this slim pear shaped float can find a place in any good angler's seatbox. The 1 mm solid plastic antenna is fine enough for those canal shy bites, but as well visible in case of rough surface. Superlight carbon stem.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50

INLINE

Cod. 001-27-920/...

SOLID PLASTIC / CARBON

NEW MATCH PRO RHC 3

Perfect for still waters and wonderful for a controlled run in slow moving waters, this slim pear shaped float can find a place in any good angler's seatbox. The 1.2 mm hollow plastic antenna is fine enough for those canal shy bites, but as well visible in case of rough surface. Superlight carbon stem.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00

INLINE

Cod. 001-27-930/...

HOLLOW PLASTIC / CARBON

NEW PRO BLS RHC 1

Developed to offer the bolo specialists all merits of RHC material, this series is based on the classic reversed pear shape, which in running waters enables to continuously hold and release the rig during its travel downstream.

Code	Size
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00
250	2.50
300	3.00
400	4.00
500	5.00
600	6.00

INLINE

Cod. 001-27-991/...

HOLLOW PLASTIC / CARBON

NEW PRO BLS RHC 2

Another "must have" for any Bolognese expert, it helps to face most water's speeds and enables a good control even at long range. The wide choice of sizes makes it good also for high depths. Long hi-viz antenna and carbon stem.

Code	Size
020	2.00
025	2.50
030	3.00
040	4.00
050	5.00
060	6.00
080	8.00
100	10.00

INLINE

Cod. 001-27-992/...

HOLLOW PLASTIC / CARBON

GNT POKER

It was born for bottom fishing of bream and carassios, even in winter on the commercial waters. The long antenna, to be partially sunk, is the continuation of the carbon stem, while the black colour makes it perfect for open spaces, where the visual background is generally gray.

Code	Size
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00

Cod. 001-24-310/…

CARBON	
WIRE	

GNT WIND

Stable thanks to the wire stem, precise and sensitive with the long and fine fiberglass antenna, it is perfect for canal pole fishing. The teardrop shape eases the execution of recalls and holds in running waters without losing the operability.

Code	Size
030	4x14
050	4x16
070	4x18
100	1,00
150	1,50
200	2,00
250	2,50
300	3,00

Cod. 001-24-220/...

FIBREGLASS	
WIRE	

GNT PULSE

Special model featuring amazing lightness and sensitivity, unbeatable in the off bottom fishing or in all occasions of lifting bites, typical of any size bream and roach. The super thin fiberglass antenna makes even the most delicate indications visible.

Code	Size
030	4x14
050	4x16
070	4x18
100	1,00
150	1,50
200	2,00

Cod. 001-24-230/...

FIBREGLASS	
CARBON	

NEW GNT 4

A classic stillwater flask, with fibreglass antenna for an extraordinary sensitivity. The total length says that it has been designed for medium-high depth fishing, where it can perfectly face any wind if the body is well submerged.

Code	Size
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00

Cod. 001-23-040/...

FIBREGLASS	
CARBON	

GNT SLIM

The cylindrical balsa body orients it to stillwater fishing, either in canal or in commercial circuit, while the conical collar highlights any lift bites, which frequently occur when fishing the margins. The light carbon stem increases its sensitivity.

Code	Size
020	0.20
030	0.30
040	0.40
060	0.60
080	0.80
100	1.00

Cod. 001-24-190/...

PLASTIC	
CARBON	

GNT CANAL

The slim teardrop shaped body, with low centre, suggests that it's destined to still or slow moving waters, even if shaken by wind. The smaller sizes are perfect for shallow fishing, or for scratching the canal's margin in those tough days.

Code	Size
030	0,30
050	0,50
075	0,75
100	1,00
150	1,50
200	2,00

Cod. 001-24-250/...

PLASTIC	
CARBON	

GNT FIRE

In the lakes and canals, its slim teardrop body and the remarkable stem's length produce a certain stability, while the slim antenna makes it perfect when the conditions dictate to catch mix sized silver fish, with tiny hooks and very small bait.

Code	Size
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00

Cod. 001-24-240/...

FIBREGLASS	
WIRE	

TEAM ITALY 13

Competition float that can stand different water speed conditions and wind. The glass fibre tip allows the use of light baits, such as bloodworms or caster, fitted with a long carbon stem for stability. Particularly suited to bream or roach fishing, in big lakes where it's often towing.

Code	Size
030	4x14
050	4x16
075	4x18
100	1.00
150	1.50
200	2.00

Cod. 001-20-230/...

FIBREGLASS	
CARBON	

GNT RED

Designed for difficult fishing in running waters, it displays great stability thanks to the long stainless steel stem. The short neck and wide shoulders allow to drive and stop it very well, while the solid plastic antenna has a slimmer diameter than usual for a great sensitivity.

Code	Size
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00
250	2.50
300	3.00

INLINE

Cod. 001-24-160/...

PLASTIC	
WIRE	

GNT YELLOW

It has been designed with a compact body to face running waters, but the light sizes and the carbon stem address it to medium slow speeds, where it can be trotted without check for some metres to foul the shiest fish. Very slim antenna and inline option.

Code	Size
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00
250	2.50
300	3.00

INLINE

Cod. 001-24-150/...

PLASTIC	
CARBON	

SUPREME 10

High tech inline competition float. It can be used at best both in fast flowing stream and in still water in windy days. Featuring plastic tip and carbon stem.

Code	Size
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00
250	2.50
300	3.00
400	4.00
500	5.00
600	6.00
800	8.00

INLINE

Cod. 001-26-100/...

PLASTIC	
CARBON	

SUPREME 11

High tech competition float. It can be used at best both in fast flowing stream and in still water in windy days. Featuring plastic antenna and carbon stem.

Code	Size
003	0.30
005	0.50
007	0.75
010	1.00
015	1.50
020	2.00
025	2.50
030	3.00
040	4.00
050	5.00
060	6.00
080	8.00
100	10.00

Cod. 001-26-110/...

PLASTIC	
CARBON	

GNT BLACK

Classic drop-shaped body, ideal for the telescopic whip and the pole in a wide range of conditions. Excellent visibility thanks to the repainted solid plastic antenna; inner line tube and long carbon stem for a perfect control in slow or medium fast running waters.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00
300	3.00
400	4.00
500	5.00
600	6.00
800	8.00

INLINE

Cod. 001-24-120/...

PLASTIC	
CARBON	

R - INOX

Universal purpose float. Ideal in still and fast running waters. Excellent resistance to wind thanks to its perfect stability. With plastic fluo antenna and stainless steel long stem. Sizes from 0,50 up to 20,00 grams.

Code	Size
005	0.50
007	0.75
010	1.00
015	1.50
020	2.00
025	2.50
030	3.00
040	4.00
050	5.00

Cod. 001-08-020/...

PLASTIC	
WIRE	

R - CARBON

This is certainly one of the most used float patterns in several competitions both on lakes or in running water. Works perfectly in windy conditions. Made with carbon stem and a high visibility plastic antenna.

Code	Size
005	0.50
007	0.75
010	1.00
015	1.50
020	2.00
025	2.50
030	3.00
040	4.00
050	5.00
060	6.00
080	8.00

Cod. 001-08-010/...

PLASTIC	
CARBON	

GNT 2

Great stability and perfect behaviour in fast current, thanks to the very compact body shape. Specifications which make it a winner in the fast flowing canals and in the rivers, where it can easily face any conditions with its wide range of sizes.

Code	Size
003	0.30
005	0.50
007	0.75
010	1.00
015	1.50
020	2.00
025	2.50
030	3.00
040	4.00
050	5.00
060	6.00
080	8.00
100	10.00

Cod. 001-23-020/...

PLASTIC	
WIRE	

GNT RIVER

Perfect for the extreme checks on fast running waters, in small sizes it is ideal for bream fishing, which requires total stability of the hookbait on the feeding area. This is why it features a long wire stem, a relatively low center of gravity and the inline option.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00
300	3.00
400	4.00
500	5.00
600	6.00
800	8.00

INLINE

Cod. 001-24-130/...

PLASTIC	
WIRE	

SUPREME PISA

Series designed by the Team Ravanelli champions to compete in Pisa (river Arno) and everywhere you need an heavy duty float. In line model with plastic tip and carbon stem.

Code	Size
0/020	2.00
0/030	3.00
0/040	4.00
0/050	5.00
0/060	6.00
0/080	8.00
0/100	10.00
1/120	12.00
1/150	15.00

INLINE

Cod. 001-26-31...

PLASTIC	
FIBREGLASS	

GNT 7

A fantastic egg shape which doesn't fear any difficult conditions and "does the job by itself", as it doesn't require that much control to be consistently efficient. On top of that, when the fish needs to be stimulated by gentle side traction, the float allows it very well.

Code	Size
010	4x10
020	4x12
030	4x14
050	4x16
070	4x18
100	1.00

Cod. 001-23-070/...

PLASTIC
CARBON

GNT LACK

Ultralight pole model, designed to build up superfine rigs with microscopic lead shots, destined to catch difficult fish when the food competition is very low. The carbon stem slows purposely down the cocking time to detect bites on the drop.

Code	Size
008	4x8
010	4x10
020	4x12
030	4x14
050	4x16

Cod. 001-24-290/...

PLASTIC
CARBON

GNT UP

In all waters running at medium or fast speed, it easily handles the bait presentation in the superficial layer as well as in mid depth, deceiving chub, roach, carassios and any other fish that responds to the regularly loosefed maggots.

Code	Size
010	4x10
020	4x12
030	4x14
050	4x16
075	4x18
100	1.00

Cod. 001-24-260/...

PLASTIC
CARBON

SUPREME 7

Float made to be used with bolognese or even better the long pole in running water. On the lighter sizes is used from competition angler when fishing on the surface or at mid depth.

Code	Size
020	4x12
030	4x14
050	4x16
075	4x18
100	1.00
150	1.50
200	2.00
250	2.50
300	3.00

Cod. 001-26-070/...

PLASTIC
CARBON

GNT SUPREME GOLD

It is perfect for difficult winter fishing, often requiring to cast the rig beyond the pole top section's limit to reach the shy fish, but also excels in the slow running canals thanks to the reversed pear shape of its body. Solid antenna and in-line option.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00
250	2.50
300	3.00

Cod. 001-26-390/...

PLASTIC
FIBREGLASS

GNT ROACH

Designed for Skimmer and Roach canal fishing, with Bloodworm as hookbait, has an ultra-sensitive fiberglass antenna to be shotted down to the limit. Great stability thanks to the wire stem. Perfect for the cold season in the commercial lakes.

Code	Size
020	0.20
030	0.30
040	0.40
060	0.60
080	0.80
100	1.00

Cod. 001-24-170/...

FIBREGLASS
WIRE

GNT BLEAK

Specific for bleak fishing and for margin scratch when small fish are the day's target, it features a thin fibreglass antenna, which enhances the sensitivity. Low center of gravity and wire stem provide the necessary stability, specially in windy conditions.

Code	Size
010	4x10
020	4x12
030	4x14
050	4x16
070	4x18
100	1.00

Cod. 001-24-090/...

FIBREGLASS
WIRE

GNT SPEED

Stable and sensitive, it cocks very quickly due to its fairly short overall length. The elongated drop shaped body offers great sensitivity, even in case of lift bites, while the weight of the steel stem counteracts the surface movements of the water.

Code	Size
010	4x10
020	4x12
030	4x14
050	4x16
075	4x18
100	1.00

Cod. 001-24-300/...

PLASTIC
WIRE

T2

Classic "Tesse" shaped float, suitable for all the fishing situations both in rivers and in the lake due to its high water penetration. Ideal for bleak fishing. Short plastic antenna and stainless steel stems.

Code	Size
010	4x10
020	4x12
030	4x14
050	4x16
070	4x18
100	1.00
150	1.50

Cod. 001-28-030/...

PLASTIC
WIRE

C1

Balsa elongated shape float with collar, plastic antenna and short stainless steel stem. It's the best choice for bleak fishing and small fish in general.

Code	Size
020	4x12
030	4x14
050	4x16
070	4x18
100	1.00
125	1.25
150	1.50

Cod. 001-28-010/...

PLASTIC
WIRE

I2

Quill classic float for lake and medium running waters with extraordinary sensitivity. Plastic antenna and short stainless steel complete the equipment of this float.

Code	Size
030	4x14
050	4x16
070	4x18
100	1.00
150	1.50

Cod. 001-28-020/...

PLASTIC
WIRE

FLAT FLOATS

With the Bream population growing fast in Italy, more and more the match fishing scenario requires a very accurate presentation of the hookbait on the feeding area, in most cases completely still, but, sometimes, even under a controlled run. No other float – better than a flat model – allows to face the most complicated situations, specially when the running waters are affected by wind or waves. From half a gram to fifty grams, the several Trabucco solutions won't let you down in any fishing and weather condition!



NEW SPADE-X CARBON

Born to catch difficult fish in slow running waters, or even still waters affected by wind tow , this model features a superlight combination of synthetic body and carbon stem, which allowed to keep volumes to the minimum.

Code	Size
005	0.50
007	0.75
010	1.00
015	1.50
020	2.00
025	2.50
035	3.00
040	4.00
060	6.00
080	8.00

Cod. 110-50-035/…

SOLID	PLASTIC
	CARBON

GNT FLASH SAIL

Designed for medium-slow waters, it's perfect for a controlled run. Its body is made from a special synthetic material that makes it indestructible, while the carbon peg connecting to the line is angled by 45% and long enough to lower the centre of gravity, thus increasing stability.



Code	Size
040	4.00
060	6.00
080	8.00
100	10.00
120	12.00
150	15.00
200	20.00
250	25.00
300	30.00

Cod. 110-60-060/…

FIBREGLASS	
WIRE	

ORACLE

Brand new float made with balsa body, stainless steel inox stem and high visibility antenna. Ideal for slowing down the bait in medium strong flows.



Code	Size
005	0.50
007	0.75
010	1.00
015	1.50
020	2.00
030	3.00
040	4.00
060	6.00
080	8.00
100	10.00

Cod. 110-50-020/...

PLASTIC	
WIRE	

GNT CRUISE

Flat float designed to tackle the canals where wind and waves can affect the fishing action. Shotting the antenna down, it's possible to achieve a lower centre of gravity. The antenna is not glued to allow its replacement according to conditions.

Code	Size
005	0.50
007	0.75
010	1.00
015	1.50
020	2.00
025	2.50
030	3.00
040	4.00
060	6.00
080	8.00
100	10.00
120	12.00
150	15.00
200	20.00

Cod. 001-24-180/...

FIBREGLASS	
WIRE	

SPINNAKER

Lollypop float, with a perfect round shape and edges, in order to allow a perfect hold in any kind of stream. This specific shape allows the angler to keep the float steady, no matter how strong the flow.

Code	Size
003	0.30
005	0.50
007	0.75
010	1.00
015	1.50
020	2.00
030	3.00
040	4.00
060	6.00
080	8.00
100	10.00
120	12.00
150	15.00
200	20.00
250	25.00
300	30.00
400	40.00

Cod. 110-50-010/...

PLASTIC	
WIRE	

SUPREME SAIL XT

The slimmest flat float in the world performs brilliantly thanks to its narrow profile, which gets the minimum pressure from the water when it's hold dead still. Beyond the slimness, the body perimeter is well sharpened to let water run smoothly along its sides. The result is a very stable, vibration free float which enables to use a 20-30% lighter rig compared to traditional flat floats

Code	Size
010	1.00
015	1.50
020	2.00
030	3.00
040	4.00
060	6.00
080	8.00
100	10.00
120	12.00
150	15.00
200	20.00

Cod. 110-50-050/...

PLASTIC	
WIRE	

CARP MATCH RHC

Innovative float range that comes as a consequence of the huge success achieved by Supreme RHC models, exploiting the same material for the bodies but assuming its own identity. As a matter of fact, it is reductive to inscribe these floats to the role of commercial accessories, because the precision of the construction details and the extreme consistency of the shotting capacity place them on a higher step, fully investing the segment of silver fish competition circuit. The proposal of different antenna's diameters offers many employment's opportunities, which the most experienced anglers know how to optimize, while the solutions with Titanium alloy stem, protected from oxidation by Nickel, represent the top of the entire collection.

In line with the eye, the body of the float is crossed by a groove. The line runs naturally along the throat of the groove, and so cannot cut the body when the tension is at its maximum. This solution is very light, because it does not include a protective tube, and eases the manual movements of the float up and down, in search of the perfect fishing depth.

TRABUCCO
FORM & PERFORMANCE

The bodies of Supreme Carp RHC pole floats are made thanks to an innovative aero¬space derivation material, able to offer maximum homogeneity, total intrinsic impermeability, very low density (up to 50% lower than the commonly used materials) and excellent structural resistance properties.

The eye is made from burnished steel wire, with fine diameter so as not to add excessive weight. It is created by winding around the base of the antenna. This solution is appreciated by the experts of the commercial fishing, because it prevents the line from breaking the antenna in the instant of the strike.



No compromises in the construction: in addition to the best materials have been adopted solutions that can guarantee maxi¬mum resistance. In fact, the stems are inserted into the antennas, to avoid that even during extreme pulls and stresses the body can be damaged.

FIBREGLASS

In the commercial scenario, the fiberglass stem get unconditioned trust, which comes from decades of total reliability. It resists extreme bending and stress, while its weight adds stability to the float, counteracting the action of the wind. But the most attentive eyes will recognize in this range the classic shapes to be used on the whip or bolognese style for pleasure fishing in rivers and canals, while the suitability of all models even to fishing at sea is beyond any doubt.

CARP MATCH RHC 1

Specific model for margin fishing. Its hollow plastic antenna has a diameter of 2 mm, which allows it to support heavier hookbaits, such as corn, pellets and paste. Despite the pronounced belly, it does not suffer from line's tension because it is housed in the dedicated groove.

Code	Size
010	0.10
020	0.20
030	0.30
040	0.40
050	0.50

Cod. 001-27-700/...

HOLLOW PLASTIC
FIBREGLASS

CARP MATCH RHC 2

It's the classic pear drop with a low centre of gravity, always stable in the movements of rise and fall, much trusted in case of wind and constantly reliable in all situations. A 1,8 mm diameter hollow plastic antenna and range of weights also copes with top water fishing.

Code	Size
010	0.10
020	0.20
030	0.30
040	0.40
050	0.50

Cod. 001-27-710/...

HOLLOW PLASTIC
FIBREGLASS

CARP MATCH RHC 3

The very compact body, almost spherical, gives it great stability in difficult fishing, because the extreme down shotting of the antenna makes it work a few centimetres under the water's surface. The hollow antenna has a diameter of 1,8 millimetres and is the longest in the range.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00

Cod. 001-27-720/...

HOLLOW PLASTIC
FIBREGLASS

CARP MATCH RHC 4

Due to its fairly long antenna, having a relatively thin diameter (1,5 mm), and to the shape of the elongated drip body, it is proposed as an ideal float for cold season fishing, specially at full pole length, when the maggots are key bait for silver fish catches.

Code	Size
010	0.10
020	0.20
030	0.30
040	0.40
050	0.50
075	0.75
100	1.00

Cod. 001-27-730/...

HOLLOW PLASTIC
FIBREGLASS

CARP MATCH RHC 5

Floating offering great sensitivity to the slightest movements of the bait, including the lateral ones, which comes mainly from the cylindrical profile of its body. The conical collar makes visible even the slightest lift of the thin hollow antenna of 1,5 millimetres.

Code	Size
010	0.10
020	0.20
030	0.30
040	0.40
050	0.50

Cod. 001-27-740/...

HOLLOW PLASTIC
FIBREGLASS

CARP MATCH RHC 6

Another must-have classic, with 1,5 millimetres diameter hollow plastic antenna and an upside-down pear shape that offers the opportunity to bring important fish to the net, allowing to perform nice side invitations without losing the set up.

Code	Size
010	0.10
020	0.20
030	0.30
040	0.40
050	0.50

Cod. 001-27-750/...

HOLLOW PLASTIC
FIBREGLASS

NT (TITANIUM ALLOY)

The Titanium and Nickel alloy is an innovative metallic material, offering an extraordinary combination of lightness and resistance to stress, as well as indifference to corrosion. And it is thanks to the limited specific gravity of Titanium and the fineness of the stem that these floats guarantee an exceptional sensitivity. The letters NT and the grey colour of the bodies facilitate the immediate identification of these exclusive floats, which have been developed for the commercial but are equally at home in the canal fishing.

CARP MATCH NT RHC 1

Float designed with a unique shape within the RHC range, featuring a symmetrical double taper profile that makes it gently cock and just as gently signal positive bites, as well as lift ones. The 1,5 mm hollow antenna is perfectly balanced by the relatively long stem.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
075	0.75

Cod. 001-27-800/...

HOLLOW PLASTIC
TITANIUM ALLOY

CARP MATCH NT RHC 2

Long-line pole fishing, vital in winter in commercial lakes but also in the open match circuit, requires floats that can "fish by themselves", because pole control does not exist. This wide-shouldered model with 1,5 mm hollow plastic antenna is just perfect for that.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00

Cod. 001-27-810/...

HOLLOW PLASTIC
TITANIUM ALLOY

NEW CARP MATCH NT RHC 3

Extremely compact body float, which quickly cocks and consequently proposes it as an ideal solution for very shallow or margin fishing. The rig's line cannot damage it, because it runs through the appropriate groove; the hollow plastic antenna has a diameter of 1 mm.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00

Cod. 001-27-820/...

HOLLOW PLASTIC
TITANIUM ALLOY

NEW CARP MATCH NT RHC 4

It is an evolution of the light blue Carp Match RHC4, from which it differs due to the hyper-technological stem made from Titanium alloy, which gives it a super lightness to even face delicate canal fishing. Hollow plastic antenna of 1,5 mm.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00

Cod. 001-27-830/...

HOLLOW PLASTIC
TITANIUM ALLOY

GNT STILL

Designed for stillwater's difficult fishing on the bottom. Its interchangeable antenna, made of a carbon stem and a short hollow hi-viz plastic segment, must be shotted to the limit to promptly respond the slightest tentative of bite by any shy fish.

Code	Size
020	0.20
030	0.30
050	0.50
070	0.70
100	1.00
150	1.50

Cod. 001-24-200/...

FIBREGLASS
CARBON

GNT SENSE

Designed for the toughest commercial winter fishing, or for the tricky presentation "on the slow drop" that fouls bream, roach and carassios during the regular season. The interchangeable antenna is built from a carbon stem and high visibility hollow tip.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00

Cod. 001-24-210/...

INTERCHANGEABLE PLASTIC
CARBON

GNT DOUBLE

Classic slim body and long stem, with two interchangeable antennas to give it a double life: in the tough winter commercial lake fishing or to perform the delicate presentation that tricks bream and all the other silver fish during the regular season.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50
200	2.00
300	3.00

Cod. 001-24-080/...

INTERCHANGEABLE PLASTIC
CARBON

TORNADO

Float extremely robust for use in still water or slightly currents. Great in all seasons with corn and pellet. Equipped with fiber stem and hollow plastic antenna, which increases their visibility with the sunlight.

Code	Size
020	4x12
030	4x14
050	4x16
070	4x18
100	1.00
150	1.50

Cod. 001-25-160/...

HOLLOW CARBON
CARBON

SUPREME 3

Long tear drop shape perfect for still water and canal, lake and carp fisheries. Carbon stem and high visibility hollow antenna size 1,2 and 1,5 mm.

Code	Size
150	1.50
200	2.00
250	2.50
300	3.00

Cod. 001-26-030/...

HOLLOW PLASTIC
CARBON

SUPREME 4

Olive shape body very stable, perfect for still water and canal, lake and carp fisheries. Carbon stem and hollow tubular antenna size 1,2 and 1,5 mm.

Code	Size
030	4x14
050	4x16
075	4x18
100	1.00
150	1.50
250	2.50
300	3.00

Cod. 001-26-040/...

HOLLOW PLASTIC
CARBON

SUPREME 5

Very stable float perfect for fishing in running water or in windy conditions. Fitted with carbon stem and hollow tubular antenna size 1,2 and 1,5 mm.

Code	Size
030	4x14
050	4x16
075	4x18
100	1.00
150	1.50
200	2.00
250	2.50
300	3.00

Cod. 001-26-050/...

HOLLOW PLASTIC
CARBON

SUPREME LAKE

Its universal shape has always been popular both in fresh and saltwater, and now is updated by the Inline concept. The line gets into the metal eye, then through the body, thanks to the fine rubber tube. In such way, the float survives extreme traction.

Code	Size
020	4x12
030	4x14
050	4x16
070	4x18
100	1.00
200	2.00

INLINE

Cod. 001-26-350/...

PLASTIC
CARBON

GNT CARP

It does the best when main requirements are extreme strength, high visibility and hollow antenna. The inline system protects the mainline in case of extreme stress, not only in the commercial lakes, but everywhere you can meet carp, clarius, barbel and mullet.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50

INLINE

Cod. 001-24-070/...

HOLLOW PLASTIC
CARBON

CARP BLUE HT

A new generation of unbreakable pole floats, mainly destined to commercial lakes (carpodrome) as they can bear extreme pressure as well as any accidental shock. Their body is made from EVA (Ethilene Vinyl Acetate), an artificial material with a sponge-like structure which line can't cut. Having no metal eye, the rig line is completely straight, thus free from any damage.

HT1

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
075	0.75

Cod. 001-27-100/...

HOLLOW PLASTIC
FIBREGLASS

HT2

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00

Cod. 001-27-200/...

HOLLOW PLASTIC
FIBREGLASS

HT3

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
075	0.75

Cod. 001-27-300/...

HOLLOW PLASTIC
FIBREGLASS

NEW JIGGER

Compact, loaded sliding float destined to catch Carp with the pole, through a vertical sequence of lifts and drops that attracts their attention within the column of loosefeed. Perfect for margin or shallow fishing, it is totally tangle free. Within the rig, it is locked on top by a silicone stopper, and sits on the first shot or bulk shot.

Code	Size
020	S / 0.20
030	M / 0.30
040	L / 0.40

Cod. 001-21-050/...

LUCIFER YELLOW

Designed for summer commercial fishing, both in the margin and at mid depth, it has a balsa body with an elongated teardrop profile for great sensitivity. Maximum strength, thanks to the spiral ring rightly fixed at the antenna's bottom.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00

Cod. 001-21-040/...

HOLLOW PLASTIC
FIBREGLASS

LUCIFER GREEN

It has been developed for commercial pole fishing, but is equally valid in slow running canals or rivers, maybe using the telescopic whip or a light bolognese. The balsa body resists extreme tractions, thanks to the cooperation of the spiral ring.

Code	Size
030	0.30
050	0.50
075	0.75
100	1.00
150	1.50

Cod. 001-21-020/...

HOLLOW PLASTIC
FIBREGLASS

LUCIFER BLUE

Made from balsa, it's equipped with a short fiberglass stem that crosses the whole body to get into the painted hollow plastic antenna, offering excellent visibility and high stability even with heavy hookbaits like corn, worms, pellets or paste.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
075	0.75

Cod. 001-21-010/...

HOLLOW PLASTIC
FIBREGLASS

ATOMIC

Float with fibre stem featuring starlight holding tube for antenna of 2.2 mm. Tapered body towards the antenna. Ideal for fishing in calm waters or under windy conditions.

Code	Size
020	0.20
030	0.30
050	0.50
075	0.75
100	1.00

Cod. 001-25-610/...

SMALL 2.2 mm
FIBREGLASS

SENSOR

Great allrounder for stillwaters, fisheries both for fishing shallow or in the margins with big baits. Round shaped, in-line construction, glass stem and provided with a starlight fitting for 3.0mm antenna.

Code	Size
030	0.30
050	0.50
100	1.00

Cod. 001-25-590/...

MEDIUM 3.0 mm
FIBREGLASS

SUPREME RHC FLOATS

TRABUCCO
FORM & PERFORMANCE



A new generation of indestructible floats makes its way into a mature sector, where innovations are difficult to conceive and implement. It is not necessary to bend one of these floats, as we have done in the picture here aside, to understand its advantages: just bring one to fishing to verify that there is no mistreatment that could undermine its integrity. Born for pole fishing, they are anyway perfect for the telescopic whip and also for the bolognese; wherever high tension fighting is expected, the Supreme RHC will have fun and will make you funny as well!

Beyond the strength, the sensitivity of these floats is impressive, because their body volume is lower when compared to a traditional balsa wood float. Having to move a smaller mass of water, the float signals the bites much more easily. Moreover, the constancy of the shotting capacity is staggering: from the first one to the millionth piece which comes out of production cycle, all carry the same amount of lead.

Supreme RHC floats are made thanks to an innovative aerospace derivation material, used for the construction of their bodies. A rigid foam of PMI (polymethacrylimide) with exceptional structural and mechanical properties, able to offer maximum mass precision and stability in all conditions. The very low density equal to 52 Kg/m³ is about 40% lower than that of the common balsa wood used to produce the floats and a good 50% compared to other synthetic polymers, more commonly defined as polyurethane (PU). Although extremely light, it offers exceptional mechanical performance, with a compression strength of 130 psi. The extremely consistent structure, featuring sealed cells, therefore waterproof, also offers a very low thermal expansion coefficient, useful for obtaining very precise bodies during production processing. This allowed us to obtain more sensitive, precise and resistant floats at the same time!

The metallic eyes used on Carp models are built to "8" shape and positioned perfectly in line with the hole that crosses the body of the float. This solution allows to preserve the monofilament both during the fight with the fish and during the movements of the float itself along the rig line.

No compromises in the construction: in addition to the best materials have been adopted solutions that can guarantee maximum resistance. In fact, the fiberglass stems are inserted into the antennas, to avoid that even during extreme pulls and stresses the body can be damaged.

Thanks to the use of the new RHC material, featuring sealed cells thus completely waterproof, it was possible to drill the bodies without adding the usual rubber pipe. The internal hole is smaller in diameter compared to the standard and the lack of the internal sleeve allows to keep the body of smaller dimensions with the same capacity, therefore more sensitive. At the same time, the total impermeability of the material allows to maintain a constant shotting capacity even after several hours of fishing.

The utmost attention to detail has also been applied in the selection of components and in the subsequent assembly phases. Epoxy glues, paints, as well as antennas and stems have been carefully chosen to maximize performance and quality. For each model specific solutions have been studied, as you can see from the image below which shows a float of only 0,30 g with cross drilling along the body axis.

MATCH

It is the brightest compromise between sensitivity and resistance. The solid plastic antenna can be shotted down with extreme precision, while the rig line passes through the body in a tunnel of infinitesimal diameter, never seen until today, which is devoid of internal tube because the body material does not absorb any water. So the fight with an important fish doesn't endanger the line, because it doesn't rub against the metallic eye, but keeps straight under load. The family consists of four series with classic shapes.

CARP

There is no harsher environment than the commercial, as regards the wear and tear of fishing tackle, and the float is perhaps the element that runs the greatest risks. This is not the case of these fantastic models, which exploit the properties of RHC material to survive to several thousand battles. The hollow plastic antenna, grafted and glued directly on top of the stem, perfectly supports the heavier baits, such as corn and pellets, while its base is protected by the "eight" eye that guides the line through the body.

MATCH RHC 1

Its compact body shape indicates it for fast running waters, regardless of depth, because it holds the current well and cooperates perfectly when it's necessary to stop the bait to present it dead still on the bottom.

Code	Size
020	0.20
030	0.30
050	0.50
070	0.70
100	1.00
150	1.50
200	2.00

Cod. 001-27-510/...

PLASTIC
CARBON

MATCH RHC 2

It's a real joker for slow waters, where it allows to stop and go without losing balance; for still water and on all occasions of mid-water fishing, because it allows itself to be dragged along the "invitations" while maintaining its set-up.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
070	0.70
100	1.00
150	1.50

Cod. 001-27-520/...

PLASTIC
CARBON

MATCH RHC 3

It is the classic, essential drop shaped float with the relatively fine neck, suitable to neatly enhance the lift bites, so frequent when the big bream interrupt the monotony of skimmer and roach small catches.

Code	Size
020	0.20
030	0.30
050	0.50
070	0.70
100	1.00
150	1.50
200	2.00

Cod. 001-27-530/...

PLASTIC
CARBON

MATCH RHC 4

With its low center of gravity, it resists very well the worst weather conditions, keeping the position even in the presence of strong wind. Perfect for fishing in deep still water or to present the hookbait right on the bottom.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
070	0.70
100	1.00
150	1.50

Cod. 001-27-540/...

PLASTIC
CARBON

CARP RHC 1

Model with a relatively low center of gravity, which resists well to the side wind and enhances any lift bites with its elongated neck. Excellent even in the canals in case of aggressive fishing.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
070	0.70
100	1.00
150	1.50

Cod. 001-27-610/...

HOLLOW PLASTIC
FIBREGLASS

CARP RHC 2

The inverted pear has always been found in the seatboxes of great anglers, who exploit it to do attractive "invitations" in search fishing. With its innate stability, this model is also perfect for long-line fishing beyond the pole tip end.

Code	Size
030	0.30
050	0.50
070	0.70
100	1.00
150	1.50
200	2.00

Cod. 001-27-620/...

HOLLOW PLASTIC
FIBREGLASS

CARP RHC 3

In the margin fishing, which dominates the summer competitions, this float excels for its fast cocking. At full pole range, it is an all-rounder that lends itself to mix bag's fishing with a marked sensitivity.

Code	Size
020	0.20
030	0.30
050	0.50
070	0.70
100	1.00
150	1.50
200	2.00

Cod. 001-27-630/...

HOLLOW PLASTIC
FIBREGLASS

CARP RHC 4

In large commercials, or in the spring season, it is not uncommon to read a certain water's movement, which must be countered by placing the pole on the seatbox front bar and using a reversed pear float like this.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
070	0.70
100	1.00

Cod. 001-27-640/...

HOLLOW PLASTIC
FIBREGLASS

CARP RHC 5

It's the most compact of the Carp family, excellent for shallow water fishing or on the drop, but also in the margins of the canals populated by small carassios, roach and baby carp to be caught at speed.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
070	0.70
100	1.00
150	1.50

Cod. 001-27-650/...

HOLLOW PLASTIC
FIBREGLASS

CARP RHC 6

With its body of dual sensitivity, in sinking as in lift mode, this is a wildcard for a thousand of situations, from surface fishing to research on the bottom with repeated invitations and vertical drops.

Code	Size
010	0.10
020	0.20
030	0.30
050	0.50
070	0.70

Cod. 001-27-660/...

HOLLOW PLASTIC
FIBREGLASS

LOADED SEA FLOATS

The body of the HT models is made from a synthetic material of the latest generation, which resists any stress and allows to generate extremely consistent shotting capacities.

The HT models are loaded by a metallic spiral, inserted on the stem and fixed by a couple of silicone tubes. Therefore, it can be removed, cut to desired length to adjust the calibration, then put back in place. Wave and Tide models, on the other hand, are internally loaded in the body.

All loaded models feature a hollow antenna that can be removed to replace it with a 4,5 mm diameter light stick. Alternatively, the antenna can accommodate a 3 mm stick inside.

SLIDING SEA FLOATS



HT sliding models are made from a special synthetic material that makes them indestructible. The line passes internally to the body, getting through a rigid pipe equipped with brass bushing on top. Along their stem is fixed a metal spiral for better stability (see detail).

All models on this page are equipped with a rubber bush on top, in which the 4,5 mm diameter antenna is grafted.

The line flows into the body through a protective tube; at the base of the stem there is a plastic shock-proof foot, equipped with a line hole (see detail).

HT PRO SCUBA

Float loaded by a metal spiral inserted on the long fibreglass stem, which can be removed to cut it and adapt its weight to your personal needs. Indestructible synthetic body and 4,5 mm diameter hollow antenna.

Code	Size
010	0.50+0.50=1.00
015	0.75+0.75=1.50
020	1.25+0.75=2.00
030	2.25+0.75=3.00
040	3.25+0.75=4.00
050	4.00+1.00=5.00

INLINE

Cod. 001-25-920/...

HOLLOW 4.5 mm
FIBREGLASS

HT PRO SPIGOLA

Float loaded on the stem, where two silicone tubes lock a metal spiral. The weight be removed at all, or cut down to obtain a customized load. The 4,5 mm hollow antenna can be replaced with a light bar or get a 3 mm one inside.

Code	Size
010	0.50+0.50=1.00
015	0.75+0.75=1.50
020	1.25+0.75=2.00
030	2.25+0.75=3.00
040	3.25+0.75=4.00
050	4.00+1.00=5.00

INLINE

Cod. 001-25-930/...

HOLLOW 4.5 mm
FIBREGLASS

HT PRO FORCE

Slider pre-loaded with 2 or 3 grams of metal spiral fixed on the stem and in-line system to cancel the risk of tangles. Bomb-proof synthetic body with 4,5 mm removable hollow antenna. Nice random pattern colouring.

Code	Size
004	4.00 (2+2)
006	6.00 (2+4)
008	8.00 (2+6)
010	10.00 (2+8)
012*	12.00 (2+10)
015*	15.00 (3+12)

SLIDER

Cod. 001-25-900/...

HOLLOW 4.5 mm
FIBREGLASS

HT PRO TRITON

Internal line slider, pre-loaded with 2 or 3 grams metal spiral, fixed on the stem to increase float's stability both in flight and while fishing. Body made from unbreakable synthetic material and 4,5 mm hollow removable antenna.

Code	Size
004	4.00 (2+2)
006	6.00 (2+4)
008	8.00 (2+6)
010	10.00 (2+8)
012*	12.00 (2+10)
015*	15.00 (3+12)

SLIDER

Cod. 001-25-910/...

HOLLOW 4.5 mm
FIBREGLASS

NEW AGUGLIA

Loaded model for surface fishing with ultralight rigs intended for Needle Fish, Pompano and Mullet. On the base a rolling swivel, on the head a 4,5 mm solid plastic antenna, interchangeable with a night light stick.

Code	Size
030	2+1
040	3+1
060	4+2
080	6+2
100	8+2

Cod. 001-15-260/...

SOLID PLASTIC	4.5 mm
-	

NEW SCOGLIERA

Waggler-style loaded float for light fishing at long distance. Made from polyurethane, it carries a 4,5 mm solid plastic antenna, interchangeable with a night light stick. Rig shotting is always 1 gram for all float's sizes.

Code	Size
030	2+1
040	3+1
050	4+1
060	5+1
070	6+1

Cod. 001-15-270/...

SOLID PLASTIC	4.5 mm
FIBREGLASS	

WAVE

It's loaded inside the body in a very high share, to allow the use of a minimum shotting down the line (from 0,5 to 0,75 g). Shaped to withstand the waves, it carries a solid plastic antenna, removable and replaceable with a light stick.

Code	Size
010	0.50+0.50=1.00
015	0.75+0.75=1.50
020	1.25+0.75=2.00
030	2.25+0.75=3.00
040	3.25+0.75=4.00

INLINE

Cod. 001-15-360/...

LARGE	4.5 mm
FIBREGLASS	

TIDE

An in-line model, strongly loaded at the base of the body to fish with minimal shotting pattern on the line (0,5-0,75 g). In case of night fishing, the solid plastic antenna can be replaced with a 4,5 mm diameter light stick.

Code	Size
010	0.50+0.50=1.00
015	0.75+0.75=1.50
020	1.25+0.75=2.00
030	2.25+0.75=3.00
040	3.25+0.75=4.00

INLINE

Cod. 001-15-370/...

LARGE	4.5 mm
FIBREGLASS	

SEAMAN SLIDER

Compact body slider with 4,5 mm hollow antenna. The line enters through a tiny brass bush, crosses a protective pipe inside the body and passes into the shock-proof plastic foot, which rests on the bulk shot of the rig.

Code	Size
004	4.00
006	6.00
008	8.00
010	10.00
015	15.00
020	20.00

SLIDER

Cod. 001-25-880/...

HOLLOW	4.5 mm
FIBREGLASS	

POSEIDON SLIDER

Slider with an elongated profile, with a 4,5 mm hollow antenna, which can be replaced with a light stick or accommodate a 3 mm one for night fishing. The line's guidance system ensures a perfect slide through the body.

Code	Size
004	4.00
006	6.00
008	8.00
010	10.00
015	15.00
020	20.00

SLIDER

Cod. 001-25-890/...

HOLLOW	4.5 mm
FIBREGLASS	

TYPHOON

Upside down pear shaped in line float, with strong fiberglass stem and provided with a starlight fitting for 3.0mm antenna. Great for both freshwater and sea.

Code	Size
010	1.00
015	1.50
020	2.00
025	2.50
030	3.00
040	4.00

INLINE

Cod. 001-15-430/...

MULTICOLOUR
3.0 mm
FIBREGLASS

KILLER

In line float with fiber stem and provided with a starlight fitting for 3.0mm antenna. Great for both freshwater and sea.

Code	Size
010	1.00
015	1.50
020	2.00
025	2.50
030	3.00
040	4.00

INLINE

Cod. 001-15-440/...

MULTICOLOUR
3.0 mm
FIBREGLASS

SWING

Drop shaped float with strong fiberglass stem and 3.0 mm plastic hollow antenna, replaceable with a light stick. Ideal for flowing waters, is perfect with Bolognese or telescopic whips.

Code	Size
010	1.00
015	1.50
020	2.00
025	2.50
030	3.00
040	4.00

INLINE

Cod. 001-15-450/...

MULTICOLOUR
3.0 mm
FIBREGLASS

NEW STRIKE

A classic saltwater float made from unbreakable foam for high strength and consistent shotting capacity. It carries a hi-viz multicolour 3 mm solid plastic antenna, interchangeable with a night light. Strog fibreglass stem.

Code	Size
010	1.00
015	1.50
020	2.00
030	3.00
040	4.00

INLINE

Cod. 001-15-480/...

MULTICOLOUR
3.0 mm
FIBREGLASS

SMART

Developed for lake trout fishing, it's also suitable for river trout with long rods. The incorporated antenna is highly visible and carries the brass bushing on top to let the line entry easily.

Code	Size
100	1.00
200	2.00
300	3.00
400	4.00

INLINE

Cod. 001-20-910/...

BALSA
FIBREGLASS

SPIRIT

Specific to lake trout, it is characterized by inline configuration, with entrance bushing on the head and protective tube. Robust and visible, it has a synthetic material body, decorated with random color veins.

Code	Size
200	2.00
300	3.00
400	4.00
500	5.00
600	6.00

INLINE

Cod. 001-20-900/...

BALSA
FIBREGLASS

MAREA ORANGE

Inline classic upside down pear shaped float with 4,5 mm multicolour plastic antenna replaceable with star light and long fiber stem. Very suitable in the presence of wind or waves.

Code	Size
010	1.00
015	1.50
020	2.00
030	3.00
040	4.00
050	5.00
060	6.00

INLINE

Cod. 001-15-355/...

MULTICOLOUR 4.5 mm | FIBREGLASS

ONDA ORANGE

Inline shaped float ideal for fishing in current, ideal for docks and canals. multicolor high visibility antenna that can be replaced with 4,5 mm starlight or contain within itself the 3 mm.

Code	Size
010	1.00
015	1.50
020	2.00
030	3.00
040	4.00
050	5.00
060	6.00

INLINE

Cod. 001-15-345/...

MULTICOLOUR 4.5 mm | FIBREGLASS

NEW RIPTIDE

Inline model, solution that protects the body during extreme pulls, not rare in saltwater fishing with the bolognese. In case of night fishing, the multicoloured 4,5 mm solid plastic antenna is interchangeable with a light stick.

Code	Size
010	1.00
015	1.50
020	2.00
030	3.00
040	4.00
050	5.00
060	6.00

INLINE

Cod. 001-15-470/...

LARGE 4.5 mm | FIBREGLASS

NEW NEPTUNE

Made from polyurethane to offer extreme strength, this tapered float is highly visible in all light conditions, because its 4,5 mm multicolored antenna can be exchanged with a night light stick. Strong fibreglass stem.

Code	Size
010	1.00
015	1.50
020	2.00
030	3.00
040	4.00
050	5.00
060	6.00

INLINE

Cod. 001-15-460...

LARGE 4.5 mm | FIBREGLASS

THUNDER

"Upside down" drop shaped In line float, fiber stem and 4,5 mm hollow plastic antenna. This float is the ideal for fishing anywhere. Body top in fluo colour.

Code	Size
002	2.00
003	3.00
004	4.00
005	5.00
006	6.00
008	8.00

INLINE

Cod. 001-15-380/...

HOLLOW 4.5 mm | FIBREGLASS

SEAMAN

Inline drop shaped float, fiber stem and 4,5 mm hollow plastic antenna. Ideal for fishing at sea or in streaming waters.

Code	Size
002	2.00
003	3.00
004	4.00
005	5.00
006	6.00
008	8.00

INLINE

Cod. 001-15-390/...

HOLLOW 4.5 mm | FIBREGLASS

FURY

Classic upside down pear shape with 4.5 mm hollow plastic antenna replaceable with starlight and long fiber stem. Excellent in running waters but also at sea.

Code	Size
020	2.00
030	3.00
040	4.00
050	5.00
060	6.00

INLINE

Cod. 001-15-400/...

HOLLOW 4.5 mm | FIBREGLASS







NEW GNT ACCURATE

High sensitivity and consistent casting accuracy are main ingredients of Bream fishing at long range. Trabucco GNT Accurate provides all those factors with wings and interchangeable antennas, built on carbon stem to enhance those critical lift bites. Quill made from tubular polycarbonate to be straight forever, while the weight is made with interchangeable disks to adapt rig's weight to fishing conditions. Individual packing in clear bag with hang header.

On top, flights allow to cast at long range with very high accuracy.

Two interchangeable hollow antennas are included with each float. The whistle for extreme long range and the standard, both with carbon stem.

		g
010-92-140	8 054393 168184	14
010-92-160	8 054393 168191	16
010-92-180	8 054393 168207	18
010-92-200	8 054393 168214	20
010-92-220	8 054393 168221	22
010-92-250	8 054393 168238	25
010-92-300	8 054393 168245	30

GNT PRO BREME

Expressly developed to offer the maximum sensitivity in long distance bream fishing, it offers two interchangeable antennas mounted on carbon stem and an offset whistle style antenna, equipped with long carbon stem that perfectly highlights those critical lift bites. Non-deformable polycarbonate stem.

The insertion of the tubular stem is a critical point for any waggler: problem solved with a special elastic resin and a tailor made collar which seals the top end of balsa body. On right, the top end of the float receives and securely locks the antenna's stem.

The range of supplied antennas allows you to adopt any style of fishing with the utmost visibility in all weather conditions.

The modular brass disks allow to adapt the float's loading: from the waggler configuration with ultralight rig to a slider with heavy shotting pattern.

		g
010-91-140	8 054393 168825	14
010-91-160	8 054393 168832	16
010-91-180	8 054393 168849	18
010-91-200	8 054393 168856	20
010-91-220	8 054393 168863	22
010-91-250	8 054393 168870	25

GNT OPTIONAL ANTENNAS

A specific antenna for each fishing condition! To complement the float range, a selection of spare, optional antennas are available to allow you to adapt sensitivity and visibility to your needs, from hollow models in different diameters to whistles, visible even at very long distances. Packed in practical 3-piece bags.

		MODEL	XXX	PC
010-91-000	8 054393 150387	Insert 3 mm	3	5
010-91-010	8 054393 150394	Insert 3.5 mm	3	5
010-91-020	8 054393 150400	Insert 4 mm	3	5
010-91-030	8 054393 150417	Fischio 5 mm	3	5



GNT OSTELLATO

It is destined to long-distance fishing in tough conditions, and for this reason the project has taken into great consideration the visibility needs. Three interchangeable antennas: two tubular with different diameters and one oversized, whistle style. Light and non-deformable polycarbonate tubular stem and adjustable loading system by means of brass disks.

		g
010-90-140	8 054393 168887	14
010-90-160	8 054393 168894	16
010-90-180	8 054393 168900	18
010-90-200	8 054393 168917	20
010-90-220	8 054393 168924	22
010-90-250	8 054393 168931	25
010-90-300	8 054393 168948	30

NEW GNT ACE

GNT Ace is the timeless classic, a reliable and effective allrounder waggler, certainly a float that must never be missing in the selection of the professional angler who needs to get the most from match fishing. The body is made from selected balsa, to offer the best balance between weight and strength, while the quill is obtained through a polycarbonate tube, inside of which is placed an RHC core, synthetic material with exceptionally light weight and completely waterproof. The relatively short length makes it perfect for canal fishing, or for shallow bait presentation, while the antenna with a diameter of 4,50 mm represents the right compromise on many occasions between lightness, visibility and sensitivity.

Most of the loading weight is located inside of the body, enabling to reach longer distances and achieve faster lift after dropping down or a recall to stimulate the bite.

		g
010-93-120	8 054393 168252	12
010-93-140	8 054393 168269	14
010-93-160	8 054393 168276	16
010-93-180	8 054393 168283	18
010-93-200	8 054393 168290	20
010-93-220	8 054393 168306	22
010-93-250	8 054393 168313	25

XD CARBON BREME

Waggler float fitted with a carbon hollow tube instead of the traditional peacock quill, adjustable weights. Designed in conjunction with Gianuigi Sorti and the Ravanelli Team, the result is an extremely stable and sensitive waggler, particularly suited for bream fishing both fixed or slider. Supplied with an low diameter antenna and the high visibility PVC tube for the more delicate bites.

		g
010-85-120	8 054393 001986	12
010-85-140	8 054393 001993	14
010-85-160	8 054393 002006	16
010-85-180	8 054393 002013	18
010-85-200	8 054393 002020	20

XD CARBON MATCH

Hi-Tech waggler with adjustable weight, fitted with a carbon hollow tube instead of the traditional peacock quill. This solutions allows to significantly increase the sensitivity and the stability, thanks to the lower frictions. Therefore ideal for large lakes and canals, where wind and tow may be a problem. Suited for bottom fishing, in particular for bream to detect with ease lift-up bites.

		g
010-84-120	8 054393 001924	12
010-84-140	8 054393 001931	14
010-84-160	8 054393 001948	16
010-84-180	8 054393 001955	18
010-84-200	8 054393 001962	20
010-84-250	8 054393 001979	25

GNT OSTELLATO OPTIONAL ANTENNAS

		MODEL	XXX	PC
010-90-000	8 054393 150356	Fischione 5 mm	3	5
010-90-010	8 054393 150363	Fischione 6 mm	3	5
010-90-050	8 054393 150370	Slider Head	3	5

XD OSTELLATO

New waggler equipped with polycarbonate stem that is much lighter and resistant than the peacock quill. Therefore, it is straight and precise during cast. It can be used in all situation thanks to its features to adjust the shotting capacity from 0 to up 5grs. and can fit the 3mm insert.

		g
010-83-100	8 054393 001832	10
010-83-120	8 054393 001849	12

XD PRO BREME

Specially developed to provide the maximum sensitivity for long range bream fishing, this waggler is supplied with two interchangeable antennas, fitted on a thin carbon stem: a hollow, large one and a tubular plastic slim version. The quill is made from tubular polycarbonate for lightness, strength and durability, while the brass weight has several removable disks to quickly adapt the shotting weight to fishing conditions.

		g
010-87-120	-	12
010-87-140	-	14
010-87-160	-	16
010-87-180	-	18
010-87-220	-	22

XD BREME

Classic bodied waggler for short and medium distance. The interchangeable antenna allows the angler to select the color that best suits the environmental conditions. Loaded in brass, fitted with adjustable small discs enables different weights to be used on the line. Is perfect when fishing for bream, crucian carp and carp.

		g
010-77-080	8 054393 001528	8
010-77-100	8 054393 001535	10
010-77-120	8 054393 001542	12
010-77-140	8 054393 001559	14
010-77-160	8 054393 001566	16

XD MATCH

Bodied waggler with a straight peacock quill. The drop shaped balsa body features an adjustable free corrosion brass weight. It has shotting capacity from 0 up to 5g. Supplied with two interchangeable tips of 3,5mm plus a 5mm, suitable for slider fishing.

		g
010-70-100	8 054393 001092	10
010-70-120	8 054393 001108	12
010-70-140	8 054393 001115	14
010-70-220	8 054393 001153	22

XD CANAL

Classic bodied waggler for short and medium distance, featuring an adjustable free corrosion brass weight. It has shotting capacity from 0 up to 3 grs. The short quill makes it perfect for shallow fishing or canal fishing.

		g
010-75-060	8 054393 001467	6
010-75-100	8 054393 001481	10
010-75-120	8 054393 001498	12
010-75-140	8 054393 001504	14

XD INSERT

The top aluminium bush is designed to accommodate three different diameters antennas, for the maximum customization.



		MODEL	XXX
010-70-010	8 054393 001054	XD Insert 3.0mm	10
010-70-020	8 054393 001061	XD Insert 5.0mm	10

TEAM MASTER FLOAT WEIGHTS

Useful float attachment to increase the loading of your wagglers. Suitable for the World Class and XD series.

		MODEL	g	XXX	PC
101-55-100	8 054393 034328	Brass	2,50	2	10
101-55-200	8 054393 034335	Brass	4,00	2	10
101-55-300	8 054393 034342	Aluminum	2,50	2	10
101-55-400	8 054393 034359	Aluminum	4,00	2	10

CARP CRYSTAL WAGGLER

Special waggler characterized by very short length, as it is oriented to topwater or shallow carp fishing with live or inert baits. Its completely transparent structure avoids alarming the most shy fish, while the built-in rolling swivel downloads all line's twists. The weight of its solid plexiglass body provides an ideal flight trim and great stability while fishing.

		g
010-89-040	8 054393 166128	4
010-89-050	8 054393 166135	6
010-89-080	8 054393 166142	8

XD PELLET WAGGLER

- Specific float for surface commercial waggler fishing
- Perfect for summer fishing with pellet, sweetcorn or other bulky baits
- Balsa body; high visibility antenna with incorporated flights
- Loading system based on interchangeable brass disks and swivel
- Each float is supplied with 2 interchangeable clear disks, designed to slow down the float's penetration in the water, when hitting the surface
- Individual bag with header and Euro slot, to hang it on shop's displays

Above, the classic loading with swivel, including removable brass disks to possibly use heavy hookbaits. Straight from the bag, the Pellet Waggler is loaded to the limit for best sensitivity. The two clear disks supplied with each float act like a parachute to slow down the float's trip through water, after hitting the surface. In such way, float's action is developed on the top layer only, while carp have enough time to detect the hookbait and immediately bite it.

		g
010-88-040	8 054393 150318	4
010-88-060	8 054393 150325	6
010-88-080	8 054393 150332	8
010-88-100	8 054393 150349	10

NEW XD DISTANCE PELLET WAGGLER

Cygar shaped waggler designed for top water fishing in commercial lakes, with Carp as main target. In summer, those fish tend to rise and are attracted by any noise, so, when pellets are dropped in by catapult, the action is immediate. This model doesn't replace existing XD Pellet Waggler, because it offers heavier weights to fish at longer distances.

		g
010-88-206	8 054393 175175	6
010-88-208	8 054393 175182	8
010-88-210	8 054393 175199	10
010-88-212	8 054393 175205	12

HT BLUE LOADED WAGGLER 45

Polycarbonate straight waggler, loaded so that all sizes need same rig's shotting weight of 1 gram down the line. The load includes a rolling type swivel which eases its use as slider. The float offers a multi-coloured hollow plastic antenna of 4,5 mm in diameter, which can be replaced with a light stick of equal diameter or accommodate a 3 mm one inside.

		g	PC
010-45-130	8 054393 166081	2+1	20
010-45-140	8 054393 166098	3+1	20
010-45-150	8 054393 166104	4+1	20
010-45-160	8 054393 166111	5+1	20

HT BLUE WAGGLER 45

Polycarbonate straight waggler without any loading system, featuring a plastic foot equipped with a hole for the line's passage. The 4,5 mm multicoloured antenna is made from hollow plastic to light up strongly in the daytime; in case of night fishing, it can be replaced with a 4,5 mm light stick, or filled in with a 3 mm one.

		g	PC
010-45-230	8 054393 166159	3	20
010-45-240	8 054393 166166	4	20
010-45-250	8 054393 166173	5	20
010-45-260	8 054393 166180	6	20

HT BLUE INSERT WAGGLER

Polycarbonate straight waggler, equipped with a long insert antenna made from hollow plastic of 3 mm in diameter. At the base, the load consists of brass disks that can be removed and recomposed at will, with a built in rolling type swivel allowing its use as a slider.

		g	PC
010-45-330	8 054393 166197	3	20
010-45-340	8 054393 166203	4	20
010-45-350	8 054393 166210	5	20
010-45-360	8 054393 166227	6	20



NEW HT PRO BLUE BODIED WAGGLER

The classic load system based on brass disks enables to adjust the rig shotting weight, switching from waggler style to slider style with a heavier rig.

The polycarbonate quill carries on top a 4,5 mm hi-visibility multicolour hollow plastic antenna, which can be removed to replace it with a light stick for night fishing, or it can contain a 3 mm light stick to fish in low light conditions, maintaining the orange colour of its tip.

Matching the range of straight HT Pro Blue Wagglers, it provides heavier weights to fish at longer distance or beat strong wind, both in fresh and salt waters. The body is made from EVA to resist any accidental shock, and is completed by removable brass disks to obtain a perfect rig weight.

	g
010-45-412	12
010-45-414	14
010-45-416	16
010-45-418	18
010-45-420	20
010-45-425	25
010-45-430	30

GHOST MATCH

Waggler floats made with polycarbonate stem and totally waterproof polyurethane body, extremely resistant to heat and shock. Both models are fitted with removable weights, to allow the fine adjustment of the weight depending on conditions. In the model 45 is possible to replace the antenna with a 4.5mm chemical light, while for the model 30 is possible to use a 3mm one. Deadly both in fresh or salt water.

Ghost Match 30

	g
010-81-060	6
010-81-080	8
010-81-100	10
010-81-120	12

Ghost Match 45

	g
010-80-080	8
010-80-100	10
010-80-120	12
010-80-150	15
010-80-200	20

MARKER FLOATS

Special range of remarkable buoyancy floats made from clear epoxy material and featuring high visibility. Ideal for live bait fishing, in fresh water as well as in saltwater.

Catcher | Troller | Aggressor - W/S | Pike | Aggressor

		MODEL	g
015-85-010	8 054393 002945	Catcher	10
015-85-015	8 054393 002952	Catcher	15
015-85-020	8 054393 002969	Catcher	20
015-85-025	8 054393 002976	Catcher	25
015-85-030	8 054393 002983	Catcher	30
015-87-010	8 054393 002990	Troller	6
015-87-015	8 054393 003003	Troller	8
015-87-020	8 054393 003010	Troller	10
015-87-025	8 054393 003027	Troller	12
015-87-030	8 054393 003034	Troller	15
015-87-040	8 054393 003041	Troller	20
015-82-006	8 054393 002884	Aggressor W/S	6
015-82-010	8 054393 002891	Aggressor W/S	10
015-82-015	8 054393 002907	Aggressor W/S	15
015-82-020	8 054393 002914	Aggressor W/S	20
015-82-030	8 054393 002921	Aggressor W/S	30
015-82-040	8 054393 002938	Aggressor W/S	40
015-75-006	8 054393 002723	Pike	6
015-75-015	8 054393 002747	Pike	15
015-80-025	8 054393 002846	Aggressor	25
015-80-040	8 054393 002877	Aggressor	40

ANGLER PLUS & ANGLER PRO

	MODEL	g
011-00-030/300	Sea Bream Plus	30
011-00-030/500	Sea Bream Plus	50
011-00-030/700	Sea Bream Plus	70
011-00-020	Slider Plus	3
011-00-040/400	Mackrell Plus	40
011-00-040/600	Mackrell Plus	60
011-00-040/800	Mackrell Plus	80
011-00-070	Night Plus	14
011-00-060/300	Persico Pro	30
011-00-060/500	Persico Pro	50
011-00-080	Trota Pro	3+2

Wide family of floats designed for the pleasure angler, with special attention to strength and high visibility. Unbeatable price for quality.

Sea Bream | Slider | Mackrell | Night | Persico | Trota

GROUNDBAITS

Trabucco produces its own groundbaits since 1986, by selecting the best ingredients on the worldwide markets, and by formulas created and developed on the banks of the rivers and competition venues of all Europe, and most of all, by the experience of a living legend like Roberto Trabucco.

ULTIMATE GROUNDBAITS

All the Trabucco groundbaits are ready to use and don't require any additional ingredient in general sense, but of course every angler has his "secrets" and the wide range of ingredients and aromas of our range, can match every kind of demand and requirement. Our range is made by three series: the Team Master, recently developed in cooperation with the World Champion and Italian Champion Luigi Sorti; the Ultimate, issued by many years and rekon at international level, one of the best and most complete available in all market places.

		kg
PP 0010 30 01	Ultimate Supermix Carpa	1
PP 0010 11 00	Ultimate Carpe Tinche Rossa	1
PP 0010 11 01	Ultimate Carpe Tinche Gialla	1
PP 0010 50 01	Team Master Supreme	1
060-45-010	Ultimate Canal Plus	1
060-45-020	Ultimate Canal Breme	1
PP 1010 41 01	Pro-Bremes	1
PP 1010 37 01	Gardon Competition	1
PP 1010 31 21	Ultimate Special Peschiera-Pozzolo	1
PP 0010 04 00	Ultimate Cavedani & Savette	1
PP 0010 01 00	Ultimate Alborella	1
PP 0010 02 00	Ultimate Alborella Special	0,9
PP 0010 10 00	Ultimate Special Match	1

GNT MATCH EXPERT

As the new recipes can not be revealed, there is only one way to understand their effectiveness: take them fishing. With its simplicity, the 1 kilo bag eases both the first tests and the subsequent creation of personal mixes. Thanks to the 12 chilos package, the dealer has the opportunity to stock a wide range of GNT groundbaits with a light investment.

		kg	PC
060-08-100	Gnt Match Expert Breme Competition	1	12
060-08-110	Gnt Match Expert Breme Competition Black	1	12
060-08-120	Gnt Match Expert Big Breme	1	12
060-08-130	Gnt Match Expert Big Breme Black	1	12
060-08-140	Gnt Match Expert Carpa Plus	1	12
060-08-150	Gnt Match Expert Carpa Plus Black	1	12
060-08-160	Gnt Match Expert Carpa Gold	1	12
060-08-210	Gnt Match Expert Carpa Red Pro	1	12
060-08-170	Gnt Match Expert Canal Match	1	12
060-08-230	Gnt Match Expert Carassio	1	12
060-08-180	Gnt Match Expert Special Fiume	1	12
060-08-190	Gnt Match Expert River Mix Cavedano	1	12
060-08-220	Gnt Match Expert Peschiera	1	12
060-08-200	Gnt Match Expert Alborella Match	1	12

XP3000 GROUNDBAITS

A nice range of groundbaits, made with selected, finely blended ingredients, extensively tested by our team before release onto the market . Each groundbait has been specially selected for use in our waters, and the handy size of 3kg allows for great savings.

			kg	PC
060-05-100	8 054393 026903	XP 3000 Carpa Gialla	3	10
060-05-110	8 054393 026910	XP 3000 Carpa Rossa	3	10
060-05-400	8 054393 026941	XP 3000 Breme	3	10
060-05-410	8 054393 026958	XP 3000 Breme Black	3	10
060-05-200	8 054393 026927	XP 3000 Fiume Formaggio	3	10
060-05-500	8 054393 026965	XP 3000 Cavedani-Barbi Formaggio Rossa	3	10

XP 3000 LEAM

The Damp Leam is an extremely soft terre de somme with very fine granulometry, therefore ideal for the realization of the "pongo" (plasticine style over dampened leam) or possibly sieved straight from the bag, to create an attractive cloud in the swim. It is available both in classic brown colour and in black. The River Leam is heavier than the previous ones, especially suitable to add weight to any groundbait or to be used in medium fast rivers with frequent baiting action (classic example Medelana venue). The River Leam Heavy Black is extremely heavy and displays a natural black colour; it has been developed to fish the faster canals like the Canal Bianco near Adria, and easily carries to the bottom jokers, worms and casters. The Grey Leam is a bentonite with high binding specification, which can be added to the other leams to create an endless series of different combinations.

		kg	PC
062-16-100	XP 3000 Damp Leam	2	10
062-16-200	XP 3000 Black Damp Leam	2	10
062-16-300	XP 3000 River Leam	2	10
062-16-500	XP 3000 River Leam Heavy Black	2	10
062-16-400	XP 3000 Grey Leam	1	10

NEW PELLET GNT

FEEDER CARP & F1 / CARP BROWN

Strongly attractive dry pellets, in dark brown colour, with high content of fish meal. Very easy to use. Specially designed for commercial fishing.

Pellet of new formula developed for the big carps and crucians. Very dark color and added with fish oil. It has been developed in cooperation with Trabucco Team World Club Champion.

		kg	PC
060-50-800	Pellet Carpe & Carassi 2 mm	1	12
060-50-900	Pellet Carpe & Carassi 3 mm	1	12
060-55-000	Pellet Carp Halibut 4 mm	1	12
060-55-100	Pellet Carp Halibut 6 mm	1	12

		kg	PC
060-09-500	Carp & F1 * Coarse * Micro	1	12
060-09-510	Carp & F1 * Coarse * 4mm	1	12
060-09-520	Carp & F1 * Coarse * 6mm	1	12
060-09-530	Carp & F1 * Coarse * 8mm	1	12

ADDITIVES AND COLOURANTS

To complement the range of groundbaits, Trabucco offers a series of products that have been developed to achieve a deep customization of the mixes. Being aware that we have a mix that match competitors can't copy makes us feel definitely stronger and increases our ability to concentrate on what happens in our peg, ultimately getting more fish into our keepnets! No miracle recipes, but products of proven effectiveness, which, being of human's food origin, are absolutely safe for the health of fish.

COLOURANTS

			kg	PC
060-10-010	8 054393 157980	GNT Groundbait - White	0,1	12
060-10-020	8 054393 157997	GNT Groundbait - Rubin Red	0,1	12
060-10-030	8 054393 158000	GNT Groundbait - Dark Brown	0,1	12
060-10-040	8 054393 158017	GNT Groundbait - Deep Black	0,1	12

A special attention to the colours of groundbaits and hookbaits has now taken hold in the match fishing world. The Trabucco proposal consists of finely powdered products, packaged in a sealed jar, which are completely devoid of any nutritional power and smell to be used in any mix. Unfortunately, it is not possible to indicate an ideal dosage for these dyes, because the final effect depends on the starting colour of the mix; for example, a white groundbait for Mullet will take on red with great ease, while it will be very difficult to change the colour tone to a Bream mix that is maybe black from the origin. Therefore, it is advisable to proceed by trial and error, building up a personal background of experience. The high colouring power of these products suggests using a teaspoon for the first steps, always wearing disposable silicone gloves so as not to stain the hand's skin. It is very important never to visually judge the dry colour of the groundbait mix, after adding the dye, but to switch to humidification, because the water acts on the dyes, activating their properties and transferring them to the individual feed particles. Moreover, the process takes at least an hour, so the rest of the wet mix into a covered bucket will produce a different effect than the initial one, when the water has just been added.

ADDITIVES

These powdered products are able to strongly characterize the aromatic footprint of any groundbaits, only acting as fish attractors, without affecting the nutritional properties of the mixes. The optimal dosage is 50 grams against one kilo of groundbait. The ideal mixing process starts with dry components and involves the use of a nylon bag the size of about 40x60 cm. It starts by introducing the 50 grams of additive, then you add 100 grams of groundbait. You close the bag and shake it until you get a perfect mixture. Then add 200 grams of groundbait and mix again. The operation must be repeated until the entire kilo of groundbait has been added. This method ensures the perfect distribution of the additive in the groundbait's mass; no drill can let you achieve the same result as well!

			kg	PC
060-10-110	8 054393 158024	GNT Super Brasem	0,25	10
060-10-120	8 054393 158031	GNT Super Carpa	0,25	10
060-10-130	8 054393 158048	GNT Super Big Fish	0,25	10
060-10-140	8 054393 158055	GNT Sweet Brasem - Caramel	0,25	10

MAGGOT'S DEHYDRATANT

Powdered product that degreases the maggots, deodores them and prevents them from sweating during the time they spend in the bait boxes, in the fridge but also while waiting for fishing. So the maggots are perfect for receiving the glue and, in the case of loosefeeding, they sink perfectly, without being dragged too far downstream by the possible current.

		kg	PC
060-10-210	8 054393 158062	0,5	12

TORTEAU DE MAIS GROS

This component doesn't have any influence on nutritional properties of the groundbait, because oil has been drawn from the raw material, but only on mechanic behaviour of the mix. Due to its nature and texture, it has no binding power, so that Tourteau is added to quickly break up the groundbait balls when fishing midwater, both within pole range and long distance waggler action.

		kg	PC
PP 0030 22 00	8 054393 106162	1	25

STICKY MAGGOT

A range of success, which has gone through decades of intensive use on all European match venues. The Colla Magica has taken its name from the unsurpassed sum of technical features that clearly distinguish it from all competing products. In fact, its grip on the maggots can be modulated by the user to cope with the most disparate conditions of use, while fishing in mid-water or on the bottom, in still or running water, in combination with gravel or without it. When an exceptionally firm compound is needed, to convey on the bottom a mix of maggots and gravel quite unbalanced towards the second, you can take advantage of the gluing properties of the Arabic Gum.

			kg	PC
140-20-300	8 054393 050670	Arabic Gum	0,5	10
140-30-210	8 054393 050687	Team Master Colla Magica	1	12

GNT MATCH EXPERT FEEDER

Range of groundbaits designed for use in feeder fishing or with the method feeder. Perfect, balanced, with medium texture, very easy to prepare and extremely attractive if used in commercials, as well as in open waters like rivers, canals, reservoirs. It's well known that in the feeder fishing or method fishing a limited quantity of groundbait is normally employed, and consequently the compounds that are used must have a great attractive power, able to draw the fish on our fishing spot and to keep them active in the search for food. Based on these requirements, the groundbaits that we propose have been produced only by super selected ingredients to which we combined fine sweet fishmeals or crustaceans (krill), all of the highest possible quality. These ingredients have as main characteristic a high nutritional value, combined with a medium caloric intake, so the fish are extremely attracted by them. These mix guarantee excellent results in all periods of the year, with any water temperature.

			kg	PC
060-09-100	8 054393 135803	Gnt Feeder Expert Betaine	1	12
060-09-110	8 054393 135810	Gnt Feeder Expert Krill	1	12
060-09-120	8 054393 135827	Gnt Feeder Expert Halibut	1	12
060-09-130	8 054393 135834	Gnt Feeder Expert Base F1	1	12
060-09-140	8 054393 135933	Gnt Feeder Expert Green Method	1	12
060-09-150	8 054393 135841	Gnt Feeder Expert Carp Method	1	12

XP 3000 SPECIAL SEA

It's a groundbait range intended for fishing in saltwater or river's mouths, and it's packed in practical bags of 1 kilo. In order to ease the selection and use by the anglers, we have created some perfect mixes, each one targeting specific fish species that inhabit the sea. We started from the classic Super Cefalo and Saraghi & Occhiate, in which we have included different types of premium quality cheese; passing to the Superficie and to the Fondo Mare, where we have added attractors and appetite stimulators; to get to the Spigola & Orata and to Gamberetto, for which we have employed best fish meal and shrimp ingredients on the market. For the formulation of these recipes we actually used only the highest quality raw materials, which enabled us to obtain very attractive and easy to prepare compounds. To make up a perfect mix we recommend to add water little at a time to the groundbait, mixing it slowly with your hands until the whole mixture is completely wet and tenacious. The whole thing will be ready when the simple compression exerted with the palm of the hand will be able to create a soft but crumbly ball, ready to be thrown into the water.

			kg	PC
060-07-100	8 054393 135858	XP 3000 Super Cefalo Bianca	1	12
060-07-110	8 054393 135865	XP 3000 Spigole & Orate	1	12
060-07-120	8 054393 135872	XP 3000 Saraghi & Occhiate	1	12
060-07-130	8 054393 135889	XP 3000 Superficie Mare	1	12
060-07-140	8 054393 135896	XP 3000 Fondo Mare	1	12
060-07-150	8 054393 135902	XP 3000 Esca per Mazzetta	1	12

BUCKET TRABUCCO

		MODEL
140-00-010	8 054393 050632	Bucket 40 litri
140-00-000	8 054393 050618	Bucket 17 litri
140-00-005	8 054393 050625	Bucket 12 litri

BUCKET'S LIDS

		MODEL
143-00-000	8 054393 052032	Bucket's Lids 17 litri

COVER GNT

		MODEL
048-37-160	8 054393 014221	GNT Match Team bucket cover 12 litri

NEW

XPS WORM SCISSOR TRI-BLADE XL

The XPS Worm Scissor is designed to chop large amount of worms and other baits in a while with ease and effortless. XPS Worm Scissor features longer than usual razor sharp stainless steel blades, log lasting and to improve efficiency.

		PC
101-40-015	8 054393 173782	5

XPS MASTER GROUNDBAIT WHISK

Nowaday's essential for the fast and complete groundbait or leam wetting process, the XPS Master drill's whisks offer great durability and many technical advantages.

- Slim model with 10 blades, specific for all leam and thin texture groundbaits like Alborella
- Wide model with 8 blades, ideal for heavy and medium texture groundbaits. On top end, the blades are linked by a disk, which increases the stiffness of the whole frame
- Stainless steel structure, with hexagonal shaft for a firm grip by the drill's mandrel

		MODEL
143-05-200	8 054393 050632	XPS Groundbait Whisk 35/10 Fine
143-05-210	8 054393 050618	XPS Groundbait Whisk 35/8 Strong

XPS MASTER STAINLESS STEEL

143-05-200 143-05-210

RIDDLES

		MODEL	∅
143-05-100	8 054393 052100	XPS Setaccio/Bucket Riddle #2 mm	33 cm
143-05-110	8 054393 052117	XPS Setaccio/Bucket Riddle #4 mm	33 cm
143-05-120	8 054393 052124	XPS Setaccio/Bucket Riddle #6 mm	33 cm
143-05-160	8 054393 052131	XPS Setaccio/Bucket Riddle #4 mm	45 cm
143-05-010	8 054393 052063	XPS Setaccio/Bucket Riddle #6 mm	45 cm



NEW OFFICIAL DOSER SET

Very useful set of bait's quantity dosers in liters, nowadays indispensable for competitions. They can be also used as simple bait box. The set is made by 5 dosers with capacity of 1,00 lt – 0,75 lt. – 0,50 lt. - 0,25 lt. e 1/8 lt.

		MODEL	XXX	PC
111-35-110	8 054393 161093	Set Misuratore per Esche Official Doser Set	5	6

OFFICIAL BAIT BOX SET 1,5 & 2L

		MODEL	XXX	PC
111-35-120	8 054393 155672	Official Bait Box Set 1,5L & 2L	1	4

NEW XPS BAIT BOXES

111-15-500

111-15-510

111-15-600

		MODEL	PC
111-15-510	8 054393 126627	Coperchio forato / Perforated lid 0,6 lt/ 1 pint	10
111-15-500	8 054393 126610	Coperchio senza fori / Plain lid 0,3 lt/ 0,5 pint	10
111-15-600	8 054393 152732	XPS Bait Boxes WH * W/Riddle	10

XPS MAGGOT BOXES

High quality bait boxes featuring transparent lids with holes, to store living baits. They feature a rubber edge to form a perfect seal.

111-15-100

111-15-000

		MODEL	
111-15-000	8 054393 037367	XPS Maggot Box Blue Double	19x37x5,5 cm
111-15-100	8 054393 037374	XPS Maggot Box Blue 1L	17x17x3,5 cm

BAIT WAITER

		MODEL
111-35-300	8 054393 037497	Piatto P Bait Box Normal

X36 GROUNDBAIT BOWL WITH HOOP

		MODEL
116-25-160	8 054393 126726	Impastatore con cerchio Groundbait Bucket with Hoop
116-25-170	8 054393 126733	Impastatore con cerchio XL (cop. a cerniera) Groundbait Bucket with Hoop XL (zip cover)

GNT BAIT BOX WHITE

	MODEL	
111-23-025	8 054393 052100	Trabucco Bait Box White 250g
111-23-050	8 054393 052117	Trabucco Bait Box White 500g
111-23-100	8 054393 052124	Trabucco Bait Box White 1000g

BAIT BOX TRABUCCO

	MODEL	
111-30-100	8 054393 037466	Trabucco Bait Box 4 Div. Green
111-31-100	8 054393 037473	Trabucco Bait Box 4 Div. Blu
111-21-025	8 054393 037435	Trabucco Bait Box 250g Blu
111-21-050	8 054393 037442	Trabucco Bait Box 500g Blu
111-21-100	8 054393 037459	Trabucco Bait Box 1000g Blu

TRABUCCO POLE POTS SET

		XXX	PC
106-15-550	8 054393 036957	3	10

XPS EAZY DOUBLE POLE POT

		XXX	PC
106-15-590	8 054393 120151	2	10

TRABUCCO MESH POLE POT



		MODEL	PC
106-15-560	8 054393 036964	Mesh Pole Pot L	10
106-15-570	8 054393 036971	Mesh Pole Pot XL	10

NEW XPS MAGGOT NET BOX SQUARE

Reticular containers for the maintenance of maggots (moving or glued) in ideal temperature and breathing conditions.

MADE IN ITALY

		MODEL	
111-25-310	8 054393 168689	Maggot Net Box Square Small	10x10cm
111-25-320	8 054393 168696	Maggot Net Box Square Medium	14x14cm
111-25-330	8 054393 168702	Maggot Net Box Square Large	16x16cm
111-25-340	8 054393 168719	Maggot Net Box Square Large	18x18cm
111-25-350	8 054393 168726	Maggot Net Box Square X-Large	22x22cm

XPS MAGGOT NET BOX

Reticular containers for the maintenance of maggots (moving or glued) in ideal temperature and breathing conditions. For transport, they can be inserted into each other concentrically, matrioska style.

MADE IN ITALY

		MODEL	PC
111-25-110	8 054393 163493	XPS Maggot Net Box Micro Mini/80	5
111-25-120	8 054393 163509	XPS Maggot Net Box Micro Small/100	5
111-25-210	8 054393 163516	XPS Maggot Net Box - Medium/120	4

		MODEL	PC
111-25-220	8 054393 163523	XPS Maggot Net Box Large/140	4
111-25-230	8 054393 163530	XPS Maggot Net Box X-Large/180	4
111-25-240	8 054393 163547	XPS Maggot Net Box XX-Large/220	4

XPS CATAPULT



		MODEL	∅	PC
141-71-100	8 054393 051851	XPS Catapult Pole	2,80mm	5
141-71-200	8 054393 051868	XPS Catapult Pole Strong	3,00mm	5
141-71-300	8 054393 051875	XPS Catapult Match	4,00mm	5
141-71-400	8 054393 051882	XPS Catapult Match Strong	4,50mm	5
141-71-500	8 054393 051899	XPS Catapult Groundbait	5,00mm	5
141-70-200	8 054393 051813	Top Range Groundbait		5

XPS CATAPULT SPARE ELASTIC

		MODEL		∅	XXX	PC
141-72-010	8 054393 051905	XPS Catapult Pole		2,80	2	10
141-72-020	8 054393 051912	XPS Catapult Pole Strong		3,00	2	10
141-72-030	8 054393 051929	XPS Catapult Match		4,00	2	10
141-72-040	8 054393 051936	XPS Catapult Match Strong		4,50	2	10
141-72-050	8 054393 051943	XPS Catapult Groundbait		5,00	2	10
141-72-060	8 054393 051950	XPS Catapult Groundbait Strong		6,00	2	10

SPARE POUCHES

		MODEL	PC
141-72-100	8 054393 051967	Mesh Pouch Small	10
141-72-110	8 054393 051974	Mesh Pouch Medium	10
141-72-120	8 054393 051981	Mesh Pouch Large	10

GNT CATAPULT BAG

		MODEL
048-37-192	8 054393 141729	GNT Catapult Bag 23x30x9 cm

COMPETITION CATTY BAG

		MODEL
048-45-090	8 054393 110015	Competition Series Catty Bag

NEW GNT ULTRA COMPETITION

PUT OVER



- Ultralight and super stiff put-over competition landing net pole
- High Modulus Carbon blank, with joints reinforced by High Resistance Carbon
- Advanced Slide Easy finish on all sections, like on top range poles
- Sensi Touch finish on butt section for a safe and comfortable grip
- Top tip reinforced with carbon crossed bands and protected by an EVA sleeve

		cm	m
080-83-100	8 054393 174178	150	5.40

GNT PRO COMPETITION NET

PUT OVER

- Ultralight and super stiff put-over competition landing net pole
- High Modulus NTC Nano Tek Carbon blank, with joints reinforced by Woven Carbon
- Butt section and next one with super slick finish for easy handling (Slick Surface)
- Internal sections with Advanced Slide Easy finish like the best poles
- Intermediate sections featuring EVA tapered plugs on top end
- Top brass screw secured by a rivet and protected by an EVA sleeve

		cm	m
081-02-570	8 054393 162571	160	5.70

SPECTRUM COMPETITION NET

PUT OVER

- Stiff and balanced stiff put-over competition landing net pole
- Light and reliable High Modulus NTC Nano Tek Carbon blank
- Butt section and next one with super slick finish for easy handling (Slick Surface)
- Internal sections with Advanced Slide Easy finish like the best poles
- Intermediate sections featuring EVA tapered plugs on top end
- Top brass screw secured by a rivet and protected by an EVA sleeve

		cm	m
081-03-470	8 054393 162588	155	4.70

SPECTRUM PERFORMANCE NET

PUT OVER

- Light and stiff put-over competition landing net pole
- High Modulus NTC Nano Tek carbon blank
- Butt section with super slick finish for easy handling (Slick Surface)
- Internal sections with Advanced Slide Easy finish like the best poles
- Intermediate sections featuring EVA tapered plugs on top end
- Top brass screw secured by a rivet and protected by an EVA sleeve

		cm	m
081-04-340	8 054393 162595	136	3.40
081-04-460	8 054393 162601	136	4.60
081-04-580	8 054393 162618	136	5.80

The special finish of the inner sections is water repellent (Slick Surface). Water flows away without weighing down the rod.

Internal sections with Advanced Slide Easy finish like the best poles.

Top brass screw secured by a rivet and protected by an EVA sleeve. Intermediate sections featuring EVA tapered plugs on top end.

SPECIAL CARP

DREAM TEAM XPS NET

PUT OVER

- Super stiff and very strong landing net pole, special for commercial lakes
- High Resistance carbon blank, reinforced on top end bottom ends of all sections
- Advanced Slide Easy finish on all sections, like on top range poles
- Sensi Touch handle coating for a firm and comfortable grip
- Top screw is fixed by a rivet and protected by an EVA sleeve

		cm	m
080-82-400	8 054393 029423	132	4.00

DREAM TEAM FAST CARP NET

PUT OVER

- Light and stiff put-over competition landing net pole
- High Modulus NTC Nano Tek carbon blank, reinforced by a spiral carbon band
- Butt section with super slick finish for easy handling (Slick Surface)
- Internal sections with Advanced Slide Easy finish like the best poles
- Intermediate sections featuring EVA tapered plugs on top end
- Short top section, to be removed with net head, to speed up the unhooking operation
- Top brass screw secured by a rivet and protected by an EVA sleeve

		cm	m
081-06-320	8 054393 164902	136	3.20

PRECISION RPL CARP RESPONSE

PUT OVER

- Light and stiff put-over competition landing net pole
- High Modulus NTC Nano Tek carbon blank, reinforced by a spiral carbon band
- Butt section with super slick finish for easy handling (Slick Surface)
- Internal sections with Advanced Slide Easy finish like the best poles
- Intermediate sections featuring EVA tapered plugs on top end
- Short top section, to be removed with net head, to speed up the unhooking operation
- Top brass screw secured by a rivet and protected by an EVA sleeve

		cm	m
081-05-310	8 054393 163271	154	3.10

SPECIAL SEA

FRANGENTE X-FORCE NET

TELE

- Highly reliable and practical telescopic landing net pole
- High Modulus NTC Nano Tek carbon blank, reinforced by crossed carbon yarn
- Advanced Slide Easy finish on butt section
- Reinforced handle made from crossed carbon strips that make it stiffer and reliable
- Internal butt cap, protected by a removable EVA overcap

		cm	m
080-78-400	8 054393 161413	133	4.00
080-78-500	8 054393 161420	133	5.00
080-78-600	8 054393 161437	133	6.00

Brass screw bush, incorporated in the top EVA cap.

SCOGLIERA COMPACT NET

TELE

- High Resistance carbon telescopic blank
- Extremely compact closed length, 63 cm only
- Provided with removable belt for an easy transport
- The top screw bush is protected by an EVA sleeve, forming a cap to lock the section during transport
- Sensi Touch handle finish for a comfortable handling
- Butt cap made from aluminium and rubber
- Ideal for freshwater fishing and street fishing, as well as for sea fishing from piers and rocks

		cm	m
080-79-450	8 054393 140791	68	4.50

ZEST PRO NET

TELE

- Highly reliable and practical telescopic landing net pole, with reduced closed length
- High Resistance Carbon blank (S.H.M.R.), with Crossed Reinforced joints
- Advanced Slide Easy finish on butt section
- Brass screw bush, incorporated in the top EVA cap
- Screw butt cap, with rubber shock absorber

	cm	m
081-00-300	112	3.00
081-00-400	112	4.00
081-00-500	112	5.00

HYDRUS LANDING NET

TELE

- Highly reliable and practical telescopic landing net pole, with reduced closed length
- High Resistance Carbon blank (S.H.M.R.), with Crossed Reinforced joints
- Butt section grip made by fine embossed rubber pattern design
- Brass screw bush, incorporated in the top EVA cap
- Screw butt cap, with rubber shock absorber

	cm	m
081-01-300	114	3.00
081-01-400	114	4.00
081-01-500	114	5.00

NEW HYDRUS XTS NETTER

TELE

- Highly reliable and practical telescopic landing net pole, with reduced closed length
- High Resistance Carbon blank (S.H.M.R.), with Crossed Reinforced joints
- Butt section grip made by fine embossed rubber pattern design
- Brass screw bush, incorporated in the top EVA cap
- Screw butt cap, with rubber shock absorber

	cm	m
081-07-260	100	2.50
081-07-300	100	3.00
081-07-360	100	3.50

PRECISION RPL NET

PUT OVER TELE

- Fiber and Carbon Composite Durawall reinforced blanks
- Telescopic models and put-over versions
- Comfortable Sensi Touch handle finish for a firm grip
- Aluminium screw bush fixed by a rivet
- Rubber butt cap

	MODEL	cm	m
080-86-100	Put Over	115	3.00
080-86-200	Put Over	115	4.00
080-86-300	Tele	115	3.00
080-86-400	Tele	115	4.00

WIZARD POWER & MINI TELE NET

TELE

- Powerfibre telescopic blank
- Comfortable handle “Sensor Grip”
- Aluminium screw bush fixed by a rivet
- Rubber butt cap

	MODEL	cm	m
080-72-300	Power Net	112	3.00
080-72-400	Power Net	112	4.00
080-71-200	Mini	45	3.00
080-71-240	Mini	45	4.00

XPS WEED CUTTER

- Made from burnished steel
- Universal brass screw with rubber o-ring and protective cover
- Tailor made sleeve

089-50-010

The brass screw has a protective cap for transport and a rubber o-ring for perfect locking at the end of the stroke.

GNT BLACK EDITION

Today the match fishing has become so specialized to require the meticulous adaptation of the equipment to expected fishing conditions, and in this sense the landing net is no exception. Apart from the commercial carp world, which has its own characteristics, the regular circuit offers situations ranging from small canal bream to large river chub, passing through all the intermediate scenarios, each one of them has the right net head within GNT collection.



NEW GNT BLACK MATCH FLUO MONO

Ultralight heads featuring "D" cross section aluminum frame to provide maximum rigidity and net in fluorescent yellow nylon. The Silver model, with a spoon shape, is a real feather and is designed to deal with mixed size silver fish. The Bream model, round shape, is an all-rounder that can easily stand those unexpected bonus fish. The Carp model has a larger mesh than the other two, in order to allow a higher scooping speed.

		MODEL	L	W	H	mm
083-67-510	8 054393 117618	GNT Black E. Head Match Fluo*Mono/Silver	45	40	25	6x6
083-67-610	8 054393 117519	GNT Black E. Head Match Fluo*Mono/Bream	45	40	25	6x6
083-67-620	8 054393 117526	GNT Black E. Head Match Fluo*Mono/Carp	55	45	35	10x10
NEW 083-67-710	8 054393 170279	GNT Black Ed. Head Match Fluo*MonoXL/Float	45	40	35	10x10
NEW 083-67-720	8 054393 170286	GNT Black Ed. Head Match Fluo*MonoXL/Float	50	40	40	10x10

GNT BLACK QUICK DRY

Series of heads that combine the extreme respect for the fish with the match fishing needs, primarily the drag reduction once in the water. A soft net that dries quickly, characterized by mesh with rounded corners and by a top edge of nylon fabric, in turn supported by the aluminum sandwich frame. The central block acts as a handle to lift the important fish without holding the net's pole.



		MODEL	L	W	H	mm
083-67-210	8 054393 117571	GNT Black E. Head QuickDry 8/Round	50	40	30	4x4
083-67-310	8 054393 117588	GNT Black E. Head QuickDry 8/Round	50	40	30	4x8
083-67-320	8 054393 117595	GNT Black E. Head QuickDry 8/Round	55	45	30	4x8

AIRTEK SPECIALIST CAMOU RUBBER

Structured with light and stiff aluminium spoon shaped frames, with "D" cross section, these net heads feature the rubber coated mesh, which dries quickly and does not retain any bad smell. Bottom "V" shaped for housing the fish with the ideal orientation to be easily grabbed. Dark brown colour mesh and camouflage green perimetral band.

		MODEL	L	W	H	mm
083-68-710	8 054393 150622	Airtek Specialist Head Camou Rubber	45	55	40	4x4
083-68-720	8 054393 150639	Airtek Specialist Head Camou Rubber	50	60	40	4x4

NEW AIRTEK SPECIALIST PE MESH

Net heads made with highly waterproof PE mesh, whose most important advantage is not the very rapid drying, but the speed with which they cut through the water when the fish must be scooped. Green moss colour; flat bottom with differentiated mesh.

AIRTEK SPECIALIST

		MODEL	L	W	H	mm
083-68-510	8 054393 121769	Airtek Specialist Head PE Mesh	45	55	35	8x4

GNT MATCH METHOD RUBBA

Pan heads designed for feeder fishing, with particular attention to the method style. The net is directly inserted in the anodized aluminium "D" shaped frame, and it is rubberized for a total water and smell proofness, as well as to respect the fish health. The frame has a sturdy ABS fork, equipped with a brass screw, with a knurled handle to easily lift the larger fish without leverage on the pole.

	MODEL	L	W	H	mm
083-69-010	GNT Match Method Rubba	38	45	30	3
083-69-020	GNT Match Method Rubba	40	50	30	3

GNT MATCH DUAL RUBBA

Pan heads designed for feeder fishing, with particular attention to the method style. The net is directly inserted in the anodized aluminium "D" shaped frame, and it is rubberized for a total water and smell proofness, as well as to respect the fish health. The frame has a sturdy ABS fork, equipped with a brass screw, with a knurled handle to easily lift the larger fish without leverage on the pole.

	MODEL	L	W	H	mm
083-69-110	GNT Match Dual Rubba	38	45	30	15x8 base 3
083-69-120	GNT Match Dual Rubba	40	50	30	15x8 base 3
083-69-130	GNT Match Dual Rubba	45	55	30	15x8 base 3

GNT MATCH NANO MESH

Heads made from an innovative nylon net with a supercompact nano molecular structure, which prevents the absorption of water without causing any friction with the water. So the scooping speed is maximum, with great advantage for the fishing action, especially in match conditions. Obviously, the net is always dry, even in water!

	MODEL	L	W	H	mm
083-69-210	GNT Match Nano Mesh	38	45	30	12x6
083-69-220	GNT Match Nano Mesh	40	50	30	12x6
083-69-230	GNT Match Nano Mesh	45	55	30	12x6

NEW TR PRO NET TX SW MONO

Round net heads designed with a greater depth than normal to allow to safely bring important fish to the bank. Perfect for sea fishing, both from rocks and piers, as well as from the boat, they feature a nylon net with 20 mm mesh.

	MODEL	L	W	mm
083-66-812	TR Pro Net TX-SW Mono	45	60	20x20
083-66-814	TR Pro Net TX-SW Mono	50	60	20x20
NEW 083-66-816	TR Pro Net TX-SW Mono M30	45	40	10x10
NEW 083-66-818	TR Pro Net TX-SW Mono M30	50	50	10x10

TR PRO NET TX PVC MESH

Head with waterproof PVC net, which dries instantly, it does not retain bad smells and is particularly "fish friendly". Considerable depth and flat bottom. 6x6 mm net.

	MODEL	L	W	H
083-66-830	TR Pro Net TX PVC Mesh	45	40	30
083-66-840	TR Pro Net TX PVC Mesh	55	45	40

PRO RUBBA LANDING NET

Modern landing nets, with a rubberized mesh for maximum respect for the fish health and for quick drying at the end of the fishing session, designed with a generous depth to accommodate the biggest fish in total safety. The aluminum pole is available in two versions: two-piece telescopic and one-piece.

		m		cm	mm
084-46-510	8 054393 150691	2.20	2	55x65 h50	20
084-46-520	8 054393 150707	1.50	1	60x70 h50	20

NEW TOP RANGE PRO RUBBER LANDING NET

		m		cm	mm
084-46-215	8 054393 164728	1.50	2	50x50	10
084-46-220	8 054393 164735	2,00	2	50x50	10
084-46-320	8 054393 164742	2,00	3	50x50	10
084-46-325	8 054393 164759	2.50	3	70x70	10

TOP RANGE PRO LANDING NET

Great range of landing nets with aluminum anodized handle, 10mm PE mesh in black color e ultra-tough ABS locking system. The telescopic handle is available in two or three sections, allowing to reduce the closed length, while the octagonal profile offers a good strength without compromise the weight. Excellent value for money.



		m		cm
084-46-015	8 054393 030306	1.50	2	50x50
084-46-020	8 054393 030313	2.00	2	50x50
084-46-025	8 054393 030320	2.50	2	50x50
084-46-120	8 054393 030337	2.00	3	50x50
084-46-125	8 054393 030344	2.50	3	70x70

AGGRESSOR LANDING NET

Landing net entirely made in octagonal aluminium. Excellent value for money.



		m	cm	mm
084-35-130	8 054393 030030	1.20	50x50	6

GNT MEGA PRO RECTA MATCH

- Fish Friendly PE mesh (Fishery approved)
- High Strength
- Reinforced and Weighted Rings
- Strong Tilt System
- Triple Seams

		MODEL	m	cm
082-60-300	8 054393 029713	GNT Mega Net Pro	3.00	50x40
082-60-350	8 054393 029720	GNT Mega Net Pro	3.50	50x40
082-60-400	8 054393 029737	GNT Mega Net Pro	4.00	50x40

GNT MEGA RECTA MATCH

- Fish Friendly PVC/PE mesh (Fishery approved)
- Hard Wearing
- Reinforced and Weighted Rings
- Strong Tilt System
- Triple Seams

		m	cm
082-65-350	8 054393 029751	3.50	50x40

NEW XDS PRO KEEPNET

- Fish Friendly PVC/PE mesh (Fishery approved)
- Hard Wearing
- Reinforced and Weighted Rings
- Strong Tilt System
- Triple Seams

		MODEL	m	cm
082-07-300	8 054393 166234	XDS Pro Keepnet	3.00	50x40
082-07-350	8 054393 166241	XDS Pro Keepnet	3.50	50x40
082-07-400	8 054393 166258	XDS Pro Keepnet	4.00	50x40

GENIUS WTP KEEPNET BAG

Weighing bags.

		cm
048-39-010	8 054393 014283	45x45

NEW WEIGHTING NET PE MESH

		cm
083-60-430	8 054393 164711	60x50

TOP RANGE RUBBA SCALE BAG

083-60-410	8 054393 029775

GNT PRO-NET

- Reinforced PVC Micromesh
- Reinforced Corners and Frame
- Reinforced and Weighted Rings
- Strong Tilt System
- Double Seams

		MODEL	m	cm
082-06-350	8 054393 029577	GNT PRO Net Round	3.50	Ø 50

NEW XDS KEEPNET PE

- Fish Friendly PVC/PE mesh (Fishery approved) and Hard Wearing
- Strong Tilt System

		MODEL	m	cm
082-26-410	8 054393 164681	XDS Keepnet PE 5mm	1.00	Ø 40
082-26-415	8 054393 164698	XDS Keepnet PE 5mm	1.50	Ø 40
082-26-420	8 054393 164704	XDS Keepnet PE 5mm	2.00	Ø 40

TOP RANGE

KEEPNET

		MODEL	m	cm
083-60-810	8 054393 029805	Keepnet PE 5 3sect.	0.80	Ø 35
083-60-820	8 054393 029812	Keepnet PE 5 4sect.	1.10	Ø 40

PRO-NET

- Micromesh
- Reinforced Corners and Frame
- Strong Tilt System
- Double Seams

		MODEL	m	cm
082-50-250	8 054393 029638	PRO-NET Round	2.50	Ø 50
082-52-250	8 054393 029676	PRO-NET Carp Round	2.50	Ø 50
082-51-250	8 054393 029652	PRO-NET Rectangular	2.50	50x40
082-53-250	8 054393 029690	PRO-NET Carp Rectangular	2.50	50x40

SMART DIGITAL SCALE

Highly accurate electronic scale, planned to work on every 5 grams up to 10 kilos and 10 grams between 10 and 50 Kilos, has a particularly compact rainproof body. As soon as the fish stops oscillating, the scale blocks the weight indication on the display. Among the various features, the Smart Digital Scale also shows the air temperature.

083-60-450	8 054393 116864	

The San Siro canal is now one of the best Italian match venues (Ph. Match Fishing Italia).

GNT X36 STATION PLUS

THE SIGNATURE

Well known among all European match anglers, since long time GNT logo communicates a sense of innovation and reliability: a signature that represents the Trabucco quality.

THE STABILITY

Legs of 36 mm diameter drastically improve the fishing station's stability. So the comfort level raises, and consequently the concentration about fishing action also grows.

THE ACCESSORIES

All accessories and supports have in common two rubber adaptors, which allow its application on any existing leg, either having a square or circular cross section.

180° CONCEPT

The leg's adjustment knobs work by traction and are connected to a non-marking device, but the concept that makes them quite unique is their operability along a 180 degrees arc. This means that they can be rotated to reduce the volume of the seatbox during transport as well as on the peg.

THE DESIGN

The GNT X36 seatboxes born from a project that takes into account the functions, but, being a product of Italian creativity, it puts the elegance of the shapes on the same level of importance.

A shock to the seatbox world comes once again from Trabucco brand, which breaks into the match fishing scene with an extraordinary concept of fishing station: GNT X36, whose name was inspired by the diameter of the legs to communicate with some effectiveness the new, concrete feeling of stability that the product is able to guarantee. The idea, the materials used, the innovative technical solutions and the extreme adaptability to the personal needs of the user make it a cutting-edge seatbox, as already witnessed by the attentions reserved to it from the angling public during the first exhibitions. The everybody's sympathy arose immediately after the announcement that the aluminum frame is available in three different colors: white, red, black, offering fans the embarrassment and pleasure of choice, because the three combinations are all quite attractive. Then it was the turn of the technical details: above all the innovative leg locking system, which is operated by knobs which are active along a 180 degree arc. So you can reduce the volume of the seatbox during transport, but also on the banks, because the knobs don't protrude from the frame profile. Finally, the extreme flexibility of the Connect X36 concept, which provides the possibility of applying the wide range of accessories to any existing seatbox, indifferently with square or round section legs.

FEATURES

- "Innovative aluminium tubular frame
- Six legs Ø 36 mm, four of which are telescopic: the two on back side feature a level and a bush for quick umbrella fitting, with safety screw; the other four carry a screw bush for the application of any accessory.
- Wide, tilting mud feet; beyond the standard models, supplied with the seatbox, special versions are also available with stainless steel feet and grips for steep banks (fitted on optional legs).
- Sliding aluminium footplate, with front hole for keepnet fixing
- Non-marking screw knobs
- Gel padded cushion with pole recess, decorated by a colour band which definitely marks its look
- Twin system of air bubble levels: one on top of a leg, the other on back side of the frame
- Padded, adjustable length shoulder strap
- Top accessory drawer 4 cm deep, plus a side drawer 2 cm deep
- Removable drawer stack, made of:
  - upper drawer 4+2 cm deep
  - intermediate drawer 4 cm deep, with 2 front drawers
  - lower drawer 2+2 cm deep
- Fittings for Trolley Kit (116-25-220, available separately)
- Compatibility with all existing Genius drawers and modules, including the GNT Roto cushion (item nr. 116-05-080).

OPTIONAL ACCESSORIES

- Seat cushions
- Drawers
- Drawer's partitions
- Trolley kit with pneumatic wheels
- Pole front bars (standard and wind version)
- Side trays, with and without cover
- Accessorie's rests (for keepnet, umbrella, bucket, bowl)
- Pole kit rests
- Feeder & Match Arm
- Legs with plastic or stainless steel foot

Orange

Symbol of creativity, balance and ambition, orange is the color of those who love winning.

MODEL	
116-20-060	Orange

GNT X36 STATION BASE

Since its creation, the X36 seatbox range has stood out for the great opportunities to customize the product, which were offered to the user in the form of additional components. Today such versatility steps up to a higher level, because it is the same user who builds up his own custom-made seatbox, taking into account his personal needs and taste. This is how the Station Base series was born, with frames of three different colors and a minimum amount of drawers, to be enriched and integrated with other available drawers and with some alternative cushions, based on the way of living the competition or simple sport fishing. Of course, there is finally the range of Connect universal accessories to make it even more enjoyable.

THE SIGNATURE

Well known among all European match anglers, since long time GNT logo communicates a sense of innovation and reliability: a signature that represents the Trabucco quality.

THE STABILITY

Legs of 36 mm diameter drastically improve the fishing station's stability. So the comfort level raises, and consequently the concentration about fishing action also grows.

THE ACCESSORIES

All accessories and supports have in common two rubber adaptors, which allow its application on any existing leg, either having a square or circular cross section.

THE DESIGN

The GNT X36 seatboxes born from a project that takes into account the functions, but, being a product of Italian creativity, it puts the elegance of the shapes on the same level of importance.

180° CONCEPT

The leg's adjustment knobs work by traction and are connected to a non-marking device, but the concept that makes them quite unique is their operability along a 180 degrees arc. This means that they can be rotated to reduce the volume of the seatbox during transport as well as on the peg.

FEATURES

- Innovative aluminium tubular frame
- Six legs Ø 36 mm, four of which are telescopic: the two on back side feature a level and a bush for quick umbrella fitting; the other four carry a screw bush for the application of any accessory.
- Wide, tilting mud feet; beyond the standard models, supplied with the seatbox, special versions are also available with stainless steel feet and grips for steep banks (fitted on optional legs).
- Sliding aluminium footplate
- Non-marking screw knobs
- Gel padded cushion with pole recess, decorated by a colour band which definitely marks its look
- Twin system of air bubble levels: one on top of a leg, the other on back side of the frame
- Padded, adjustable length shoulder strap
- Top accessory drawer 4 cm deep, plus a side drawer 2 cm deep
- Lower removable drawer stack, made of base and cover with handle (depth 2+2 cm)
- Fittings for Trolley Kit (116-25-220, available separately)
- Compatibility with all existing Genius drawers and modules, including the GNT Roto cushion (item nr. 116-05-080).

OPTIONAL ACCESSORIES

- Seat cushions
- Drawers
- Drawer's partitions
- Trolley kit with pneumatic wheels
- Pole front bars (standard and wind version)
- Side trays, with and without cover
- Accessorie's rests (for keepnet, umbrella, bucket, bowl)
- Pole kit rests
- Feeder & Match Arm
- Legs with plastic or stainless steel foot

GNT-X MODULES

A wide range of spare accessories is available as optional.

WATERPROOF LID

116-22-040 8 054393 126917

MAXI FRONT DRAWER

116-22-070 8 054393 142443

2X FRONT DRAWER

116-22-030 8 054393 126900

SPACER STANDARD DRAWER

4 cm depth

116-22-010 8 054393 126825

SIDE DRAWER

116-22-020 8 054393 126832

40H DEEPER

116-22-060 8 054393 142436

40H DOUBLE WINDER UNIT

116-22-050 8 054393 142429

GNT X36 STATION WHITE

White

Elegant, suggestive, young, it may seem a bit over the top, but it's the right one not to go unnoticed on the bank.

MODEL	
116-20-070	White

GNT X36 STATION BLACK

Black

Impeccable, classical, technical, it's the perfect colour for those who don't feel comfortable with the other two.

MODEL	
116-20-080	Black

GNT X36 STATION RED

Red

Aggressive and sporty, it draws the attention of next peg's anglers before, during and after the match.

MODEL	
116-20-090	Red

X-36 TROLLEY KIT

116-25-220

How to fit

SPARE PARTS

116-30-025

116-30-030

116-30-045

116-30-040

116-30-035

	MODEL
116-30-025	GNT-X36 Leg Top Threaded Cap
116-30-030	GNT-X36 Leg Top Level Cap
116-30-035	GNT-X36 Accessory Knob Screw
116-30-040	GNT-X36 Spare Leg Screw Knob
116-30-045	GNT-X36 Spare Hinge

X-36 SHOULDER STRAP

116-30-070

GNT ROTO CUSHION

	MODEL
116-05-080	GNT Roto Cushion

LEGS

Four are the optional spare legs. Next to the two with classic high strength ABS foot, shine the two Armor legs, featuring the stainless steel foot, equipped with teeth for optimum grip on the most difficult grounds. Each Armor leg is provided with cover for transport in the car.

116-30-080

30 cm — Leg extender
80/40 cm — Telescopic
50/35 cm — Telescopic
50 cm — Fix
50/35 cm — Telescopic

	MODEL	cm
116-30-005	GNT-X36 Fix Leg	50
116-30-010	GNT-X36 Tele Leg	50/35
116-30-015	GNT-X36 Armor Tele Leg	50
116-30-020	GNT-X36 Armor Tele Leg	80/40
116-30-080	GNT-X36 Leg Extender 2pcs/Set	30

ADAPTABILITY & RELIABILITY AT MAXIMUM LEVEL

Connect UNIVERSAL ACCESSORY

The Connect logo identifies a wide range of accessories, designed for the application to legs of circular cross section with 25-30-36 mm diameter, but which can also be applied on square cross section legs, with 19-20 mm side, thanks to the adapters supplied. The accessories of the X36 Connect range thus offer a robust and reliable connection which can be used on any existing seatbox. The Tangle-Free design and ergonomic knobs complete the GNT X36 Connect system, making it an ideal solution for the most demanding match anglers.

		MODEL	
116-30-050	8 054393 127051	GNT-X36 SPACER 25/30	2pz



The X36 Connect adaptors are externally ribbed to prevent rotation and accidental exit during the use of the accessories. They are also available as spares, packed in bags of two pieces.

SIDE TRAYS

		MODEL	cm
116-25-100	8 054393 127112	GNT-X36 Side tray	51x36

		MODEL	cm
116-25-110	8 054393 127129	GNT-X36 Side tray with bowl	51x36

SIDE PLATFORMS WITH COVER

On platform's back side some Velcro band to fix legs (LEGS NOT SUPPLIED).

116-25-120
116-25-130

		MODEL	cm
116-25-120	8 054393 127136	GNT-X36 Side platform with cover	55x45
116-25-130	8 054393 126696	GNT-X36 Side platform with cover XL	70x55

SIDE TRAY

116-25-230

116-25-235

116-25-290

MODEL		
116-25-230	8 054393 142566	GNT-X36 Slim Side Tray XL
116-25-235	8 054393 142573	GNT-X36 Slim Side Tray XL Eco
116-25-290	8 054393 142559	GNT-X36 Bait Waiter

FRONT BARS

116-25-180

116-25-190

The two accessories are made in order to work together.

MODEL		
116-25-180	8 054393 126740	GNT-X36 Front bars with EVA
116-25-190	8 054393 126757	GNT-X36 Front bars windproof

EVA RIPPLE ARMS



116-25-010

116-25-020

MODEL		
116-25-010	8 054393 126924	GNT-X36 EVA Ripple arms L
116-25-020	8 054393 126931	GNT-X36 EVA Ripple arms L – Long

116-25-060

116-25-070

116-25-040

MODEL		
116-25-060	8 054393 127075	GNT-X36 Double EVA Ripple arms
116-25-040	8 054393 126955	GNT-X36 Straight EVA Ripple arms
116-25-070	8 054393 127082	GNT-X36 EVA Ripple arms Rod Rest 2pcs

ACCESSORY RESTS

MODEL		
116-25-050	8 054393 127059	GNT-X36 Cross Keepnet Arm
116-25-030	8 054393 126928	GNT-X36 Adjustable Cross Arm

UMBRELLA ARMS

MODEL		
116-25-080	8 054393 127059	GNT-X36 Storm Umbrella Arm
116-25-090	8 054393 127165	GNT-X36 Storm Umbrella Arm XL

ROD RESTS & UMBRELLA ARMS



MODEL		
116-25-250	8 054393 142580	GNT-X36 Uni-Connection Arm XL
116-25-280	8 054393 142542	GNT-X36 Bait Umbrella Arm

GROUNDBAIT BOWLS WITH HOOP

MODEL		
116-25-160	8 054393 126720	GNT-X36 Groundbait Bucket with Hoop
116-25-170	8 054393 126733	GNT-X36 - Groundbait Bucket with Hoop XL (zippered cover)

BUCKET HOOP & BOWL

MODEL		
116-25-140	8 054393 126702	GNT-X36 12 litre Bucket Hoop
116-25-150	8 054393 126719	GNT-X36 Bowl with Hoop

GNT-X36 FEEDER ARM & KIT REST

MODEL		
116-25-200	8 054393 126764	GNT-X36 Feeder & Match Rod Rest
116-25-210	8 054393 126771	GNT-X36 Side Pro Kit Rest
116-25-260	8 054393 142597	GNT-X36 Strong Feeder Arm

GNT-X36 MULTI ACCESSORY ARM

MODEL		
116-25-270	8 054393 142535	GNT-X36 Multi Accessory Arm

BOWLS

MODEL		
116-10-030	8 054393 038371	Genius Bacinella
116-10-035	8 054393 038388	Genius Bacinella Rotonda

GNT PRO CUSHION + SIDE DRAWER

MODEL		
116-05-075	8 054393 038272	GNT Pro Cushion & Side Drawer

CUSHION + DRAWER TX RIVER

116-05-056

CUSHION + DRAWER TX

116-05-058

SIDE DRAWER + UPPER ROOM

116-05-010

2 FRONT DRAWERS + UPPER ROOM

116-05-020

GENIUS LID WITH HANDLE

116-05-030

GENIUS LID WITHOUT HANDLE

116-05-035

PLASTIC DIVIDER FRONT DRAWER

116-10-245

SHOULDER STRAP

119-00-010

MODULE ORGANISER SET

116-05-045

The range of accessories, designed for the application to legs of circular cross section with 25 mm diameter.

GNT 25mm

GNT MATCH TEAM SIDE TRAY PRO

*Maggot Boxes not included

116-10-340 | 8 054393 119711 | 55x35

MESH SIDE TRAY

116-10-015 | 8 054393 038333 | 51x36

GNT MATCH TEAM TROLLEY BAG

Optional accessory fitting any seatbox of the GNT range (except GNT X36). Thanks to the cuffs on the four corners, it's quickly fixed to the legs that surround the footplate, creating a very versatile container, useful during the walks to reach the swim. Made from strong and waterproof fabric, the bag can be completely fold down and stored in any side pocket of the carryall. The handles allow its removal and its use as independent bag.

048-37-190 | 8 054393 119674

SIDE TRAY XL

116-10-017 | 8 054393 038340 | 76x50

SIDE PLATFORM

116-10-005 | 8 054393 038302 | 67x51

T-FRONT BAR

116-10-040 8 054393 038395

WIND ARM

086-20-905 8 054393 030719

POLE REST XPS M

116-10-077 8 054393 038531

NEW GENIUS HANDLE SET

116-10-185 8 054393 038760

ROD REST 2 PCS

116-10-075 8 054393 038524

NEW GENIUS WHEEL SET

116-10-186 8 054393 038777

CROSS ARM

MODEL

116-10-057 8 054393 038487 Cross Arm XL

RIPPLE BAR LONG

116-10-250 8 054393 038852

SIDE ROD REST

116-10-093 8 054393 038593

RIPPLE BAR

116-10-260 8 054393 038869

BUCKET HOLDER

116-10-000

GENIUS BOWL

116-10-030

NEW GENIUS ROUND BOWL

116-10-035

GENIUS SPECIALIST FEEDER ARM

The beauty of the feeder chair is the chance to customize it with a thousand of accessories, turning it into a complete fishing station, to have everything at hand. Beyond the feeder arm and practical bowl with adjustable tilting, visible here at right, the Genius Pro Feeder chair accepts all accessories of the Flexy Concept and GNTX36 Connect ranges.

116-15-130

GENIUS PRO FEEDER ARM

It's the ultimate in rod rest arms, born for the feeder but equally suitable for waggler fishing. Great stability, total reliability, and above all extreme adaptability to the conditions of the fishing site and personal user's preferences are his strength points. The tubular telescopic structure, made from aluminum, has a triangular cross section to prevent rotation of the arm under load. Thanks to the three mobile fixing points, the arm can be oriented drastically upwards and equally towards the water. Compatible with seatboxes and chairs with legs of 25 mm diameter.

116-10-310

In front of something that generates in us wonder, today we use a nice expression taken from the world of comics: we say "wow" to condense in three letters a mix of enthusiasm, excitement and positive sensations. And this is exactly the comment of all anglers, in front of the state-of-the-art Trabucco GNT36 Match seatboxes, which flank the GNT X36 top range with more compact and lighter solutions. High-strength aluminium alloy tubular frames play the dual role of giving stability to the whole system and giving it a high-impact aesthetic imprint. The cushions are very well refined, padded by the latest generation's gel to offer the highest comfort even after hours and hours of use, but also finely sewn as the seats of luxury cars and enriched with the embroidered logo. The legs have a diameter of 36 millimeters to accept all the universal accessories of the Connect range and Clamp On range. The large modularity of the drawers and modules gives the most demanding user the opportunity to customize the seatbox, with spaces for match rigs or feeder accessories, even going so far as to modify it over the seasons, possibly reducing its capacity in the cold months, when the commercial lakes dominate the scene.

S36 MATCH

With its overhanging structure, it is a fine design object and a terrific exercise of technology, but at the same time it is a reliable fishing mate, to be brought into the match circuit to stand out from the mass of users of normal seatboxes. With its standard set of drawers it satisfies everybody, but on the lower floor there is room for some personal addition. The image here aside does not show the padded shoulder strap, which is still supplied with the seatbox.

The futuristic side profile of the frame, decorated with sporty taste, recalls the letter S and gives the seatbox a name of immediate recognition. Extreme aesthetic elegance, great lightness, maximum functionality are its main merits.

S36 MATCH

116-10-510

The 36 mm legs accept all accessories from the Connect and Clamp On ranges. On their head, an elegant and practical rounded cap.

The innovative leg's connection block works by pulling, with a non-marking device that avoids causing any leg's scratches.

An orthogonal bubble level system allows the seatbox to be placed on any ground, avoiding lumbar tension's pains for the end user.

Six telescopic legs are a remarkable asset to adapt these seatboxes to the most bumpy of the banks and even to place it directly into the water.

The seat cushion of both models is padded with high stability gel and finely customized by a two-colour's embroidered logo.

The front shell destined to support the pole's butt end is made from thick rubber with a balanced ratio of elasticity to resistance.

The frame of both models is designed to easily connect the Trolley Kit (item number 116-11-010, available as an optional).

The footplate is prepared frontally for the application of the keepnet's connection device, which is supplied with the seatbox (S36 only).

H36 MATCH

The "different twin" of the S36 puts in the foreground great versatility and practicality of use, which arise from the independence of the upper package from the lower one. In fact, the ability to move the drawer's set vertically at will makes it elastic to the end user's needs. Its drawer set equipment is identical to those of the S36. The image here aside does not show the adjustable padded shoulder strap, which is of course supplied with the seatbox.



H36 MATCH

116-10-520

The aluminium frame of this model is broken down into two parts, the top of which has the shape of a large H and flows vertically along four legs, to allow adjusting the height of the seat according to the physical size of the user.

The seatboxes within GNT 36 MATCH range share drawers with those of the Genius line (S1, S2, etc.). Interesting the two new modules: one with side-scrolling drawer and the other with a combination of side drawer plus two frontal ones. Separately, the front spray bar, trolley kit and side rod rest are available, this one consisting of two "U" elements.

MODULAR SYSTEM

116-71-010

116-71-020

116-71-030



116-71-040

MODEL		
116-71-010	8 054393 115872	Genius Box Module H40
116-71-020	8 054393 115881	Genius Box Module H80 2x Front Drawers
116-71-030	8 054393 115898	Genius Box Module H80 1x Side Drawer
116-71-040	8 054393 160423	Genius Box Cross Drawers 2+1

116-25-340

MODEL		
116-25-340	8 054393 160638	GNT-Pro X-Tough Spray Bar
116-11-010	8 054393 160478	GNT Station Trolley Kit
116-11-020	8 054393 160485	GNT Station Rod Rest 36 / Set
116-12-010	8 054393 160492	GNT Station Telescopic Leg 36
116-12-020	8 054393 160508	GNT Station Telescopic Leg Screw
116-12-030	8 054393 160683	GNT Station Leg Locking Knob
116-12-040	8 054393 160690	GNT Station Leg Knob Screw
116-12-050	8 054393 160706	GNT Station Hinge

NEW GNT TRANSFORMER PLATFORM

Aluminium platform with adjustable width, to match any existing seatbox. The Legs accept all GNT 36 and Clamp-On accessories. For transport, the two black trays join together and are locked by same hinges fitted on GNT seatboxes to form a compact box, in which the side bars and legs are stored.

- Platform sizes 100x86 cm (once fully extended)
- Two back legs, fixed lenght (53 cm)
- Two front legs, telescopic (min 81 max 135 cm)
- Adjustable width (from 52 to 86 cm)
- Adjustable width (from 52 to 86 cm)
- Can be transformed in a convenient compact box (26x100x19 cm)
- Lever knobs for easy operability
- Carrying hangle

MODULAR SYSTEM

Space and stability to be used with GNT X36 seatboxes.

cm

116-10-410 8 054393 170972 100x86

GNT MEGA FOOTPLATE

- Designed to accept all GNT seatboxes, including those of GNT X36 range.
- Aluminium tubolar frame
- Legs Ø 30 mm x 82 cm on front (telescopic, expanding up to 135 cm)
- Legs Ø 30 mm x 50 cm on back (fix length)
- Legs compatible with all X36 Connect accessories
- Wide steel feet
- No-marking hand screws
- Non slip ribbed side platforms
- Clips for leg's storage underneath
- Double level system (90°)
- Three seats for banksticks

cm

116-10-400 8 054393 134943 95x81

Clips for leg's storage.

Space and stability to be used with GNT X36 seatboxes.

Three seats for banksticks.

Double level at 90° on the frame.

NEW GNT STATION TROLLEY KIT

The GNT transformer platform is prepared to accept handle and wheels of GNT Station Trolley kit, avalaible separetly from the platform.

116-11-010 8 054393 160478

GENIUS X36 LIGHT SERIES

It is an evolution of the well-known and appreciated Genius 25 series, which continues its career in the Trabucco range. Today, 36 mm legs are in high demand for superior stability and the chance to accept all the accessories in the Connect and Clamp On ranges. A very, very interesting range of seatboxes which stands for the general quality and customization options, created to fulfill the space between the fantastic high-end products and more elementary fishing seats.

The Genius X36 Light seatboxes derive the name from the shape of the tubular aluminium frame that supports the drawers: it looks like a large letter X, because the arms connecting to the legs are angled by 45 degrees to the sides of the perimeter, in order to offer a balanced load distribution.

GENIUS CRX36

116-13-050

It is certainly the most sophisticated and complete of the Genius X36, because it offers a multitude of spaces for rigs, accessories and terminal tackle. Starting from the bottom, you will find the base of 13 cm, common to all models. Then a pair of front drawers, a side-scrolling drawer and finally a standard 4-centimeter drawer. Included is the padded shoulder strap.

GENIUS BRX36

116-13-020

It is characterized by the reclining and padded back rest, appreciated by many for comfort, especially in techniques that involve a minimum of waiting, such as feeder or predator's fishing with dead baits. Beyond the base compartment, which is 13 centimeters deep, there are no standard drawers, but they can be added later, choosing from the four models available. Padded shoulder strap supplied.

GENIUS FDX36

FDX 36 LIGHT SERIES

116-13-030

The two classic front-scrolling drawers identify this great model and satisfy a wide range of enthusiasts, even for the reliable magnetic locking device that prevents them from opening during the transport. Above them there is a 4 centimeters deep standard drawer. The shoulder strap is supplied with the seatbox, even though it is not shown by the picture here aside.

GENIUS SDX36

SDX 36 LIGHT SERIES

116-13-040

Model which is easily recognized thanks to a side-scrolling drawer, very practical in all fishing techniques because it quickly makes available some accessories such as scissors, pliers, disgorgers, plummets, without forcing the user to get up from the seat. Above it, there is a 4 centimeters deep drawer, useful to store some rigs, floats, spools of line, hook's bags and more.

GENIUS LTX36

116-13-010

It is the simplest model within the range, with an essential equipment at the level of storage rooms. In fact, by raising the cushion you directly access the base container, which is 13 centimeters deep. Of course you can integrate it with one or more optional drawers to fit your personal needs. The image here aside does not show the padded shoulder strap, which is obviously included.

MODEL		
116-71-060		Genius Box Comfort Cushion
116-71-070		Genius Box Pole Cushion
116-71-010		Genius Box Module H40
116-71-020		Genius Box Module H80 2x Front Drawers
116-71-030		Genius Box Module H80 1x Side Drawer
116-71-040		Genius Box Cross Drawers 2+1

MODULAR SYSTEM

Available separately, the aluminium footplate applies indiscriminately to all five Genius with 36 mm legs, and is of the sliding type. In addition to it, there are two different sort of cushions and two types of legs, one with fixed length and the other telescopic.

MODEL		
116-11-020		GNT X36 Rod Rest 2 pcs Set
116-13-000		Genius X36 Light Footplate
116-71-150		Genius Box Fix Leg 36 mm
116-71-160		Genius Box Telescopic Leg 36 mm

GENIUS

A very, very interesting range of seatboxes which stands for the general quality and customization options, created to fulfill the space between the fantastic high-end products and more elementary fishing seats. With the diameter of 25 mm, the legs actually accept any accessory from the Genius and Universal Clamp lines: side trays, rod holders, supports for the keepnet and for the bucket, trays holders and umbrella arms, allowing to definitely increase their level of comfort. Thanks to the available modules, the user can adapt the seatbox configuration to his personal needs.

GENIUS S102 LIGHT

116-70-300

Model characterized by the back rest, which is padded as well as the cushion and folds down for transport. All other components are identical to those of basic model S1 Light. Due to its general characteristics, stability and practicality, this seatbox is also ideal for boat fishing. Of course you can increase its capacity by inserting modules H40 and H80 (the latter with front drawers or side drawer), available separately.

GENIUS S1 LIGHT

It's the simplest model of the entire range, but it is the only one to be equipped with carrying handle and clips for attaching the legs to the bottom of the container. Thus the seatbox assumes a compact volume, to find space in the narrower car booth but also on a scooter. The lower compartment, of 40 x 30 cm, 13 cm deep, is able to accommodate accessories and reels, and is closed by the cushion. The seatbox can be customized with modules H40 and H80 (the latter with front drawers or side drawer), available separately.

116-70-100

GENIUS S101 LIGHT

Born from the S1 Light model, to which a module H40 has been added. The lower compartment is identical, while the middle drawer is 5.5 cm deep. Additional optional modules H40 and H80 can be inserted at later stage, building a seatbox on the basis of personal taste to store ready-made rigs, feeders and any other accessories.

116-70-200

GENIUS BOX S FOOTPLATE

With the creation of a specific footplate, grows the usability of the Genius seatboxes, which can now face the most uncomfortable banks. The footplate is available as optional, and accepts a wide range of accessories, from Clamp 36 to all those of the Connect family, which include adapters for the 25 mm legs, up to the Flexi Chair ones that born for legs of the same diameter.

- Aluminium tubolar frame
- Round legs Ø 25 mm
- Wide, tilting mud feet
- No-marking handscrews
- Folding at 90° for easy transport

The footplate folds back at 90° for easy transport.

116-70-000

A simple range of modular units, designed to allow the seatbox to be customized or tuned according to the personal needs of the user. The four clips also act as a hinge, allowing the opening of the drawers from both sides.

	MODEL
116-10-075	Rod Rest (2 pcs)
116-71-010	Genius Box Module H40
116-71-020	Genius Box Module H80 2x Front Drawers
116-71-030	Genius Box Module H80 1x Side Drawer
116-71-040	Genius Box Cross Drawers 2+1

CLAMP 36

EASY SWITCH

UNIVERSAL ACCESSORY SISTEM

Line of multifunctional arms, suitable for any existing seatbox or feeder chair, and useful in any field of sport fishing. Thanks to the innovative "Clamp" system, the body of these accessories opens like a clamp, allowing it to be inserted into the preferred position even if the leg already houses one or more accessories. But there's more. In some accessories, marked with the Easy Switch logo, a removable threaded head allows the accessories to be interchanged.

A practical lever frees the Easy Switch threaded head.

The supplied adapter set allows the accessories to be applied on legs with a round section of Ø up to 36 mm, or with a square section of 20 mm.

NEW EVA DOUBLE ROD REST

EASY SWITCH

086-19-220 8 054393 167774

NEW EVA STRAIGHT ROD REST

EASY SWITCH

086-19-210 8 054393 167767

NEW CROSS CONNECTOR ARM

086-19-230 8 054393 167781

EASY SWITCH

NEW CROSS ADJUSTABLE ARM

086-19-240 8 054393 167798

EASY SWITCH

CROSS ARM 10

086-19-140 8 054393 141385 cm 10

EASY SWITCH

CROSS ARM 20

086-19-150 8 054393 141392 cm 25

EASY SWITCH

NEW EASY SWITCH ADAPTER

Easy Switch Adapter is the perfect solution to apply a fast release system to your bankstick or seatboxes accessories. Easy Switch Adapter offers a robust and secure locking system, that will allow you to swap between your accessories in a while. Fitted with a standard thread to be positioned on any bankstick or seatbox accessories.

- Strong and durable construction.
- Let you switch between your favourite accessories in a while.
- Fits all the Trabucco accessories and not only (Standard 3/8 thread)
- Corrosion and wear resistant brass thread.
- Individual blister pack.

		PC
086-19-100	8 054393 173744	10

FEEDER ARM



		MODEL
086-19-160	8 054393 141408	Feeder Arm 60 - 90 cm
086-19-170	8 054393 141415	Feeder Arm 90 - 140 cm

KEEPNET ARM

086-19-110	8 054393 141354

EASY SWITCH

SIDE BASSIN

086-19-200	8 054393 141446

KEEPNET ARM 20

		cm
086-19-130	8 054393 141378	20

EASY SWITCH

KEEPNET ARM 5

		cm
086-19-120	8 054393 141361	5

EASY SWITCH

BUTT REST

086-19-190	8 054393 141439

POLE ARMS

		MODEL
086-19-180	8 054393 141422	Pole Arms (2 pcs)

FLEXY CHAIR

A breath of fresh air in the world of feeder chairs: the most important accessory for the enthusiast of the extra-large fish grows and renews itself thanks to Italian creativity.

TRABUCCO FLEXIBLE CHAIR

Next to a classic design, indispensable to provide stability and comfort for the user, it is the system of accessories and of their attachment to the structure the real "plus" of the product. Thanks to an intelligent device, for the first time the accessories can also be connected to the rear legs, which during use are drastically tilted. And it is the extreme flexibility of use of the accessories that inspired the name Flexychair for this fantastic chair.

- Innovative frame made of a lightweight tubular aluminum structure, with adjustable front legs and telescopic rear legs;
- High strength ABS feet, with large diameter to avoid sinking into the mud, tilting to fit any profile of the ground;
- Extra-comfortable seat, fully padded, made of waterproof fabric and high quality microfiber, which is also waterproof;
- Backrest fully reclining for transportation and well padded;
- Padded headrest cushion, very comfortable in long waits;
- Higher ground clearance than the standard models, to reduce the stress on the user's legs;
- 2 front legs Ø 25 mm, adjustable via large rubber knobs operating to non-marking devices that don't scratch them.

Mud feet are tilting to automatically fit the contours of the ground.

Comfortable rubber knobs for the front leg's adjustment.

Convenient push button control for the two telescopic rear legs.

116-80-000 8 054393 126634

FLEXIBLE CHAIR ACCESSORIES

An unprecedented series of blocks and accessories that can be adapted on all feeder chair, fishing chairs and seatboxes that have tubular legs of 25 mm maximum diameter. The system has been called Flexy Concept in order to emphasize its flexibility in adapting to the chair, to the seatbox, to the environmental conditions and personal requirements of the user. It allows a perfect fitting of the support on any leg of the chair, including the rear ones, in order to firmly apply the feeder arm, the umbrella arm, the rod rest, the accessory tray. Three are the elements of innovation which make the system unique in the market.

- The block can be opened up to 180° to clamp it laterally to the leg, even below the frame;
- Possibility of rotation of the block to bring the accessory horizontally, in case the chair leg wouldn't be vertical;
- Chance to remove the accessory and leave the block connected to the leg, or to interchange any accessory with another one.

The knob (1) allows to open the block to clamp it on to the leg, instead of inserting it from the top.

The knob (2) fixes the block and rules the chances of rotation.



At the end of the fishing session, the accessory can be disconnected, leaving the block on the leg.

FLEXYCHAIR SIDE TRAY

116-81-010

FLEXYCHAIR RIPPLE CROSS ARM

116-81-030

FLEXYCHAIR ADJUSTABLE CROSS ARM

116-81-020

FLEXYCHAIR UMBRELLA ARM

116-81-040

FLEXIBLE CHAIR ACCESSORIES
FLEXY CHAIR

FLEXYCHAIR UMBRELLA ARM

116-81-050

GENIUS PRO FEEDER STATION

Beautiful fishing chair: large, stable, comfortable and, above all, rotating to follow the user's needs, who while fishing is continually moving to the right and to the left to pick up the bait, to load a feeder, to catapult loose bait, to tie a hook, to bring the landing net. Fitted on top of a sturdy aluminum frame, it has a fully padded cushion and back rest. With folded backrest and legs fixed to the dedicated clips, the chair takes a small volume in any car. The legs of 30 mm diameter, equipped with wide, tilting mud feet, accept all the accessories of the XPS Clamp-On.

- Strong aluminium frame
- Rotating and padded seat, with folding back rest
- Two front telescopic legs Ø 30 mm
- Two back legs Ø 30 mm with fixed length
- Wide, tilting mud feet
- Completely folding for easy transport

FEEDER STATION WITH REDUCED DIMENSIONS AND GREATER STABILITY

116-70-510 8 054393 160539

GENIUS UNI SIDE TRAY

Wide side tray, available as optional, which can be stored below the seat frame during transport

116-72-010 8 054393 115904 40x55

GENIUS PRO FEEDER CHAIR

It's the greater sister of Specialist Feeder Chair, which can offer excellent comfort for the larger dimensions of the seat, for the higher ground clearance and the reclining backrest, which culminates with a padded headrest. Unchanged the useful carrying bag that lets you store the chair in the car booth preventing mud and water from damaging it. The four telescopic legs are equipped with tilting feet, while four angled arms, having adjustable height and a diameter of 25 mm, allow the user to apply any accessories. The chair is supplied with a convenient side tray.

Two large knobs enable to modify the angle of the back rest.

The accessorie's sticks are adjustable in height.

Special devices allow you to adjust the extension and orientation of all four side arms.

117-25-300

GENIUS SPECIALIST FEEDER CHAIR

Rod and reel not included.

Simple, lightweight and extremely practical, this feeder chair has already gained the trust of thousands of fans across Europe. It comes in an elegant zippered bag, with carrying handles, and offers four telescopic legs with tilting feet, to easily adapt to any ground profile. Built on aluminum frame, painted in black, has a seat made from rugged fabric, with padded backrest. The package includes four angled arms to fit accessories, one of which is telescopic and adjustable, two rod rest heads (feeder and match) and a comfortable side tray.

117-25-200

XPS

The new XPS series is a clever and versatile line of devices, ideal for any fishing style - from pole to waggler, feeder and carp. This series is made from strong and durable ABS material - which remains fully comfortable even at low temperatures. Every device has a smooth edge, on order to prevent line's damage, in addition of a durable bottom brass screw. Each device adopts an "easy to place" solution, that'll help you to find your ideal set up.



NEW BUTT JAW GRIPPER

The soft jaws offer a tight grip in every conditions, reducing the chance to accidentally move the rods and avoid the rods to slide forward, while still allowing you to remove the rod smoothly when a fish is hooked or a recast is required.

086-22-300	8 054393 173768	PC	5

NEW BUTT FAST GRIPPER

The oversized mouth let the anglers easily find and position the rods every time in the correct position, without the need to take off the eyes from the tip both of a feeder rod or the float. The rubber gauge offer a tight grip in, avoid the rods to slide forward or to keep the rods in place even during the most powerful of bites.

086-22-310	8 054393 173775	PC	5

NEW ANGLE MULTI LOCK

Multi Angle Lock is designed to offer a robust tilt locking system to let anglers position correctly any accessories with ease.

- Fitted with a standard thread to be positioned on a bankstick or any seatbox accessories
- 0° and 90° position achievable by button

086-22-110	8 054393 173751	PC	10

XPS ADJUSTABLE LOCK NUT

Multi Angle Lock is designed to offer a robust tilt locking system to let anglers position correctly any accessories with ease.

- Fitted with a standard thread to be positioned on a bankstick or any seatbox accessories
- 0° and 90° position achievable by button

106-20-050	8 054393 117373	XPS Adjustable Lock Nut (3pcs)	PC	10

NEW XPS PRO FEEDER ROD REST SET*3 RODS

- Strong yet light aluminium frame with compact design
- User friendly knobs
- Three removable tubes with adjustable angle
- Adoptors included to fit 25 and 36 mm round legs

086-19-300 8 054393 165220

NEW XPS PRO FEEDER ROD REST-STRAIGHT

	cm	PC
086-23-310 8 054393 165251	30	5
086-23-320 8 054393 165268	50	5

Brass screw with adjusting nut and rubber protective cap.

086-23-310

086-23-320

NEW XPS PRO FEEDER ROD REST

	cm	PC
086-23-330 8 054393 165275	30	5
086-23-340 8 054393 165282	50	5

086-23-330 086-23-340

ROD REST MULTI ANGLE LOCK L



086-22-200

ANGLE MULTI LOCK

Trabucco Multi Angle Lock is designed to offer a robust tilt locking system to let anglers position correctly any rod rest with ease. Just by simply press the button on the body and tilt the rod rest to the required angle. The rod rest is designed to preserve the line and keep the rod in place in all conditions. Multi Angle Lock with is fitted with a standard thread to be positioned on a bankstick or any seatbox accessories.

ROD REST MULTI ANGLE LOCK U

086-22-210

ROD REST MULTI ANGLE LOCK U

	MODEL
086-22-220	Small 15 cm
086-22-230	Large 20 cm

ROD REST MULTI ANGLE LOCK V

086-22-240

ROD REST MULTI ANGLE LOCK V

	MODEL
086-22-250	Small 15 cm
086-22-260	Large 20 cm

XPS FEEDER REST EVA RIBBED

Et lacillab im rectis quaspero que pedis eris dolorep edignis

		MODEL	PC
086-20-855	8 054393 120205	EVA Ribbed 0/90°	3

XPS FEEDER REST RIBBED

		MODEL	PC
086-20-865	8 054393 120212	XPS Feeder Rest Ribbed 0/90°°	3

XPS FEEDER BUTT REST - MINI U

Et lacillab im rectis quaspero que pedis eris dolorep edignis

		MODEL	PC
086-22-080	8 054393 117243	Mini U	5

XPS FEEDER BUTT REST

		MODEL	PC
086-22-060	8 054393 117229	XPS Feeder Butt Rest - Mini L	5
086-22-070	8 054393 117236	XPS Feeder Butt Rest - Small L	5

GNT EVA POLE SOCK

106-15-710 106-15-715

		MODEL	PC
106-15-710	8 054393 150721	Eva Double Sock	5
106-15-715	8 054393 150738	Eva Single Sock	5

XPS FEEDER REST METHOD RIPPLE

		MODEL	PC
086-22-020	8 054393 030795	XPS Feeder Rest Method Ripple	5

TULIPOLE PEG



		PC
089-15-000	8 054393 031105	10

GNT MEGA BLACK KIT REST

Designed for the demanding angler, these fantastic aluminium framed rod rests can be set up and fold down in a second, thanks to the tilt leg system. Twelve places with windproof EVA slots and three sections telescopic legs.



GNT Mega Roller legs must always be opened and closed holding two of them together. In this way, the operation will be quick and safe.

	MODEL
086-21-610	Front Rest XL/12/Wind

	MODEL
086-21-650	Back Rest XL/12

XPS 10 KITS REST

086-20-700

3AXIS ALU BANKSTICK

	cm
088-55-950	50/100
088-55-955	80/160

ALU BANKSTICK

	∅	cm
088-55-200	19 mm	760

SCREW POINT SS BANKSTICK

Point with sturdy steel auger.

The driver bar is hiding inside.

Ergonomic knurled knobs.

	∅	cm
088-55-900	22/19 mm	75x130
088-55-910	22/19 mm	100x175
088-55-920	22/19 mm	125x220

NEW GNT POLE ROD REST SYSTEM

Advanced kit rest system, avalaible in set (front and back) or individually. All items match the GNT Tripod, a stable and versatile support also accepting the «V» rollers.

- Windproof EVA slots
- Reinforced corners
- Ultralight aluminium frame
- Brass screw

086-23-010

086-23-020

086-23-030

		MODEL
086-23-010	8 054393 160393	Front AW & Back Rest 12 slots -
086-23-020	8 054393 160409	Front XL/AW 15 slots
086-23-030	8 054393 160416	Front XXL/AW w20 slots

NEW GNT PRO-TRIPOD X-LARGE 2X

Indispensable for the support of rod rest and “V” pole rollers, this sturdy yet light tripod is structured from tubular aluminum, with conical points for effective penetration into the ground. Telescopic legs have an adjustable length from 60 to 100 cm, while the central stick is adaptable in height by a convenient lever. In case of hard banks, the tripod can be stabilized by hanging a bucket of water on the appropriate hook.

- Aluminium frame with EVA sleeves
- Telescopic legs with conical point
- Adjustable central stick
- Hook to apply a counterweight

086-21-710 8 054393 160676

GNT MEGA BLACK ROLLER

Born to ease the pole shipping, the rollers have evolved in terms of protection of the rod against accidental fall, due to gusts of wind. This is why the GNT Mega Black solutions offer the superior stability deriving from the central hook, which allows you to hang a bucket full of water. Furthermore, the arms are no longer vertical, but inclined towards the inside to prevent the pole from leaving the seat, under the lateral thrust of the wind. The telescopic legs allow you to adapt the roller to the ground conditions and can be folded instantly. Carry bag supplied.

WITH BAG



GNT Mega Roller legs must always be opened and closed holding two of them together. In this way, the operation will be quick and safe.

		MODEL	cm
086-21-400	8 054393 145727	L	60
086-21-450	8 054393 145734	XL	75
086-21-500	8 054393 145741	XXL	90

NEW GNT GROUND LEGS

		XXX
086-21-510	8 054393 160515	2

XPS EASY FOLD V-ROLLER

086-20-190	8 054393 030412

TOP RANGE POLE ROLLER FOLDING

WITH BAG

088-40-000	8 054393 030849

TOP RANGE TRIPOD ROLLER

086-20-200

TOP RANGE ROLLER 4 LEGS

	MODEL
088-40-200	L

TX POLE TRIPOD ROLLER

086-20-110

MEASURING SOFT PEGS

System that allows for the measurement of fishing distance, great for Bolognese or waggler fishing, essential for feeder fishing. Just fit the two sticks in the ground, attach the hook on one of the two and wind the line on the outside of the vertical elements, counting the revolutions made. The number of revolutions multiplied by the distance between the two sticks, is the exact fishing distance.

	XXX	PC
088-56-100	2	5

GNT MATCH UMBRELLA PE

It is much more than a good umbrella. The sheet is water repellent, thanks to the PE fabric, while the provision of the steel auger pole and the fixing pegs to the ground allow you to deal with any weather conditions.







		cm
108-52-500	8 054393 135056	250
108-52-510	8 054393 135063	270

Supplied with a metal stick to be inserted in the dedicated hole to easily operate the auger.

The pole ends with a steel auger point, which is designed to penetrate the hardest grounds.

GNT MATCH PRO UMBRELLA RECTA

		cm
108-52-530	8 054393 152596	250 cm

Some rings at the end of the ribs are useful to connect the umbrella to the safety pegs supplied.

The metal pegs and the rope anchor the umbrella to the ground, securing it from gusts of wind.

COMPETITION UMBRELLA

108-52-400	8 054393 135070





UMBRELLA HALF TENT PU

108-52-300	8 054393 037282

GNT BAIT UMBRELLA PE

108-52-520	8 054393 141682

PRO PLIER

Built to perform, Pro Pliers are durable and functional, made with high-grade stainless steel with an extra black titanium nitride co-ating for increased corrosion resistance and great for intensive saltwater use.

- Stainless steel titanium plated
- The durable, double moulded soft-grip handles offer a secure grip and comfort
- Provided with nylon bag with Velcro closure and belt loop keep

NEW HEAVY DUTY

101-48-110

Featuring textured jaws for a more se-cure hold, split-ring opener, built-in crimper, lure tuner grooves and a mono/wire cutter.

NEW LONG NOSE

101-48-120

Featuring textured jaws for a more secure hold, built-in crimper, lure tuner grooves and a mono/wire cutter.

NEW X-LONG NOSE

101-48-130

Featuring textured jaws for a more secure hold, these are ideal for dealing with toothy fish, the extra length will help to dehook fish safely.

NEW HD WIRE CUTTER

101-48-140

Featuring heavy duty hardened jaws for a longer cutting life, the jaws will help you to cut everything you may need to, from wire to treble hooks.

		MODEL	cm	PC
101-48-110	8 054393 166456	HEAVY DUTY 6"	16	6
101-48-120	8 054393 166463	LONG NOSE 8"	20	6

		MODEL	cm	PC
101-48-130	8 054393 166470	X-LONG NOSE 11"	28	6
101-48-140	8 054393 166487	HD WIRE CUTTERS 7"	18	6

HOLLOW ELASTIC MATCH POWER
HI-LAYER

In pole fishing, the elastic is a vital element, replacing the rod's lack of elasticity when it's time to protect the hooklink from breakage risk under extreme tension. That's why we have taken advantage from latest technologies to deliver a top quality product.

- Super Soft & Smooth
- Controlled Stretch
- Double Core Natural Latex
- Wear and elements resistant
- High Visible colours
- Self-Lubricated

STRETCH FACTOR 750% MIN

TENSILE STRENGHT 3500 PSI

TENSILE MEMORY ≤ 2%

Made from self lubricating natural latex with Double Core structure which adapts the reaction to the applied stress.

Individually packed in aluminium bags for complete protection; bags are easily sealable after using part of the content.

NEW HI-LAYER MATCH

Designed for silver fish or winter commercial carp, it's super soft and smooth even under high tension, to keep the fish more quiet and avoid those detestable hook pulls.

- Hi-Performance Match Grade
- Designed for Silver Fish
- Super Soft & Smooth

5m

	m	mm ⌀	PC
101-96-120	5	1.25	5
101-96-150	5	1.50	5
101-96-180	5	1.80	5
101-96-200	5	2.05	5

NEW HI-LAYER POWER

Perfect for commercial Carp or any other big fish in open waters, it's made with different layer's thicknesses to provide high stopping power and never ending protection.

- Designed for Carp & Big Fish
- High Tensile Strength Power
- Micro Bore

5m

	m	mm ⌀	PC
101-97-190	5	1.90	5
101-97-210	5	2.10	5
101-97-230	5	2.30	5
101-97-250	5	2.50	5
101-97-270	5	2.75	5
101-97-300	5	3.00	5

XPS POWER CORE HOLLOW ELASTIC

Manufactured from the very highest quality raw materials available and to the strictest quality standards, using the twin core hollow system. The core is strong and durable, making it more powerful, while the outer layer increase smoothness. Power Core not only stretches further than any other elastic on the market, but also retracts faster, which is without doubt a massive benefit on landing bonus fish faster.

- Double Core Latex
- Smoother Surface
- High Stretch
- Retracts Faster
- Dualphase Action
- Self Lubricated

	m	mm ⌀	SIZE	PC
102-05-230	3	2.3	10-14	5
102-05-250	3	2.5	12-16	5
102-05-270	3	2.7	14-18	5

XPS FLUORO POWER LATEX

Super silicon treated solid elastic, supple and forgiving on the strike and produced by pure latex. The innovative extruding process allows to obtain a perfectly round profile, with an high and progressive stretch factor and it retracts faster inside the pole. Supplied in 10 or 7.5m spools according to the size, produced in high visibility colors and ultra-resistant to wear, it's the first choice of the Ravanelli Team Trabucco.

- 100% Pure Latex
- Super Smooth with Slip Silicon treatment
- Highly visible fluorescent colours
- High factor stretch and dual-phase action
- Retract faster inside the pole
- Produced to be more forgiving on the strike
- Supplied in 10m or 7.5m spools
- Available in 8 sizes to cover all fishing styles

		m	mm ∅	SIZE	PC
102-02-080	8 054393 034793	10	0.8	4	10
102-02-090	8 054393 034809	10	0.9	5	10
102-02-100	8 054393 034816	10	1.0	6	10
102-02-120	8 054393 034823	10	1.2	8	10
102-02-140	8 054393 034830	10	1.4	10	10
102-02-160	8 054393 034847	7,5	1.6	12	10
102-02-180	8 054393 034854	7,5	1.8	14	10
102-02-210	8 054393 034861	7,5	2.1	16	10

POWER LATEX HYPER STRETCH

With its unique ability to display a smooth, endless stretch, this solid elastic is ideal for big fish, especially when their capture occurs close to the bank or on top water. Immediately after the strike, the fish exhibits a fast and powerful run, which of course can break the line; with Hyper Stretch, however, the stress of the first impact is totally absorbed, and the subsequent movement of the fish is slowed down, with lower risk that it disturbs the other fish feeding in the same swim.

- 100% Hyper Stretch Pure Latex
- Super Smooth with Slip Silicon treatment
- Highly visible fluorescent colours
- High factor stretch and dual-phase action
- Retract faster inside the pole
- Produced to be more forgiving on the strike
- Supplied in 10m or 7.5m spools

		m	mm ∅	PC
102-03-220	8 054393 034878	5	2.2	10
102-03-240	8 054393 034885	5	2.4	10
102-03-260	8 054393 034892	5	2.6	10

XPS DOUBLE FLUORO LATEX

This high quality latex elastic has been developped to make the threading of the popular Double Elastic easier. You can now elastic your top kit as you did with a single strand and once threaded the Double Fluoro can be easily separated into a perfect Double Elastic System. Comes in 6m spools to elasticatate up to two top 3.

- 100% pure latex
- Developed to make elastication easy
- Strands can be separated once fitted
- Produced to be more forgiving on the strike
- Highly visible fluorescent colours
- Super smooth
- Supplied in 6 metre spools
- Available in 5 sizes to cover all fishing styles

		m	mm ∅	PC
102-00-070	8 054393 034748	6	0.7 x 2	10
102-00-080	8 054393 034755	6	0.8 x 2	10
102-00-090	8 054393 034762	6	0.9 x 2	10
102-00-100	8 054393 034779	6	1.0 x 2	10
102-00-120	8 054393 034786	6	1.2 x 2	10

XPS COMPETITION PTFE BUSH

PTFE 100%

		MODEL	mm∅	XXX	PC
102-07-100	8 054393 035011	Internal	2.30	2	10
102-07-140	8 054393 035059	Internal	3.20	2	10
102-07-150	8 054393 035066	Wide Bore	5.00	2	10

DACRON CONNECTORS

Trabucco Dacron connectors have been specifically developed to provide a neat link between your elastic and your rig. The Dacron holds your rig away from your pole tip whist the purpose designed bead makes sure the Dacron points forwards to keep tangles to an absolute minimum.

		XXX	PC
102-07-000	8 054393 034984	2	10

TM TIP CONNECTORS

		XXX	PC
103-70-100	8 054393 035578	2	10

WINDER BUNG



		PC
103-80-100	8 054393 035684	10

EASY LOOP TYER

Perfect loops the same size every time. The loop tyer provides two sizes of loop to suit your fishing situation.

		PC
101-57-100	8 054393 032496	10

TEAM MASTER BUNG EXTRACTOR

Made from high quality plastic. The set includes cone, extractor and winder.

		SIZE	PC
103-75-100	8 054393 035615	S	5
103-75-200	8 054393 035622	L	5

COMPETITION X-FINE SILICONE

High performance, ultra fine silicone tube. Designed to fit the finest wire and carbon pole stems. Colour coded for easy recognition.

		m	mm∅	COLOR	PC
100-16-030	8 054393 032126	0,50	0.3	Red	10
100-16-040	8 054393 032133	0,50	0.4	Blue	10
100-16-050	8 054393 032140	0,50	0.5	Gold	10
100-16-060	8 054393 032157	0,50	0.6	Orange	10
100-16-080	8 054393 032164	0,50	0.8	Yellow	10
100-16-100	8 054393 032171	0,50	1.0	Grey	10

POLE ELASTIC THREADER

		m	XXX	PC
115-30-310	8 054393 037688	3	10	10

XPS ELASTIC CONNECTOR

		SIZE	XXX	PC
102-08-110	8 054393 149909	S	2	10
102-08-120	8 054393 149916	M	2	10
102-08-130	8 054393 149923	L	2	10
102-08-140	8 054393 149930	XL	2	10

XPS PULLA & TOP BEAD

		SIZE	XXX	PC
102-08-010	8 054393 149879	S	5	10
102-08-020	8 054393 149886	M	5	10
102-08-030	8 054393 149893	L	5	10

XPS SLIPPERY BUSHES

Pure PTFE internal bushes for a smooth and safe elastic running. Made with rounded upper end to protect the elastic even when the pole top kit is vertical for landing operation. Produced in six sizes, identified by different packaging colour. Each blister containing 2 identical bushes.

PTFE 100%

		mm Ø	XXX	PC
102-07-210	8 054393 121455	2.30	2	10
102-07-220	8 054393 121462	2.60	2	10
102-07-230	8 054393 121479	3.00	2	10
102-07-240	8 054393 121486	3.40	2	10
102-07-250	8 054393 121493	3.80	2	10
102-07-260	8 054393 121509	4.20	2	10

XPS CLUSTER BUSHES

Pure PTFE internal bushes for a smooth and safe elastic running. Made with rounded upper end to protect the elastic even when the pole top kit is vertical for landing operation. Set of three bushes, which allow to adapt the bore to elastic size, keeping the same tip bore, so the elastic can be changed while the feeling, action and length of top kit remain the same. Two models: Match & Carp with different bore size. Blister containing 2 identical sets.

PTFE 100%

Match Hole Ø mm			Carp Hole Ø mm		
2,30	3,00	3,80	2,60	3,40	4,20

		MODEL	XXX	PC
102-07-310	8 054393 121516	Match	2	10
102-07-320	8 054393 121448	Carp	2	10

GNT HOLLOW ANTENNA

	MODEL	mm	mm ∅	XXX	PC
001-05-212	Competition	50	1.2	6	10
001-05-222	Competition	55	2.2	6	10
001-05-225	Competition	56	2.5	6	10
001-05-240	Competition	60	4.0	6	10
001-05-250	Competition	60	5.0	6	10

	MODEL	mm	mm ∅	XXX	PC
001-05-310	GNT Hollow	50	1.0	8	10
001-05-312	GNT Hollow	50	1.2	8	10
001-05-315	GNT Hollow	50	1.5	8	10
001-05-318	GNT Hollow	55	1.8	8	10
001-05-320	GNT Hollow	55	2.0	8	10
001-05-322	GNT Hollow	55	2.2	8	10
001-05-325	GNT Hollow	55	2.5	6	10
001-05-330	GNT Hollow	60	3.0	6	10
001-05-335	GNT Hollow	60	3.5	6	10
001-05-340	GNT Hollow	60	4.0	6	10
001-05-345	GNT Hollow	60	4.5	6	10
001-05-350	GNT Hollow	60	5.0	6	10

001-05-2

001-05-3

001-05-4

New series of hollow antenna perfect to face any situation where you need to customize your floats. Especially during competition, it can happen that you need to change quickly the antenna depending on fishing conditions, this product is wath you need. This Competition series are made using high visibility painting, wich makes possible to detect even the most delicate bite in any light condition.

	MODEL	mm	mm ∅	XXX	PC
001-05-415	GNT Hollow XL	100	1.5	6	10
001-05-418	GNT Hollow XL	100	1.8	6	10
001-05-420	GNT Hollow XL	100	2.0	6	10
001-05-422	GNT Hollow XL	100	2.2	6	10
001-05-425	GNT Hollow XL	120	2.5	6	10
001-05-430	GNT Hollow XL	120	3.0	6	10
001-05-435	GNT Hollow XL	120	3.5	6	10

SLIDING HOOKED SNAP

	XXX	PC
101-55-680	8	10

FIX WAGGLER CONNECTOR

	XXX	PC
101-55-570	3	10

STRONG SLIDER CONNECTOR FEEDER S

	XXX	PC
101-55-600	5	10

STRONG SLIDER CONNECTOR FEEDER M

	XXX	PC
101-55-610	5	10

SLIDER CONNECTOR

101-55-5(10-20-30)

101-55-5(40-50)

	MODEL	SIZE	XXX	PC
101-55-510	Slider Connector PTFE	SS	5	10
101-55-520	Slider Connector PTFE	S	5	10
101-55-530	Slider Connector PTFE	M	5	10
101-55-540	Slider Connector Metal	S	5	10
101-55-550	Slider Connector Metal	M	5	10

EASY STOP CONNECTOR

	XXX	PC
101-55-560	5	10

DISGORGERS

	MODEL	XXX	PC
103-76-200	Small	2	20
103-76-210	Large	2	20



DISGORGERS

	MODEL	XXX	PC
103-76-150	Small	1	10
103-76-100	Large	1	10

WINDER ANCHOR

	XXX	PC
104-20-100	10	10

WINDERS

	MODEL	cm	PC
V7 0009 07 02	Winder Narrow	25	100
V7 0009 06 00	Winder Large	20	100
V7 0009 07 00	Winder Large	22	100
V7 0009 07 01	Winder Large	25	100
V7 0009 08 00	Winder Large	30	100
V7 0009 08 01	Winder Maxi	30	100
V7 0009 09 00	Winder Maxi	35	100

SHOT TESTING TUBE

115-30-200	110cmx8cm

XPS FLUO WINDERS RED

	XXX	PC
103-95-100	8	10

XPS FLUO WINDERS YELLOW

	XXX	PC
103-95-110	8	10

XPS FLUO WINDERS GREEN

	XXX	PC
103-95-120	8	10

TOUGH TACKLE BOX

	MODEL	cm	PC
110-40-200	L	27x17x5	5
110-40-210	XL	35,5x22x5	5

TOUGH ACCESSORIES BOX

	MODEL	cm	PC
110-40-100	Orange	11.5x8x3.5	5
110-40-110	Lime	11.5x8x3.5	5

GNT HOOKLENGTH MATCH WALLET

		cm	PC
103-54-500	8 054393 152282	10x23x2	10
103-54-510	8 054393 152299	10x33x2	10

GNT HOOKLENGTH METHOD WALLET

		cm	PC
103-54-300	8 054393 152275	10x13x2	10

GNT READY HOOK CASE

		PC
103-54-100	8 054393 126580	3

XPS HOOK BOXES

		cm
103-55-130	8 054393 035486	30
103-55-135	8 054393 035493	35
103-55-140	8 054393 035509	40

GNT RIG STORAGE BOX

		cm	PC
103-54-000	8 054393 126573	10x15x7	10

RIG STORAGE WALLET 70&45

		MODEL	cm	PC
103-54-700	8 054393 152305	Wallet 6/70	9x24x3	3
103-54-710	8 054393 152312	Wallet 8/70	9x32x3	3
103-54-715	8 054393 152329	Spare Spool	Ø 70	10
103-54-750	8 054393 152336	Wallet 16/45	11x22x3	4
103-54-755	8 054393 152343	Spool 20/45	Ø 4,5	10

HOOK HOLDER PRO

103-65-190



103-65-210 103-65-200

		MODEL	cm	PC
103-65-190	8 054393 145796	Method Wallet	16,5x8,5x4	5
103-65-200	8 054393 035554	Wallet	25x8,5x4	5
103-65-210	8 054393 035561	Wallet	38x8,5x4	5

MATCH SHOT & SINKERS

DISPENSER TEAM MASTER PRO-SHOT

		SIZE		PC
092-06-080	8 054393 031662	8/0	2.000	30
092-06-070	8 054393 031655	7/0	1.500	30
092-06-060	8 054393 031648	6/0	0.960	30
092-06-050	8 054393 031631	5/0	0.790	30
092-06-040	8 054393 031624	4/0	0.680	30
092-06-030	8 054393 031617	3/0	0.470	30
092-06-020	8 054393 031600	2/0	0.420	30
092-05-000	8 054393 031464	0	0.390	30
092-05-001	8 054393 031471	1	0.295	30
092-05-002	8 054393 031488	2	0.271	30
092-05-003	8 054393 031495	3	0.221	30
092-05-004	8 054393 031501	4	0.177	30
092-05-005	8 054393 031518	5	0.135	30
092-05-006	8 054393 031525	6	0.112	30
092-05-007	8 054393 031532	7	0.088	30
092-05-008	8 054393 031549	8	0.070	30
092-05-009	8 054393 031556	9	0.055	30
092-05-010	8 054393 031563	10	0.040	30
092-05-011	8 054393 031570	11	0.035	30
092-05-012	8 054393 031587	12	0.022	30
092-05-013	8 054393 031594	13	0.020	30

DISPENSER PALLINI TFL COATED

TFL COATED

	SIZE		PC
092-00-002	2	0.271	30
092-00-007	7	0.088	30
092-00-008	8	0.070	30
092-00-009	9	0.055	30
092-00-010	10	0.040	30
092-00-011	11	0.035	30

MASCOTTE MATCH SHOT

		SIZE	PC
092-10-400	8 054393 031716	0-8/0	10

NEW MASCOTTE GNT MATCH SHOT

		MODEL		PC
092-10-510	8 054393 175472	S/FINE ROUND	08-12	10
092-10-600	8 054393 175489	S/LARGE SQUARE	07-03	10
092-10-610	8 054393 175496	XL/FINE	12-06	10
092-10-620	8 054393 175502	XL/LARGE	05-2/0	10
092-10-700	8 054393 175519	XL/INGLESE	-	10

NEXIA LEAD BOX

			PC
090-55-000	8 054393 031433	80	10
090-55-100	8 054393 031440	120	12

STAR DROPS WITH SILICONE TUBE

090-16-010	8 054393 031174	1.0	12	10
090-16-015	8 054393 031181	1.5	12	10
090-16-020	8 054393 031198	2.0	12	10
090-16-025	8 054393 031204	2.5	12	10
090-16-030	8 054393 031211	3.0	12	10
090-16-040	8 054393 031228	4.0	10	10
090-16-050	8 054393 031235	5.0	10	10
090-16-060	8 054393 031242	6.0	10	10
090-16-080	8 054393 031259	8.0	8	10
090-16-100	8 054393 031266	10.0	6	10
090-16-120	8 054393 031273	12.0	5	10
090-16-150	8 054393 031280	15.0	4	10

STAR DROPS INLINE

090-18-010	8 054393 031297	1.0	20	10
090-18-015	8 054393 031303	1.5	20	10
090-18-020	8 054393 031310	2.0	20	10
090-18-025	8 054393 031327	2.5	20	10
090-18-030	8 054393 031334	3.0	20	10
090-18-040	8 054393 031341	4.0	15	10
090-18-050	8 054393 031358	5.0	15	10
090-18-060	8 054393 031365	6.0	15	10
090-18-080	8 054393 031372	8.0	15	10
090-18-100	8 054393 031389	10.0	15	10
090-18-120	8 054393 031396	12.0	10	10
090-18-150	8 054393 031402	15.0	10	10

TORPILLES NON-TOXIC

NO TOXIC

093-05-020	8 054393 031846	2.0	5	10
093-05-040	8 054393 031884	4.0	5	10
093-05-060	8 054393 031907	6.0	5	10
093-05-080	8 054393 031914	8.0	5	10
093-05-100	8 054393 031914	10.0	5	10

TORPILLES TEAM MASTER

090-30-040	4.00	5	10
090-30-050	5.00	5	10
090-30-060	6.00	5	10
090-30-080	8.00	5	10

XPS SPLIT SHOT PLIER



101-40-560	8 054393 034175	10

XPS PRECISION LEAD PLIER



101-40-510	8 054393 145833	5

PINZA STYL



101-40-560	8 054393 034175	10

STAR SPHERE INLINE

Calibrated lead balls, painted in matt black so as not to disturb the fish and cut to accommodate a silicone tube that protects the line way through and facilitates their movement even when they are locked. The ease of opening and closing the cut makes it possible to replace the sphere with another one having different weight, depending on the evolution of the fishing conditions, without having to break the main line. Originally developed for the rig's shotting of sliding wagglers or pole lollipops, they are also useful in deadbaiting, vertical spinning, river trout bottom fishing. In case of need, you can use multiple balls on the line at the same time, leaving them connected by a single tube's segment, a solution that prevents them from rotating around the line's axis.

090-20-020	8 054393 157003	2.0	6	10
090-20-025	8 054393 157010	2.5	6	10
090-20-030	8 054393 157027	3.0	6	10
090-20-040	8 054393 157034	4.0	6	10
090-20-050	8 054393 157041	5.0	6	10
090-20-060	8 054393 157058	6.0	5	10
090-20-070	8 054393 157065	7.0	5	10
090-20-080	8 054393 157072	8.0	5	10
090-20-100	8 054393 157089	10.0	5	10
090-20-120	8 054393 157096	12.0	4	10
090-20-150	8 054393 157102	15.0	4	10
090-20-180	8 054393 157119	18.0	3	10
090-20-200	8 054393 157126	20.0	3	10
090-20-220	8 054393 157133	22.0	3	10
090-20-250	8 054393 157140	25.0	2	10
090-20-300	8 054393 157157	30.0	2	10

SONDE EVA

093-10-020	8 054393 121608	20.0	2	10
093-10-030	8 054393 121615	30.0	2	10

NEW ACCURATE OLIVETTE

In-Line machine cut lead olivettes, extremely accurate in weights for precise shotting. The line is threaded through the centre and silicone tube helps to protect the mainline.

090-22-005	8 054393 175526	0,50	5	10
090-22-007	8 054393 175533	0,70	5	10
090-22-010	8 054393 175540	1,00	5	10
090-22-012	8 054393 175557	1,25	5	10
090-22-015	8 054393 175564	1,50	5	10
090-22-017	8 054393 175571	1,75	5	10
090-22-020	8 054393 175588	2,00	5	10
090-22-025	8 054393 175595	2,50	5	10
090-22-030	8 054393 175601	3,00	5	10
090-22-040	8 054393 175618	4,00	5	10
090-22-050	8 054393 175625	5,00	5	10
090-22-060	8 054393 175632	6,00	5	10

NEW TORPILLE RUN DROP

Thanks to their compact silhouette, these olivettes are perfect for shallow and fast running waters, where turbulence can affect rig's stability. Inner pipe and outer skin are made from durable rubber.

090-21-005	8 054393 175649	0,50	5	10
090-21-007	8 054393 175656	0,70	5	10
090-21-010	8 054393 175663	1,00	5	10
090-21-012	8 054393 175670	1,20	5	10
090-21-015	8 054393 175687	1,50	5	10
090-21-020	8 054393 175694	2,00	5	10
090-21-025	8 054393 175700	2,50	5	10
090-21-030	8 054393 175717	3,00	5	10
090-21-035	8 054393 175724	3,50	5	10
090-21-040	8 054393 175731	4,00	5	10

VARY WEIGHT FEEDER

NEW VARY WEIGHT FEEDER DISTANT CAGE

S 140-72-100 | M 140-72-110 | L 140-72-120 | XL 140-72-200

The Vary Weight Feeders let you change the weight of the feeder in a while, choose different weights to adapt your approach and create a number of combinations between cages and weights. The weight forward design helps you to reach distances and the flat inner design helps your groundbait to work properly. Sizes Small, Medium and Large are all compatibles, while the XL features dedicated weights, designed to bait-up your fishing spot.

	SIZE	CAGE		PC
140-72-100	S	27x29 mm	20+30	10
140-72-110	M	27x36 mm	30+40	10
140-72-120	L	27x43 mm	30+40	10
140-72-200	XL	33x50 mm	20+35	10

Feeders and weight's sets are packed in nice and neat, colourful blisters.

The link to the rig is made by a strong, snag free nylon arc.

To reach great distances, the center of gravity of the weight is axial to the cage.

The end of the cage body is screwed to accept interchangeable weights.

NEW VARY WEIGHT FEEDER WEIGHT SPARE SET

27mm VARY WEIGHT FEEDER	SIZE	MODEL		PC
140-72-150	S/M/L	Light: 20g+30g+40g	3	10
140-72-160	S/M/L	Heavy: 30g+40g+50g	3	10

33mm VARY WEIGHT FEEDER	SIZE	MODEL		PC
140-72-250	XL	20g+35g+50g	3	10

AIRTEK FEEDER

A really wide choice of feeder that are useful for a number of fishing situations but that has been designed to always perform at best and helping you to get really big fish. Every shape, every size and weight, even every colour, has been carefully selected after a long time field testing made by our consultants in Italy and in the whole Europe.

AIRTEK OVAL WIRE CAGE



Feeder built around a metal cage (Wire Cage) which reflects two main features that enable it firmly stick to the bottom, allowing to use it even in the presence of strong currents: the high weight/volume ratio and the low profile of the body. Best performance are also granted when it's used in the stillwaters, such as lakes or canals, where the bottom is extremely steep and other feeders are in danger of rolling down to the depressions. The flexibility of the connecting arm to the fishing line damps the stress of the strike, while its end surrounds the swivel, protecting it from shock and removing the risk of tangles.

	SIZE			PC
140-59-310	S	20	2	5
140-59-320	S	30	2	5
140-59-330	M	30	2	5
140-59-340	M	40	2	5
140-59-350	L	40	2	5
140-59-360	L	50	2	5
140-59-370	XL	60	2	5
140-59-380	XL	70	2	5

AIRTEK BLACK WIRE CAGE FEEDER

Series of feeders featuring a high ratio between lead weight and body's volume, which makes it ideal for running waters, even particularly fast. Its strong structure protects it from hitting the stones and from the inevitable abrasions due to rubbing against sandy bottoms. The connection to line is cushioned by the twisted arm which links the swivel to lead's base.

	SIZE		PC
140-63-130	S	20	10
140-63-140	S	25	10
140-63-150	S	30	10
140-63-160	S	40	10
140-63-170	M	20	10
140-63-180	M	25	10
140-63-190	M	30	10
140-63-200	M	40	10
140-63-220	L	40	10
140-63-230	L	50	10

AIRTEK CAGE

This model features a limited volume/weight ratio, therefore it keeps the bottom also when the river is pushing hardly. The plastic frame can bear any shock, while the rubber o-ring absorbs the stress otherwise destined to the line. The internal teeth grip the groundbait during the most powerful casts.

	SIZE		PC
140-60-310	S	2	5
140-60-320	S	2	5
140-60-330	M	2	5
140-60-340	M	2	5

AIRTEK WIRE CAGE FEEDER



Classic cage feeders with metal wire frame, they feature a wide foot weight for the best stability once on river's bottom. The snap swivel is trapped within a rubber o-ring which is destined to absorb the casting load and work as anti-tangle. Two combinations of volume and weight are available to offer maximum versatility.

	SIZE			PC
140-59-010	S	20	2	5
140-59-020	S	30	2	5
140-59-030	M	20	2	5
140-59-040	M	30	2	5
140-59-050	M	40	2	5

AIRTEK PRO ROCKET CAGE DISTANCE

		SIZE	g	PC
140-71-810	8 054393 165060	S	20	10
140-71-820	8 054393 165077	S	30	10
140-71-830	8 054393 165084	S	40	10
140-71-840	8 054393 165091	M	20	10
140-71-850	8 054393 165107	M	30	10
140-71-860	8 054393 165114	M	40	10
140-71-870	8 054393 165121	M	50	10
140-71-880	8 054393 165138	L	30	10
140-71-890	8 054393 165145	L	40	10
140-71-900	8 054393 165152	L	50	10

AIRTEK PRO BAIT-UP CAGE



		mm	g	PC
140-71-910	8 054393 165169	60x40	20	10
140-71-920	8 054393 165176	60x40	30	10
140-71-930	8 054393 165183	70x50	40	10
140-71-940	8 054393 165190	70x50	30	10

AIRTEK BLACK WIRE BULLET FEEDER

The growing popularity of Bullet Feeders has nothing to do with fashion, but it's based on real casting performance, because their forwarded weight makes them fly beautifully. That's why they are modern match angler's favorite all over Europe. The connection to the line is made via a strong monofilament arc.

		SIZE	g	PC
140-63-310	8 054393 118189	Micro	20	10
140-63-320	8 054393 118196	Micro	30	10
140-63-330	8 054393 118202	Micro	40	10
140-63-340	8 054393 118219	S	50	10

		SIZE	g	PC
140-63-350	8 054393 118226	S	60	10
140-63-360	8 054393 118233	M	20	10
140-63-370	8 054393 118240	M	30	10
140-63-380	8 054393 118257	M	40	10
140-63-390	8 054393 118264	L	30	10
140-63-400	8 054393 118271	L	40	10
140-63-410	8 054393 118288	L	50	10
140-63-420	8 054393 118295	L	60	10

AIRTEK LONG RANGE ROCKET FEEDER



Designed for extreme range fishing thanks to the compact, aerodynamic weight which is forwarded from body's centre to let it fly as a rocket. The weight is linked to frame through two arms only, so that the filling operation is quite easy by fingers. The connection is created by a strong monofilament loop.

		SIZE	g	XXX	PC
140-60-910	8 054393 051103	S	20	2	5
140-60-920	8 054393 051110	S	30	2	5
140-60-930	8 054393 051127	S	40	2	5
140-60-940	8 054393 051134	M	20	2	5
140-60-950	8 054393 051141	M	30	2	5
140-60-960	8 054393 051158	M	40	2	5

AIRTEK LONG RANGE OPEN END FEEDER

Feeder designed for stillwater's long range fishing. In order to obtain the ideal flight attitude, the lead is located on container's front end, and the feeder is further stabilized by the side fins. Once on the bottom, this feeder stands upright, thus giving a great sensitivity to the whole rig. The connection to the line is done by swivel and snap through the arc of monofilament, which in recent years has established itself as safe, trouble free solution.

		SIZE			PC
140-61-210	8 054393 117250	M	20	2	5
140-61-220	8 054393 117267	M	30	2	5
140-61-230	8 054393 117274	M	40	2	5
140-61-240	8 054393 117281	L	20	2	5
140-61-250	8 054393 117298	L	30	2	5
140-61-260	8 054393 117304	L	40	2	5
140-61-270	8 054393 117311	L	50	2	5

AIRTEK WINDOW FEEDER

Special model designed for a long distance fishing in still waters. The front end is rounded and contains the weight: ideal conditions to cut the air and bring the maggots, casters or other inert bait where no other feeder could manage to arrive. The bait loading takes place through a side window, which opens and closes by rotating the outer jacket of the body. When you want to vary the timing of the release, the window can be left partially or completely open, closing it with a groundbait plug. Three wide holes located at the top allow a large amount of water to flow in when the feeder is being retrieved, favoring the complete emptying of the inner chamber. The strong connecting arm is made from stainless steel to promote the use of Window Feeder in saltwater too.

		SIZE		PC
140-63-700	8 054393 127761	S	10	10
140-63-710	8 054393 127778	S	20	10
140-63-720	8 054393 127785	S	35	10
140-63-730	8 054393 127792	M	20	10
140-63-740	8 054393 127808	M	35	10
140-63-750	8 054393 127815	M	50	10
140-63-760	8 054393 127822	XL	35	10
140-63-770	8 054393 127839	XL	50	10
140-63-780	8 054393 127846	XL	70	10

AIRTEK PRO WINDOW CLOSE

		SIZE		PC
140-71-610	8 054393 164940	S	20	10
140-71-620	8 054393 164957	S	30	10
140-71-630	8 054393 164964	S	40	10
140-71-640	8 054393 164971	M	30	10
140-71-650	8 054393 164988	M	40	10
140-71-660	8 054393 164995	M	50	10

AIRTEK PRO WINDOW CAGE

		SIZE		PC
140-71-710	8 054393 165008	S	20	10
140-71-720	8 054393 165015	S	30	10
140-71-730	8 054393 165022	S	40	10
140-71-740	8 054393 165039	M	30	10
140-71-750	8 054393 165046	M	40	10
140-71-760	8 054393 165053	M	50	10

BLACK HEAD FEEDER

Classic blockend featuring limited volume per weight ratio, which gives the feeder high stability on the bottom, specially in running waters. Thanks to an elastic connection to the body's bottom, the cap shuts down almost automatically, easing the single hand's operability.

		SIZE	g	PC
140-63-010	8 054393 051240	M	20	10
140-63-020	8 054393 051257	M	30	10
140-63-030	8 054393 051264	M	40	10
140-63-040	8 054393 051271	L	30	10
140-63-050	8 054393 051288	L	40	10
140-63-060	8 054393 051295	L	50	10

AIRTEK ROUND

		SIZE	XXX	PC
140-60-210	8 054393 050854	S	2	5
140-60-220	8 054393 050861	M	2	5
140-60-230	8 054393 050878	L	2	5

AIRTEK FEEDER ROUND INLINE

		SIZE	g	PC
140-60-250	8 054393 164919	SM	20	10
140-60-260	8 054393 164926	ST	30	10
140-60-270	8 054393 164933	LR	40	10

AIRTEK FLAT

		SIZE	g	XXX	PC
140-60-110	8 054393 050809	M	35	2	5
140-60-120	8 054393 050816	M	50	2	5
140-60-130	8 054393 050823	L	60	2	5
140-60-140	8 054393 050830	L	80	2	5
140-60-150	8 054393 050847	XL	100	2	5

PELLET FEEDER

The Pellet Feeder has been designed to be used with pellets. The pellets must be dampened and then gently pressed into the feeder and then blocked with a groundbait stopper. The action of the water will dissolve the groundbait stopper and will consequentially allow the pellets to come out towards the hook length.

SIZE: XXL



		g	XXX	PC
140-65-210	8 054393 051349	28	2	5
140-65-220	8 054393 051356	56	2	5
140-65-230	8 054393 051363	84	2	5
140-65-240	8 054393 051370	112	2	5

SPECIALIST OPEN END

The Airtek Specialist Open End is equipped with a wide shaped lead to increase the stability. The link between the feeder and the main line is semi-rigid, to obtain an anti tangle effect. The camo colour hides the feeder to the spooky fish, melting its shape with the natural colour of the surrounding environment.

SIZE: XXL



		g	XXX	PC
140-65-010	8 054393 051301	28	2	5
140-65-020	8 054393 051318	56	2	5
140-65-030	8 054393 051325	84	2	5
140-65-040	8 054393 051332	112	2	5

AIRTEK PRO MATCH CAGE SWIVEL



Perfect for all season commercial and canal fishing situation, this cage feeder offers a wide range of sizes, with three different bodies made from plastic material with a semi-transparent camouflage colour. The connecting arm is robust yet flexible, and incorporates an anti-tangle rolling swivel.

	SIZE	g	PC
140-69-415	S	15	10
140-69-420	S	20	10
140-69-430	S	30	10

	SIZE	g	PC
140-69-520	M	20	10
140-69-530	M	30	10
140-69-540	M	40	10
140-69-560	M	60	10
140-69-625	L	25	10
140-69-640	L	40	10
140-69-660	L	60	10

AIRTEK OPEN END FLYING FEEDER

From the point of view of the body, it's a classic open end, made from sturdy plastic for long life. But it's the weight pattern to give it a strong personality, because it is particularly heavy in relation to the container's volume. With a mixed load of bait, trapped between two groundbait plugs, this feeder keeps the fish active with smaller amounts of food, when the bites slow down or totally disappear after the initial bonanza. The connection to the line is made via a durable shock absorbing power gum ring, whose elasticity allows to implement an ever winning change: getting hooklink's breaking strain down to very low levels.

	SIZE	g	PC
140-63-510	M	10	10
140-63-520	M	20	10
140-63-530	M	30	10
140-63-540	M	40	10
140-63-550	M	50	10
140-63-560	M	60	10

AIRTEK OPEN END FINNED FEEDER

Ideal to convey to the bottom groundbait or leam, with live or inert baits locked in the center of the body, this feeder is made of sturdy plastic, coloured in the compound to make it matt and camouflage. Its ideal application field consists of still or moderately running waters, including sea. The name draws the attention on to the triangular fins, which help to stabilize its flight path, solving a problem which is common to all cylindrical feeders. The connecting device to the fishing line is made by a power gum ring, infallible aid both during cast and strike.

	SIZE	g	PC
140-63-610	M	10	10
140-63-620	M	20	10
140-63-630	M	30	10
140-63-640	M	40	10
140-63-650	M	50	10
140-63-660	M	60	10

AIRTEK OPEN END

	g	XXX	PC
140-60-410	30	2	5
140-60-420	40	2	5
140-60-430	50	2	5
140-60-440	70	2	5

AIRTEK OPEN END OVAL

	SIZE	g	PC
141-35-310	S	14	10
141-35-320	S	28	10
141-35-330	M	21	10
141-35-340	M	32	10
141-35-350	L	28	10
141-35-360	L	42	10

AIRTEK INLINE CAGE FEEDER

Cage Feeder with flat bottom and shockproof plastic body, characterized by the Inline concept that makes it suitable for Method mode use, with a short hooklink that can be inserted into the groundbait or left free to work outside. The rubber connector cone protects the line from abrasion and prevents tangling.

		SIZE	g	PC
140-69-220	8 054393 149125	M	20	10
140-69-230	8 054393 149200	M	30	10
140-69-240	8 054393 149213	M	40	10
140-69-325	8 054393 149220	L	25	10
140-69-340	8 054393 149237	L	40	10
140-69-360	8 054393 149244	L	60	10

AIRTEK INLINE OPEN END

		g	XXX	PC
140-60-710	8 054393 051004	30	2	5
140-60-720	8 054393 051011	40	2	5
140-60-730	8 054393 051028	50	2	5

AIRTEK FEEDER HI-FLOW METHOD IN-LINE

		SIZE	g	XXX	PC
140-59-210	8 054393 129192	M	30	2	5
140-59-220	8 054393 129208	M	40	2	5
140-59-230	8 054393 129215	M	50	2	5

AIRTEK FLOATING FEEDER

Designed for summer fishing in canals or commercial lakes, when fish feed just below water's edge, or in shallow waters, during colder months, these floating feeders download your bait just above the hook, with maximum precision. Ideal for groundbait, maggots, seeds and pellets, they are individually packed in blister. In order to concentrate the food pattern in the smallest possible area, the use of reel's line clip is highly recommended.

		MODEL	SIZE	PC
140-62-000	8 054393 051202	Open	M	10
140-62-100	8 054393 051219	Open	L	10
140-62-210	8 054393 051226	Closed	M	10
140-62-220	8 054393 051233	Closed	L	10

MICRO PELLET FEEDER SET

		SIZE	PC
140-67-300	8 054393 051455	M	5

LONG DISTANCE FLATBED ELASTICATED



		SIZE	XXX	PC
140-68-215	8 054393 051523	S	2	10
140-68-230	8 054393 051530	L	2	10
140-68-245	8 054393 051547	L	2	10

LONG DISTANCE MOULD

		SIZE	PC
140-68-000	8 054393 051479	S	10

AIRTEK PRO FLAT METHOD

Available in the Inline or Elasticated version. The Inline is equipped with a swivel for self strike rigging or for sliding rigging, used in combination with a Fast Change Bead. The Elasticated version allows you to use much thinner hook lengths. For both the versions the flat bed grants a strong grip on the bottom, while the peculiar ribbed design keeps the groundbait right in position.

		MODEL			
140-69-000	8 054393 149091	Quick Mould	-	1	10
140-69-030	8 054393 149107	L-Inline	30	1	10
140-69-045	8 054393 149114	L-Inline	45	1	10
140-69-060	8 054393 149121	L-Inline	60	1	10
140-69-080	8 054393 149138	L-Inline	80	1	10
140-66-200	8 054393 051392	L-Elastic.	15+30	2	10

AIRTEK PRO FEEDER SPECIALIST METHOD KIT

Method Feeder featuring an innovative shape, designed to securely hold groundbait during the cast and supplied with a matching quick release mould within every pack. The flatbed profile offers a unique grip on any bottom, while the ribbed design leaves the hookbait sitting in the dead centre, with no possibility to get the hookbait trapped on the frame, providing the perfect presentation every time, since the fed area is so confined. When fully loaded, the unique shape creates a perfect weight forward aerodynamic set up, which delivers fantastic casting accuracy and increases range.

		SIZE		
140-70-010	8 054393 149305	S	20	12
140-70-020	8 054393 149312	M	30	12
140-70-030	8 054393 149329	L	60	12
140-70-040	8 054393 149336	XL	90	12

AIRTEK PRO FLATBED SPECIALIST INLINE METHOD

Method Feeder featuring an innovative shape, designed to securely hold groundbait during the cast and supplied with a matching quick release mould within every pack. The flatbed profile offers a unique grip on any bottom, while the ribbed design leaves the hookbait sitting in the dead centre, with no possibility to get the hookbait trapped on the frame, providing the perfect presentation every time, since the fed area is so confined. When fully loaded, the unique shape creates a perfect weight forward aerodynamic set up, which delivers fantastic casting accuracy and increases range.



		SIZE		
140-70-110	8 054393 149343	S	20	10
140-70-120	8 054393 149350	S	30	10
140-70-130	8 054393 149374	S	40	10
140-70-140	8 054393 149367	L	30	10
140-70-150	8 054393 149381	L	40	10
140-70-160	8 054393 149398	L	50	10
140-70-170	8 054393 149404	XL	60	10
140-70-180	8 054393 149411	XL	80	10
140-70-190	8 054393 149428	XXL	90	10
140-70-200	8 054393 149435	XXL	110	10

EAZY METHOD FEEDER SET

		SIZE			PC
140-67-400	8 054393 051462	L	20+30	5	5

AIRTEK MAGGOT & PELLET METHOD FEEDER



These compact inline feeders have been designed to carry on the bottom pellets or sticky maggots, which get a quick hydration thanks to the micro holes around the body. In the commercial lakes or in slow moving waters, they attract fish downloading the hookbait in the middle of the other baits. The unobtrusive light green colour involves the lead, too, which has some 3D dots underside for better grip on the bottom. The rubber cone, located on top of the body, gets the swivel or stops the Fast Change Bead which connects the very short hooklink to main line, while, at the same time, avoids line tangles with its elongated shape. The product is packed in a stylish blister containing two pieces, and is available in two different volumes (Medium and Large).

		SIZE			PC
140-59-110	8 054393 050748	M	20	2	5
140-59-120	8 054393 050755	M	30	2	5
140-59-130	8 054393 050762	M	40	2	5
140-59-140	8 054393 050779	L	30	2	5
140-59-150	8 054393 050786	L	40	2	5
140-59-160	8 054393 050793	L	50	2	5

AIRTEK SPECIALIST MICRO PELLET FEEDER

The micro pellet approach is one of the most recent introductions in Europe; it's effectiveness comes from the need to stimulate big fish without feeding it up. The small size of dedicated feeders are due to the extreme conditions of use. In fact, they are oriented to tough situations, which are common during the last hour of a match, in the highly pressured waters or in winter. In all such three circumstances, fish feed on small sized bait in limited amounts of groundbait, often refusing to bite in case the hooklink is not thin enough. Trabucco range include two solutions: a standard one and an elasticated one, purposely developed for extremely shy fish, when a fine line is absolutely worth a try.

INLINE

ELASTICATED

		MODEL	SIZE		PC
140-67-010	8 054393 051417	Inline	S	24	10
140-67-020	8 054393 051424	Inline	M	35	10
140-67-110	8 054393 051431	Elasticated	S	24	10
140-67-120	8 054393 051448	Elasticated	M	35	10

FAST CHANGE BEADS MATCH

With a more compact profile than the previous model, these beads for rapid exchange of the hooklink are absolutely essential to use all Method Feeders. Their shape eases the manual separation of the two parts, discovering the hook that connects main line and hooklink. Among other things, they also play an important role as knot saver.

101-57-010	8 054393 113375	5	10

FAST CHANGE BEAD

Born to complement any Method Feeder, the Fast Change Beads protect the hooklink knot from any damage coming from the feeder's weight and, at the same time, enable to quickly interchange several hooklinks without cutting it.

101-57-000	8 054393 032489	5 set	10

NEW FEEDER PROTECTION SLEEVE

Perfect to create free running rigs, with great anti-tangle properties and to protect the conjunction knot and the mainline during the casts.

The sleeve fits on the hooklink's swivel's body, while the tapered portion protects the line from abrasion due to the snap. The step acts as shock absorber while loading the cast.

With a simple swivel & snap, the feeder is easily connected and can be quickly interchanged.

		XXX	PC
101-55-860	8 054393 173799	9	10

NEW XPS NIGHT LIGHT SUPPORT

XPS Night Light Support offers an easiest way to apply a light stick to your rod in a while. The soft rubber cushion offers a great grip and protection on the tip. While the tapered design inner sleeve can be fitted to the majority of the rods, from feeder to specialist and many others. The Small size fits rod tip diameter ranging from 1 to 2.2mm and it's ideal in combination with 3mm light stick, while the L size fits on 2.5 up to 3.5mm diameters and 4.5mm light stick.

		SIZE	mm ⌀	XXX	PC
101-55-900	8 054393 173805	SMALL	1,0~2,2	5	10
101-55-910	8 054393 173812	LARGE	2,5~3,5	5	10

XPS COMPETITION FAST LINK SWIVELS

Swivel with the central rolling body and bracket system for quick hooklink connection. The hooklink is secured to the bracket of the swivel by means of a rubber cone that safely locks it. Ideal for waggler fishing and bolognese, as well as for feeder fishing, since it allows to rapidly change the hooklink without cutting the line.

		SIZE	XXX	PC
101-55-718	8 054393 128010	18	6	10
101-55-720	8 054393 128027	20	6	10
101-55-722	8 054393 128034	22	6	10
101-55-724	8 054393 128041	24	6	10

STRONG SLIDER CONNECTOR FEEDER

		SIZE	XXX	PC
101-55-600	8 054393 034434	S	5	10
101-55-610	8 054393 034441	M	5	10

FEEDER READY HELI-KIT

Set consisting of four elements:

- Two soft rubber stoppers
- A rolling swivel, with clip for quick connection to a hooklink or to paternoster arm
- A rubber tapered sleeve, which also acts as an anti-tangle device, because it takes the arm to 90° to the main line.

The whole set is mounted on a convenient binder that allows to transfer the entire set on to the main line, without the risk of losing any single component.

		SIZE	XXX	PC
101-55-850	8 054393 127617	M	6	10

SWIVEL & BEADS

		SIZE	XXX	PC
101-55-830	8 054393 129123	S	10	10
101-55-840	8 054393 129130	M	10	10

STOP SWIVEL & BEADS

		SIZE	XXX	PC
101-55-800	8 054393 127594	S	6	10
101-55-810	8 054393 127600	M	6	10

SLIDER FEEDER LINK

A great solution to solve a long list of problems of the feeder rigs. A segment of Power Gum, featuring a swivel snap on top and a swivel on the opposite end, lays flat on the bottom and provides elasticity, resistance and anti-tangle safety. Other advantage raises from the central snap, as it ensures speed and simplicity on bomb or feeder changes. Thanks to the oval rubber stoppers, the snap position can vary along the Powergum link according to fishing conditions. It can be used also connecting the feeder to the end of the link and hooklength to the central snap.

	mm Ø	XXX	PC
102-81-100	1.0	2	10
102-81-110	1.3	2	10
102-81-120	1.5	2	10



POWERGUM

Powergum is a clear and elastic line, well known among feeder anglers for rig and stopper knot's making.

	mm Ø	PC
102-81-010	1.0	10
102-81-020	1.3	10
102-81-030	1.5	10

AIRTEK FEEDER TRACE

Ready to use feeder links, designed to provide a semi-stiff connection to be used when a sliding paternoster link is requested. Made of twisted monofilament, they are able to reduce the tangles during the long distance casting, and also acts as a shock absorber. The upper bead offers fantastic smoothness, while the strong snap at the other end helps to offer a fast connection to the feeder or the bomb.

	SIZE	cm	XXX	PC
102-81-620	S	5	3	10
102-81-630	L	8	3	10

AIRTEK TWISTED FEEDER LINK



	SIZE	XXX	cm	PC
102-81-500	S	2	20	10
102-81-510	L	2	30	10

Simple and helpful for the newcomer, quick and efficient for the expert feeder angler. These new rig links offer everybody something good, with their controlled elasticity and anti-tangle properties of the twisted monofilament structure and the convenience of the two swivels at both ends, one of which is also fitting a snap. They can be employed in two ways, as they can become paternoster links for fixed or sliding feeder set-ups, or inserted between main line and hooklength to stiffen the area and act as shock buffer just below the feeder. In this case, a rubber bead should be added to protect knot from being hammered by the feeder itself. The green colour adds camouflage effect to avoid scaring shy fish.

HEAVY DUTY ANTI TANGLE TUBE



Strongly hated by feeder experts and conversely loved by millions of newcomers or pleasure anglers, who appreciate their efficiency and their anti-tangle properties in fresh and also salt water fishing. The main line gets through the bent tube, which protects it from any abrasion, and is knotted to the swivel of the hooklink. Just above the swivel, a rubber bead is highly recommended to protect the knot. The safety snap is ready to accept bomb or feeder: less than one minute and it's ready to fish! Three sizes are available: generally, the closer casting distance (or boat fishing) require the shortest tube, while longer range sees the longer tube getting into play.

	cm	XXX	PC
101-55-650	55	2	10
101-55-660	85	2	10
101-55-670	120	2	10

XPS RAPID BAIT SPIKES

The innovative metal Bait Spikes are a versatile solution to the problem of quick connection of the bait to hair rig. Once fixed to hair rig, they can dramatically reduce the baiting time, especially with small baits like meat, corn, mini boilies, pellets and dumbell. Just lightly press the Spike into the bait and this will do the job, keeping it next to the hook. Once inserted, the Bait Spike acts like a real bait stopper. Available in 3 sizes to be used according to the size of the bait.

Pass the Hair Rig through the eye of Bait Spike and make a simple knot.

Push by fingertip the Bait Spike through the hookbait.

The final presentation is perfect, and the Bait Spike can be reused.

		SIZE	XXX	PC
101-58-410	8 054393 127907	XS	10	10
101-58-420	8 054393 127914	S	10	10
101-58-430	8 054393 127921	M	10	10

PASTE SPRING SET

		XXX	PC
101-58-200	8 054393 034526	3 set	10

XPS RAPIDSTOP

The innovative Rapid Stops are an important step forward in the design of the bait stoppers. Fixed to hair rig, they can dramatically reduce the time needed to hook the bait, especially with small baits like meat, corn, mini boilies, pellets and dumbell. Just tie the Rapid Stop to the hair rig and with the dedicated needle introduce it inside the bait. Once you have inserted it, the Rapid Stop acts like a real bait stopper. Each pack includes a needle and 56 Rapid Stops, which are also available as spares in different sizes.



Pass the Hair Rig through the Rapid Stop hole and make a simple loop with it.

Plug the Rapid Stop onto the needle that's supplied with each Complete Set.

Gently push the needle (with the Rapid Stop on top) through the hookbait.

The final presentation is perfect, and the Rapid Stop can be reused.

		MODEL	SIZE	XXX	PC
101-58-300	8 054393 127860	COMPLETE SET RAPIDSTOP & NEEDLE	S	10	10
101-58-310	8 054393 127877	COMPLETE SET RAPIDSTOP & NEEDLE	M	10	10
101-58-320	8 054393 127884	RAPID STOP REFILL	S	56	10
101-58-330	8 054393 127891	RAPID STOP REFILL	M	56	10

PASTE GRIPPER

Paste fishing made it easy! They're designed to alleviate missing bites and the paste coming off during the cast, two most common problems associated with paste fishing. It is basically a small rubber ball that has a stem attached to it, though which the hook point is passed. The paste is then moulded around the ball, stem and shank of the hook, leaving the point and part of the bend exposed. The Paste Gripper can be positioned at any point on the hook, to suit the anglers requirements eg. with the hook point coming out of the side or top of the ball of paste. It can be easily removed from barbless or semi-barbless hooks, and re-used many times. Suitable for almost all hook sizes.

		XXX	PC
101-58-100	8 054393 034519	10	10

LUGGAGE
GNT MATCH TEAM

The range of bags and rod holdalls called "Match Team", is the most technically advanced that exists in today's market - designed to carry all the necessary equipment on long fishing trips.

In particular, this range is dedicated to all those who devote themselves entirely to fishing contests and to those for who fishing is a hobby. All these products are water-resistant, anti-tear, have double slider zippers and are extremely durable. All bags and some rod holdalls have a rigid reinforced base, foam handles and adjustable shoulder strap for easier carrying. All seams are made with triple thread of wire. Brand new design and colour scheme.

16 TUBES PRO HOLDALL

048-37-270

8 TUBES PRO HOLDALL

048-37-260

12+2 TUBES HOLDALL

048-37-015

6 TUBES HOLDALL

048-37-000

TOP KIT CASE

048-37-050

		cm
048-37-270	8 054393 126894	192x26x26
048-37-260	8 054393 126887	192x26x13
048-37-015	8 054393 141699	195x20x30

		cm
048-37-000	8 054393 014078	190x23x26
048-37-050	8 054393 014122	180x27x17

KIT CASE

The most brilliant solution for pole kits protection and transport: standard version to store two sections nr. 4 one into the other; long version to even accept the complete pole.

		cm
048-37-280	8 054393 141743	170x17x17
048-37-290	8 054393 141750	190x20x20

TOP KIT ORGANIZER

048-37-060

Brilliant hard case for pole kits. The internal structure is made of a polycarbonate tubular with four independent cells, each one can contain two kits into three sections, assembled with the elastic. The case is closed on top by soft EVA caps and Velcro strip.

MATCH ROD 4+1

048-37-040

MATCH ROD PRO CASE 3/150 & XXL

048-37-042

048-37-024

FEEDER TIP BAGS

FEEDER TIP TUBE
048-37-200

FEEDER PRO TIP CASE
048-37-210

		cm
048-37-060	8 054393 119810	8x8x178
048-37-040	8 054393 014115	40x28x170
048-37-024	8 054393 141705	17x10x150
048-37-042	8 054393 141712	26x15x170

		cm
048-37-200	8 054393 119681	8x8x85
048-37-210	8 054393 119698	8x4x85

ROLLER & ROOST BAG

		cm
048-37-220	8 054393 126849	90x25x30
048-37-225	8 054393 141736	105x25x30

COMPETITION CARRYALL

		cm
048-37-230	8 054393 126858	70x40x40

WATERPROOF KEEPNET BAG

		cm
048-37-110	8 054393 014177	60x15x60

KEEPNET BAG

WTP LINER KEEPNET BAG

		cm
048-37-100	8 054393 014160	60x15x45
048-37-170	8 054393 119650	60x20x45

MATCH EVA CARRYALL

048-37-080

PRO ORGANIZER

048-37-090

PROTECTIVE & CASTING MAT

		cm
048-37-080	8 054393 014146	41x38x31
048-37-090	8 054393 014153	38x41x40

		cm
048-37-130	8 054393 014191	150x150

THERMIC BAG

2 bait boxes included

048-37-120

DUAL THERMIC BAG

048-37-240

CATAPULT BAG

		cm
048-37-120	8 054393 014184	37x19x29
048-37-240	8 054393 126863	35x20x32

		cm
048-37-192	8 054393 141729	23x30x9

GENIUS WTP KEEPNET BAG

GROUNDBAIT BOWL WITH HOOP X36

2 adaptors included

		cm
048-39-010	8 054393 014283	67x60

		cm
116-25-160	8 054393 126726	Ø 25xh20
116-25-170	8 054393 126733	Ø 35xh18

GNT TRABUCCO MATCH EVA

The Trabucco GNT range of technical luggage, dedicated to the advanced matchman but also to the keen pleasure angler, now expands with some products made from EVA, material that features very interesting properties. First of all, the water resistance, also obtained through the chance to weld the seams. Then the possibility to reduce the overall volume of the containers, folding them, due to the semi-rigidity of the material. Finally, the ease of cleaning, the extreme durability and elegant appearance, which enhance their value.

TACKLE BAG

Hermetically sealed bag, totally waterproof, suitable for carrying any material on the bank or on the boat, such as accessories, rigs, groundbaits, wet waders, rainproof suit, or even to carry living baits, as the cover carries two fixed studs that allow you to leave it only partially opened to insert the oxygenator tube. It features comfortable handles and shoulder strap that facilitate the transport and a zip to close the lid, which makes it completely airtight. Designed in the size needed to fully contain the two models Groundbait Mini Bowl Set 1 + 4 and Bait System.

		cm
048-37-390	8 054393 127525	30x45x29

DROP BUCKET

Very useful to pick up water when fishing from a raised position, a steep bank or a boat guard, this bucket has a capacity of 8 liters and is equipped with a 6 meters long rope with a practical winder. Its bottom perimeter has been hot sealed to resist any abrasion and ensure long term waterproofness.

		cm
048-37-360	8 054393 112460	20x20x20

ROUND BOWL SYSTEM

Set of three cylindrical folding bowls, designed to contain groundbaits, leams, baits and pellets. The largest one contains the other two, and is the only equipped with handles for the transport. All containers are equipped with airtight lid, closed by a zipper that keeps moisture and any smell inside, and shows a liter scale to respect the regulations in force in the match circuit. Their capacity is about 25, 20 and 14 liters.

		cm
048-37-380	8 054393 127518	Ø33x24-Ø30x21-Ø26x16

UMBRELLA PRO CASE

		cm
048-37-315	8 054393 127488	140x15x15

A brilliant solution for storing the wet umbrella during transport by car, avoid wetting the trunk. The generous dimensions of this waterproof bag allow you to add a spare umbrella plus many banksticks as well. Carrying handles and shoulder strap are included in the product.

KEEPNET BAG

Completely waterproof bags, designed to carry the keepnet and landing net heads. The welding seams and the excellent sealing provided by the top zipper prevent water and smell to get inside the car. The XL version has double capacity to store two keepnets or add side trays of the seatbox. The product features handles and shoulder strap for easy transport.

		cm
048-37-305	8 054393 118028	60x60x15
048-37-300	8 054393 112408	60x60x30

ACCESSORIES BAGS

Three containers with transparent lid, allowing you to see inside and immediately identify the content. Designed to store accessories such as feeders, spools, reels, hooks bags, also prove to be perfect for the ready to use leams and groundbaits, because the zipper closure seals them perfectly. Made from semi-rigid EVA, have rounded corners and welded seams to be fully waterproof.

		cm
048-37-330	8 054393 112439	18x18x6
048-37-340	8 054393 112446	18x18x10
048-37-350	8 054393 112453	18x30x10

GROUNDBAIT BOWL SET 1+2

Ideal to mix and store groundbaits, leams, pellets, this set of three semi-rigid EVA bowls is made of two containers of 9 liters which are placed inside a third one of 20 liters capacity. Easy to clean, they have rounded corners and welded joints, making them all completely waterproof.

Both smaller bowls perfectly fit into the larger one, as shown in the picture.

		cm
048-37-320	8 054393 112422	40x30x17 20x30x15

GROUNDBAIT MINI BOWL SET 1+4

Ideal to mix and contain groundbaits, leams, pellets, this set of five EVA semi-rigid squared bowls is composed of two Medium and two Small containers, which during transport find place inside of a fifth, largest one. Smell free and easy to clean, they feature rounded corners and heat sealed joints, making them completely waterproof.

		cm
048-37-325	8 054393 127495	38x24x15 - 22x17x14 20x16x13

BAIT SYSTEM

		cm
048-37-370	8 054393 127501	38x27x9

Set consisting of a waterproof container and four smaller trays, designed to carry live bait or static baits, pellets, small amounts of groundbait, all ready to use in a very short time once on the fishing site. The container is equipped with transparent PVC cover, closed by a two-way zipper, complete with handle. Inside are placed two trays size Small (11x9x7 cm), a Medium (17x11x7 cm) and a Long (36x11x7 cm).

ULTRA DRY

SUPERIOR WATERPROOF LUGGAGE

Useful for any fishing style, in fresh and saltwater field, the Ultra Dry Waterproof Luggage Series is designed to meet the demand about storing all sort of accessories, while keeping your equipment clean and extra dry!

Made from EVA for lightness, durability and easy cleaning, the Ultra Dry Luggage Series provides bags which are completely waterproof and dirt repellent. Designed to be sturdy and water resistant, these superior-quality luggages are versatile and useful in any kind of fishing site. From fresh to saltwater, every angler will be able to keep their equipment dry and clean, while mantaining it neat and fresh.

- Waterproof EVA material
- High frequency welded
- Sturdy and water resistant zippers
- Stays dry and dirt free
- Grip extra strong and durable

NEW HARDCASE

048-37-610

048-37-620

		cm
048-37-610	8 054393 175267	39x25x25
048-37-620	8 054393 175274	45x30x29

NEW EVA TACKLE BAG

048-37-630

048-37-640

		cm
048-37-630	8 054393 175281	39x25x25
048-37-640	8 054393 175298	45x3029

NEW DROP BUCKET

- 6 meters long rope to pick up water when fishing from a raised position
- Capacity of 6 liters

		cm
048-37-710	8 054393 175366	18x18x18

NEW REEL&ROD SLEEVE

- Designed for carrying rod+reel
- Rubber carrying handles and shoulder strap
- Rubber net window on top-end to allow air circulation

		cm
048-37-510	8 054393 175212	140
048-37-520	8 054393 175229	155
048-37-530	8 054393 175236	170

NEW BAIT SYSTEM

4 containers included

048-37-700

		cm
048-37-700	8 054393 175359	38x24x15

NEW ROD SLEEVE

- Designed for carrying whips
- Rubber carrying handles and shoulder strap
- Rubber net window on top-end to allow air circulation

		cm
048-37-540	8 054393 175243	115
048-37-550	8 054393 175250	170

NEW EVA PLANNER BAGS

4 bags included

048-37-650

		cm
048-37-650	8 054393 175304	41x26x20

NEW EVA ACCESSORIES BAGS

048-37-660 048-37-680

048-37-670 048-37-690

		cm
048-37-660	8 054393 175311	35x23x10
048-37-670	8 054393 175328	28x18x10
048-37-680	8 054393 175335	24x16x10
048-37-690	8 054393 175342	21x14x10

NEW EVA COOLER BAG

048-37-410

Essential to any angler, in fresh and saltwater, the Cooler Bag can protect food, drinks or baits on the fishing site, but also carry home some nice fish. The generous capacity of these bags can satisfy the most demanding user, who will appreciate their good thermal insulation, which is due to the padded walls and also to the tight zippers, not to forget the clear colour, able to reflect sunrays.

		cm
048-37-410	8 054393 173935	36x23x20
048-37-420	8 054393 173942	41x26x24

LUGGAGE & SURF ACCESSORIES

XTR SURFCASTING PRO TEAM

The Surf casting match circuit is now quite important in width and depth. In other words, there aren't numbers only, but also quality, and the natural consequence is that Trabucco brand is highly considered among the top anglers.

The Trabucco expert and testimonial team in this field is unique in Europe, so it's natural that the company always keep investing in product's development, as proved by the launch of this technical luggage range. The XTR items are quite rich in features and show a neat cosmetic imprint, with black and chartreuse combination which gives the market a strong signal. Using a waterproof and washable material weighing 1200 denier, bags, rucksacks and rod holdalls are built to last. The addition of plastic boxes with many compartments enables to take full advantage of the inside room to neatly store all accessories. The special paddings, the stiff bottoms, the handles and shoulder belts, the zippers and seams are made with great care and precision. Taking advantage from its wonderful success, now XTR range expands with some new products and with an interesting family of EVA containers.

MATCH HOLDALL 1+1 COMPARTMENTS

048-42-180

HARD ROD CASE 2+1 COMPARTMENTS

048-42-015

HARD ROD CASE

1 Compartment 048-42-000

2 Compartments 048-42-010

HARD ROD & REEL CASE

2 Compartments 048-42-020

2+1 Compartments 048-42-030

		cm
048-42-180	8 054393 142528	175x23x15
048-42-015	8 054393 135087	165x37x16

		cm
048-42-000	8 054393 014306	186x14x16
048-42-010	8 054393 014313	186x37x16
048-42-020	8 054393 014320	186x20x16
048-42-030	8 054393 014337	186x34x16

COMPETITION CARRYALL

048-42-070	8 054393 014375	42x50x28

PRO ORGANIZER

048-42-040	8 054393 014342	46x40x30

MATCH CARRYALL

048-42-060	8 054393 014368	38x40x22

RUCKSACK EXPEDITION

cm

048-42-090 | 33x20x45

RUCKSACK

cm

048-42-050 | 54x34x22

BACK PACK MATCH

cm

048-42-080 | 38x30x20

THERMIC BAG

2 bait boxes included

		cm
048-42-100	8 054393 119735	37x20x30

REEL & SPOOL CASE

		cm
048-42-110	8 054393 119742	22x30x12

RIG STATION

		cm
048-42-150	8 054393 142511	20x34x7

RIG BIN

		cm
048-42-140	8 054393 142504	28x10

SPOOL BIN

		cm
048-42-120	8 054393 119759	28x10

ROD BELTS

048-42-220/10	8 054393 111128

LEAD ORGANIZER

Designed to contain the lead weights, this small padded bag made from durable 1200 denier waterproof fabric, with internal adjustable divider and transparent lid. Dimensions 19x14x6,5 cm.

		cm
048-42-130	8 054393 119766	19x14x6,5

EVA WHITE PREMIUM LUGGAGE

XTR
SALTWATER RESISTANT

A fantastic series of semi-rigid EVA containers, destined to gain the trust of thousands of Trabucco XTR luggage users. First of all, the water resistance, also obtained through the chance to weld the seams. Then the possibility to reduce the overall volume of the containers, folding them, due to the semi-rigidity of the material. Finally, the ease of cleaning, the extreme durability and elegant appearance, which enhance their value.

- Made from EVA for lightness, durability and easy cleaning
- Waterproof and tear resistant material
- Thermal sealed seals
- Water resistant zippers
- Salt and sand proof zippers
- Reinforced handles and carrying straps



Waterproof and tear resistant material.

Thermal sealed seals.

Water, salt and sand resistant zippers, reinforced handles & carrying straps.

NEW EVA WHITE HARDCASE

		cm
048-42-430	8 054393 173850	39x25x25
048-42-440	8 054393 173867	45x30x29

Practical, versatile, user's friendly, but extremely fashionable at the same time, their white colour keeps the content fresh even under sunshine. These bags are completely waterproof, so they can be brought on the fishing site to protect food, camera, reels, spare clothing, etc. Available in two different volumes, with the smaller one storable inside the larger one.

NEW EVA WHITE TACKLE BAGS

		cm
048-42-410	8 054393 173836	39x25x25
048-42-420	8 054393 173843	45x30x29

These multi-purpose bags keep neat and dry anything we like to protect, no matter the waves or water's spray. Thanks to tight zippers, no smell can affect our car's cockpit while going back home. The lid can be rolled to one side and fixed by a dedicated button. When filled in by water, these bags can become brilliant containers for livebaits.

NEW EVA WHITE TACKLE ORGANIZER PRO

4 bags included

		cm
048-42-450	8 054393 173874	41x26x20

NEW EVA WHITE TACKLE ORGANIZER

		cm
048-42-460	8 054393 173881	41x26x20

NEW EVA WHITE ACCESSORIES BAGS

048-42-480

048-42-470

		cm
048-42-470	8 054393 173898	26x9x10
048-42-480	8 054393 173904	40x10x10

NEW EVA WHITE ACCESSORIES BAGS

048-42-490

048-42-500

		cm
048-42-490	8 054393 173911	24x16x10
048-42-500	8 054393 173928	35x23x10

NEW EVA WHITE DROP BUCKET

- 6 meters long rope to pick up water when fishing from a raised position
- Capacity of 8 liters

		cm
048-42-400	8 054393 173829	18x18x18

XTR FINGER PROTECTOR

		PC
105-10-010	8 054393 036643	20

RIG STORAGE BOX

		cm	PC
103-54-050	8 054393 136190	10x15x8	10

ROD SLEEVE

		cm
048-42-200	8 054393 014399	14' (4,20 m)
048-42-210	8 054393 014405	15' (4,50 m)

NEW XTR SURF TRIPOD T3 EVO+

088-65-930

XTR SURF TRIPOD T2 EVO

088-65-910

SURF BOX

This seat box is made to face any situation of surf casting or sea boat fishing. Thanks to the 70 liters capacity (54x37x40cm) it can carry big quantity of bulky product or hold a good number of tackle boxes for bits and pieces. The special plastic material used is extremely strong, easy to wash and keep all the stored items perfectly dry. It's sold with removable pillow and is possible to fit a bait bowl in three different position.

117-00-000

SURF BOX SIDE TRAY

117-00-010

XTR SURF SAND POD 150



088-65-950

XTR SURF TRIPOD T2

088-65-920	8 054393 152695

XTR MAG-WHEEL SURF TROLLEY

		MODEL
088-66-100	8 054393 151155	Surf Trolley
088-66-100-R	-	Spare Wheel

OVERCAST SAND ROD POD

		cm
088-65-650	8 054393 031037	130
088-65-680	8 054393 150677	150

TRIPODE TOP RANGE

088-65-350	8 054393 030986

BITE INDICATOR PRO SURF

This is the latest innovation in surfcasting bite detection. The device must be applied on the reel line between the first and second guide from the butt, adjusting the weight according to the sea conditions: the heavier the weight, the less sensitive the indicator. The surf indicator can be used either by day, fitting the specially provided multicolor antenna, or by night, fitting a 4.5 mm chemical light.

		PC
105-10-100	8 054393 036650	5

OVERCAST SAND POD TRAY

Practical trays to be applied to the Overcast Sand Rod Pod. They are equipped with a locking device which, in addition to allow the fixing along the stem, enables to adjust the inclination in order to obtain the correct orientation even when the pod is tilted.

		SIZE
088-65-660	8 054393 129079	L
088-65-670	8 054393 129086	XL

AGGRESSOR TERMIC BOX

		PC
110-40-030	8 054393 037329	10

VALIANT HOOK BOX

		cm	PC
110-40-040	8 054393 037336	4x3x1	10

POCKET LAMP SWIVEL

101-10-000	8 054393 033833

CAP LIGHT

101-20-900	8 054393 034106

COMPETITION
TRABUCCO PRO LUGGAGE

Along with GNT range, which is located on top of Trabucco line-up, now we introduce a new assortment of luggage, featuring better prices even though the quality is certainly high.

Born to offer nice solutions to club anglers or pleasure anglers who like the best, is made from a 600 denier fabric, which is located above the average in term of thickness, waterproofing and durability. The balanced combination of lightness and stiffness is destined to draw the attention of every sort of fresh and salt water anglers; people skilled enough to recognize Trabucco quality in rods and reels, thus like to adequately protect their jewels. As always, graphic is particularly young, and technical solutions oriented to simplicity.

COMPETITION SURF ROD & REEL HOLDALL 2 HARD BOTTOM

		cm
048-45-020	8 054393 014429	170x25x20

COMPETITION SURF ROD & REEL HOLDALL 2+1

048-45-030

COMPETITION SURF ROD & REEL HOLDALL 2

048-45-040

		cm
048-45-030	8 054393 014336	170x45x28
048-45-040	8 054393 014443	170x30x28

ACCESSORIES BAG

		cm
048-45-070	8 054393 014474	27x7x18

COMPETITION CARRYALL

		cm
048-45-080	8 054393 014481	32x20x30

COMPETITION ROD HOLDALL

048-45-060

COMPETITION ROD & REEL HOLDALL DLX 1+1/155

048-45-130

COMPETITION ROD & REEL HOLDALL 2/165 & 2/155

048-45-120

048-45-135

COMPETITION ROD & REEL HOLDALL DLX 2+1/155

048-45-140

		cm
048-45-060	8 054393 014467	155x20x10
048-45-130	8 054393 110053	155x22x17

			cm
	048-45-120	8 054393 110046	165x22x17
NEW	048-45-135	8 054393 110053	155x22x17
	048-45-140	8 054393 110060	155x33x17

COMPETITION THERMIC BAG

		cm
048-45-150	8 054393 110077	37x28x30

COMPETITION CATTY BAG

		cm
048-45-090	8 054393 110015	29x22x9

COMPETITION ROD & REEL HOLDALL 2DLX

		cm
048-45-010	8 054393 014412	160x25x20

COMPETITION ROD & REEL HOLDALL

048-45-100 048-45-110

COMPETITION ROD & REEL HOLDALL 1

048-45-050

		cm
048-45-100	8 054393 110022	130x17x17
048-45-110	8 054393 110039	150x17x17
048-45-050	8 054393 014450	165x25x15

ROD PROTECTIVE TUBES

		MODEL	cm
112-00-300	8 054393 037503	2 sections	160x220x15
112-00-400	8 054393 037510	3 sections	120x220x15

ROD PVC PROTECTIVE TUBES



Prism Tube / Pole | Prism Tube / Top Kit | Oval Tube

		MODEL	cm
108-20-125/10	8 054393 037176	Tubo Prisma Pole	188x6
108-20-110/10	8 054393 037145	Tubo Prisma Top Kit	180x5
108-20-150/10	8 054393 037190	Tubo Oval Top Kit	180x5x8

TACKLE BOX SYSTEM

		cm
112-10-000	8 054393 037527	32x54x36

ROD TIP & BELT SET

Set consisting of a soft cap that protects the apical part of the rod and a Velcro band to wrap the butt section and the base of the other sections.

		PC
100-06-010	8 054393 135476	10

PLIERS HOLDER

EVA pocket to carry a multipurpose plier and have it at your hand. It can be connected to the belt through the appropriate slots.



		PC
100-06-020	8 054393 135483	10

GLASSES STRING

Elasticized EVA band designed to fix the eye glasses to the head, avoiding losing them.

		PC
100-06-030	8 054393 135490	10

SPOOL PROTECTIVE BAND

Elasticated bands to protect the line on reel's spools. Two sizes: Small for spinning or match reels and Large for surf or carp fishing models.

		SIZE	XXX	PC
100-06-050	8 054393 135513	S	2	10
100-06-060	8 054393 135520	L	2	10

BOTTLE HOLDER

Soft EVA case to carry a half-liter bottle, zipped and complete with snap for the connection to the belt or fishing vest.

		PC
100-06-040	8 054393 135506	5

TRABUCCO
FORM & PERFORMANCE

PROSURF

PRO SURF ACCESSORIES

In a fishing technique where the waiting time for a bite can be long, it is essential to be sure that the rigs are completely tangle-free. This is why we have created a range of small accessories, which are able to raise the efficiency of rigs, hooklinks and hookbaits. The rig's segment includes beads and mini trave, intelligent solutions for fast connections; for the leads and hooklinks we offer the excellent clips and rubber cones; in case of hookbaits the panorama is very wide, with needles, elastic line, pop up sticks and fluorescent beads, actually able to increase the attractiveness and the mobility of any natural bait.

NEW PROSURF MINI TRAVE BLACK

		SIZE	XXX	PC
105-01-080	8 054393 165237	S	3	10
NEW 105-01-082	8 054393 176295	M	3	10
105-01-085	8 054393 165244	L	3	10

PROSURF MINI TRAVE DISTANCE

Mini-Rig for surf casting, made with stainless steel arm. It allows long distances and limit the tangles. Available in two different sizes in order to adapt to different types of presentation.

SPECIAL SURF CASTING

		SIZE	XXX	PC
105-01-040	8 054393 117335	S	3	10
105-01-050	8 054393 117342	L	3	10

NEW PROSURF MINI TRAVE IMPACT

The Pro Surf Mini Trave range grows with a special model, which favors the trend towards the use of ever thin¬ner lines with an incorporated shock absorber system that reduces stress in the crucial moment of cast loading. The stainless steel structure houses a rolling type swivel, accompanied by two beads, while the two ends are covered with heat-shrinking rubber sleeves to prevent tangles with line and hooklinks. The sachet contains three pieces.

		SIZE	XXX	PC
NEW 105-01-065	8 054393 176318	S	3	10
105-01-070	8 054393 145857	M	3	10
NEW 105-01-075	8 054393 176325	L	3	10

PROSURF MINI TRAVE MICRO

Mini-Rig for light surf fishing or beach legering, made with stainless steel arm. It allows to reach long distances and limits the tangles.

SPECIAL BEACH LEDGERING

		XXX	PC
105-01-030	8 054393 117328	3	10

PROSURF MINI TRAVE COMPETITION

The strongest of the family; the closure is made with a steel tube covered by a shrink tube so that tangles are minimized and maximum strength is guaranteed. Designed to withstand the most powerful casts.

SPECIAL SURF CASTING

		SIZE	XXX	PC
105-01-055	8 054393 176301	S	3	10
105-01-060	8 054393 117359	M	3	10

PROSURF SS POWERCLIP

- Stainless steel clips for surf casting
- Super strong with preformed shrink tube, thicker than traditional one to ensure reliability and longer life

		SIZE	XXX	PC
105-01-100	8 054393 117365	S	10	10
105-01-110	8 054393 117380	L	10	10

PROSURF SS FAST CLIP SWIVEL

- Rolling swivel with stainless steel safety snap, whose connection is covered by a rubber heat shrink sleeve to ensure the linearity and avoiding tangles.
- Very simple and fast operating lead connection; very high tensile strength.

		XXX	PC
105-01-200	8 054393 129093	100	10

PROSURF GLASS BEADS TRANSPARENT

Crystal beads of exceptional transparency, available in three different sizes not only in the outside diameter, but also in the internal one, which is characterized by the extreme consistency of precision. Packed in resealable small boxes.

		Ø IN	Ø OUT	PC
104-52-010	8 054393 153197	0,4 mm	1,5 mm	10
104-52-020	8 054393 153203	0,5 mm	1,6 mm	10
104-52-030	8 054393 153210	0,6 mm	1,8 mm	10

HYPER GLOW SURF BEADS

- Super soft oval beads to be hooked
- Ideal for surf casting and boat fishing
- All Lumi coloring i.e. phosphorescent
- Two sizes available
- Floating action

HYPER GLOW



		SIZE	COLOR	XXX	PC
105-12-010	8 054393 113801	M	White	30	10
105-12-020	8 054393 113818	M	Yellow	30	10
105-12-030	8 054393 113825	M	Pink	30	10
105-12-040	8 054393 113832	M	Red	30	10
105-12-110	8 054393 113849	L	White	25	10
105-12-120	8 054393 113856	L	Yellow	25	10
105-12-130	8 054393 113863	L	Pink	25	10
105-12-140	8 054393 113870	L	Red	25	10

PROSURF KNOT CONES

LUMINOUS



		SIZE	XXX	PC
105-01-010	8 054393 036612	S	20	10
105-01-020	8 054393 036629	L	20	10

PRO SURF BEADS

		Ø IN	Ø OUT	COLOR	XXX	PC
104-51-900	8 054393 036551	0.6 mm	1.0 mm	White	100	10
104-51-910	8 054393 036568	0.6 mm	1.0 mm	Red	100	10
104-51-920	8 054393 036575	0.9 mm	2.0 mm	White	100	10
104-51-930	8 054393 036582	0.9 mm	2.0 mm	Red	100	10

SURF POP-UP STICK

		mm Ø	PC
105-10-200	8 054393 036667	4	10
105-10-210	8 054393 036674	6	10
105-10-220	8 054393 036681	8	10

ELASTIC LINE

Baits elastic line, transparent and very thin, it is excellent to tie the softer and most delicate baits on the hook. Supplied in 200m spools, or in the practical dispenser.

		m	PC
105-00-000	8 054393 036599	200	10

SURFCASTING BAITING NEEDLE

Special selection of high quality baiting needles, essential for surf casting. If the bait is badly positioned on the hook, it happens very frequently that the fish approaching it refuses to bite. That's why we offer you a series of selected premium needles, useful to always position your bait in the best and more natural possible way. The 0.6 mm diameter stainless steel needle (both ends blunt) is perfect with all the thinner worms, such as Mediterranean Arenicola and sandworm. The 0.9 mm diameter (both ends blunt) is available in two different length (20 and 30 cm) and it is perfect for baiting bigger worms such as lugworm, bibi, etc. The 1.4 mm needle is made of brass and features one pointy end. It is the good one for baiting dead fish slices.

		MODEL	mm Ø	mm	XXX	PC
105-10-300	8 054393 036698	Brass Needle	Ø 1.4	200	5	10
105-10-310	8 054393 036704	S.Steel Needle	Ø 0.9	200	5	10
105-10-320	8 054393 036711	S.Steel Needle	Ø 0.9	300	5	10
105-10-330	8 054393 036728	S.Steel Needle	Ø 0.6	200	5	10

EVA SPOOLS & BOX

		MODEL	XXX	PC
105-11-000	8 054393 036759	Eva Spool Box 36	36	5
105-11-010	8 054393 036766	Eva Spool Box 72	72	5
105-11-050	8 054393 036773	Eva Spool Set	20	10

3 WAY CROSS SWIVELS

		SIZE	XXX	PC
104-51-000	8 054393 036278		10	10

HAWAIAN SNAP W/BAIT CLIP

		SIZE	XXX	PC
104-50-000	8 054393 035981	03	6	10

ROLLING SWIVEL LEAD QUICK LINK

		SIZE	XXX	PC
104-51-300	8 054393 036339	02	12	10

HAWAIAN SNAP W/EASY LINK

		SIZE	XXX	PC
104-50-010	8 054393 035998	03	6	10

SILICON BLACK TUBE

		mm ⌀	XXX	PC
104-51-710	8 054393 036475	1.5	10	10

LEAD LINK W/BAIT CLIP

		SIZE	XXX	PC
104-50-110	8 054393 036049	L	10	10

WIRE BAIT CLIP REVERSED

		SIZE	XXX	PC
104-50-210	8 054393 036063	01	10	10

HIGH SPEED DOUBLE ROLLING

		SIZE	XXX	PC
104-51-410	8 054393 036384	04	10	10
104-51-420	8 054393 036391	06	10	10
104-51-430	8 054393 036407	08	10	10

CROSSLINE CRIMPABLE SWIVEL

		SIZE	XXX	PC
104-50-290	8 054393 036070	12	8	10
104-50-310	8 054393 036094	7	7	10
104-50-320	8 054393 036100	5	6	10

SPARE BODY X ROLLARM

		SIZE	XXX	PC
104-50-640	8 054393 036179	07	6	10
104-50-650	8 054393 036186	05	6	10

SPARE ARM X ROLLARM

		mm	XXX	PC
104-50-620	8 054393 036155	100	6	10
104-50-630	8 054393 036162	170	6	10

LUMINOUS FLOAT STOP ROUND



		SIZE	mm∅	XXX	PC
104-51-810	8 054393 036513	#1	6.5	6	10
104-51-820	8 054393 036520	#2	7.5	6	10
104-51-830	8 054393 036537	#3	7.5	6	10
104-51-840	8 054393 036544	#4	7.5	6	10

LUMINOUS FLOAT STOP OVAL

		SIZE	mm	XXX	PC
104-51-710	8 054393 036476	#1	4.7x10	6	10
104-51-720	8 054393 036483	#2	5.6x11	6	10
104-51-730	8 054393 036490	#3	6.3x13	6	10
104-51-740	8 054393 036506	#4	7.3x15	6	10

ROLLING WITH PEARL BEADS & STOPPERS

REAL SIZE

S M L

8 7 6

		SIZE	XXX	PC
104-51-510	8 054393 036414	S	4	10
104-51-520	8 054393 036421	M	4	10
104-51-530	8 054393 036438	L	4	10

DIAMOND ROLLING WITH GREEN BEADS & STOPPERS

REAL SIZE

S M L



12 10 8

		SIZE	XXX	PC
104-51-610	8 054393 036445	S	4	10
104-51-620	8 054393 036452	M	4	10
104-51-630	8 054393 036469	L	4	10

SWIVEL

BARREL INTERLOCK SNAP

REAL SIZE

04 06 08 10 12 14 16 18 20

		SIZE	kg	lb	XXX	PC
100-62-040	8 054393 032416	04	25	55	12	12
100-62-060	8 054393 032423	06	18	40	12	12
100-62-080	8 054393 032430	08	14	31	12	12
100-62-100	8 054393 032447	10	14	31	12	12
100-62-120	8 054393 032454	12	12	26	12	12
100-62-140	8 054393 032461	14	10	22	12	12
100-62-160	8 054393 032478	16	8	18	12	12
100-62-180	8 054393 032485	18	7	15	12	12
100-62-200	8 054393 032492	20	6	13	12	12

HEAVY DUTY SLIDER CONNECTOR

Ideal to build up rigs with sliding and interchangeable lead for beach legering or bolentino, it consists of a safety snap with rolling swivel, to which is connected a plastic tube that gently runs along the main line.

		XXX	PC
100-89-500	8 054393 128058	6	10

ROLLING HS2 HOOKED SNAP



16 18 20 22

		SIZE	kg	lb	XXX	PC
100-69-160	8 054393 032928	16	20	44	6	10
100-69-180	8 054393 032935	18	12	26	6	10
100-69-200	8 054393 032942	20	12	26	6	10
100-69-220	8 054393 032959	22	9	20	6	10

ROLLING GERMAN SNAP



08 12 14 16 18 20 22

		SIZE	kg	lb	XXX	PC
100-67-100	8 054393 032805	08	40	88	5	10
100-67-120	8 054393 032812	12	30	66	5	10
100-67-140	8 054393 032829	14	25	55	5	10
100-67-160	8 054393 032836	16	15	33	5	10
100-67-180	8 054393 032843	18	10	22	5	10
100-67-200	8 054393 032850	20	10	22	5	10
100-67-220	8 054393 032867	22	7	15	5	10

ROLLING HS3 SAFETY SNAP

18 20 22

		SIZE	kg	lb	XXX	PC
100-71-180	8 054393 033017	18	5	11	6	10
100-71-200	8 054393 033024	20	5	11	6	10
100-71-220	8 054393 033031	22	3	7	6	10

NEW BARREL SAFETY SNAP

04 06 08 10 12 14 16 18 20

		SIZE	kg	lb	XXX	PC
100-63-040	8 054393 032508	04	15	33	12	12
100-63-060	8 054393 032515	06	13	29	12	12
100-63-080	8 054393 032522	08	9	20	12	12
100-63-100	8 054393 032539	10	9	20	12	12
100-63-120	8 054393 032546	12	7	15	12	12
100-63-140	8 054393 032553	14	7	15	12	12
100-63-160	8 054393 032560	16	5	11	12	12
100-63-180	8 054393 032577	18	5	11	12	12
NEW 100-63-200	8 054393 032584	20	5	11	12	12

ROLLING INTERLOCK SNAP

10 12 14 16 18 20

		SIZE	kg	lb	XXX	PC
100-80-100	8 054393 033369	10	14	30	12	12
100-80-120	8 054393 033376	12	14	30	12	12
100-80-140	8 054393 033383	14	12	27	12	12
100-80-160	8 054393 033390	16	12	27	12	12
100-80-180	8 054393 033406	18	7	15	12	12
100-80-200	8 054393 033413	20	7	15	12	12

MINI ROLLING ROUND



20 22 24

		SIZE	kg	lb	XXX	PC
100-65-200	8 054393 032690	20	14	31	12	12
100-65-220	8 054393 032706	22	9	20	12	12
100-65-240	8 054393 032713	24	4	9	12	12

ROLLING HOOKED SNAP

08 10 12 14 16 18 20 22

		SIZE	kg	lb	XXX	PC
100-66-080	8 054393 032720	08	40	88	12	12
100-66-100	8 054393 032737	10	40	88	12	12
100-66-120	8 054393 032744	12	35	77	12	12
100-66-140	8 054393 032751	14	28	62	12	12
100-66-160	8 054393 032768	16	20	44	12	12
100-66-180	8 054393 032775	18	12	26	12	12
100-66-200	8 054393 032782	20	12	26	12	12
100-66-220	8 054393 032799	22	9	20	12	12

NEW ROLLING 3 JOINTED SAFETY SNAP

20 22 24

		SIZE	kg	lb	XXX	PC
100-83-200	8 054393 033512	20	5	11	10	10
100-83-220	8 054393 033529	22	5	11	10	10
100-83-240	8 054393 033536	24	3	7	10	10

ROLLING HS3

16 18 20 22 24

		SIZE	kg	lb	XXX	PC
100-70-160	8 054393 032966	16	22	49	6	10
100-70-180	8 054393 032973	18	19	42	6	10
100-70-200	8 054393 032980	20	14	31	6	10
100-70-220	8 054393 032997	22	9	20	6	10
100-70-240	8 054393 033000	24	4	9	6	10

NEW BARREL

04 06 08 10 12 14 16 18 20

		SIZE	kg	lb	XXX	PC
100-61-040	8 054393 032324	04	30	66	12	12
100-61-060	8 054393 032331	06	27	60	12	12
100-61-080	8 054393 032348	08	20	44	12	12
100-61-100	8 054393 032355	10	16	35	12	12
100-61-120	8 054393 032362	12	14	31	12	12
100-61-140	8 054393 032379	14	10	22	12	12
100-61-160	8 054393 032386	16	8	18	12	12
100-61-180	8 054393 032393	18	7	15	12	12
NEW 100-61-200	8 054393 032409	20	6	13	12	12

ROLLING 3 JOINTED

20 22 24

		SIZE	kg	lb	XXX	PC
100-82-200	8 054393 033482	20	14	30	10	10
100-82-220	8 054393 033499	22	9	20	10	10
100-82-240	8 054393 033505	24	4	9	10	10

ROLLING ROUND X-PATTERN

04 06 08 10 12 14 16 20 22 24

		SIZE	kg	lb	XXX	PC
100-64-040	8 054393 032591	04	47	104	12	12
100-64-060	8 054393 032607	06	43	95	12	12
100-64-080	8 054393 032614	08	40	88	12	12
100-64-100	8 054393 032621	10	35	77	12	12
100-64-120	8 054393 032638	12	32	71	12	12
100-64-140	8 054393 032645	14	27	60	12	12
100-64-160	8 054393 032652	16	22	49	12	12
100-64-200	8 054393 032669	20	14	31	12	12
100-64-220	8 054393 032676	22	9	20	12	12
100-64-240	8 054393 032683	24	4	9	12	12

DIAMOND INSURANCE SNAP

4/0 3/0 2/0 1/0 0

		SIZE	kg	lb	XXX	PC
100-78-040	8 054393 033307	4/0	55	120	10	10
100-78-030	8 054393 033291	3/0	40	90	10	10
100-78-020	8 054393 033284	2/0	30	65	10	10
100-78-010	8 054393 033277	1/0	15	33	10	10
100-78-000	8 054393 033260	0	10	22	10	10

EGG SNAPS

4 3 2 1 0

		SIZE	kg	lb	XXX	PC
100-88-040	8 054393 033789	4	55	120	10	10
100-88-030	8 054393 033772	3	40	88	10	10
100-88-020	8 054393 033765	2	30	66	10	10
100-88-010	8 054393 033758	1	15	33	10	10
100-88-005	8 054393 033741	0	10	22	10	10

GERMAN B SNAP



2/0 1/0 0 00 000

		SIZE	kg	lb	XXX	PC
100-79-020	8 054393 033352	2/0	25	55	10	10
100-79-010	8 054393 033345	1/0	15	33	10	10
100-79-002	8 054393 033338	0	10	22	10	10
100-79-001	8 054393 033321	00	7	15	10	10
100-79-000	8 054393 033314	000	6	13	10	10

ROLLING HS2

16 18 20 22 24

		SIZE	kg	lb	XXX	PC
100-68-160	8 054393 032874	16	22	49	6	10
100-68-180	8 054393 032881	18	19	42	6	10
100-68-200	8 054393 032898	20	14	31	6	10
100-68-220	8 054393 032904	22	9	20	6	10
100-68-240	8 054393 032911	24	4	9	6	10

XPS COMPETITION FAST LINK

18 20 22 24

Perfect for the quick connection and the rapid exchange of the hooklinks in the bolognese, waggler or feeder fishing, this rolling swivel is equipped with a small hook that is closed by a rubber sliding sleeve.

		SIZE	kg	lb	XXX	PC
101-55-718	8 054393 128010	18	20	44	6	10
101-55-720	8 054393 128027	20	12	26	6	10
101-55-722	8 054393 128034	22	12	26	6	10
101-55-724	8 054393 128041	24	9	20	6	10

BENT HEAD FAST SNAP

M L

Special safety snap made from stainless steel, ideal for spinning, feeder fishing, surfcasting and beach legering. The connection of a lead, a lure or a feeder becomes so quick and safe, because it is not necessary to open the snap, but just insert the accessory eye through the 90° bent end and push it inside.

		SIZE	XXX	PC
100-89-200	8 054393 127990	M	6	10
100-89-210	8 054393 128003	L	6	10

WRAPPING SNAPS

S M L

		SIZE	kg	lb	XXX	PC
100-89-010	8 054393 033796	S	12	27	10	10
100-89-020	8 054393 033802	M	18	40	10	10
100-89-030	8 054393 033819	L	25	55	10	10

COMPETITION FLOAT STOPPER OVAL



		SIZE	Ø LINE	PC
101-65-530	8 054393 034601	#S	0.16~0.37	12
101-65-520	8 054393 034595	#SS - (2S)	0.14~0.28	12
101-65-510	8 054393 034588	#SSS - (3S)	0.12~0.24	12
101-65-500	8 054393 034571	#SSSS - (4S)	0.10~0.20	12

COMPETITION FLOAT STOPPER STICK



		SIZE	Ø LINE	PC
101-65-430	8 054393 034564	#S	0.16~0.37	12
101-65-420	8 054393 034557	#SS - (2S)	0.14~0.20	12
101-65-410	8 054393 034540	#SSS - (3S)	0.12~0.24	12
101-65-400	8 054393 034533	#SSSS - (4S)	0.10~0.20	12

FLOAT STOPPER BLACK

		SIZE	PC
105-65-000	8 054393 036780	Combined	10
105-65-010	8 054393 036797	S	10
105-65-020	8 054393 036803	M	10
105-65-030	8 054393 036810	L	10
105-65-040	8 054393 036827	XL	10

FLOAT STOPPER NATURAL

		SIZE	PC
105-65-100	8 054393 036834	Combined	10
105-65-110	8 054393 036841	S	10
105-65-120	8 054393 036858	M	10
105-65-130	8 054393 036865	L	10
105-65-140	8 054393 036872	XL	10

FLOAT STOPPER MULTICOLOUR 200



		SIZE	PC
105-65-210	8 054393 036889	S	10
105-65-220	8 054393 036896	M	10
105-65-230	8 054393 036902	L	10

FLOAT STOPPER MULTICOLOUR 400

		SIZE	PC
105-65-310	8 054393 036919	S	10
105-65-320	8 054393 036926	M	10
105-65-330	8 054393 036933	L	10

SLEEVE TUBES

		mm Ø	XXX	PC
100-44-200	8 054393 032256	2.00	10	10
100-44-180	8 054393 032249	1.80	10	10
100-44-160	8 054393 032232	1.60	10	10
100-44-140	8 054393 032225	1.40	10	10
100-44-120	8 054393 032218	1.20	10	10
100-44-100	8 054393 032201	1.00	10	10
100-44-075	8 054393 032195	0.75	10	10
100-44-050	8 054393 032188	0.50	10	10

OVAL ALUMINIUM CRIMPS

		Ø IN	mm	Ø LINE	XXX	PC
100-44-500	8 054393 032263	0.8/1.7	6.5	0.45~0.70	20	10
100-44-510	8 054393 032270	1.0/2.0	10.0	0.60~0.90	20	10
100-44-520	8 054393 032287	1.2/2.4	10.0	0.90~1.10	20	10
100-44-530	8 054393 032294	1.4/2.8	10.0	1.00~1.30	20	10
100-44-540	8 054393 032300	1.6/3.2	10.0	1.20~1.40	20	10
100-44-550	8 054393 032317	1.8/3.6	18.0	1.40~1.70	20	10

CROSSLINE CRANE

2/0 1/0 01 02 04

		SIZE	Ø	kg	lb	XXX	PC
100-75-008	8 054393 033116	2/0	2.5	75	165	6	10
100-75-009	8 054393 033123	1/0	2.3	60	135	8	10
100-75-010	8 054393 033130	01	2.1	47	105	8	10
100-75-020	8 054393 033147	02	1.9	3	95	10	10
100-75-040	8 054393 033154	04	1.4	35	77	10	10

BB SWIVEL WITH SOLID RINGS

06 05 04 03 02 01

		SIZE	kg	lb	XXX	PC
100-87-010	8 054393 033680	01	20	44	6	10
100-87-020	8 054393 033697	02	25	55	6	10
100-87-030	8 054393 033703	03	35	77	6	10
100-87-040	8 054393 033710	04	50	110	6	10
100-87-050	8 054393 033727	05	65	143	6	10
100-87-060	8 054393 033734	06	80	176	6	10

BB SWIVEL COSTLOCK SNAP

08 07 06 05

		SIZE	kg	lb	XXX	PC
100-76-080	8 054393 033192	08	110	245	5	10
100-76-070	8 054393 033185	07	90	200	6	10
100-76-060	8 054393 033178	06	70	155	7	10
100-76-050	8 054393 033161	05	55	120	8	10

X-STRONG CRANE

4/0 3/0 2/0 1/0 01 02 04

		SIZE	kg	lb	XXX	PC
100-74-006	8 054393 033048	4/0	135	300	6	10
100-74-007	8 054393 033055	3/0	100	220	6	10
100-74-008	8 054393 033062	2/0	75	165	8	10
100-74-009	8 054393 033079	1/0	60	135	10	10
100-74-010	8 054393 033086	01	47	105	12	10
100-74-020	8 054393 033093	02	43	95	12	10
100-74-040	8 054393 033109	04	35	77	12	10

X-STRONG CRANE COASTLOCK SNAP

3/0 2/0 1/0 01 02 04

		SIZE	kg	lb	XXX	PC
100-77-007	8 054393 033208	3/0	70	155	8	10
100-77-008	8 054393 033215	2/0	55	120	8	10
100-77-009	8 054393 033222	1/0	45	100	10	10
100-77-010	8 054393 033239	01	45	100	10	10
100-77-020	8 054393 033246	02	35	75	10	10
100-77-040	8 054393 033253	04	22	50	10	10

X-STRONG CRANE

SS POWER SWIVEL
HEAVY DUTY STAINLESS STEEL

2/0 1/0 01 03 05 07 10 12

		SIZE	kg	lb	XXX	PC
100-85-008	8 054393 033543	2/0	360	800	8	10
100-85-009	8 054393 033550	1/0	275	600	8	10
100-85-010	8 054393 033567	01	225	500	8	10
100-85-030	8 054393 033574	03	140	310	10	10
100-85-050	8 054393 033581	05	100	220	10	10
100-85-070	8 054393 033598	07	82	180	10	10
100-85-100	8 054393 033604	10	68	150	10	10
100-85-120	8 054393 033611	12	45	100	10	10

X-STRONG ROLLING INSURANCE SNAP

2/0 1/0 01 02 04 06

		SIZE	kg	lb	XXX	PC
100-81-008	8 054393 033420	2/0	70	550	8	10
100-81-009	8 054393 033437	1/0	55	300	10	10
100-81-010	8 054393 033444	01	55	250	10	10
100-81-020	8 054393 033451	02	40	200	10	10
100-81-040	8 054393 033468	04	30	150	10	10
100-81-060	8 054393 033475	06	15	130	10	10

X-STRONG CRANE COASTLOCK SNAP

SS POWER SWIVEL
HEAVY DUTY STAINLESS STEEL

2/0 01 03 05 07 10

		SIZE	kg	lb	XXX	PC
100-86-008	8 054393 033628	2/0	250	550	6	10
100-86-010	8 054393 033635	01	135	300	8	10
100-86-030	8 054393 033642	03	115	250	10	10
100-86-050	8 054393 033659	05	90	200	10	10
100-86-070	8 054393 033666	07	68	150	10	10
100-86-100	8 054393 033673	10	60	130	10	10

The Yummy Baits are the trout's favourite of all times! Their texture is really super soft, so soft you've never seen a similar bait. Fish will bite with confidence such a sweety! Yummy Baits are elastic too, so they are super resistant and can be used and used again. The lifelike texture has been super charged with fish scent for extra trigger action. You never had such a powerful bait on your hook!

YUMMY Bait
POWER SCENTED
Super soft
ACTIVE FORMULA

FALCETTO

In contrast to many other grubs, the Falcetto generates an high-efficient rotation movement thanks to its broad and short tail. Trout can thus easily detect these vibrations and smell the scent of the lure. Falcetto is anise scented in white colour and fish scented in all other colours. Eight pieces in a resealable plastic bag.

The broad and short tail generates a rotation and high frequency vibrations.

		COLOR	XXX	PC
182-12-010	8 054393 073495	White	8	10
182-12-020	8 054393 073501	Natural	8	10
182-12-030	8 054393 073518	Cream	8	10
182-12-040	8 054393 073525	Blood Red	8	10
182-12-050	8 054393 073532	Bubble Gum	8	10
182-12-060	8 054393 073549	Yellow	8	10
182-12-070	8 054393 073556	Orange	8	10
182-12-080	8 054393 073563	Green Chartreuse	8	10

BRUCONE

The Brucone is a perfectly shaped rotating lure which twists around its own axis during the retrieve and produces strong trout reactions. Less experienced anglers can use a baiting needle to correctly position this lure on the hook. The Brucone worms are delivered per 8 pieces in a resealable plastic bag. The white colour is anise scented, while all the other colours are fish scented.

Perfect hooking of the Brucone. This rigging generates an active rotation with intensive vibrations.

		COLOR	XXX	PC
182-10-010	8 054393 073358	White	8	10
182-10-020	8 054393 073365	Natural	8	10
182-10-030	8 054393 073372	Cream	8	10
182-10-040	8 054393 073389	Blood Red	8	10
182-10-050	8 054393 073396	Bubble Gum	8	10
182-10-060	8 054393 073402	Yellow	8	10
182-10-070	8 054393 073419	Orange	8	10
182-10-080	8 054393 073426	Green Chartreuse	8	10

TAIL TWISTER

The Tail Twister is a preformed trout lure, which is rotating around its own axis during the retrieve and generates extraordinary intensive vibrations thanks to its round flat belly, driving crazy the laziest trout. A great trout and perch lure that can't be missing in any lure box. The Tail Twister is delivered per 8 pieces in a resealable plastic bag. The white colour is anise scented, while all the other colours are fish scented. From today, a smaller size is also available to widen the chances of this fantastic lure.



Perfect rigging of the Tail Twister with active rotation, the hook is buried within the body close to its round flat belly.

In order to increase rotation and the vibration's frequency, just bring the hook point out of the first part of the tail. But not too low!

10 / White | 20 / Natural | 30 / Cream | 40 / Blood Red

50 / Bubble Gum | 60 / Yellow | 70 / Orange | 80 / Green Chartreuse

STANDARD

		COLOR	XXX	PC
182-13-010	8 054393 073570	White	8	10
182-13-020	8 054393 073587	Natural	8	10
182-13-030	8 054393 073594	Cream	8	10
182-13-040	8 054393 073600	Blood Red	8	10
182-13-050	8 054393 073617	Bubble Gum	8	10
182-13-060	8 054393 073624	Yellow	8	10
182-13-070	8 054393 073631	Orange	8	10
182-13-080	8 054393 073648	Green Chartreuse	8	10

MINI

		COLOR	XXX	PC
182-14-010	8 054393 073655	White	8	10
182-14-020	8 054393 073662	Natural	8	10
182-14-030	8 054393 073679	Cream	8	10
182-14-040	8 054393 073686	Blood Red	8	10
182-14-050	8 054393 073693	Bubble Gum	8	10
182-14-060	8 054393 073709	Yellow	8	10
182-14-070	8 054393 073716	Orange	8	10
182-14-080	8 054393 073723	Green Chartreuse	8	10

CAMOLA WORM

A true replica of an honey worm, one of the most appreciated trout baits. The camola is delivered per 8 pieces in a resealable plastic bag. The white colour is anise scented while the other colours are fish scented.

Two Camola Worms generate an intense rotation with strong vibrations.

10 / White | 20 / Natural

30 / Cream | 50 / Bubble Gum

60 / Yellow | 70 / Orange

Single-camola hookbait: fast baiting for fast action. The hook is completely buried inside camola's body. When the trout attacks, it is automatically hooked.

		COLOR	XXX	PC
182-11-010	8 054393 073433	White	8	8
182-11-020	8 054393 073440	Natural	8	8
182-11-030	8 054393 073457	Cream	8	8
182-11-050	8 054393 073464	Bubble Gum	8	8
182-11-060	8 054393 073471	Yellow	8	8
182-11-070	8 054393 073488	Orange	8	8

Slurp! Artificial baits

Trabucco's Soft Lures are made of superior quality material, soft but still durable. These powerful scented lures are packed in a preserving oil that will maintain their outstanding performance. Every and each Soft Lure has its own design which is specific effective, tested and improved by our Pro Team for long time before launching it in the market. We are committed to achieve details perfection and absolute quality to get the best performance. Try them and you won't regret!

HONEY WORM

Honey Worms are available in two sizes, Regular and XL. These floating baits have a bent shape to increase the twisting action needed to appeal the trout and other predators. They can be used alone or in combination with other soft or live bait. The Honey Worms texture is really similar if not the very same of the live honey worms but they will always be available and they will not be spoiled after the first catch, being able to be re used several times before substitution.



STANDARD

		COLOR	XXX	PC
182-00-210	8 054393 073143	Natural White	30	10
182-00-220	8 054393 073150	Yellow Glitter	30	10
182-00-230	8 054393 073167	Fluo Glitter	30	10
182-00-240	8 054393 073174	Red Glitter	30	10
182-00-250	8 054393 073181	Pink Glitter	30	10
182-00-260	8 054393 073198	Silver Glitter	30	10

XL

		COLOR	XXX	PC
182-00-310	8 054393 073204	Natural White	25	10
182-00-320	8 054393 073211	Yellow Glitter	25	10
182-00-330	8 054393 073228	Fluo Glitter	25	10
182-00-340	8 054393 073235	Red Glitter	25	10
182-00-350	8 054393 073242	Pink Glitter	25	10
182-00-360	8 054393 073259	Silver Glitter	25	10

FAT TROUT WORM

It's a short, fat worm, which mimics the chopped earthworm. It can be used in combination with other bait when fishing with bombardas, or hooked on a jig head to let it dance on the bottom and trigger the predatory instinct of lake and river trout; it may even be hooked wacky style (i.e. with the hook placed in the middle of the body) with no weight, to obtain a very natural fall to the bottom. The Fat Worm are flavored with fish taste: when the trout takes the bait, stops to taste it, allowing to strike with the right timing.





		COLOR	XXX	PC
182-00-510	8 054393 073297	White Glitter	10	10
182-00-520	8 054393 073303	Black Glitter	10	10
182-00-530	8 054393 073310	Pinky	10	10
182-00-540	8 054393 073327	Fluo Green	10	10
182-00-550	8 054393 073334	Flame	10	10
182-00-560	8 054393 073341	Pearl & Brown	10	10
182-00-570	8 054393 113641	Pearl Green	10	10
182-00-580	8 054393 113658	Meat	10	10

EARTHWORM

A realistic imitation of an earthworm, with the elongated body made from "fish-frendly" synthetic materials that allow to obtain a very similar texture to that of the natural worm, but with the great advantage of being safe from easy damage, either during the hooking process or during the fight. It can be used in combination with other baits when fishing with the bombarda; hooked on a jig head to make it dance on the bottom and unleash the instincts of all predators; it can even be hooked at the center of the body, "wacky" style, to get a very natural fall to the bottom. The Earthworm are powered with fish flavour: when a predator bites, feels the taste and does not stop to bite the bait, allowing you to strike with the right timing.

10/Narural

20/Red Wriggler

		COLOR	XXX	PC
182-00-910	8 054393 133304	Natural	50	10
182-00-920	8 054393 133311	Red Wriggler	50	10

FALCETTO SHAD

Internally scented grub, which features a paddle tail designed to increase the vibrations produced during the retrieve. The lure moves a volume of water twice as big than a normal grub, allowing the fish to detect its presence at a much higher distance. Its ideal field is the lake, where it tempts Trout and Perch in all seasons of the year. Use it on long shank hooks, pushing the point out of the body just before the start of the tail, in order to ensure the rotation of the whole hookbait: such is the right way to get the very best from it.

10/White

20/Pearl

30/Fluo Pink

40/Fluo Orange

50/Fluo Yellow

		COLOR	XXX	PC
182-00-710	8 054393 113740	White	20	10
182-00-720	8 054393 113757	Pearl	20	10
182-00-730	8 054393 113764	Fluo Pink	20	10
182-00-740	8 054393 113771	Fluo Orange	20	10
182-00-750	8 054393 113788	Fluo Yellow	20	10

T-SHAD

Small silicone minnow for trout fishing in the streams and lakes, with a paddle tail that creates wide oscillations and vibrations during the retrieve. Its light weight requires the association to a Micro Jig Head, which provides the necessary weight to carry it on the bottom and make it work, maintaining the line's tension to let the rod tip detect bites. When fishing from a boat or from the belly boat, it can be hooked by Drop Shot or Split Shot styles, two techniques involving the passage of the hook through the head, with body and tail free to move. Also great for Perch, is scented internally.

HOW TO RIG



10/White

20/Natural White

30 / Yellow Glitter

40 / Red Glitter

50/UV Purple

60/Bubble Gum

70/Pink Ghost



80/Chartreuse Ghost

90/Fluo Yellow

		COLOR	XXX	PC
182-00-610	8 054393 113665	White	10	10
182-00-620	8 054393 113672	Natural White	10	10
182-00-630	8 054393 113689	Yellow Glitter	10	10
182-00-640	8 054393 113696	Red Glitter	10	10
182-00-650	8 054393 113702	UV Purple	10	10
182-00-660	8 054393 113719	Bubble Gum	10	10
182-00-670	8 054393 113726	Pink Ghost	10	10
182-00-680	8 054393 113733	Chartreuse Ghost	10	10
182-00-690	8 054393 113795	Fluo Yellow	10	10

BLOOD WORM

Slurp! Blood Worm is the perfect imitation of the Ver de Vase, the typical and most natural bait that normally lives in lakes and canals. So they are the most convenient baits for a large variety of fish, such as carp, crucian carp, bream etc. Available in its peculiar blood red colour.

		COLOR	XXX	PC
182-00-110	8 054393 073156	Blood Red	50	10

MAGGOTS

The Maggots are imitations of the natural fly larvae, the bait used throughout Europe, both in fresh and saltwater. The Slurp are produced with a silicone compound, which is soft and floating, therefore excellent to balance the hook's weight and create a natural presentation. The new colour Natural Red replicates the one used for the dyed maggots, commercially available in any shop: with the white (Natural White) it forms a pair of highly effective bait for all kind of fish and for all seasons. Beyond the convenience and easy storage, these baits can be used in water where the real maggots are banned.

10 / Natural White | 20 / Blood Red | 30 / Yellow | 40 / Orange Glitter | 50 / Natural Red

STANDARD

		COLOR	XXX	PC
182-00-010	8 054393 073082	Natural White	50	10
182-00-020	8 054393 073099	Blood Red	50	10
182-00-030	8 054393 073105	Yellow	50	10
182-00-040	8 054393 073112	Orange Glitter	50	10
182-00-050	8 054393 073129	Natural Red	50	10

XL

		COLOR	XXX	PC
182-00-061	8 054393 157164	Natural White	30	10
182-00-062	8 054393 157171	Blood Red	30	10
182-00-063	8 054393 157188	Yellow	30	10
182-00-064	8 054393 157195	Orange Glitter	30	10

SPAGHETTI

Spaghetti is a classic lake trout bait, but with the addition of the inner scent and oil, the Spaghetti Slurp! become irresistible and capable of ensuring a lot of catches even where many other baits fail. All colours are very bright and vivid, suitable to stimulate the most lazy trout. The new fluorescent colors recall the paste hookbait's tones, while the Blood Red is very effective in clear water.

10 / White | 20 / Orange Glitter | 30 / Yellow

40/Fluo Pink | 50/Blood Red | 70/Fluo Green

		COLOR	XXX	PC
182-00-410	8 054393 073266	White	12	10
182-00-420	8 054393 073273	Orange Glitter	12	10
182-00-430	8 054393 073280	Yellow	12	10
182-00-440	8 054393 113610	Fluo Pink	12	10
182-00-450	8 054393 113627	Blood Red	12	10
182-00-470	8 054393 113634	Fluo Green	12	10

CORN

The Slurp Bait Corn is the perfect imitation of a sweetcorn grain, proposed in three assorted sizes within the package for maximum versatility. It has been produced from "fish-frendly" synthetic materials which allowed to obtain a very similar texture to the real one, but with the great advantage of being much more resistant, both through hooking process and during fish fight. Extremely soft and semi-floating, this bait is impregnated with fish based attractors that make it extremely good to entice big cyprinidae like Carp, Barbel, Tench, Chub. Excellent when used individually, either on the hook shank or on the hair rig, it's also perfect to make cocktails with any other alive or static natural bait.

		COLOR	XXX	PC
182-00-810	8 054393 133274	Yellow	50	10
182-00-820	8 054393 133281	Natural White	50	10
182-00-830	8 054393 133298	Red	50	10

10 / Yellow | 20 / Natural White | 30/Red

3 assorted sizes in each bag

TROLLING DEEPER DIVER

Depth Settings (0-1-2-3)



		MODEL	PC
101-25-210	8 054393 034137	Deep Diver 87	5
101-25-220	8 054393 034144	Deep Diver 107	5

NATURAL BAIT NEEDLE

		PC
182-95-000	8 054393 073730	10

NATURAL BAIT CAGE



		PC
182-95-100	8 054393 073747	10

SEA JIGGER

Jig designed to catch bottom feeders and predators in medium and deep waters. It has Glow head for extra appeal in deep, a large skirt and it's fitted an high quality japanese treble hooks. This provides higher hook-up ratio. Sea Jigger must be worked on or just off the bottom, in particular in sandy bottom where the retrieve and the fall create a cloud that naturally attracts inquisitive fish.

			COLOR		PC
186-90-000	8 054393 074812	80	Blue	3/0	5
186-90-010	8 054393 074829	80	Green	3/0	5
186-90-020	8 054393 074836	80	Orange	3/0	5


Lumi/Orange

Lumi/Green

Lumi/Blue

FIERCE SQUID JIG

NEW

Fierce Squid Jig is a real winning weapon available to squid and cuttlefish anglers, also known as Eginger. Carefully crafted from selected materials, they are decorated with particularly nice colors; Fierce Squid Jig carefully replicates the most common prey of cephalopods, combining excellent casting attitude with attractive swimming and darting under jerk action that can trigger predator's attack. These Egi lures are definitely ideal for solving complicated situations, perfect both for fishing from the boat or from piers and cliffs.



3D EYES

The oversized and three-e-dimensional eyes increase the attractiveness power in low light conditions. Their colours are designed in combination with the body to increase attack's chances.

CLOTH BODY

The body is dressed with a particular fabric that mimics the forage of cephalopods, thus providing a higher number of attacks and greater chance to be retained by the predator.



GLOW TAIL

Some details of the hook's crowns and body are made with fluorescent finishes, capable of emitting light radiation particularly sensitive to the sight of squid and cuttlefish.

FEATHER

Lateral feathers mimic the appendages of prawns and the fins of cephalopods, stimulating the attack of the artificial lure also through the perception of vibrations in addition to visual attraction.



SNAGLESS SINKER

The lead profile is designed to reduce friction in water, thus easing fishing action, minimize the chances of snagging and stabilize the swimming of the Egi, even in the presence of current.

HOOKS

The double hook's crown is light, sharp and durable at the same time. While the rounded shape guarantees excellent striking power and ensures a firm grip of the cephalopod.



		COLOR	SIZE	mm	g	SINK RATE	DEPTH	PC
183-00-001	8 054393 171108	RPA	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10
183-00-002	8 054393 171115	BRO	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10
183-00-003	8 054393 171122	ORF	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10
183-00-004	8 054393 171139	RPF	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10
183-00-005	8 054393 171146	PRD	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10
183-00-006	8 054393 171153	NAE	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10
183-00-007	8 054393 171160	NEB	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10
183-00-008	8 054393 171177	NAJ	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10
183-00-009	8 054393 171184	NMI	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10
183-00-010	8 054393 171191	FBK	# 2,5	80	11	5,0 sec/m	Shallow / Medium	10

		COLOR	SIZE	mm	g	SINK RATE	DEPTH	PC
183-00-101	8 054393 171207	RPA	# 3,0	95	15	3,5 sec/m	Medium / Deep	10
183-00-102	8 054393 171214	BRO	# 3,0	95	15	3,5 sec/m	Medium / Deep	10
183-00-103	8 054393 171221	ORF	# 3,0	95	15	3,5 sec/m	Medium / Deep	10
183-00-104	8 054393 171238	RPF	# 3,0	95	15	3,5 sec/m	Medium / Deep	10
183-00-105	8 054393 171245	PRD	# 3,0	95	15	3,5 sec/m	Medium / Deep	10
183-00-106	8 054393 171252	NAE	# 3,0	95	15	3,5 sec/m	Medium / Deep	10
183-00-107	8 054393 171269	NEB	# 3,0	95	15	3,5 sec/m	Medium / Deep	10
183-00-108	8 054393 171276	NAJ	# 3,0	95	15	3,5 sec/m	Medium / Deep	10
183-00-109	8 054393 171283	NMI	# 3,0	95	15	3,5 sec/m	Medium / Deep	10
183-00-110	8 054393 171290	FBK	# 3,0	95	15	3,5 sec/m	Medium / Deep	10

		COLOR	SIZE	mm	g	SINK RATE	DEPTH	PC
183-00-201	8 054393 171306	RPA	# 3,5	110	19	3,0 sec/m	Medium / Deep	10
183-00-202	8 054393 171313	BRO	# 3,5	110	19	3,0 sec/m	Medium / Deep	10
183-00-203	8 054393 171320	ORF	# 3,5	110	19	3,0 sec/m	Medium / Deep	10
183-00-204	8 054393 171337	RPF	# 3,5	110	19	3,0 sec/m	Medium / Deep	10
183-00-205	8 054393 171344	PRD	# 3,5	110	19	3,0 sec/m	Medium / Deep	10
183-00-206	8 054393 171351	NAE	# 3,5	110	19	3,0 sec/m	Medium / Deep	10
183-00-207	8 054393 171368	NEB	# 3,5	110	19	3,0 sec/m	Medium / Deep	10
183-00-208	8 054393 171375	NAJ	# 3,5	110	19	3,0 sec/m	Medium / Deep	10
183-00-209	8 054393 171382	NMI	# 3,5	110	19	3,0 sec/m	Medium / Deep	10
183-00-210	8 054393 171399	FBK	# 3,5	110	19	3,0 sec/m	Medium / Deep	10

CLOTHING

Range of fishing clothing developed to perform at its best on the roughest conditions. The accurate selection of details and fabrics allows us to create garments with innovative design and technologically advanced. Designed with the very latest in material technology. The highest comfort level, breathability and thermal insulation well as freedom of movement are guaranteed along the whole range.

GNT

GNT BREATHABLE SUIT

Gnt Breathable Suit provides the ultimate solution for anglers who wants the maximum comfort in whatever the conditions. The suit offers a complete solution and it is not only a waterproof, thermal and breathable jacket and bib & brace, but also features a polar fleece that zips in and off perfectly the jacket.

		SIZE
049-20-200	8 054393 015310	L
049-20-300	8 054393 015327	XL
049-20-400	8 054393 015334	XXL

Polar fleece

Soft and comfortable non-pilling polar fleece with windproof lining, designed to keep you warm and dry during the coldest days. It's ideal to be worn in combination with the GNT Suit as it zips in and off perfectly on the jacket or as a top layer in its own right.

- Fabric: 100% Polyester Fleece
- Lining: antifriction 100% polyester
- 2 front pockets
- Elasticated cuffs
- Waterproof collar and cuffs
- Water & Wind Resistant

GNT Jacket

Designed with the very latest in material technology, GNT Jacket is completely waterproof, windproof and highly breathable. All seams are carefully double taped. The shoulders and other key area are reinforced by an additional layer to reduce wear. The adjustable hood offers full protection and a greater visibility and can be folded in the neck when not in use. The high fleece lining collar ensures extra warmth, whilst all the pockets features storm flap zip closure to prevent water in.

- Fabric: octagonal fabric 100% polyester 320D
- Lining: antifriction 100% polyester
- Waterproof Rating: 5000mm
- Breathable Rating: 3000mm
- Taped seams
- Adjustable peaked hood
- Zippered pockets with storm flaps
- Separate mobile phone pocket

GNT Bib & Brace

Totally waterproof and with and highly breathable the GNT Bib & Brace is desigend to offer the maximum protection in the roughest conditions and it's packed full of features to make your fishing more comfortable. The antifriction lining is designed for ease of movement, while all seams are carefully double taped. The knee, seat and all other keys areas have been reinforced by and additional layer to reduce wear. The elasticated straps can be adjusted to fit your height, or totally removed to be worn as regular trousers. The wide opening leg bottom is provided with strong zip and an adjustable storm flap closure.

- Fabric: octagonal fabric 100% polyester 320D
- Lining: antifriction 100% polyester
- Waterproof Rating: 5000mm
- Breathable Rating: 3000mm
- Taped seams
- Adjustable waist strap
- Wide opening leg bottom
- Reinforced key areas

NEW GNT TECNIK MAX BREATH SUIT

Lightweight suit designed for comfortable fishing in any weather condition, structured with highly breathable and waterproof fabric, characterized by great flexibility to facilitate movement and casting action. The jacket is wide and short enough not to hinder the possibility of sitting on the seatbox, with a practical, adjustable extension hood and with a wide band covering the zipper, preventing the passage of cold air. Large diagonal-opening pockets, two inner pockets; practical pectoral bellows, closed with Velcro bands. Adjustable amplitude cuffs. The trousers are equipped with elasticated suspenders and waistline, to always dress perfectly; in addition to the two classic zipper pockets, they offer two extra ones on the sides of the thighs. The leggings can be opened to facilitate the insertion of the feet in the boots and their low end is adjustable by Velcro bands. Large Trabucco logo on the back side.

		SIZE
049-38-100	8 054393 166661	M
049-38-200	8 054393 166678	L
049-38-300	8 054393 166685	XL
049-38-400	8 054393 166692	XXL
049-38-500	8 054393 166708	XXXL
049-38-600	8 054393 166715	XXXXL

NEW GNT TECNIK BODYWARMER

This ultralight, but warm and protective garment at the same time, has been designed to offer a hooded alternative to the classic bodywarmer. It can be worn over a sweatshirt in the middle seasons or in the early hours of the morning; it can integrate a raincoat when the rain is accompanied by the wind; it can also be used while driving the car, given the complete freedom of movement for the arms. In addition to the two normal zipper pockets, it offers a small pocket for documents and mobile phone, designed with a practical side opening. Large Trabucco logo on the back.

		SIZE
049-37-100	8 054393 166012	M
049-37-200	8 054393 166029	L
049-37-300	8 054393 166036	XL
049-37-400	8 054393 166043	XXL
049-37-500	8 054393 166050	XXXL
049-37-600	8 054393 166067	XXXXL

NEW GNT TECNIK SOFTSHELL JACKET

Perfect in the intermediate seasons, this light and soft jacket completely protects against wind and light rain. The presence of sizes 3XL and 4XL in the range is surely in a position to satisfy any user, also offering the adaptability of the cuffs, via Velcro bands. The two classic zipper pockets are flanked by a side-opening pocket, equipped with a rubber membrane to ensure the water tightness, protecting documents or the mobile phone. The soft inner lining makes it particularly comfortable. Large Trabucco logo on the back.

		SIZE
049-39-100	8 054393 166722	M
049-39-200	8 054393 166739	L
049-39-300	8 054393 166746	XL
049-39-400	8 054393 166753	XXL
049-39-500	8 054393 166760	XXXL
049-39-600	8 054393 166777	XXXXL

GNT PRO ZIP HOODY

Soft hooded sweatshirt jacket, great for the match angler and for the hobbyist in all fields of sport fishing. Ideal in all seasons to protect yourself from the humidity of the early morning or from sudden gusts of wind when you are on the boat, it fits perfectly without hindering the freedom of arm's movement. The elasticated cuffs and the possibility to adjust the closure of the hood prevent the cold air from passing inside. In case of cold temperatures, the onion style protection can be achieved by combining the jacket with the GNT Pro Micro Fleece; in those cases, the hand-warming pocket placed on the front is appreciated.

		SIZE
049-31-100	8 054393 134950	M
049-31-200	8 054393 134967	L
049-31-300	8 054393 134974	XL
049-31-400	8 054393 134981	XXL
049-31-500	8 054393 155238	XXXL

GNT PRO BODYWARMER

Lightweight as a feather, this excellent vest is a valid alternative to the Pro Softshell when temperatures become much more rigid. The generous padding includes air chambers that achieve a high level of insulation, while a refined touch of elegance is generated by the thin bands of reflective fabric, visible during night fishing. Anti-wind raised collar; two large pockets on the front and a small zippered pocket for storing documents or a mobile phone. Large Trabucco logo on the back.

		SIZE
049-35-100	8 054393 141637	M
049-35-200	8 054393 141644	L
049-35-300	8 054393 141651	XL
049-35-400	8 054393 141668	XXL

NEW GNT PRO MICRO FLEECE

During spring and autumn it can be worn alone, while during the winter becomes an intermediate layer, to be combined with a softshell jacket. It 'a soft, warm and comfortable micro-fleece polo shirt, brushed and anti-pilling, available in five sizes with a generous 3XL.

		SIZE
NEW 049-28-100	8 054393 120427	M
049-28-200	8 054393 120373	L
049-28-300	8 054393 120380	XL
049-28-400	8 054393 120397	XXL
049-28-500	8 054393 120403	XXXL

GNT PRO SOFTSHELL VEST

Extremely practical garment, suitable for any moment of the fishing day, including the car trip, when the arm's freedom of movement is essential. A classic vest redesigned according to current style, produced from water repellent softshell fabric and equipped with a raised windproof collar. In addition to the document and mobile phone's pocket, the product offers two front zipped pockets, internally padded to perform the function of hand warmers and two additional internal pockets. Large Trabucco logo on the back side.

		SIZE
049-32-100	8 054393 134998	M
049-32-200	8 054393 135001	L
049-32-300	8 054393 135018	XL
049-32-400	8 054393 135025	XXL
049-32-500	8 054393 135032	XXXL

GNT PRO WTP SUIT

Dedicated to the most committed match angler, whose season lasts twelve months, this suit comes off sharply from the rest due to its great wearability, breathability, lightness and freedom of movement. This last feature makes it ideal also for the enthusiast boat angler and for the surfcaster of a certain level, who on the beach has the best opportunities during the cold season. The garment is produced in a special anti-tear fabric that is used in the gliding sector for its qualities of lightness and strength, coupled with a transparent membrane that increases its resistance to abrasion. All joints are thermo-taped for complete waterproofing, while air circulation inside the jacket is ensured by a mesh fabric lining and two zippered windows, located under the armpits.
The product consists of two items, not available separately. The jacket is equipped with a raised wind proof collar and a hood with a built-in visor, adjustable and foldable backwards with a Velcro fastening; two zippered pockets plus a small pocket for documents or a mobile phone. The cuffs of the sleeves are adaptable by means of practical Velcro bands. The bib and brace has the same general characteristics of the jacket; the straps are adjustable and fastened by clips; the knees are equipped with protective inserts, while the legs have a long zipper to be opened when wearing boots. Two front zipped pockets, protected by an eyelid; Velcro bands to adjust the width of the trousers at waist height.

STAY DRY

TK TECHNICAL

		SIZE
049-34-100	8 054393 141583	M
049-34-200	8 054393 141590	L
049-34-300	8 054393 141606	XL
049-34-400	8 054393 141613	XXL
049-34-500	8 054393 141620	XXXL

GNT PRO SOFT SHELL

Light and strong technical jacket, suitable for fishing at low temperature, wind or under light rain. Made with breathable fabric, keeps warm and dry inside, giving the user total freedom of arm's movement. The adjustable hood, featuring a visor, is extremely practical. Very wide range of available sizes.

- Material: 100% lined Soft Shell
- Water repellent and Windproof
- Breathable
- Elasticated cuffs
- Double sided zippered pockets
- Welded mobile phone pocket
- Adjustable hood with visor

		SIZE
049-30-000	8 054393 120410	S
049-30-100	8 054393 120335	M
049-30-200	8 054393 120342	L
049-30-300	8 054393 120359	XL

GNT PRO FLEECE

Designed for a demanding angler, this beautiful zip jacket offers a package of high grade technical features. First of all, the upper part, coloured in black, is made from Softshell fabric, which makes it actually rainproof (Stay Dry). The raised collar and adjustable cuffs with a Velcro band help prevent cold air from getting inside, in case of wind. Two zippered front pockets plus a document pocket complete the set-up, while a large Trabucco logo on the back side adds a sporty touch.

STAY DRY

TK TECHNICAL

		SIZE
049-33-100	8 054393 141538	M
049-33-200	8 054393 141545	L
049-33-300	8 054393 141552	XL
049-33-400	8 054393 141569	XXL
049-33-500	8 054393 141576	XXXL

NEW GNT TECNIK THERMO FLEECE

At the first contact, it immediately conveys a feeling of warm protection and entices you to try it. It is a super thermal sweatshirt, created with fabric of a certain consistency, but still soft, with the new mixed colour that attracts attention. The front zipper allows it to be fully opened, and continues on the raised neck. Three zip pockets: two classic and a smaller one for documents. Also available in extremely large sizes, it has all the logos, including the large one on the back, finely embroidered to add fashion and last long time.

	SIZE
049-41-100	M
049-41-200	L
049-41-300	XL
049-41-400	XXL
049-41-500	XXXL
049-41-600	XXXXL

NEW GNT TECNIK SWEATER

A classic polo shirt, equipped with short zipper and raised neck, which is one of the ideal solutions to dress a competition fishing team, where everyone finds the right size because the 3XL and 4XL are also available. The large Trabucco logo on the top area of the back side leaves free a large space on the grey field, to print or embroider the team's logo. The cuffs are stretched for complete comfort.

	SIZE
049-43-100	M
049-43-200	L
049-43-300	XL
049-43-400	XXL
049-43-500	XXXL
049-43-600	XXXXL

NEW GNT TECNIK THERMO HOODIE

Thin and light hooded jacket, designed for the intermediate seasons but equipped with an adjustable amplitude hood to cope with any sudden changes in temperature. Designed in the classic black and red colours of the GNT logo, it offers the two zippered closed pockets and a wide choice of sizes. Large Trabucco logo printed on the back.

	SIZE
049-42-100	M
049-42-200	L
049-42-300	XL
049-42-400	XXL
049-42-500	XXXL
049-42-600	XXXXL

NEW GNT TECK POLO SHIRT

Polo shirt made by cotton, extremely comfortable also in the hottest days.

	SIZE
049-44-100	M
049-44-200	L
049-44-300	XL
049-44-400	XXL
049-44-500	XXXL
049-44-600	XXXXL

NEW XTR PRO K-HOODIE

By popular demand, now Surf Casting enthusiasts also have a dedicated clothing range. In keeping with the black and lime colours of the XTR luggage and the homonymous cap, this sweatshirt attracts the attention of the youngest with its soft hood and practical hand-warmer pocket, which are not only a touch of fashion but respond to real needs on the beaches, during the day as well as in the night. Elasticated knit cuffs and large Trabucco logo on the back.

	SIZE
049-50-100	M
049-50-200	L
049-50-300	XL
049-50-400	XXL
049-50-500	XXXL
049-50-600	XXXXL

NEW XTR PRO F-ZIP SWEATER

Light but protective, this practical jacket is characterized by the complete opening, made possible by the long front zipper. The great freedom of movement meets the needs of Surf Casting enthusiasts, who also recognize the aggressive black and lime colour scheme of the very famous XTR luggage range. Raised neck, elasticated knit cuffs and large Trabucco logo on the back complete this garment. The most robust users will welcome the large sizes 3XL and 4XL.

	SIZE
049-51-100	M
049-51-200	L
049-51-300	XL
049-51-400	XXL
049-51-500	XXXL
049-51-600	XXXXL

NEW GNT TECK T-SHIRT

T-Shirt made by cotton, extremely comfortable also in the hottest days.

	SIZE
049-46-100	M
049-46-200	L
049-46-300	XL
049-46-400	XXL
049-46-500	XXXL
049-46-600	XXXXL

NEW GNT & XTR PRO DRY-TECK JERSEY

Sporty, young and light, this t-shirt is quite interesting for the sum of its technical features. In fact, it has been created with a very fine knitted fabric, elastic in all directions, which maintains its specifications even after endless washing cycles. So it is perfect for the match angler, who makes intensive use of it. A wide range of sizes is available.

	SIZE
049-45-100	M
049-45-200	L
049-45-300	XL
049-45-400	XXL
049-45-500	XXXL
049-45-600	XXXXL

	SIZE
049-52-100	M
049-52-200	L
049-52-300	XL
049-52-400	XXL
049-52-500	XXXL
049-52-600	XXXXL

MICROPILE GNT

Lightweight and very soft, the GNT micro fleece is ideal to wearing in midseason or under a thermal suit for added protection. The elasticized cuffs, the high open collar, the embroidered logo make it complete.

	SIZE
049-25-200	L
049-25-300	XL
049-25-400	XXL

FELPA GNT

Very soft and comfortable sweatshirt made from cotton and polyester mixture. Round neck, elasticized cuffs and bottom, with stylish embroidered logo.

	SIZE
049-26-300	XL
049-26-400	XXL

POLO GNT DRY-TEK

The Gnt Dry-Tek Polo are designed to keep you cool and dry in warm weather, by wicking sweat away from the body. The Dry-Tek fabric is also breathable, lightweight, easy to care and super soft to offer the maximum comfort.

	SIZE
042-10-100	M
042-10-200	L
042-10-300	XL
042-10-400	XXL

T-SHIRT TRABUCCO GNT

	SIZE
040-86-100	M
040-86-200	L
040-86-300	XL
040-86-400	XXL
040-86-500	XXXL

TEAM BAND

With a fantastic combination of comfort and style, the Trabucco Team Bands have been designed to protect the face and neck from sun and wind, repelling 95% of dangerous UV rays and moisture, while also keeping the skin quite dry, even in extreme conditions. Produced in a thin, breathable, ultrasoft and lightweight fabric, Team Bands are decorated with particularly modern designs and are perfect for any outdoor activity. Very resistant and durable, the Trabucco Team Band offer a total multi-functionality, which allows you to wear them in a wide range of different ways. Two versions are available: Competition with a pleasant series of Trabucco logos; Saltwater with illustrations of Tuna, Amberjack and Dentex, which are easy to combine with the Trabucco caps to give the user a strong sporty identity. We recommend cleaning them in the washing machine with cold water and ironing at low temperature, protecting the band between two cloth sheets; so it will not lose the brilliance of the colors and its peculiar elasticity.



	MODEL
040-12-010	Competition
040-12-020	Saltwater

SURF TEAM SHIRT LONG SLEEVE

Ultralight long sleeve shirt, designed to provide protection from sun and wind, while leaving great freedom of movement to the angler's arms, specially during casting. Aggressive and elegant design.

		SIZE
040-90-100	8 054393 147875	M
040-90-200	8 054393 147882	L
040-90-300	8 054393 147899	XL
040-90-400	8 054393 147905	XXL

SURF TEAM SHIRT SHORT SLEEVE

Created to celebrate the second consecutive gold medal in the World Surf Team Championship (Team Trabucco El Perdigal, Spain), this brilliant and sporting short sleeve shirt is perfect for those who like a technical clothing with strong identity.

		SIZE
040-91-100	8 054393 147912	M
040-91-200	8 054393 147929	L
040-91-300	8 054393 147936	XL
040-91-400	8 054393 147943	XXL

MATCH TEAM SHIRT SHORT SLEEVE

Superlight short sleeve shirt, dedicated to the match angler who likes to feel different. Perfect on the peak of hot summer, it can be worn anyway on top of any other clothing to face the intermediate season's weather.

		SIZE
040-93-100	8 054393 147950	M
040-93-200	8 054393 147967	L
040-93-300	8 054393 147974	XL
040-93-400	8 054393 147981	XXL

SW PRO TEAM SHIRT SHORT SLEEVE

Inspired to the classic sea colours, this short sleeve shirt makes a brilliant alternative to Match model, sharing with it the shape, material and finish details. As light as a feather, it dresses without limiting the movement's freedom.

		SIZE
040-94-100	8 054393 147998	M
040-94-200	8 054393 148001	L
040-94-300	8 054393 148018	XL
040-94-400	8 054393 148025	XXL

GNT FLEECE NECKWARMER

Soft band designed to protect the neck or the head from harsh temperatures or strong winds, typical of winter. Made of fleece fabric, it features a lanyard to tighten one of the two ends, turning it into a very warm bonnet. The interior and exterior have different colors, so as to perfect the combination with the other items of the Trabucco clothing range.

049-40-100

GNT DRY-TEK CAP

Soft, lightweight and breathable baseball cap entirely made from Dry-Tek fabric. The Dry-Tek material is designed to keep you cool, dry and comfortable in warm weather. Featuring overlapping Velcro closure, pre-curved bill with contrast color and sewn eyelets.

040-13-016

NEW GNT TECNIK BEANIE

Stylish and minimal knitted beanie designed to keep you warm during the coldest sessions.

049-40-110

GNT CAP

The GNT Cap is made from 100% hard wearing cotton. A metal clasp allows easy adjustment and one size fits all.

040-13-015

NEW GNT TECNIK PEACKED BEANIE

For those extra-cold days, this knitted beanie features a comfy peak to keep the sun out of your eyes and a soft and elastic fabric for increased comfort and warmth.

049-40-120

GNT BLACK CAP

Without taking anything away from the other Trabucco caps, this is the much waited model by match anglers, who love the black colour for the sense of seriousness and high technical level.

040-13-019

GNT RED CAP

Cheerful and extremely sporty, it goes perfectly with the entire GNT clothing and luggage range, thanks to the colour scheme and the large logo embroidered on the brim.

040-13-020

XTR CAP

With the large XTR logo embroidered on the brim and the recall to lime green of the homonymous luggage range, it was conceived for Surf Casting fans, but the sharpness of its design has suddenly conquered a wide array of young match anglers who have immediately adopted it and are unlikely to change their minds.

040-13-021

TRABUCCO
FORM & PERFORMANCE

WWW.TRABUCCOFISHING.COM

Enter Trabucco's world through its website. Sign the Newsletter to follow our Champions and see their videos, where you can find advise and get some trick that will help you to catch more fish. Check our on-line catalogue to discover the huge Trabucco assortment and find out the shop closer to you. Sign in our social network profiles to share experiences, pictures, videos and link. We are all waiting for you!

FOLLOW US

@TRABUCCOFISHING

@TRABUCCOFISHING

@TRABUCCOFISHING

@TRABUCCOFISHING

Rapture

Rapture is a brand which gather a huge number of hard and soft lures, both for fresh and salt water, and a great assortment of rods, always more calibrated on specific predator fishing techniques. We are always very attentive to the new fishing styles and trends and we like to receive inputs and share opinions on social networks. Sign in our Newsletter to get the latest news and write us what you think. On Rapture social network pages you cans hare your videos and pictures too.

FOLLOW US

WWW.RAPTURELURES.COM

@RAPTURELURES

@RAPTURE_LURES_FISHING

@RAPTURELURES

KKARP
Inspire the next

K-Karp is passion, and as per all the passions you will enjoy it more through sharing. The K-Karp website is at your disposal to show you the countless new products coming out monthly and to know in advance the places where our testimonials will meet the anglers. You can also find a video section where you can see and "feel" the way our experts are living the K-Karp experience. If you don't want to miss any news or just you want to share pictures, videos or just opinions, you can sign in our social network profiles, while all the other colours are fish scented.

FOLLOW US

WWW.K-KARP.COM

@KKARPINSPIRETHENEXT

@KKARP_INSPIRE_THE_NEXT

@KKARPFISHING

CATGEAR

The biggest fish of our rivers is able to give us unique emotions, thanks to its size, its power and also thanks to the water speed. That's why it gets the attention of all of us also on the web, which offers the visitors of Catgear site the chance to read the online catalogue, updating their own knowledge about most advanced tackle. Facebook page represents an incredible opportunity to exchange opinions and experiences with anglers from all over Europe.

FOLLOW US

WWW.CATGEARFISHING.COM

@CATFISHINGEAR

@CATGEARFISHING

FOLLOW US:

Trabuccofishing.com
TrabuccoFishing
TrabuccoFishing
TrabuccoFishing
TrabuccoFishing

TRABUCCO
FORM & PERFORMANCE

Trabucco International Srl
Via Atene, 7 - Zona CEPIM Interporto
43010 Bianconese di Fontevivo (PR) Italy
Tel.: +39 0521 618000 r.a.
Fax: +39 0521 617032
E-mail: info@trabucco.it

Trabucco International reserves the right to modify prices or specifications without prior notice. All weights and dimensions are approximate and may vary or be modified.