



**LmF**  
Loomis & Franklin

**FLY FISHING**  
SEASON 2024



 **NX8 SERIES**

It's fantastic to realize that the presence of Loomis & Franklin rods on the market has been highly appreciated, which is why we have decided to introduce a new high-end series, the NX8, dedicated to the most demanding anglers. We are confident that our new rod series will win acclaim from our customers and attract the interest of new fly fishing enthusiasts.



The LMF NX8 series has been designed with great attention to technological aspects and performance characteristics, so as to offer exceptional performance, comfort and durability, representing a high-quality choice for fly fishing enthusiasts. The use of a new type of Japanese carbon with a high modulus of elasticity and innovative resins has contributed to obtaining superior lightness, reactivity and general resistance of the rod. The presence of a special carbon weave, in the area above the handle grip, generates unparalleled reactivity; furthermore, it counteracts the torsion induced in the blank by the actions that prepare the projection of the fly, greatly improving the distance and precision of the cast. Handling, elastic response and sensitivity of the rod are revolutionized. The high quality handle corks indicate particular attention to detail and comfort during use, ensuring a firm and comfortable grip when casting and fighting fish. The choice of 6061-T6 aerospace aluminum reel seat, with high modulus carbon insert, achieves a combination of lightness and strength to support the reel effectively.



The four-part configuration, embroidered velvet bag and rigid tube with handle and shoulder strap make it easy to carry and emphasise the focus on product presentation and protection.



**9'6" LINE #3/4**

A balanced compromise between the standard 9' and 10', this rod offers exceptional versatility. When fishing for dry flies, the extra length keeps the line off the surface of the water, reducing the risk of scaring fish. When fishing for nymphs, the extra length improves line control in currents.

**10'0" LINE #7/8**

It is the perfect length and line weight combination for stillwater fishing, even on very large lakes, or in any other situation where you need to cast the fly a long distance to be successful, or where the fish are scattered in deep water.

**9' LINE #4 - 9' LINE #5**

Versatility is a key feature: these rods can handle a wide range of fishing techniques, from dry fly fishing to wet fly fishing and even long nymph fishing, in different situations, from mountain's streams to large rivers. The Fast action offers a sharp and powerful response.

**10' LINE #2/3 - 10'6" LINE #2/3**

Ideal for modern nymph fishing, these rods offer exceptional speed of action and sensitivity to shiny bites. The 10' rod is more manoeuvrable in tight environments or calm waters. The 10'6" model offers superior control and precision and it is a great ally for competition. Outside of competition, these rods will satisfy the most demanding anglers.



Special torque-free structure to contrast torsion and develop high reactivity and casting accuracy (Ultimate Performance Blank).



Handle configuration varying in accordance to casting style.



CODE	DESCRIPTION	LENGTH	SECTIONS	LINE	HANDLE	C. LENGTH
121-75-010	NX8 49004   Dry Fly	9'	4	#4	A	73 cm
121-75-020	NX8 59004   Dry Fly	9'	4	#5	A	73 cm
121-75-030	NX8 49604   Dry & Nymph	9'6"	4	#3/4	A	76 cm
121-75-040	NX8 31004   Euro Nymph	10'	4	#2/3	B	80 cm
121-75-060	NX8 31064   Euro Nymph	10'6"	4	#2/3	B	84 cm
121-75-050	NX8 81004   Stillwater	10'	4	#7/8	C	80 cm



## IM 12 SERIES

Explore a complete range of fly fishing rods with 22 models designed to suit every angler's needs. We have everything you want and more, from the revolutionary length-adjustable Euro Nymph Extendable to the powerful Predator and the ultralight three-section Small Creek for creek fishing.

The natural cork handle, reinforced with hybrid cork at critical points, ends with a satin-finished aluminium reel seat bearing the line number. On Euro Nymph rods this is mounted upside down and lightened in its structure to achieve a better balance. The rods feature high-quality stainless steel guides and SiC strippers to provide perfect corrosion resistance. The four-section configuration makes transport easy. The rods are carried in an elegant, rigid tube with a handle and shoulder strap, with separate compartments to avoid contact between the sections.

Handle configuration varying in accordance to casting style.

CODE	DESCRIPTION	LENGTH	SECTIONS	LINE	HANDLE	C. LENGTH
121-74-270	Small Creek	7'6"	3	#4	A	80 cm
121-74-271	Small Creek	7'6"	4	#4	A	61 cm
121-74-272	Small Creek	8'	4	#4	A	65 cm
121-74-273	Small Creek	8'6"	4	#4/5	A	69 cm
121-74-274	River & Stream	9'	4	#4/5	A	73 cm
121-74-275	River & Stream	9'6"	4	#4/5	A	76 cm
121-74-277	Streamer	9'6"	4	#6	C	76 cm
121-74-278	Streamer	9'6"	4	#7/8	C	76 cm
121-74-279	Predator FW	9'	4	#8	C	73 cm
121-74-280	Predator FW	9'	4	#9	C	73 cm
121-74-281	Predator SW	9'	4	#10	C	73 cm
121-74-282	Predator SW	9'	4	#12	C	73 cm
121-74-276	Euro Nymph	9'6"	4	#2/3	A	76 cm
121-74-302	Euro Nymph	10'	4	#2	B	80 cm
121-74-303	Euro Nymph	10'	4	#3	B	80 cm
121-74-304	Euro Nymph	10'	4	#4	B	80 cm
121-74-323	Euro Nymph	10'6"	4	#2/3	B	84 cm
121-74-325	Euro Nymph	11'	4	#2	B	88 cm
121-74-326	Euro Nymph	11'	4	#3	B	88 cm
121-74-283	Euro Nymph (Extendable)	9'6" - 10'1"	4	#2/3	E	76 cm
121-74-284	Euro Nymph (Extendable)	9'6" - 10'1"	4	#3/4	E	76 cm
121-74-305	Stillwater Competition	10'	4	#7/8	D	80 cm
121-74-327	Stillwater Competition	11'	4	#7/8	D	88 cm
121-74-330	Stillwater Competition	11'6"	4	#8	D	92 cm





The blanks of this series are light and extremely thin, accompanied by a fast but progressively elastic response. The high level of performance is the result of the physical properties of the IM12 Intermediate Modulus carbon, a top-quality material that makes it possible to combine the technical efficiency of the rod with a design that will please even the most demanding angler.

#### SMALL CREEK

Fast action blank designed to get accurate cast on small waterways and mountain creeks. Perfect for dry flies.

#### STREAMER

Available in two powers, these are the perfect tools for streamers in every water conditions and all preys.

#### PREDATOR FW & SW

From bass, to carp in the line weight 8-9, up to pike and all saltwater game fish you may find both on Mediterranean as well as Caribbean seas. Slim yet powerfull blanks with immediate response.

#### EURO NYMPH EXTENDABLE

A range of rods dedicated to modern nymph fishing techniques and to those looking for a multipurpose tool they can rely on at any time. They are characterised by the unique telescopic structure of the butt section which, without the need for additional sections, allows the total length of the tool to be easily adjusted by approximately 17.5cm to suit the fishing conditions.

#### RIVER & STREAM

Great allrounders suitable to any abilities and delivering perfection in several applications. From dry fly to wet fly, every water conditions is covered.

#### EURO NYMPH

Designed for the modern nymph techniques. From the shorter 9'6" to the 11', all rods guarantee great performances but easy to use regardless the angler abilities.

#### STILLWATER COMPETITION

Rods mostly dedicated to stillwater's Trout fishing, with two K-profile SiC strippers to improve shooting and oversized diameter guides.



Protective rigid tube equipped with a handle and shoulder strap with separate compartments to avoid contact between sections.



## SX SERIES

Performance and versatility in every cast: discover the SX series, the ideal choice for every fishing technique. IM8 carbon, extreme lightness and superior quality for an unbeatable fishing experience.

The SX series is a complete range of rods designed to meet the specific needs of any fishing technique, from dry fly to nymphing and lake fly fishing competitions. SX rods are made from IM8 Intermediate Modulus Carbon, a material that provides high flexibility with increased strength. This ensures high efficiency and long life, characteristics that other materials cannot offer. In addition, the carbon fibre makes the rods very light and easy to handle, allowing a fast but progressively elastic response.


The stainless steel guides, satin-finish aluminium reel seat and natural cork handle with hybrid cork inserts at critical points all contribute to the high quality of this rod. Light and slim, SX rods are easy to carry in all situations thanks to their four-section design and the rigid tube with internal compartments supplied.



Protective rigid tube equipped with a handle and shoulder strap with separate compartments.



CODE	DESCRIPTION	LENGTH	SECTIONS	LINE	HANDLE	C. LENGTH
121-76-233	Small Creek	7'6"	4	#3	A	61 cm
121-76-234	Small Creek	7'6"	3	#4	A	80 cm
121-76-244	Creek	8'	4	#4	A	65 cm
121-76-265	Stream	8'6"	4	#4/5	A	69 cm
121-76-275	River Stream	9'	4	#4/5	A	73 cm
121-76-276	River Stream	9'	4	#5/6	A	73 cm
121-76-293	Dry & Nymph	9'6"	4	#2/3	A	76 cm
121-76-295	Dry & Nymph	9'6"	4	#4/5	A	76 cm
121-76-303	Euro Nymph	10'	4	#2/3	B	80 cm
121-76-304	Euro Nymph	10'	4	#3/4	B	80 cm
121-76-333	Euro Nymph	11'	4	#2/3	B	88 cm
121-76-334	Euro Nymph	11'	4	#3/4	B	88 cm
121-76-308	Stillwater	10'	4	#7/8	C	80 cm
121-76-338	Switch Competition	11'	4	#7/8	D	88 cm
121-76-359	Switch Competition	11'6"	4	#8/9	D	92 cm





Handle configuration varying in accordance to casting style.

**SMALL CREEK & CREEK**

A refined product for fast lines lover in two sizes, 7'6" and 8'. Easy to use and extremely high performance in dry fly fishing.

**STREAM & RIVER STREAM**

The all-rounders of the SX series, from creek to small mountain lake, suitable for all techniques, whether you fish rivers or creeks.

**DRY & NYMPH**

A range dedicated to nymphing, but with a focus on dry fly fishing. Particularly suitable for the mixed nymph-dry technique. Light and snappy, they help to mend the line in fast currents to avoid dragging the fly.

**EURO NYMPH**

A complete range of rods for modern nymph fishing techniques, light and well balanced thanks to the "down-locking reel seat" and equipped with a small "fighting butt" in composite cork to make handling easier.

**STILLWATER**

Developed for all lake fishing addicted, let the angler cast further regardless the line. Powerful and reliable, will bear any load you may put on them.

**SWITCH COMPETITION**

Pleasant and light rods for lake fishing. They excel especially in "F-Roller" casting and help even the less experienced angler to succeed in casting very long distances.

D



## RADIUS SERIES

LMF Radius Rods: Light, powerful and sensitive, they are every fly angler's secret weapon. Meet every challenge with style and precision and enjoy an unforgettable fishing experience.

Fly fishing is an art that requires quality equipment and the right technique, and LMF Radius rods represent the ultimate in modern technology. The Radius range has been developed with the aim of offering lightness, sensitivity and excellent casting performance - the essential qualities for catching even the most elusive of prey.

Available in different lengths, powers and actions, the Radius rods meet the needs of all anglers, from beginners to experts. The attention to quality is evident in every detail: from the materials used, including carbon in the blanks and cork in the handle, to the stainless steel guides. With their precision and sensitivity, these rods offer a unique and rewarding fishing experience.

In addition to their high performance, the Radius rods are attractive and modern looking, making them a real object of desire for fly fishing enthusiasts. With this series, LMF has created a specific and modern product range that fills the gap left by the old IM7 series.



On the left, a Radius rod divided into its four sections and stored in its protective tube. Above, the inner sections of the rod, bearing the product code, for quick identification.

### STREAM

Rods designed to be used in torrents or valley floor rivers, mainly for dry flies, but also suitable for nymphs and small streamers. From the 7'6" Italian style, to the 9'6" expressly dedicated to dry-nymph tandem fishing, up to the two intermediate 8'8 and 9', ideal for multi-purpose fishing; LMF Radius Stream rods will surprise you with their high performance.

### EURO NYMPH


Modern and light nymphing rods in 10' and 10'6", equipped with a "downlocking reel seat" for better balance. Light, snappy and balanced, they are the perfect companion for all modern nymph fishing techniques; they will surprise even the most experienced angler.

### STILLWATER

The queen of lake rods, the classic 10' line #7/8. Ideal for all modern "Stillwater" techniques, powerful and precise. Suitable for technical casting both from the shore and from the boat.

CODE	DESCRIPTION	LENGTH	SECTIONS	LINE	HANDLE	C. LENGTH
121-71-010	Stream	7'6"	3	#4	A	80 cm
121-71-020	Stream	8'8"	4	#4	A	70 cm
121-71-030	Stream	9'	4	#4/5	A	73 cm
121-71-040	Stream	9'6"	4	#4	A	76 cm
121-71-050	Euro Nymph	10'	4	#3	B	81 cm
121-71-060	Stillwater	10'	4	#7/8	C	81 cm
121-71-070	Euro Nymph	10'6"	4	#3	B	84 cm





stillwater  
10'0" line # 7-8  
LmF RADIUS

LmF RADIUS stillwater  
10'0" line # 7-8

7-8

Handle configuration varying in accordance to casting style.  
In order from left to right, models: A, B and C.



## IM 7 SERIES

Designed one by one with the technical support and expertise of Sandro Soldarini, these Loomis & Franklin IM7 rods should be tried before you look at the price, because they really are able to go far beyond the inevitable prejudices, we all too often indulge in at the time of purchase.

With such a technical background and careful choice of materials, it has been possible to create very high-quality models. Made from IM7 Intermediate Modulus Carbon, they are both flexible and strong. Designed in four sections, they are supplied with a rigid tube for easy transport and to preserve their duration.

The handles are made of natural cork, reinforced with hybrid cork at the points that are subject to greater wear and tear, and include the reel seat made of anodized aluminium.

The guides are made of high-quality stainless steel for total resistance to corrosion, the stripper is a SeaGuide SiC, while the Switch, Skagit and Scandi models are fitted with the classic snake guides to make the heaviest lines run smoothly.



The four-section configuration facilitates transport, which takes place in an elegant rigid tube equipped with a handle and shoulder strap with separate compartments to avoid contact between sections.





Handle configuration varying in accordance to casting style. From top, models: B and A.

#### EURO NYMPH

A comprehensive range designed for the modern nymph techniques. These rods guarantee great performances but easy to use regardless the angler abilities.

#### SWITCH

Series designed for whom want to taste double hand casting, lightweight, easy to use and extremely performing. Perfect also to use for long rollers cast in lakes.

#### SCANDI & SKAGIT

High performing double hand rod series. Fit all the modern double hand cast applications.

CODE	DESCRIPTION	LENGTH	SECTIONS	LINE	HANDLE	C. LENGTH
121-73-300	Euro Nymph	10'6"	4	#2	A	84 cm
121-73-338	Switch	11'	4	#7	B	88 cm
121-73-350	Switch	11'6"	4	#8	B	92 cm
121-73-359	Scandi	12'	4	#7	B	94 cm
121-73-360	Scandi	12'	4	#8	B	94 cm
121-73-375	Skagit	12'6"	4	#7	B	99 cm
121-73-376	Skagit	12'6"	4	#8	B	99 cm
121-73-389	Skagit	13'	4	#7/8	B	105 cm
121-73-390	Skagit	13'	4	#8/9	B	105 cm

# FLY REELS

Sophisticated Italian design perfectly combines with incredible reliability in the brand new LMF reels. Manufactured using the latest 6061-T6 aluminium, these reels guarantee top class performance. Offering powerful and precise winding, the frame is extremely stiff and light. The brand new fully sealed waterproof drag prevents water ingress in both freshwater and saltwater fishing, guaranteeing exceptional smoothness that remains constant over time. These exceptional features, usually found on heavier and bulkier reels, represent a real technological innovation in the sector.

## CLICK SL

### Super Light Click Drag System

LMF Click SL, the ideal partner for nymph fishing or general light fly fishing with both regular fly line and monofilament. Its Full Frame body eliminates the tangles associated with traditional reels and makes it easy to unwind. The new Click system offers an exceptional lightness that revolutionises the fishing experience and is available in 2 sizes for #0/4 and #4/6 lines. Made from advanced 6061-T6 aluminium, this reel combines exceptional strength with unbelievable lightness for maximum handling and comfort. Face your fishing adventures with extreme lightness and uncompromising performance with the LMF Click SL.



Protective neoprene reel bag included.



- Durable Click and Pawl drag system to prevent over-spooling
- Manufactured from a high-quality, lightweight, 6061-T6 aerospace grade aluminium, cold forged and tempered for superior strength and rigidity
- Ambidextrous Click system drag
- Full frame design reel
- Hard anodized for surface protection and corrosion resistance
- Large arbor design speeds retrieve and reduces line memory

CODE	MODEL	LINE	Ø	WIDTH	LINE CAPACITY
033-00-510	LMF CLK SL Fly Reel	#0/4	82,5 mm	19 mm	WF1+100yds 20# / WF2+90yds 20# / WF3+75yds 20#
033-00-511	LMF CLK SL Spare Spool	#0/4	82,5 mm	19 mm	WF1+100yds 20# / WF2+90yds 20# / WF3+75yds 20#
033-00-520	LMF CLK SL Fly Reel	#4/6	86,5 mm	19 mm	WF4+85yds 20# / WF5+70yds 20# / WF6+60yds 20#
033-00-521	LMF CLK SL Spare Spool	#4/6	86,5 mm	19 mm	WF4+85yds 20# / WF5+70yds 20# / WF6+60yds 20#


# SD

## Sealed Waterproof Carbon Multilayer Disks Drag

LMF SD reels are designed for all your fly fishing needs. Available in 3 different sizes for #3/5, #5/7 and #7/9 lines, this reel offers a precise and reliable drag system thanks to its high-quality carbon discs that ensure a smooth and progressive release. The largest size is especially suitable for lake fishing thanks to its high capacity which allows it to meet the most demanding requirements. With the LMF SD you will enjoy an exceptional fishing experience, backed by state-of-the-art technology and uncompromising quality.



- Advanced carbon drag system for precise and strong stopping power
- Manufactured from a high-quality, lightweight, 6061-T6 aerospace grade aluminium, cold forged and tempered for superior strength and rigidity
- Fully machined, one-piece frame, one-piece spool
- Hard anodized for surface protection and corrosion resistance
- Super-lightweight design with change spool system
- Large arbor design speeds retrieve and reduces line memory
- Deep “V” spool for increased capacity
- Easily converts to left or right hand retrieve
- Raised drag knob for positive grip
- Ergonomic aluminium handle
- Protective neoprene reel bag included



CODE	MODEL	LINE	Ø	WIDTH	LINE CAPACITY
033-00-610	LMF SD Fly Reel	#3/5	85,5 mm	22 mm	WF3+120yds 20# / WF4+100yds 20# / WF5+90yds 20#
033-00-611	LMF SD Spare Spool	#3/5	85,5 mm	22 mm	WF3+120yds 20# / WF4+100yds 20# / WF5+90yds 20#
033-00-620	LMF SD Fly Reel	#5/7	93,5 mm	22 mm	WF5+90yds 20# / WF6+80yds 20# / WF7+70yds 20#
033-00-621	LMF SD Spare Spool	#5/7	93,5 mm	22 mm	WF5+90yds 20# / WF6+80yds 20# / WF7+70yds 20#
033-00-630	LMF SD Fly Reel	#7/9	100,5 mm	22 mm	WF7+100yds 20# / WF8+80yds 20# / WF9+70yds 20#
033-00-631	LMF SD Spare Spool	#7/9	100,5 mm	22 mm	WF7+100yds 20# / WF8+80yds 20# / WF9+70yds 20#

# SW

## Sealed Waterproof Carbon Multilayer Disks Drag

The LMF Loomis & Franklin SW reel has been specially designed for sea fishing, but is equally at home with heavy duty freshwater fishing, offering a reliable, smooth and perfectly sealed drag system for maximum performance. Available in two sizes for #7/8 and #9/10 tails, it is the ideal choice for sea fishing, but can easily handle the long spey profile fly lines used in F-Roller casting when used for freshwater fishing. The precise and reliable clutch, thanks to its high-quality carbon discs, ensures a smooth and progressive drag in any fishing situation. A reel that offers exceptional technical performance to meet the needs of the most experienced anglers.



- Advanced carbon drag system for precise and strong stopping power
- Manufactured from a high-quality, lightweight, 6061-T6 aerospace grade aluminium, cold forged and tempered for superior strength and rigidity
- Fully machined, one-piece frame, one-piece spool
- Hard anodized for surface protection and corrosion resistance
- Super-lightweight design with change spool system
- Large Arbor spool for increased capacity
- Easily converts to left or right hand retrieve
- Raised drag knob for positive grip
- Ergonomic aluminium handle
- Protective neoprene reel bag included



Protective neoprene reel bag included.



CODE	MODEL	LINE	Ø	WIDTH	LINE CAPACITY
033-00-710	LMF SW Fly Reel	#7/9	97 mm	28 mm	WF7+160yds 20# / WF8+140yds 20# / WF9+120yds 20#
033-00-711	LMF SW Spare Spool	#7/9	97 mm	28 mm	WF7+160yds 20# / WF8+140yds 20# / WF9+120yds 20#
033-00-720	LMF SW Fly Reel	#9/10	108 mm	30 mm	WF9+160yds 20# / WF10+140yds 20#

# RADIUS

## Full Frame Construction Multilayer Carbon Drag

Radius reels have been designed to be versatile, suitable for different fly fishing techniques, including monofilament fishing, which is one of the latest trends in Nymph Fishing. This versatility is a strong advantage for those anglers who practice several styles of fly fishing. The full frame structure of the Radius reels has the precise purpose of preventing the inadvertent exit of coils of monofilament or line from the reel spool during the fishing action. This feature is important because it avoids annoying inconveniences for the user, such as unwanted knots or tangles that could cause interruptions in the fishing action or breakage of the line, compromising the pleasure of a day on the water. In the environments characterized by dense vegetation or strong currents, the risk of tangles grows up, because the movements of the casting action are performed with less amplitude or freedom; here then the adoption of a reel like Radius becomes a winning choice.



- Manufactured from high-quality, lightweight, 6061-T6 aerospace grade aluminium, cold forged and tempered for superior strength and rigidity
- Fully CNC machined, one-piece full frame, one-piece spool, with deep spool design for increased backing capacity
- Advanced carbon drag system for precise and strong stopping power
- Super lightweight design with quick change spool system
- Easily converts to left or right hand retrieve
- Raised drag knob for positive grip
- Protective cloth reel bag included
- Spare spools available separately



CODE	MODEL	LINE	Ø	WIDTH	LINE CAPACITY	B.B.
033-00-300	LMF RADIUS Fly Reel	#0/4	74 mm	21 mm	WF2+100yds 20# / WF3+75yds 20#	2+1 RB
033-00-301	LMF RADIUS Spare Spool	#0/4	74 mm	21 mm	WF2+100yds 20# / WF3+75yds 20#	-
033-00-310	LMF RADIUS Fly Reel	#4/6	86 mm	23 mm	WF3+120yds 2# / WF4+100yds 2#	2+1 RB
033-00-311	LMF RADIUS Spare Spool	#4/6	86 mm	23 mm	WF3+120yds 2# / WF4+100yds 2#	-

# CSL


## Super Light Click Full Frame System



- Durable click and pawl drag system to prevent over-spooling
- Manufactured from a high-quality, lightweight, 6061-T6 aerospace grade aluminium, cold forged and tempered for superior strength and rigidity
- Fully machined, one-piece frame, one-piece spool
- Hard anodized for surface protection and corrosion resistance
- Large arbor design speeds retrieve and reduces line memory
- Deep spool for increased backing capacity
- Ultimate lightweight design
- Ergonomic handle
- Protective cloth reel bag included



CODE	MODEL	LINE	Ø	WIDTH	LINE CAPACITY	B.B.
032-98-120	LMF CSL Fly Reel	#1/4	80 mm	21 mm	1WF + 100yds 20# / 4WF + 50yds 20#	2
032-98-130	LMF CSL Fly Reel	#3/5	80 mm	25 mm	3WF + 100yds 20# / 5WF + 50yds 20#	2



# ULT

## Advanced Drag System

Manufactured from high-quality, lightweight, 6061-T6 aerospace grade aluminium, cold forged and tempered for superior strength and rigidity. Fully machined, one-piece frame, one-piece spool. Hard anodized for surface protection and corrosion resistance. Super lightweight design with quick change spool system. Large arbor design reduces line memory. Deep "V" spool for increased backing capacity. Precise and powerful drag system, with sealed box and superlight carbon disks. Easily converts to left or right hand retrieve. Raised drag knob for positive grip. Ergonomic handle. Protective cloth bag included. Spare spools available separately.



ULT GOLD

CODE	MODEL	LINE	Ø	WIDTH	LINE CAPACITY	B.B.
033-00-230	LMF ULT Gold	#1/2/3	75 mm	24 mm	1/2/3 WF + 150 + 125 + 100 yds 20#	2+1 RB
033-00-231	LMF ULT Gold Spare Spool	#1/2/3	75 mm	24 mm	1/2/3 WF + 150 + 125 + 100 yds 20#	-
033-00-250	LMF ULT Gold	#4/5/6	85 mm	26 mm	4/5/6 WF + 150 + 125 + 100 yds 20#	2+1 RB
033-00-251	LMF ULT Gold Spare Spool	#4/5/6	85 mm	26 mm	4/5/6 WF + 150 + 125 + 100 yds 20#	-



ULT TITAN

CODE	MODEL	LINE	Ø	WIDTH	LINE CAPACITY	B.B.
033-00-130	LMF ULT Titan	#1/2/3	75 mm	24 mm	1/2/3 WF + 150 + 125 + 100 yds 20#	2+1 RB
033-00-131	LMF ULT Titan Spare Spool	#1/2/3	75 mm	24 mm	1/2/3 WF + 150 + 125 + 100 yds 20#	-
033-00-150	LMF ULT Titan	#4/5/6	85 mm	26 mm	4/5/6 WF + 150 + 125 + 100 yds 20#	2+1 RB
033-00-151	LMF ULT Titan Spare Spool	#4/5/6	85 mm	26 mm	4/5/6 WF + 150 + 125 + 100 yds 20#	-

# CLK

## Click Drag System

It takes its name from the typical sound of the permanent click drag: an ultralight, simple ambidextrous with unlimited durability. The absence of an adjustable disk braking system makes it ideal for medium light fishing, but eliminates any inconvenience. In case of bonus fish, you can still give line by checking the reverse rotation of the reel with the hand's palm.



- Durable click and pawl drag system to prevent over-spooling
- Manufactured from a high-quality, lightweight, 6061-T6 aerospace grade aluminium, cold forged and tempered for superior strength and rigidity
- Fully machined, one-piece frame, one-piece spool
- Hard anodized for surface protection and corrosion resistance
- Large arbor design speeds retrieve and reduces line memory
- Deep spool for increased backing capacity
- Ergonomic handle



CODE	MODEL	LINE	Ø	WIDTH	LINE CAPACITY	B.B.
032-98-020	LMF CLK Fly Reel	#1/4	80 mm	21 mm	1WF + 100yds 20# / 4WF + 50yds 20#	2
032-98-021	CLK Spare Spool	#1/4	80 mm	21 mm	1WF + 100yds 20# / 4WF + 50yds 20#	2
032-98-030	LMF CLK Fly Reel	#3/5	80 mm	25 mm	3WF + 100yds 20# / 4WF + 75yds 20#	2
032-98-031	CLK Spare Spool	#3/5	80 mm	25 mm	3WF + 100yds 20# / 4WF + 75yds 20#	2



# CWP

## Carbon Waterproof Drag System

With its fantastic sealed drag box, including a set of carbon discs, this reel offers at the same time the indifference to water, sand and dust and an extraordinary overall lightness. Beyond the simple rinsing at the end of the fishing day, it does not require any particular maintenance, configuring itself as a reliable reel also for sea fishing. The great rigidity of its frame comes from machining of solid aerospace grade aluminum bars.



- Manufactured from high-quality, lightweight, 6061-T6 aerospace grade aluminium, cold forged and tempered for superior strength and rigidity
- Fully machined, one-piece frame, one-piece spool
- Hard anodized for surface protection and corrosion resistance
- Super lightweight design with quick change spool system
- Large Arbor design reduces line memory
- Deep “V” spool for increased backing capacity
- Precise and powerful drag system, with sealed box and superlight carbon disks
- Easily converts to left or right hand retrieve
- Raised drag knob for positive grip
- Ergonomic aluminium handle
- Protective cloth bag included
- Spare spools available separately

CODE	MODEL	LINE	Ø	WIDTH	LINE CAPACITY	B.B.
033-01-050	LMF CWP Fly Reel	#5/6	86 mm	23 mm	5WF+125 yds 20# / 6WF + 100 yds 20#	1 RB
033-01-051	LMF CWP Spare Spool	#5/6	86 mm	23 mm	5WF+125 yds 20# / 6WF + 100 yds 20#	-
033-01-070	LMF CWP Fly Reel	#7/8	94 mm	27 mm	7WF+175 yds 30# / 8WF + 150 yds 30#	1 RB
033-01-071	LMF CWP Spare Spool	#7/8	94 mm	27 mm	7WF+175 yds 30# / 8WF + 150 yds 30#	-

# GUIDE MASTER XLT

Both the body and the spool are machined from a solid piece of aluminium under the assistance of the computer, as certified by the characteristic micro-grooves left by the tool, which are easily visible through a good magnifying glass. So the structure is much more rigid than a cast one, and the rate of required resistance is achieved with thinner gauges, to the advantage of lightness. The anodized surface has finally allowed to reach a perfect balance between the need to protect the structure from oxidation and to fix the colour. The body design with three rays makes its overall appearance extremely sporty and aggressive, while the oversized diameter of the spool's core (Large Arbor) is the seal that attests the modernity of the reel, with its high retrieve speed, the sweet release of line coils and the outstanding consistency of drag performances. The reel can easily be converted from right to left, and is equipped with cloth bag.



CODE	LINE	Ø	LINE CAPACITY	B.B.
032-96-020	#2/3	70 mm	WF2+75yds #20 / WF3+40yds #20	2+1 RB
032-96-030	#3/4	75 mm	WF3+100yds #20 / WF4+50yds #20	2+1 RB
032-96-040	#4/5	80 mm	WF4+110yds #20 / WF5+75yds #20	2+1 RB
032-96-050	#5/6	85 mm	WF5+125yds #20 / WF6+100yds #20	2+1 RB



# ADR

## Carbon Multilayer Disk Drag

Dedicated to those who want to face the first experiences in the fly fishing world with quality tools, but without investing a fortune, this reel is still able to satisfy the casting style of those who already have some experience. The aluminium frame offers a good balance between strength and lightness, while the spool is characterized by the efficient and now indispensable oversized core (large harbor).



- Manufactured from a high-quality, lightweight, die cast aluminium alloy, cold forged and tempered for superior strength and rigidity
- Super-lightweight design with quick-change spool system
- Easily converts to left or right hand retrieve
- Large arbour design speeds retrieve and reduces line memory
- Deep Spool for increased backing capacity
- Raised drag knob for positive grip
- Strong disc drag system for stopping power
- Cloth reel bag included



CODE	MODEL	LINE	Ø	WEIGHT	LINE CAPACITY	B.B.
032-92-130	LMF ADR Fly Reel	#2/3	70 mm	125 g	2WF+75yds 20# / 3WF+40yds 20#	2+1 RB
032-92-140	LMF ADR Fly Reel	#3/4	75 mm	145 g	3WF+100yds 20# / 4WF+50yds 20#	2+1 RB
032-92-160	LMF ADR Fly Reel	#5/6	85 mm	162 g	5WF+125yds 20# / 6WF+100yds 20#	2+1 RB
032-92-180	LMF ADR Fly Reel	#7/9	95 mm	172 g	7WF+175yds 30# / 9WF+150yds 20#	2+1 RB



# FLY LINES

Precision and handling, sensitivity and versatility, reliability and affordability: all the chromosomes that made Loomis & Franklin tackle famous in the World are present in the new XP Sense fly line range.

## XP SENSE DOUBLE TAPER

Floating texture on the tip section for the ultimate in flotation. It simply keeps dry flies floating longer. Thanks to super-slick surface, it excels in medium-to-long distances with dry flies and small nymphs. Welded loops at both ends. Coloured in Light Water and Peach.

The illustration below is an example based on DT5F (Overall Length: 100')



**SIZE**  
SIZE PRINTED  
IDENTIFICATION

**ADT**  
ADVANCED  
DRY TIP

**SSS**  
SUPER SLICK  
SURFACE

**WELDED  
LOOPS**

**MICRO PITCH  
STRUCTURE**



**FLT**  
FLOATING  
TEXTURE

CODE	LINE WEIGHT	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT FOR THE FIRST 30'
059-90-003	DT3F	100' / 30.5 m	100' / 30.5 m	100 g - 6.5 gm
059-90-004	DT4F	100' / 30.5 m	100' / 30.5 m	120 g - 7.8 gm
059-90-005	DT5F	100' / 30.5 m	100' / 30.5 m	140 g - 9.1 gm

# XP SENSE WEIGHT FORWARD

Shooting texture running line delivers longer casts, thanks to friction's reduction. Extremely versatile general purpose taper. Welded loops at both ends. Coloured in Light Water and White.

The illustration below is an example based on WF5F (Overall Length: 100')



- SIZE**  
SIZE PRINTED IDENTIFICATION
- ADT**  
ADVANCED DRY TIP
- SSS**  
SUPER SLICK SURFACE
- WELDED LOOPS
- MICRO PITCH STRUCTURE
- FLT**  
FLOATING TEXTURE

CODE	LINE WEIGHT	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT FOR THE FIRST 30'
059-90-013	WF3F	45' / 13.7 m	100' / 30.5 m	102 g - 6.6 gm
059-90-014	WF4F	49' / 14.9 m	100' / 30.5 m	122 g - 7.9 gm
059-90-015	WF5F	52' / 15.8 m	100' / 30.5 m	142 g - 9.2 gm
059-90-016	WF6F	54' / 16.5 m	100' / 30.5 m	162 g - 10.5 gm

# XP SENSE EURONYMPH

Specially designed for European style nymphing. Ultra thin level line for extreme performance and sensitivity. Highly visible fluo orange tip for easy detection of the subtlest of takes, dark olive body for mimetic purposes. Low stretch, highly compact monofilament core. Thanks to super slick surface, it flows extremely well through rod's guides. Welded loops at both ends. FIPS Mouche competition specifications approved.



- FIPS**  
COMPETITION APPROVED
- ADT**  
ADVANCED DRY TIP
- SSS**  
SUPER SLICK SURFACE
- WELDED LOOPS
- MICRO PITCH STRUCTURE
- FLT**  
FLOATING TEXTURE

CODE	LINE SIZE	LINE DIAMETER	TOTAL LENGTH	SINK RATE
059-90-020	#0 - #5	0.022" / 0.56 mm	90' / 24.4 m	Floating


# XP SENSE F-ROLLER

Specially designed for long distance Roller casting style, offering excellent results also in overhead casting. Extended head length for long distance cast. Low stretch, highly compact Micro Pitch structure Super-slick surface for nice flow through rod's guides. Welded loops at both ends.

### XP Sense F-Roller Hover:

The ideal line for still water trout fishing. Designed to work below the surface, it is perfect when trout are wary and not biting on the surface or at depth. It provides a slow sinking action to explore all layers of water, ideal with streamers and other pond flies.

The illustration above is an example based on WF7F (Overall Length: 110')



- SIZE**  
SIZE PRINTED IDENTIFICATION
- ADT**  
ADVANCED TIP
- SSS**  
SUPER SLICK SURFACE
- WELDED LOOPS
- MICRO PITCH STRUCTURE
- FLT**  
FLOATING TEXTURE


CODE	LINE WEIGHT	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT FOR THE FIRST 30'
059-90-157	WF7F Floating	59' / 18 m	110' / 33.5 m	32.8 gm
059-90-158	WF8F Floating	59' / 18 m	110' / 33.5 m	37.7 gm
059-90-117	WF7H Hover	58' / 17.8 m	110' / 33.5 m	32.8 gm
059-90-118	WF8H Hover	59' / 18 m	110' / 33.5 m	37.7 gm
059-90-167	WF7I Intermediate	58' / 17.8 m	110' / 33.5 m	32.8 gm
059-90-168	WF8I Intermediate	58' / 17.8 m	110' / 33.5 m	37.7 gm



# XP SENSE EXTRA DISTANCE

Specially designed for overhead casting style, gives excellent results also for roller casting. Extended head length for long distance cast. Low stretch, highly compact Micro Pitch structure. Super-slick surface for nice flow through rod's guides. Welded loops at both ends.

The illustration above is an example based on WF7F (Overall Length: 100')



- SIZE**  
SIZE PRINTED IDENTIFICATION
- ADT**  
ADVANCED TIP
- SSS**  
SUPER SLICK SURFACE
- WELDED LOOPS
- MICRO PITCH STRUCTURE
- FLT**  
FLOATING TEXTURE

CODE	LINE WEIGHT	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT FOR THE FIRST 30'
059-90-107	WF7F Floating	43.9' / 13.4 m	100' / 30.5 m	32.8 gm
059-90-108	WF8F Floating	42.2' / 13.8 m	100' / 30.5 m	37.7 gm
059-90-127	WF7I Intermediate	43.9' / 13.4 m	100' / 30.5 m	32.8 gm
059-90-128	WF8I Intermediate	42.2' / 13.8 m	100' / 30.5 m	37.7 gm



# TRABUCCO MONO LINES

## ULTRA STRONG FC 403



The exclusive three-layer structure of the Ultra Strong Fluorocarbon FC403 is made of a high density core, an intermediate soft layer and a skin providing high abrasion resistance. Each one of the three levels can be modified to achieve targeted results, and that's how it was possible to create two versions: one for freshwater fishing and another for the sea.

ULTRA  
SOFT



TRIPLE  
STRUCTURE  
PROCESS



## XPS VELVET



- Special monofilament for surf casting competitions
- High visibility for the angler, specially through the night
- Extra long casts thanks to slick surface and no memory
- Impressive free flowing through rod's guides
- Very easy to knot
- Colour: intense yellow



## FLUOROCARBON 100% SUPER SOFT



- Fluorocarbon 100%
- Invisible underwater, the best for hooklinks
- Great abrasion resistance
- Total waterproofness and insensitivity to UV rays
- Ultraslim spools for easy storage in any tackle box
- Colour: natural



## SURF FP FLURO POWER



- Exclusive monofilament for surf casting, with three layer's structure
- Highly compact Nano-Tech core for extreme strength
- Super soft intermediate layer
- Smooth and durable Fluorocarbon outer skin
- Reduced stretch for a superior sensitivity
- Total absence of memory
- Colour: pink



# PACK & VEST



A comprehensive range of modern and durable bags, packs and vest made exclusively to enhance your comfort and offering great and innovative solutions. All the SFT products are built with quality fabrics and components, ready to withstand the toughest weather conditions and to help carry safely and well organized all your essential gear.

## DOUBLE VEST PACK

Designed for the angler who likes to have all the small accessories at hand, without sacrificing freedom of movement, this garment is ideal for fly fishing, spinning and street fishing.



- Total comfort with adjustable and padded shoulder straps
- Two front packs, linkable by a zipper or a practical clip
- Many pockets and internal rooms to store everything needed for a fishing session
- Zippers operable by single hand, thanks to convenient rubber rings
- On back side, there is a ring to connect the landing net

CODE

048-80-010

MODEL

LmF Double Vest Pack

## CHEST PACK

Despite the relatively compact volume, this multipurpose belt bag is a mine of opportunities with regard to internal spaces and external utilities.



- Adjustable strap with padded shoulder, linked to the pack by two clips
- Adjustable belt to increase stability and adherence to body, closed by a large and safe plastic clip
- Wide central room, closed by zipper
- Large front pocket, whose lid can be opened to create a momentary support plane and equipped with a rack for flies and lures
- Links for pliers and scissors
- Zippers operable by single hand, thanks to convenient rubber rings

CODE

048-80-030

MODEL

LmF Chest Pack

## PRO HIP PACK S

It is a high-capacity pouch, ideal for fly fishing, but also for spinning and street fishing. It can be worn on the front or on the back, being extremely stable, thanks to the wide semi-rigid wings that connect the pack to the belt.



- Adjustable belt, closed by a wide plastic clip and padded by breathable fabric
- Wide central room and front pocket for small accessories
- Zippers operable by single hand, thanks to convenient rubber rings
- Carrying handle on top

CODE	MODEL
048-80-020	LmF Pro Hip Pack S

## CHEST POCKET

Very light and practical container for small accessories, born to be hung on the front of the chest waders, but still applicable also at the level of trouser's belt.



- Wide central room, closed by zipper
- Two small pockets on front to store small accessories destined to immediate use
- Foam hook's and flies holder on front
- Zippers operable by a single hand, thanks to convenient rubber rings
- Back side pocket

CODE	MODEL
048-80-040	LmF Chest Pocket

## REEL CASE 6 COMPS

Dedicated to the travelling angler, this practical and efficient handbag is equally very useful to safely carry in the car's trunk 6 spinning reels up to 3000 size, or multipliers or as many fly reels.



- Six padded compartments
- Lid closed by a zipper which can be operated by a single hand, thanks to the practical rubber rings
- EVA sleeved handle

CODE	MODEL	DIMENSIONS
048-80-050	LmF Reel Case 6 Comps	23x32x12 cm

## BASEBALL CAP

Stiff brim cap, made from cotton and synthetic fibers.



- Beyond the traditional aeration holes, weaving the material allows perspiration
- Elegant embroideries on front, on left side and on back side
- One size fits all, thanks to the Velcro adjusting strap

CODICE	MODELLO
044-15-200	LmF Baseball Cap

# FLY BOXES

LMF boxes are a perfect combination of design, practicality and functionality. Made from sturdy, impact-resistant polycarbonate, they are ideal for efficient storing of flies and other small lures, ensuring durability and versatility in action.

## DRY & NYMPH BOX

Lightweight and compact boxes ideal for dry flies and nymphs. The clear lid is combined with a white base. This allows a clear view of the contents. The high-density foam base has deep slots for secure hook placement.



CODE	MODEL	DIMENSIONS
113-19-020	Dry & Nymph Box Regular	18.8x10.8 (h 1.5 cm)
113-19-040	Dry & Nymph Box Small	12.8x8.8 (h 1.5 cm)

## DRY FLY BOX

The perfect solution for tidy storing of bulky flies, thanks to the extra height. The transparent lid allows for immediate viewing, while the high-density foam with deep cuts secures the hooks in place.



CODE	MODEL	DIMENSIONS
113-19-010	Dry Fly Box	15.8x9.6 (h 2.3) cm

## WP BOXES

Two models with the added benefit of being completely waterproof, thanks to the soft rubber seal that runs around the entire perimeter. As the names suggest, Dry & Nymph is designed for dry flies and nymphs, while Dry & Lure, with its triangular foam, is ideal for dry flies and small spoons.



CODE	MODEL	DIMENSIONS
113-19-060	Dry & Nymph Box WP	18.8x10.3 (h 1.7 cm)
113-19-070	Dry & Lure Box WP	18.8x10.3 (h 1.7 cm)

## DRY & LURE BOX

Lightweight and compact, they are ideal for storing flies and spoons. The clear lid makes it easy to see what is inside. The base is made from high density white foam with triangular slots and cuts to hold the hooks securely in place.



CODE	MODEL	DIMENSIONS
113-19-030	Dry & Lure Box Regular	18.8x10.8 (h 1.5 cm)
113-19-050	Dry & Lure Box Small	12.8x8.8 (h 1.5 cm)

## DOUBLE DRY FLY BOX

Specially designed to hold a large number of flies thanks to its double compartments. The hermetic rubber seal around the edges makes this box completely waterproof.



CODE	MODEL	DIMENSIONS
113-19-080	Double Dry Fly Box	13.5x8.8 (h 3.6) cm

# BOOX

## ENDURANCE STORAGE SYSTEM

User's friendly, strong and superlight pocket lure boxes delivering extreme durability, designed to keep close at hand any small artificial bait. The infinite icon, included in the name, recalls the extreme durability of these nice boxes.



## ENDURANCE SILICONE

Model with silicone bottom, on the surface of which there are dozens of triangular cavities, from the top of which a groove a few millimeters long starts; the hook must simply be inserted into that slot, pushing it gently. The softness and elasticity of the material will guarantee the right grip.



CODE	MODEL	DIMENSIONS
113-20-170	Silicone Pro	18.7x10.2 (h 1.6) cm

## ENDURANCE MAGNETIC

Magnetic bottom compartments to hold any small metal part such as hooks, swivels, snaps, jig heads). Single-handed locking bar. Ultraslim profile (16 mm only).



CODE	MODEL	DIMENSIONS
113-20-190	Mag 6 Comps	18.7x10.2 (h 1.6) cm
113-20-195	Mag 12 Comps	18.7x10.2 (h 1.6) cm

## ENDURANCE FOAM

Shock-proof polycarbonate material for unlimited life (Endurance Concept), total waterproofness, thanks to the soft rubber perimetric gasket and EVA bottom, an hook friendly material.



CODE	MODEL	DIMENSIONS
113-20-180	Slit Foam	18.7x10.2 (h 1.6) cm
113-20-185	Triangle	18.7x10.2 (h 1.6) cm

## SL BOX LURE & FLY

Light pocket boxes featuring extreme slimness, useful to keep close at hand many spoons with single hook, jig heads and flies. Elastic and strong shock-proof structure. Transparent lid for an immediate identification of the content. Complete waterproofness, obtained by the soft rubber perimetral gasket. Ultraslim profile (15 mm only). Rounded corners. Foam bottom with triangular holes to fix the lures through their hook.



CODE	MODEL	DIMENSIONS
113-20-160	SL Box * Lure & Fly	10x19 (h 1.5) cm




# WADING NETS

## WADING MASTER NET MAGNET RUBBA

Perfect for no-kill wading fishing, this classic spoon-style model is particularly light. Very strong easy magnet clip link. Elastic string, with safety snap. The fish friendly latex net has 6 mm hexagonal mesh.



CODE	MODEL	LENGTH
084-51-700	S	40x30 cm
084-51-710	M	50x40 cm
084-51-720	L	55x45 cm



## RELOAD WADING NET

Wading Rubba Net – Lightweight yet strong aluminium frame, with tangle free PE rubber mesh for total fish safety. Perfect for catch and release of trout, asp, zander and other similar species. Ergonomic and non-slip ABS handle completely sealed and floating. The handle turns 180° to easy carrying and has a secure and easy to access locking button. Elastic strap with safety fastener hook.



CODE	MODEL	LENGTH
084-51-800	S	45x35 cm
084-51-810	M	50x40 cm

## WADING RUBBA NET

Ergonomic, tapered, non slip rubber handle. Stiff, yet slim, aluminium frame. Elastics for the safe connection to belt or vest, with two snaps at different positions. Rubberized, no-tangle deep net for the total fish protection.



CODE	MODEL	HEAD DIMENSIONS	LENGTH
084-50-400	Wading Rubba Net	50x40 cm / 45 cm	70 cm

## FLOATING RUBBA NET

Ergonomic rubber handle. Elastic for connection to belt or vest. Wide, ultralight and floating frame. Rubberized no-tangle net for the full fish protection, featuring deep net with flat bottom.



CODE	MODEL	HEAD DIMENSIONS	LENGTH
084-50-300	Floating Rubba Net	40x35 cm / 40 cm	65 cm

## TROUT RUBBA NET

Ergonomic rubber handle. Elastic for connection to belt or vest. Wide, ultralight frame with “D” cross section. Rubberized no-tangle net for the full fish protection, featuring deep net with flat bottom.



CODE	MODEL	HEAD DIMENSIONS	LENGTH
084-50-250	Trout Rubba Net	33x28 cm / 25 cm	55 cm



**LMF**

Distributed by: **Trabucco International S.r.l.**  
Via Atene, 7 - Zona CEPIM Interporto  
43010 Bianconese di Fontevivo (PR) Italy  
Tel. (+39) 0521 618000 r.a.  
Fax (+39) 0521 617032  
E-mail: [info@trabucco.it](mailto:info@trabucco.it)  
Web: [www.trabucco.it](http://www.trabucco.it)

LMF reserves the right to modify prices or specifications without prior notice.  
All weights and dimensions are approximate and may vary or be modified.